

Machine Tools Prezzi

Machine Tools Price


E-mail: eva@mzgtool.cn



WeChat



Twitter



Linkedin



Facebook



Scanning, Contact Us

Scanning, Contact Us

P01. Carbide Milling Cutter
Carbide Milling Cutter



P02. Cutter Cementum Carbide
Cemented Carbide Cutter



P03. Tappa Estrusione
Extrusion Screw Tap



P04. Apex Tap
Apex Tap



P05. Spiral Grooved Tap
Spiral Grooved Tap



P06. Hand Tap / Circular Die
Hand Tap/Circular Die



P07. CCMT.. CNMG..



P08. DCMT.. DNMG..



P09. SCMT.. SNMG..



P10. TPGT.. TNMG..



P11. VBMT.. VNMG..



P12. WNMG.. WNMG..



P13. Strumentu Turning Strumentu
Thread Turning Tool



P14. Cut-Off/Grooving/Back Turning Of Small Parts
Cut-Off/Grooving/Back Turning Of Small Parts



P15. External Cylindrical Strumentazione di
Tornitura di Grooving
External Grooving Cilindrico Turning Tool



P16. External Cylindrical/Inner Hole
Strumentazione di Tornitura di Grooving
External Cylindrical / Inner Hole Grooving Turning Equipment3



P17. Grooving/Cut-Off Turning Tool
Grooving/Cut-Off Turning Tool



P18. End Face/Inner Hole Strumentazione di
Tornitura di Grooving
End Face / Inner Hole Turning Structure of Grooving



P19. Strumentu di Tornitura di CNC
CNC Turning Tool



P20. Parti di Strumentazione di Tornitura CNC
CNC Turning Tool Parts



P21. BAP Right-Angle Milling Cutter
BAP Right-Angle Milling Cutter



P22. Machine-Clamped Round Nose Milling Cutter
Machine-Clamped Round Nose Milling Cutter



P23. KM12.. SEHT.. T2139.. P3200..



P24. Locking Tooth Type Cutter
Locking Tooth Type Cutter



Insert Type Quick Drill
Insert Type Quick Drill



P25. Strumento Perché
Boring Tool



P26. Supporto per l'utili bighinatu
Boring Tool Holder



P27. ER.. FMA/B..



P28. GSK.. ADS.. APU..



P29. CNC Tool Holder Accessories
CNC Tool Holder Accessories



P30. Lathe Chuck Accessories
Lathe Chuck Accessories




Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



The L1 Length Of Milling Cutter With Different Hardness May Be Different.

The L1 Length Of Milling Cutter With Different Hardness May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter RxL1xDxL
--	--




		Rivestimenti Neri Pudezzia Acqua Sotto 45HRC			Copper Coatings Can Cut L'acciaio Sotto 55HRC			Nano Rivestimenti Neri Pudezzia L'acciaio Sotto 58HRC			Nano Copper Coatings Can Cut L'acciaio Sotto 60HRC			Nano Blue Coatings Can Tagliare l'Artico Sotto 65HRC		
1. 0x3xD4x50	R0. 5x2xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
1. 5x4xD4x50	R0. 75x3xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
2. 0x6xD4x50	R1. 0x4xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
2. 5x8xD4x50	R1. 25x5xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
3. 0x8xD3x50	R1. 5x6xD3x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
3. 0x12xD3x75	R1. 5x6xD3x75	3.1	3.9		4.4	5.1		7.1						7.7	7.7	
3. 0x15xD3x100	R1. 5x6xD3x100	3.6	4.4		5.0	5.6		8.7						8.7	8.7	
3. 0x8xD4x50	R1. 5x6xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
3. 5x10xD4x50	R1. 75x7xD4x50	2.0	2.6		2.7	3.1		4.6			5.1			5.7	5.7	
4. 0x10xD4x50	R2. 0x8xD4x50	1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	5.7	5.7	7.6
4. 0x20xD4x75	R2. 0x8xD4x75	2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	6.7	8.1	8.7
4. 0x25xD4x100	R2. 0x8xD4x100	3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	7.7	8.7	10.0
5. 0x13xD5x50	R2. 5x10xD5x50	3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	9.6	12.3
5. 0x13xD5x75	R2. 5x10xD5x75	5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5				13.0	13.0	14.7
5. 0x13xD5x100	R2. 5x10xD5x100	6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7				15.3	15.3	17.1
5. 0x13xD6x50	R2. 5x10xD6x50	3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	9.6	12.3
6. 0x15xD6x50	R3. 0x12xD6x50	3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	9.6	12.3
6. 0x20xD6x75	R3. 0x12xD6x75	4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	11.4	14.7
6. 0x30xD6x100	R3. 0x12xD6x100	6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	13.4	17.3
6. 0x30xD6x150	R3. 0x12xD6x150	12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5	26.6	26.3	29.7
8. 0x20xD8x60	R4. 0x16xD8x60	5.9	7.6	10.8	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	15.3	20.3
8. 0x25xD8x75	R4. 0x16xD8x75	8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	17.7	22.6
8. 0x35xD8x100	R4. 0x16xD8x100	9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	22.1	28.7
8. 0x40xD8x150	R4. 0x16xD8x150	19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1	37.1	41.0	45.0
10x25xD10x75	R5. 0x20xD10x75	9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	24.7	32.0
10x40xD10x100	R5. 0x20xD10x100	14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.3	37.3
10x45xD10x150	R5. 0x20xD10x150	28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4	54.4	54.7	63.0
12x30xD12x75	R6. 0x24xD12x75	14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	32.7	42.0
12x45xD12x100	R6. 0x24xD12x100	19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	43.6	53.0
12x50xD12x150	R6. 0x24xD12x150	34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7	70.7	77.6	85.6
14x35xD14x80	R7. 0x28xD14x80	25.6	29.7		32.3	34.1		49.3					54.4			
14x40xD14x100	R7. 0x28xD14x100	27.1	31.7		34.6	38.0			52.9				54.4			
14x60xD14x150	R7. 0x28xD14x150	49.6	57.9		64.6	68.3			95.4				91.2			
16x40xD16x100	R8. 0x32xD16x100	35.7	38.9		51.0	53.0		63.6	74.0		67.4	73	72.8			
16x65xD16x150	R8. 0x32xD16x150	63.3	73.9		86.0	91.0			129.0				116.3			
18x40xD18x100	R9. 0x36xD18x100	43.3	50.4		59.1	65.1			89.7		82.3	87.9	88.4			
18x65xD18x150	R9. 0x36xD18x150	74.9	86.7		101.3	101.3			148.1				153.1			
20x40xD20x100	R10x40xD20x100	52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5			
20x65xD20x150	R10x40xD20x150	86.3	100.7		126.1	126.1			168.3				180.3			

55° Decimal Point Non-Standard Flat-Fine Fraver Cutter

55° Decimal Point Non-Standard Ball Fine Fraver Cutter

Small Diameter Long Neck Flat-Fine Fraver Cutter

Small Diameter Long Neck Ball-Fine Fraver Cutter



Specifica	RxDxL	Prezzi
D1. 1-D3. 9xD4x50		4.3
D4. 1-D5. 9xD6x50		6.9
D6. 1-D7. 9xD8x60		12.4
D8. 1-D9. 9xD10x75		20.4
D10. 1-D11. 9xD12x75		29.0
Each specification interval above 0.1mm		
D1. 0-D3. 0xD4x75		6.0
D1. 0-D3. 0xD4x100		6.4
D1. 0-D4. 0xD6x50		6.4
D1. 0-D5. 0xD6x75		9.6
D1. 0-D5. 0xD6x100		11.9
Each specification interval above 0.5mm		
D2x2x50		4.7
D4x15xD4x50		4.0
D6x20xD6x50		6.9
D8x30xD8x60		12.4
D8x40xD8x120		20.7
D8x200		43.6
D10x30xD10x75		20.4
D10x35xD10x75		20.4
D10x50xD10x100		26.1
D10x45xD10x120		32.4
D10x200		64.3
D12x35xD12x75		27.4
D12x50xD12x100		34.7
D12x45xD12x120		42.9
D12x200		86.9
D13x14xD100		54.7
D15xD16x100		66.7
D16x50xD16x100		163.1
D16x200		154.7
D20x200		222.9

Specifica	RxDxL	Prezzi
R0. 6-R1. 9xD4x50		4.7
Each specification interval above R0.1mm		
R0. 5-R1. 5xD4x75		6.9
R0. 5-R1. 5xD4x100		7.6
R0. 5-R2. 0xD6x50		7.6
R0. 5-R2. 5xD6x75		10.7
R0. 5-R2. 5xD6x100		12.6
Each specification interval above R0.25mm		
R4x120		20.7
R4x200		43.6
R5x120		32.4
R5x200		40.3
R6x120		42.6
R6x200		86.9
R8x200		154.7
R10x200		222.9

Micro-Diameter Flat-Fine Fraver Cutter Can Cut

L'acciaio Sotto 60HRC

Micro-Diameter Flat-End Milling Cutter Can Cut

Steel Below 60 HRC



Specifica	RxDxL	AL	Strati
0. 3xD4x50		4.6	5.3
0. 4xD4x50		4.6	5.3
0. 5xD4x50		4.6	5.3
0. 6xD6x50		4.6	5.3
0. 7xD6x50		4.6	5.3
0. 8xD8x50		4.6	5.3
0. 9xD8x50		4.6	5.3

D1	L1	AL	Strati
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Micro-Diameter Ball-Fine Fraver Cutter Can Cut

L'acciaio Sotto 60HRC

Micro-Diameter Ball-End Milling Cutter Can Cut

Steel Below 60 HRC



Specifica	RxDxL	AL	Strati
R0. 15xD4x50		5.3	5.4
R0. 2xD4x50		5.3	5.4
R0. 25xD4x50		5.3	5.4
R0. 3xD6x50		5.3	5.4
R0. 35xD6x50		5.3	5.4
R0. 4xD8x50		5.3	5.4
R0. 45xD8x50		5.3	5.4

D1	L1	AL	Strati
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	10/12/15/20	4.6	5.3

Small Diameter Long Neck Round Nose Flat Fine Fraver Cutter

Can Cut L'acciaio Sotto 60HRC

Small Diameter Long Neck Round Nose Flat End Milling Cutter

Can Cut Steel Below 60 HRC



D1xR	L1	Strati
D1R0. 1	4/6/8/10	10.3
D1R0. 2	4/6/8/10	10.3
D1. 5R0. 1	6/8/10/12	10.3
D1. 5R0. 2	6/8/10/12	10.3
D2R0. 1	8/10/12/16	10.3
D2R0. 2	8/10/12/16	10.3
D3R0. 2	12/16/20	19.3
D3R0. 5	12/16/20	19.3
D3R0. 5	26/30	24.6
D4R0. 2	16/20	19.3
D4R0. 5	16/20	19.3
D4R0. 5	26/30	24.6

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.


If You Have Any Questions, Please Email: eva@mzgttool.cn

<http://www.mzg.tw>

Cutter Cementum Carbide Cemented Carbide Cutter

MaiFix®

Single-Edge Acrylic / Aluminium Milling Cutter Single-Edge Acrylic / Aluminium Milling Cutter



Dimensioni D1xL1xDxL	General	Lucidatura	AL Lucidatura
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

3-Edged Taper Milling Cutter For Tungsten Steel Can Cut Steel Below 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Steel Can Cut Steel Below 55 HRC




Dimensioni D1xα°xL1xD2xDxLx3F	Prezzi USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Tungstene Steel Inner R Milling Cutter
Can Cut L'acciaio Sotto 55HRC
Tungstene Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Dimensioni D1RxDxL	Prezzi USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	


Tungstene Steel Dovetail Groove Milling
Cutter Can Cut L'acqua Sotto 60HRC
Tungstene Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Dimensioni D1xα°xL1xD2xDxLx3F	Prezzi USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut L'acciaio Sotto 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Dimensioni D1xL1xDxL	Prezzi USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Double Head Tungstene Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut L'acciaio Sotto 58HRC

Double Head Tungstene Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Dimensioni DxL	AL	Strati
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tungstene Steel T-Groove Side Milling Cutter Can Cut L'acciaio Sotto 55HRC

Tungstene Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Dimensioni D1RxDxL	Prezzi USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x1. 5HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x1. 5HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x1. 5HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x1. 5HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

Tungstene Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58HRC(60°/90°/120°)

Tungstene Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC(60°/90°/120°)



Dimensioni DxL	AL	Strati
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Tungstene Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
L'acciaio Sotto 58HRC

Tungstene Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Dimensioni DxL	AL	Strati
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Coating (Yellow/Black/Copper)

Spiral-Edged Tungstene Steel Reamer Can Cut L'acciaio Sotto 55HRC


Spiral-Edged Tungstene Steel Reamer
Can Cut Steel Below 55 HRC



Dimensioni D1xL1xDxLxT	Prezzi USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Straight-Edged Tungstene Steel Reamer Can Cut L'acciaio Sotto 55HRC


Straight-Edged Tungstene Steel Reamer
Can Cut Steel Below 55 HRC



Dimensioni D1xL1xDxLxT	Prezzi USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Esercizioni di acciaio tungsteno

Tungsten Steel Drills



Dimensioni	Prezzi USD
D1. 0-D1. 5	1.9
D1. 6-D2. 0	2.4
D2. 1-D2. 5	2.6
D2. 6-D3. 0	3.3
D3. 1-D3. 5	4.0
D3. 6-D4. 0	4.7
D4. 1-D4. 5	5.4
D4. 6-D5. 0	6.9
D5. 1-D5. 5	7.9
D5. 6-D6. 0	9.6
D6. 1-D6. 5	11.1
D6. 6-D7. 0	12.9
D7. 1-D7. 5	16.9
D7. 6-D8. 0	18.9
D8. 1-D8. 5	22.4
D8. 6-D9. 0	24.7
D9. 1-D9. 5	28.3
D9. 6-D10. 0	30.7
D10. 1-D10. 5	35.7
D10. 6-D11. 0	37.4
D11. 1-D11. 5	46.0
D11. 6-D12. 0	50.0

Tungstene Steel Bar

Tungsten Steel Bar



Dimensioni DxL	55° USD	60° USD
D3x100L	2.4	3.6
D4x100L	3.9	6.0
D5x100L	6.1	7.4
D6x100L	7.4	8.6
D8x100L	14.3	21.1
D10x100L	21.4	32.4
D12x100L	31.1	46.9

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzgtool.cn>

Tappa Estrusione

Extrusion Screw Tap



Thread x Pitch x Length (/ Reverse Denti)	Precisione	Forma	bianco	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L Reverse Denti	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L Reverse Denti	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L Reverse Denti	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x Pitch x Length (/ Reverse Denti)	Precisione	Forma	bianco	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L Reverse Denti	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L Reverse Denti	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L Reverse Denti	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	B	7.4	8.3
M5. 0x0. 8	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L Reverse Denti	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L Reverse Denti	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L Reverse Denti	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L Reverse Denti	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L Reverse Denti	RH7	B	14.0	16.1
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L Reverse Denti	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L Reverse Denti	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L Reverse Denti	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L Reverse Denti	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L Reverse Denti	RH7	B	11.1	12.6
UNC5/16-18-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L Reverse Denti	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Apex Tap Apex Tap



bianco



Tin

Thread x Pitch x Length (/ Reverse Denti)	Precisione	Forma	bianco	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x Pitch x Length (/ Reverse Denti)	Precisione	Forma	bianco	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNE1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x Pitch x Length (/ Reverse Denti)	Precisione	Forma	bianco	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgttool.cn

<http://www.mzg.tw>

Spiral Grooved Tap Spiral Grooved Tap



bianco



Tin

Thread x Pitch x Length (/ Reverse Denti)	Precisione	bianco	Tin
M1. 0x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 2x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 4x0. 2 M1. 4x0. 3	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 5x0. 3 M1. 6x0. 2 M1. 6x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 6x0. 35-HT Una guaina	1B	6.9	6.9
M1. 7x0. 2 M1. 7x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 8x0. 2 M1. 8x0. 35	P1 P1	6.7 5.7	7.4 6.7
M2. 0x0. 25 M2. 0x0. 4	P1 +0.1 P1 P2 P3 P4	6.7 5.3 4.7 4.7 4.7 4.7	7.4 6.0 5.4 5.4 5.4 5.4
M2. 0x0. 4-100L M2. 0x0. 4-AL M2. 0x0. 4-HT Una guaina	P1 1B P1	4.7 5.4 5.7	4.7 6.7 6.7
M2. 2x0. 25 M2. 2x0. 45	P1	6.7 4.7	7.4 5.4
M2. 3x0. 4 M2. 3x0. 4L Reverse Denti	P1 P1	4.7 5.7	5.4 6.7
M2. 5x0. 35 M2. 5x0. 45	P1 +0.1 P1 P2 P3 P4	6.7 5.3 4.7 4.7 4.7 4.7	7.4 6.0 5.4 5.4 5.4 5.4
M2. 5x0. 45-100L M2. 5x0. 45-AL M2. 5x0. 45-HT Una guaina	P1 P1 1B	4.7 4.7 5.4	4.7 4.7 6.7
M2. 5x0. 45L Reverse Denti	P1	5.7	6.7
M2. 6x0. 35 M2. 6x0. 45	P1 P2 P3 P4	6.7 4.7 4.7 4.7	7.4 5.4 5.4 5.4
M2. 6x0. 45-100L M2. 6x0. 45L Reverse Denti	P1 P1	5.7 5.7	6.7 6.7
M3. 0x0. 35	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
M3. 0x0. 35L Reverse Denti	P2	5.7	6.7
M3. 0x0. 5	+0.1 P1 P2 P3 P4	4.7 4.7 4.7 4.7 4.7	4.7 4.7 4.7 4.7 4.7
M3. 0x0. 5-100L M3. 0x0. 5-150L M3. 0x0. 5-AL M3. 0x0. 5-HT Una guaina	P2 P2 1B P2	17.1 4 4.7 4.7	4.0 4.0 6.1 5.4
M3. 5x0. 6-100L	P2	9.3	9.3
M4. 0x0. 35 M4. 0x0. 5	P2 P2 P3 P4	4.7 4.7 4.7 4.7	5.4 5.4 5.4 5.4
M4. 0x0. 5L Reverse Denti	P2	5.7	6.7

Thread x Pitch x Length (/ Reverse Denti)	Precisione	bianco	Tin
M4. 0x0. 7	+0.1 P2 P3 P4	4.7 4 4 4	5.4 4.7 4.7 4.7
M4. 0x0. 7-100L M4. 0x0. 7-150L M4. 0x0. 7-AL M4. 0x0. 7-HT Una guaina	P2 P2 1B P2	9.3 17.1 4 4.7	4 4 6.1 5.7
M4. 0x0. 7L Reverse Denti	P2	4.7	5.7
M5. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
M5. 0x0. 5L Reverse Denti	P2	5.7	6.9
M5. 0x0. 8	+0.1 P2 P3 P4	4.7 4 4 4	5.4 4.7 4.7 4.7
M5. 0x0. 8-100L M5. 0x0. 8-150L M5. 0x0. 8-AL M5. 0x0. 8-HT Una guaina	P2 P2 1B P2	9.6 17.9 4.7 4.7	4 4 6.1 5.7
M5. 0x0. 8L Reverse Denti	P2	4.7	5.7
M6. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.7 5.7
M6. 0x0. 5L Reverse Denti	P2	5.7	6.9
M6. 0x0. 75	P2 P3 P4	4.7 4.7 4.7	5.7 5.7 5.7
M6. 0x0. 75L Reverse Denti	P2	5.7	6.9
M6. 0x1. 0	+0.1 P2 P3 P4	4.7 4 4 4	5.7 5 5 5
M6. 0x1. 0-100L M6. 0x1. 0-150L M6. 0x1. 0-AL M6. 0x1. 0-HT Una guaina	P2 P2 1B P2	9.6 17.9 4.7 4.7	4 4 6.1 5.7
M6. 0x1. 0L Reverse Denti	P2	4.7	5.7
M7. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75L Reverse Denti	P2	7.9	9.3
M7. 0x1. 0	P2 P4	6 6	7.4 7.4
M7. 0x1. 0L Reverse Denti	P2	7.4	8.6
M8. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75L Reverse Denti	P2	7.9	9.3
M8. 0x1. 0	P2 P4	6.7 6.7	7.9 7.9
M8. 0x1. 0L Reverse Denti	P2	7.9	9.3
M8. 0x1. 25	+0.1 P2 P3 P4	6.7 6 6 6	7.9 7.4 7.4 7.4
M8. 0x1. 25-100L M8. 0x1. 25-150L M8. 0x1. 25-AL M8. 0x1. 25-HT Una guaina	P2 P2 1B P2	12.6 18.3 7.4 7.4	6 6 7.9 9.6
M8. 0x1. 25L Reverse Denti	P2	7.4	8.6
M9. 0x0. 5 M9. 0x0. 75 M9. 0x1. 0 M9. 0x1. 0L Reverse Denti	P2 P2 P2 P2	7.9 7.9 7.9 10	9.6 9.6 9.6 11.4
M9. 0x1. 25	P2	7.9	9.6
M10x0. 5 M10x0. 75	P2 P2	8.3 8.3	10 10
M10x0. 75L Reverse Denti	P2	10	11.4
M10x1. 0 M10x1. 0L Reverse Denti	P2 P2	8.3 8.3	10 10
M10x1. 25L Reverse Denti	P2	10	11.4
M10x1. 5	+0.1 P2 P3 P4	8.3 7.9 7.9 7.9	10 9.6 9.6 9.6
M10x1. 5-100L M10x1. 5-150L M10x1. 5-AL M10x1. 5-HT Una guaina	P2 P2 1B P2	14.6 19.7 9.3 9.6	7.9 7.9 10 11
M10x1. 5L Reverse Denti	P2	9.6	11
M11x0. 5 M11x0. 75 M11x1. 0 M11x1. 5	P2 P2 P2 P2	11 11 11 10.4	13.1 13.1 13.1 12.6

Thread x Pitch x Length (/ Reverse Denti)	Precisione	bianco	Tin
M12x0. 5 M12x0. 75 M12x1. 0	P2 P2 P2	11.0 11.0 11.0	13.1 13.1 13.1
M12x1. 0L Reverse Denti	P2	12.6	14.7
M12x1. 25	P2	11.0	13.1
M12x1. 25L Reverse Denti	P2	12.6	14.7
M12x1. 5	P2 P4	11.0 11.0	13.1 13.1
M12x1. 5L Reverse Denti	P2	12.6	14.7
M12x1. 75	+0.1 P2 P3 P4	11.0 10.4 10.4 10.4	13.1 12.6 12.6 12.6
M12x1. 75-100L M12x1. 75-150L M12x1. 75-AL M12x1. 75-HT Una guaina	P2 P2 1B P2	11.9 11.9 12.6 12.1	10.4 10.4 12.6 14.7
M12x1. 75L Reverse Denti	P2	12.1	14.7
M14x1. 0 M14x1. 25 M14x1. 5 M14x2. 0	P2 P2 P2 P2	17.1 17.1 17.1 15.7	19.7 19.7 19.7 18.3
M16x1. 0 M16x1. 25 M16x1. 5 M16x2. 0	P2 P2 P2 P2	19.7 19.7 19.7 18.3	22.9 22.9 22.9 21.4
UNC0-80	P1	5.3	6
UNC1-64 UNF1-72	P1 P1	5.3 6.7	6 7.4
UNC2-56	P2 P3 P4	5.3 5.3 5.3	6 6 6
UNC2-56-100L UNC2-56-HT Una guaina	1B P1	6.1 6.7	6.9 7.4
UNF2-64 UNC3-48 UNF3-56 UNC4-40	P1 P1 P1 P1	6.7 5.3 6.7 4.7	7.4 6 7.4 5.4
UNC4-40-100L UNC4-40-AL UNC4-40-HT Una guaina	P2 1B P1	4.7 5.4 6.7	6.7 7.4 7.4
UNF4-48 UNC5-40 UNC5-40-100L UNC5-44 UNC6-32	P2 P2 P2 P2 P3 P4	4.7 4.7 4.7 4.7 4.7 4.7	5.4 5.4 5.4 7.4 5.4 5.4
UNC6-32-100L UNC6-32-AL UNC6-32-HT Una guaina	P2 1B P2	4.7 5.4 5.7	6.7 6.7 6.7
UNC6-32L Reverse Denti	P2	6.7	7.4
UNC8-32	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
UNC8-32-100L UNC8-32-AL UNC8-32-HT Una guaina	P2 1B P2	4.7 5.4 5.7	6.7 6.7 6.7
UNC8-32L Reverse Denti	P2	6.7	7.4
UNF8-36 UNC10-24	P2 P3 P4	6.7 4.7 4.7	7.4 5.7 5.7
UNC10-24-100L UNC10-24-AL UNC10-24-HT Una guaina	P2 1B P2	4.7 5.4 5.7	6.7 6.9 6.9
UNC10-24L Reverse Denti	P2	4.7	5.7
UNF10-32 UNF10-32-100L UNF10-32-HT Una guaina	P2 1B P2	4.7 7.4 7.4	5.7 7.4 8.3
UNF10-32L Reverse Denti	P2	4.7	5.7
UNC12-24 UNF12-28 UNEF12-32 UNS12-36	P2 P2 P2 P2	4.7 6.7 6.7 6.7	5.7 7.6 7.6 7.6
UNC1/4-20 UNC1/4-20-100L UNC1/4-20-AL UNC1/4-20-HT Una guaina	P2 P3 P4 P2	4.7 4.7 4.7 5.7	5.7 5.7 5.7 6.7
UNC1/4-20L Reverse Denti	P2	5.7	6.9

Thread x Pitch x Length (/ Reverse Denti)	Precisione	bianco	Tin
UNF1/4-28	P2 P4	6.7 6.7	7.6 7.6
UNF1/4-28-HT Una guaina	1B	7.4	8.3
UNF1/4-28L Reverse Denti	P2	6.7	7.6
UNEF1/4-32	P2	6.7	7.6
UNS1/4-36	P2	6.7	7.6
UNC5/16-18	P2 P3 P4	6.0 6.0 6.0	7.4 7.4 7.4
UNC5/16-18-100L UNC5/16-18-AL UNC5/16-18-HT Una guaina	P2 P2 1B	13.1 6.7 7.9	10.4 8.3 8.3
UNC5/16-18L Reverse Denti	P2	7.4	8.6
UNF5/16-24	P4	7.4	8.6
UNF5/16-24-HT Una guaina	1B	9.3	10.4
UNF5/16-24L Reverse Denti	P2	9.3	10.4
UNC3/8-16	P2 P3 P4	7.9 7.9 7.9	9.6 9.6 9.6
UNC3/8-16-100L UNC3/8-16-AL UNC3/8-16-HT Una guaina	P2 1B P2	14.7 8.3 9.6	10.4 10.4 10.4
UNC3/8-16L Reverse Denti	P2	9.6	11.0
UNF3/8-24	P2 P4	9.3 9.3	10.7 10.7
UNF3/8-24-HT Una guaina	1B	12.1	12.1
UNF3/8-24L Reverse Denti	P2	11.0	12.6
UNS3/8-32	P2	9.3	10.7
UNC7/16-14 UNF7/16-20	P2 P2	11.9 12.6	13.9 14.7
UNC1/2-12 UNF1/2-20	P2 P2	13.1 14.6	15.3 16.4
W1/8-40 W5/32-32 W3/16-24 W7/32-24	P1 P2 P2 P2	4.7 4.7 4.7 4.7	5.4 5.4 5.4 5.7
W1/4-20 W5/16-18 W3/8-16 W7/16-14 W1/2-12	P2 P2 P2 P2 P2	4.7 6.0 7.9 11.9 13.1	5.7 7.4 9.6 13.9 15.3
PS1/8-28 Standard inglese		7.9	
PS1/4-14 American Standard		22.4	
PS1/4-18 American Standard		7.9	
PS1/4-19 Standard inglese		9.3	
PS3/8-18 American Standard		13.1	
PS3/8-19 Standard inglese		14.6	
PS1/2-14 American Standard		17.1	
PS1/2-14 Standard inglese		19.7	
PS3/4-14 Standard inglese		25.0	
PS1-11 Standard inglese		41.9	
PS1-11. 1-2 American Standard		41.9	
PT1/16-28 Standard inglese		7.9	
PT1/8-28 Standard inglese		7.9	
PT1/4-19 Standard inglese		10.4	
PT3/8-19 Standard inglese		15.7	
PT1/2-14 Standard inglese		19.7	
PT3/4-14 Standard inglese		27.6	
PT1-11 Standard inglese		46.0	
NPT1/8-27 American Standard		7.9	
NPT1/4-18 American Standard		10.4	
NPT3/8-18 American Standard		15.7	
NPT1/2-14 American Standard		19.7	
NPT1/4-14 American Standard		27.6	
NPT1-11. 1-2 American Standard		46.0	

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>


Hand Tap / Circular Die

Hand Tap/Circular Die

MaiFix®

HT Straight Wire Tap

HT Straight Wire Tap



Thread x Pitch x Length (/ Reverse Denti)	Precisione	biancu
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Thread x Pitch x Length (/ Reverse Denti)	Precisione	biancu
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Standard inglese		6. 7
PS1/8-27 American Standard		6. 7
PS1/8-28 Standard inglese		6. 7
PS1/4-14 American Standard		22. 4
PS1/4-18 American Standard		7. 9
PS1/4-19 Standard inglese		7. 9
PS3/8-18 American Standard		13. 1
PS3/8-19 Standard inglese		13. 1
PS1/2-14 American Standard		17. 1
PS1/2-14 Standard inglese		17. 1
PS3/4-14 Standard inglese		22. 4
PS1-11 Standard inglese		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Standard inglese		6. 7
PT1/8-28 Standard inglese		6. 7
PT1/4-19 Standard inglese		8. 6
PT3/8-19 Standard inglese		14. 6
PT1/2-14 Standard inglese		18. 3
PT3/4-14 Standard inglese		25. 0
PT1-11 Standard inglese		41. 9
NPT1/8-27 American Standard		6. 7
NPT1/4-18 American Standard		8. 6
NPT3/8-18 American Standard		14. 6
NPT1/2-14 American Standard		18. 3
NPT1/4-14 American Standard		25. 0
NPT1-11. 1-2 American Standard		41. 9

AR-D Adjustable Circular Die

AR-D Adjustable Circular Die



Thread x Pitch x Length (/ Reverse Denti)	External Diameter	biancu
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Reverse Denti	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Reverse Denti	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Reverse Denti	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Reverse Denti	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Reverse Denti	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Reverse Denti	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Reverse Denti	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Reverse Denti	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Reverse Denti	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6





Thread x Pitch x Length (/ Reverse Denti)	External Diameter	biancu
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9



Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Specifica	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0



Product Pictures	Specifica	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
	CNMG120408-HS ZM30	0.8	2.6
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3

Above Prezzi Excludes Freight, Tax And Fee.



Domestic USD Dollar Transaction Prezzi In China.







If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
 Rame E Aluminium Finisce Machining	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
 Rame E Aluminium Medium Finisce Machining	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	DNMG110404-FG ZN60	0.4	2.6
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
 Cermet Medium And Rough Steel Parti Avè Bè Finisce	DNMG150404L-VF ZN60	0.4	2.6
 Cermet Medium And Rough Steel Parti Avè Bè Finisce	DNMG150404R-VF ZN60	0.4	2.6

<http://www.mzg.tw>

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
 Rame E Aluminium Finisce Machining	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
 Prucitazione dura di Steel	SNMG120408L-S ZC25	0.8	2.6
 Prucitazione dura di Hard Steel	SNMG120408L-S ZC35	0.8	2.6
 Prucitazione dura di Steel	SNMG120408R-S ZC25	0.8	2.6
 Prucitazione dura di Hard Steel	SNMG120408R-S ZC35	0.8	2.6
 Medium Finisce Machining diSteel	SNMG120408-TM ZC25	0.8	2.6
 Rame E Aluminium Medium Finisce Machining	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
 Inossidabile Processing	SNMG120408-MA ZM30	0.8	2.6
 Inossidabile Processing	SNMG120404-MS ZM30	0.4	2.6
 Inossidabile Processing	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	SCMT09T304-MT ZN60	0.4	1.9
 Rame E Aluminium Medium Finisce Machining	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9




Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Rame E Aluminium Finisce Machining	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
 Rame E Aluminium Medium Finisce Machining	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
 Inossidabile Processing	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
 Inossidabile Processing	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3






Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Rame E Aluminium Finisce Machining	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ Medium Finisce Machining diSteel	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25 TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S L-S Prucitazione dura di Steel	TNMG160404L-S ZC25 TNMG160408L-S ZC25 TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S L-S Prucitazione dura di Hard Steel	TNMG160404L-S ZC35 TNMG160408L-S ZC35 TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Medium Finisce Machining diSteel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Finitura media Machining diHard Steel	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Rame E Aluminium Medium Finisce Machining	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA TNMG Medium Rough Machining diCast Iron	TNMA160404 ZK50 TNMA160408 ZK50 TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 HA MA Inossidabile Processing	TNMG160404-HA ZM30 TNMG160408-HA ZM30 TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Inossidabile Processing	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Inossidabile Processing	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3








Product Pictures	Specifica	R	USD
 R-C L-C Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404L-C ZN60 TNMG160408L-C ZN60 TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-S L-S Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404L-S ZN60 TNMG160408L-S ZN60 TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-VF L-VF Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60 TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-FS L-FS Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60 TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P L-P Cermet Fine Steel Parti Avè Bè Finisce	TNMG160402L-P ZN90 TNMG160404L-P ZN90 TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6
 R-S L-S Cermet Fine Steel Parti Avè Bè Finisce	TNMG160402L-S ZN90 TNMG160404L-S ZN90 TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6



Above Prezzi Excludes Freight, Tax And Fee.
Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn <http://www.mzg.tw>

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
 Rame E Aluminium Finisce Machining	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VBGT160412 PCD1	1.2	6.9
 Rame E Aluminium Medium Finisce Machining	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
 Inossidabile Processing	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	VNMG160404 CBN1	0.4	6.9
	VNMG160408 CBN1	0.8	6.9
	VNMG160402 PCD1	0.2	6.9
	VNMG160404 PCD1	0.4	6.9
	VNMG160408 PCD1	0.8	6.9
	VNMG160404-TM ZC25	0.4	2.7
	VNMG160408-TM ZC25	0.8	2.7
	VNMG160404-TM ZC35	0.4	2.7
	VNMG160408-TM ZC35	0.8	2.7
	VNMG160404-AL ZK01	0.4	2.3
 Inossidabile Processing	VNMG160408-AL ZK01	0.8	2.3
	VNMG160404 ZM30	0.4	2.7
	VNMG160408 ZM30	0.8	2.7
	VNMG160404-HS ZM30	0.4	2.7
	VNMG160408-HS ZM30	0.8	2.7
	VNMG160404-MT ZN60	0.4	2.3
	VNMG160408-MT ZN60	0.8	2.3

Product Pictures	Specifica	R	USD
 Ghisa e Indurita Materials Finisce Machining	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
 Rame E Aluminium Finisce Machining	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Medium Finisce Machining diSteel	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Medium Finisce Machining diSteel	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
 R-S L-S Prucitazione dura di Steel	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 R-S L-S Prucitazione dura di Hard Steel	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 TM ZC25 TM ZC35 Medium Finisce Machining diSteel	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Medium Finisce Machining diSteel	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
 Rame E Aluminium Medium Finisce Machining	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
 Inossidabile Processing	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
 Intrapruzimentu medianu of Cast Iron	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
 Medium Finisce Machining diCast Iron	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6


Product Pictures	Specifica	R	USD
 Inossidabile Processing	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
 Inossidabile Processing	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
 Inossidabile Processing	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
 R-S L-S Cermet Medium And Rough Steel Parti Avè Bè Finisce	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Parti Avè Bè Finisce	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3


Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>


Product Pictures	Specifica	TPI	USD
ZP10 General Machining 	16ER 050IS0 ZP10	0.50	2.0
	16ER 075IS0 ZP10	0.75	2.0
	16ER 100IS0 ZP10	1.00	2.0
	16ER 125IS0 ZP10	1.25	2.0
	16ER 150IS0 ZP10	1.50	2.0
	16ER 175IS0 ZP10	1.75	2.0
	16ER 200IS0 ZP10	2.00	2.0
	16ER 250IS0 ZP10	2.50	2.0
	16ER 300IS0 ZP10	3.00	2.0
	16ER 350IS0 ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350IS0 ZP10	3.50	5.1
PCD1 Rame E Aluminium Finisce Machining  60° Metrica Esternu Produzione di Fili	22ER 400IS0 ZP10	4.00	5.1
	22ER 500IS0 ZP10	5.00	5.1
	22ER 600IS0 ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	B-SEL	—	—
	SER	—	—
	External Produzione di Fili	—	—
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150IS0 ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150IS0 ZP10	1.5	2.0
	11IR 200IS0 ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050IS0 ZP10	0.50	2.0
	16IR 075IS0 ZP10	0.75	2.0
	16IR 100IS0 ZP10	1.00	2.0
	16IR 125IS0 ZP10	1.25	2.0
	16IR 150IS0 ZP10	1.50	2.0
	16IR 175IS0 ZP10	1.75	2.0
	16IR 200IS0 ZP10	2.00	2.0
	16IR 250IS0 ZP10	2.50	2.0
	16IR 300IS0 ZP10	3.00	2.0
PCD1 Rame E Aluminium Finisce Machining  60° Metric Foru Internu Produzione di Fili	16IR 350IS0 ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350IS0 ZP10	3.50	5.1
	22IR 400IS0 ZP10	4.00	5.1
	22IR 500IS0 ZP10	5.00	5.1
	22IR 600IS0 ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	Foru Internu Produzione di Fili	—	—
TKFT.. TTP..  Processing of 60 Metric Fili Piccole Parti	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TTP..	—	—
	TTPR12	—	9.3
	TTPR16	—	11.7



Product Pictures	Specifica	TPI	USD
 30° Trapezoidal Threads for DIN103 Transmission External Produzione di Fili	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
	16ER 11W ZP10	1 1/16 11Tooth	2.0
	16ER 14W ZP10	1 1/16 14Tooth	2.0
	16ER 19W ZP10	1 1/16 19Tooth	2.0
	16ER 24W ZP10	1 1/16 24Tooth	2.0
	16ER 8W ZP10	1 1/8 8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
	55° Inch External Produzione di Fili	—	—
ZP10 General Machining 	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR 11W ZP10	1 1/16 11Tooth	2.0
	16IR 12W ZC01	1 1/16 12Tooth	2.0
	16IR 14W ZP10	1 1/16 14Tooth	2.0
	16IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	55° Inch Internu Hole Produzione di Fili	—	—
	60° Esternu Americano Produzione di Fili	—	—
	60° American Foru Internu Produzione di Fili	—	—
	BSPT Standard Inglese Taper Tube Thread External Produzione di Fili	—	—
 BSPT Standard Inglese Taper Tube Thread Internal Produzione di Fili	16ER 12UN ZP10	1 1/16 12Tooth	2.0
	16ER 14UN ZP10	1 1/16 14Tooth	2.0
	16ER 16UN ZP10	1 1/16 16Tooth	2.0
	16ER 18UN ZP10	1 1/16 18Tooth	2.0
	16ER 20UN ZP10	1 1/16 20Tooth	2.0
	16IR 12UN ZP10	1 1/16 12Tooth	2.0
	16IR 14UN ZP10	1 1/16 14Tooth	2.0
	16IR 16UN ZP10	1 1/16 16Tooth	2.0
	16IR 18UN ZP10	1 1/16 18Tooth	2.0
	16IR 20UN ZP10	1 1/16 20Tooth	2.0
	16ER 11BSPT ZP10	1 1/16 11Tooth	2.0
	16ER 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 19BSPT ZP10	1 1/16 19Tooth	2.0
	16ER 28BSPT ZP10	1 1/16 28Tooth	2.0
	BSPT Standard Inglese Taper Tube Thread Internal Produzione di Fili	—	—
 NPT Pipe Thread External Produzione di Fili	16IR 11BSPT ZP10	1 1/16 11Tooth	2.0
	16IR 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16ER 14NPT ZP10	1 1/16 14Tooth	2.0
	16ER 18NPT ZP10	1 1/16 18Tooth	2.0
	16IR 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16IR 14NPT ZP10	1 1/16 14Tooth	2.0
	NPT Pipe Thread Foru Internu Produzione di Fili	—	—

Cut-Off/Grooving/Back Turning Of Small Parts

Cut-Off/Grooving/Back Turning Of Small Parts

MaiFix®

Product Pictures	Specifica	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
A larghezza di u slot d'inventario 0.5-3 mm e profondità 1-2.2 mm Materiale generale esse tagliati trasversalmente			
	SER1616H16	-	7.1
	SER2020K16	-	7.1
	SER2525M16	-	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
	T16N180 ZP15	1.8	3.0
	T16N200 ZP15	2.0	3.0
	T16N230 ZP15	2.3	3.0
	T16N250 ZP15	2.5	3.0
	T16N300 ZP15	3.0	3.0
A larghezza di u slot d'inventario 0.5-3 mm e profondità 1-2.2 mm Materiale generale esse tagliati trasversalmente			
	SNR0010K11	-	5.1
	SNR0012M11	-	5.4
	SNR0013N16	-	6.1
	SNR0014N16	-	6.7
	SNR0016Q16	-	6.7
	SNR0020R16	-	7.1
	SNR0025S16	-	11.7
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	-	10.7
	CTPSL12	-	11.9
	CTPASL10	-	10.7
	CTPASL12	-	11.9
	CTPASL16	-	14.3
	CTPR08	-	11.9
	CTPR10	-	9.4
	CTPR12	-	9.4
	CTPR16	-	9.4
	CTPR20	-	10.7
	CTPAR10	-	9.4
	CTPAR12	-	9.4
	CTPAR16	-	9.4
	CTPAR20	-	10.7
	CTPAR25	-	14.3
	TTB6001 ZP15	-	5.9
	TBPR10	-	9.4
	TBPR12	-	9.4
	TBPAR10	-	9.4
	TBPAR12	-	9.4
	TBPAR16	-	9.4
	TBPR10	-	9.4
	TBPR12	-	9.4

Product Pictures	Specifica	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Small Parts Grooving /Elaborazione di Cut-Off			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
Small Parts Elaborazione di Cut-Off			
	TKFB6001 ZP15	-	5.9
	TKFB6001 ZP15	-	5.9
	TKFB6001 ZP15	-	5.9
	TKFB6001 ZP15	-	5.9
	TKFB6001 ZP15	-	5.9
	TKFB6001 ZP15	-	5.9
Back Turning of Small Parts			
	KTKFSL1010JX12	-	11.9
	KTKFSL1212JX12	-	11.9
	KTKFSL1212JX16	-	11.9
	KTKFSL1010JX12	-	11.9
	KTKFSL1010JX12	-	9.4
	KTKFSL1212JX12	-	9.4
	KTKFSL1616JX12	-	9.4
	KTKFR0810JX12	-	11.9
	KTKFR1010JX12	-	9.4
	KTKFR1212JX12	-	9.4
	KTKFR1616JX12	-	9.4
	KTKFR1010JX16	-	9.4
	KTKFR1212JX16	-	9.4
	KTKFR1616K16	-	9.4
	KTKFR2020JX16	-	10.7
	KTKFR1010JX12	-	11.9
	KTKFR1010JX12	-	9.4
	KTKFR1212JX12	-	9.4
	KTKFR1616K16	-	9.4
	KTKFR2020JX16	-	10.7
	FVC1604R150 ZP15	1.5	4.3
	FVC1604R200 ZP15	2.0	4.3
	FV1604R300 ZP15	3.0	4.3
	FVC1604R150 ZP15	1.5	4.3
End Face Meccanica di Grooving			
	SVQCR2020K16-NJ	-	11.9
	SVQCR2020K16-NJ	-	11.9
	SVQCR2020K16-NJ	-	11.9
	SVQCR2020K16-NJ	-	11.9
	SVQCR2020K16-NJ	-	11.9
	SVQCR2020K16-NJ	-	11.9
SVQCR. .			
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
End Face Meccanica di Grooving			
	SGIVFR16Q16	-	14.3
	SGIVFR20Q16	-	14.3
	SGIVFR25R16	-	16.7
	SGIVFR16Q16	-	14.3
	SGIVFR20Q16	-	14.3
	SGIVFR25R16	-	16.7
SGIVFR. .			

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

External Cylindrical Strumentazione di Tornitura di Grooving


External Cylindrical Strumentazione di Tornitura di Grooving

Product Pictures	Specifica	Width	USD
  A larghezza di u slot d'inventario 0.3-3.2mm Selective cutting depth 0.8-4 mm Materiale generale esse tagliati trasversalmente	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6


Product Pictures	Specifica	Width	USD
  A larghezza di u slot d'inventario 0.3-3.2mm Selective cutting depth 0.8-4 mm Materiale generale esse tagliati trasversalmente	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6


 KTGFR..	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
---	--	-----------------------	---------------------------------

 KTGFL..	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
--	--	-----------------------	---------------------------------

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------



	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------

 KTGFSL..	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
---	---	-----------------------	---------------------------------

 KTGFSR..	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
---	---	-----------------------	---------------------------------

 S..-KTGFL..	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
--	--	-------------	---------------------

 S..-KTGFR..	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
--	--	-------------	---------------------

Product Pictures	Specifica	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
A larghezza di u slot d'inventario 1.0-4.8mm Selective cutting depth 2.0-5.0 mm Materiale generale esse tagliati trasversalmente			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
A larghezza di u slot d'inventario 1.0-4.8mm Selective cutting depth 2.0-5.0 mm Materiale generale esse tagliati trasversalmente			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3

Product Pictures	Specifica	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
Meccanica di Grooving			
	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	— — —	19.0 11.9 11.9
Spring Steel			
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
Meccanica di Grooving			
	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	— — — — —	11.9 11.9 11.9 11.9 11.9
Spring Steel			
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
Meccanica di Grooving			
	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	— — —	11.9 13.3 11.9
Spring Steel			
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
Meccanica di Grooving			
	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
Spring Steel			
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
Meccanica di Grooving			
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	— — —	8.6 8.6 9.6
Spring Steel			
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
Meccanica di Grooving			
	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	— — —	8.6 9.0 11.9
Spring Steel			
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15 SNGR12M09 SNGR16Q09 SNGR20R09	1.0 2.0 2.5 3.0 — — —	3.0 3.0 3.0 3.0 9.0 11.0 13.1
Meccanica di Grooving			
Spring Steel			

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn <http://www.mzg.tw>

Product Pictures	Specifica	Width	USD
 Ghisla e Indurita Materials Finisce Machining	MGMN150 CBN1	1.5	6.9
	MGMN200 CBN1	2.0	6.9
	MGMN250 CBN1	2.5	6.9
	MGMN300 CBN1	3.0	6.9
	MGMN400 CBN1	4.0	6.9
 Rame E Aluminium Finisce Machining	MGMN150 PCD1	1.5	6.9
	MGMN200 PCD1	2.0	6.9
	MGMN250 PCD1	2.5	6.9
	MGMN300 PCD1	3.0	6.9
	MGMN400 PCD1	4.0	6.9
 Grooving/Elaborazione di Cut-Off	MGGN300 ZP15	3.0	1.6
	MGGN400 ZP15	4.0	1.7
 8° Taper Elaborazione di Cut-Off	MGGN200-Q ZP15	2.0	1.7
	MGGN300-Q ZP15	3.0	1.7
 Copper or Aluminium Grooving/Elaborazione di Cut-Off	MGGN200 ZK01	2.0	1.7
	MGGN300 ZK01	3.0	1.9
	MGGN400 ZK01	4.0	2.3
 Grooving/Elaborazione di Cut-Off	MGGN150 ZP30	1.5	1.7
	MGGN200 ZP30	2.0	1.7
	MGGN250 ZP30	2.5	1.7
	MGGN300 ZP30	3.0	1.7
	MGGN400 ZP30	4.0	2.0
 8° Taper Elaborazione di Cut-Off	MGGN500 ZP30	5.0	2.7
	MGGN150R-8 ZP30	1.5	1.7
	MGGN200R-8 ZP30	2.0	1.7
	MGGN250R-8 ZP30	2.5	1.9
	MGGN300R-8 ZP30	3.0	2.0
 8° Taper Elaborazione di Cut-Off	MGGN400R-8 ZP30	4.0	2.4
	MGGN500R-8 ZP30	5.0	3.1
 8° Taper Elaborazione di Cut-Off	MGGN150L-8 ZP30	1.5	1.7
	MGGN200L-8 ZP30	2.0	1.7
	MGGN250L-8 ZP30	2.5	1.9
	MGGN300L-8 ZP30	3.0	2.0
	MGGN400L-8 ZP30	4.0	2.4
 Grooving/Elaborazione di Cut-Off	MGMN150-G ZK01	1.5	1.7
	MGMN200-G ZK01	2.0	1.7
	MGMN200-M ZK01	2.0	1.7
	MGMN300-M ZK01	3.0	1.7
	MGMN400-M ZK01	4.0	2.0
 Cermet Medium to Fine Steel Parts with Fine Finishes	MGMN200-G ZN60	2.0	1.4
	MGMN300-M ZN60	3.0	1.7
	MGMN400-M ZN60	4.0	2.0
	MGMN500-M ZN60	5.0	2.7
 Inossidabile Grooving/Elaborazione di Cut-Off	MGMN200-T ZP30	2.0	1.6
	MGMN300-T ZP30	3.0	1.6
	MGMN400-T ZP30	4.0	2.0
	MGMN300-H ZP30	3.0	1.6
 Acciaio Grooving /Elaborazione di Cut-Off	MGMN200-G ZP20	2.0	1.6
	MGMN250-G ZP20	2.5	1.6
	MGMN250-M ZP20	2.5	1.6
	MGMN300-M ZP20	3.0	1.6
	MGMN400-M ZP20	4.0	2.0
 Hard steel Grooving /Elaborazione di Cut-Off	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7

Product Pictures	Specifica	Width	USD
 Finisce in Grooving Profiling of Steel Parts	MRMN200-G ZP30	R1.0	1.6
	MRMN200-M ZP30	R1.0	1.6
	MRMN300-M ZP30	R1.5	1.6
	MRMN400-M ZP30	R2.0	2.0
 Ghisla e Indurita Materials Finisce Machining	MRMN400 CBN1	R2.0	6.9
 Grooving Cilindrico/Cut-Off	MGEHR1010-1.5	1.5	9.0
	MGEHR1010-2	2.0	9.0
	MGEHR1212-1.5	1.5	9.0
	MGEHR1212-2	2.0	9.0
	MGEHR1212-3	3.0	9.0
	MGEHR1616-1.5	1.5	6.7
	MGEHR1616-2	2.0	6.7
	MGEHR1616-2.5	2.5	6.7
	MGEHR1616-3	3.0	6.7
	MGEHR1616-4	4.0	6.7
	MGEHR2020-1.5	1.5	6.7
	MGEHR2020-2	2.0	6.7
	MGEHR2020-2.5	2.5	6.7
	MGEHR2020-3	3.0	6.7
	MGEHR2020-4	4.0	6.7
	MGEHR2020-5	5.0	6.7
	MGEHR2020-6	6.0	8.3
	MGEHR2525-1.5	1.5	9.0
	MGEHR2525-2	2.0	9.0
	MGEHR2525-2.5	2.5	9.0
 Spring Steel Grooving Cilindrico/Cut-Off	MGEHR2525-3	3.0	9.0
	MGEHR2525-4	4.0	9.0
	MGEHR2525-5	5.0	9.0
	MGEHR2525-6	6.0	10.7
	MGEHR3232-2	2.0	16.4
	MGEHR3232-3	3.0	16.4
	MGEHR3232-4	4.0	16.4
	MGEHR3232-5	5.0	16.4
	MGEHR3232-6	6.0	17.9
	MGEHR1010-1.5T12	1.5	10.7
	MGEHR1010-2T12	2.0	10.7
	MGEHR1212-1.5T12	1.5	9.6
	MGEHR1212-2T12	2.0	9.6
	MGEHR1616-1.5T13	1.5	9.0
	MGEHR1616-2T16	2.0	9.0
	MGEHR1616-2.5T18	2.5	9.0
	MGEHR1616-3T12	3.0	9.0
	MGEHR1616-3T20	3.0	9.0
 Grooving Cilindrico/Cut-Off	MGEHR1616-4T20	4.0	9.0
	MGEHR2020-1.5T13	1.5	9.6
	MGEHR2020-2T16	2.0	9.6
	MGEHR2020-3T20	3.0	9.6
	MGEHR2020-4T20	4.0	9.6
	MGEHR2525-3T20	3.0	11.0
	MGEHR2525-4T20	4.0	11.0
	MGEHL1010-1.5	1.5	9.0
	MGEHL1010-2	2.0	9.0
	MGEHL1212-1.5	1.5	9.0
	MGEHL1212-2	2.0	9.0
	MGEHL1616-1.5	1.5	6.7
 Grooving Cilindrico/Cut-Off	MGEHL1616-2	2.0	6.7
	MGEHL1616-2.5	2.5	6.7
	MGEHL1616-3	3.0	6.7
	MGEHL1616-4	4.0	6.7
	MGEHL2020-1.5	1.5	6.7
	MGEHL2020-2	2.0	6.7
	MGEHL2020-2.5	2.5	6.7
	MGEHL2020-3	3.0	6.7
	MGEHL2020-4	4.0	6.7
	MGEHL2020-5	5.0	6.7
	MGEHL2525-2	2.0	9.0
	MGEHL2525-2.5	2.5	9.0
	MGEHL2525-3	3.0	9.0
	MGEHL2525-4	4.0	9.0
	MGEHL2525-5	5.0	9.0
	MGEHL2525-6	6.0	10.7
	MGEHL3232-3	3.0	16.4
	MGEHL3232-4	4.0	16.4
	MGEHL3232-5	5.0	16.4
	MGEHL3232-6	6.0	17.9

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

















If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

End Face/Inner Hole Strumentazione di Tornitura di Grooving

End Face/Inner Hole Grooving Turning Tool

MalFix®



Product Pictures	Specifica	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
Spring Steel			
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
Spring Steel			
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
Grooving Cilindrico			
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
Grooving Cilindrico			
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0




Product Pictures	Specifica	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
Spring Steel			
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
Spring Steel			
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1





Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.


If You Have Any Questions, Please Email: eva@mzgtool.cn <http://www.mzg.tw>

Product Pictures	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
	4040R	21.9
S Type Cylindrical Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
M Type Cylindrical Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
W Type Cylindrical Turning Tool		
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
D Type Cylindrical Turning Tool		
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
S Type Inner Hole Lathe Tool		
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
S Type Inner Hole Lathe Tool		
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
H Type Inner Hole Lathe Tool		
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
C Type Inner Hole Lathe Tool		
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1
S..M.. Type Inner Hole Lathe Tool		

Product Pictures	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
ZQ.. Tipu di cut-off Turning Tool		
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
SPB.. Tipu di cut-off Turning Tool		
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
SLTBN.. Tipu di cut-off Turning Tool		
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
MGEHR/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
MGMN.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	8.6
	2020	8.6
	2525	11.0
MGEVR/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
MGIVR/L.. Type Inner Hole Strumentazione di Tornitura di Grooving		
	1616H	9.6
	2020K	10.7
CGWSR/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	10.3
	2020	10.3
	2525	11.9
GY2M.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
GYHR/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
GMN.. GMG.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
TTER/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	16	14.3
	20	16.7
	25	19.0
TTR/L.. Type Inner Hole Strumentazione di Tornitura di Grooving		

Product Pictures	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
KTGFR/L.. Type Strumentazione di Tornitura di Grooving		
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
KTGFR/L.. Type Strumentazione di Tornitura di Grooving		
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
KTGFSR/L.. Type Strumentazione di Tornitura di Grooving		
	1616	6.7
	2020	6.7
	2525	8.9
SGBR/L.. Type Strumentazione di Tornitura di Grooving		
	1616	9.0
	2020	9.0
	2525	11.9
SGBSR/L.. Type Strumentazione di Tornitura di Grooving		
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
CGBR/L.. Type Strumentazione di Tornitura di Grooving		
	1616	11.9
	2020	14.3
	2525	17.9
CGBSR/L.. Type Strumentazione di Tornitura di Grooving		
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
QE..R/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	15.3
	2020	16.9
	2525	20.4
DGTR/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	28.6
	2020	28.6
	2525	32.4
FGHH..R/L.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	35.7
	2020	38.1
	2525	42.9
QF.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		
	1616	23.9
	2020	21.9
	2525	23.9
MGHH.. Tipu di cut-off /Strumentazione di Tornitura di Grooving		



Product Pictures	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
C-Tipu Shim		
	MD1103 MD1504 MD1506	0.4 1.0 1.1
D-Tipu Shim		
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
S-Tipu Shim		
	MT1603 MT1604 MT2204	0.3 1.1 1.1
T-Tipu Shim		
	MV1603	0.6
V-Tipu Shim		
	MW0603 MW0804	0.4 0.6
W-Tipu Shim		
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
STM-Tipu Shim		
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.3 0.7
Pin Pin Screw		
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Plum Blossom Tool Screw		

Product Pictures	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
M-Tipa Morsa		
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
M-Tipu Clamp Screw		
	WT16 WW08	0.4 0.4
W-Tipa Morsa		
	WC0525E WC0625E	0.4 0.4
W-Tipu Clamp Screw		
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
D-Tipa Morsa		
	DL525 DL625	0.7 0.7
D-Tipu Clamp Screw		
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
D-Tipu Shim Screw		
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
L-Type Inner Hexagon Spanner		
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
T-Type Inner Hexagon Spanner		
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
Flag-Formed Plum Wrench		
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
Flag-Formed Plum Wrench		
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0
T-Type Plum Wrench		

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn <http://www.mzg.tw>


Product Pictures	Specifica	R	USD
	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
	APKT1604-AL ZK01	0.2	1.9
	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Locking Tooth Type Right-Angle Fine Fraver Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Specifica D x T x M	Prezzi USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9

BAP Steel Steel-Angle
Fine Fraver Cutter
BAP Steel Right-Angle
End Milling Cutter



Specifica D x d x T	Prezzi USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminum Right-Angle Fine Fraver Cutter
AL-BAP Aluminum Right-Angle End Milling Cutter



Specifica D x d x T	Prezzi USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Discarded Right-Angle Fine Fraver Cutter Toolholder
Discarded Right-Angle End Milling Cutter Toolholder



Specifica d x D x L	Prezzi USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.




If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Machine-Clamped Round Nose Milling Cutter

Machine-Clamped Round Nose Milling Cutter

MaiFix®


Product Pictures	Specifica	R	Prezzi
	RDMW1204MOT-PM ZP30	R6	1.7
Processing in Materiale Generale	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Finitura Media di Copper and Aluminum			
	RPMW1003MO ZN60	R5	1.6
Cermet Medium And Fine Steel Parti Ave Bè Finisce	RPMW1003 ZN60 Non Chamfering	R5	1.3
	RPMT1204MO ZN60	R6	1.9
	RPMT08T2-JS ZP25	R4	1.1
Processing in Materiale Generale	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
High Hardness Processing to HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Processing in Materiale Generale			
	RPMT1204MO ZP60	R6	1.7
Processing in Materiale Generale			
	RPMT1204-XM ZP25	R6	1.3
Processing in Materiale Generale			
	RPMW1003MO ZM90	R5	1.7
High Hardness Processing to HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Processing in Materiale Generale			
	RPMW1003MO ZP30	R5	1.3
Processing in Materiale Generale			
	RPMW1003MO ZP60	R5	1.3
Processing in Materiale Generale			
	RPMW1003-XM ZP25	R5	1.3
Processing in Materiale Generale			

Locking Tooth Type Round Nose Fine Fraver Cutter
Locking Tooth Type Round Nose End Milling Cutter



Specifica DxTxM	Prezzi USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

EMR Steel Round Nose Fine Fraver Cutter
EMR Steel Round Nose End Milling Cutter



Specifica DxdxT	Prezzi USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Specifica Are RP.. Inserts, RC.. / RD.. Inserts and handle, please inquire!

The Above Specifica Are RP.. Inserts, RC.. / RD.. Inserts and handle, please inquire!













Discarded Round Nose Fine Fraver Cutter Toolholder
Discarded Round Nose End Milling Cutter Toolholder



Specifica DxDxLxT	Prezzi USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1

Above Prezzi Excludes Freight, Tax And Fee.
Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn <http://www.mzg.tw>

Product Pictures	Specifica	USD	Product Pictures	Specifica	USD	Product Pictures	Specifica	USD	Product Pictures	Specifica	USD																																																																																		
	Finisce di Ghisa e Materiali regolati SEHT1204AFFN CBN1	7.1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12.5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7.4 8.3 8.3 9.9 11.9 20.3 31.1 40.3		LNMU0303ZER-MJ			800-08A																																																																																			
	Finisce di Copper and Aluminum SEHT1204AFFN PCD1	7.1		Profile Fine Milling of Materiale Generale			PNMU0905GNEN-MJ			800-08T308M-C-G																																																																																			
	Finitura Media di Copper and Aluminum SEHT1204AFFN ZK01	1.7		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17.1 17.1 20.4 23.9 32.4 51.4		PNMU0905XNER-GM			800-08T308M-I-G																																																																																			
	Prucitazione dura di Materiale Generale SECA1204AFTN ZP30	3.1		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17.1 18.6 23.9 32.4 41.0		SNMU130508EN-GM			800-09T308H-P-G																																																																																			
	Medium Finisce Machining di Materiale Generale SEHT1204AFSN ZM90	3.1	Locking Tooth Type Spherical Fine Fraver Cutter Locking Tooth Type Spherical End Milling Cutter 				WNMU080608EN-SM			R390-11T308-PM																																																																																			
	Medium Finisce Machining di Materiale Generale SEKT1204AFTN ZM90	3.1					3PKT100408R-M 3PKT150508R-M 3PKT190608R-M			SCMT09T308-MM																																																																																			
KM Steel 45° Face Milling Cutter KM Steel 45° Face Milling Cutter 			Discarded Spherical End Milling Toolholder Discarded Spherical End Milling Toolholder 				XJMG1204			S-R215.44-15T364M																																																																																			
<table><tr><th>Specifica DxM</th><th>Prezzi USD</th></tr><tr><td>T2139M-5R-M5</td><td>31.0</td></tr><tr><td>T2139M-6R-M6</td><td>31.0</td></tr><tr><td>T2139M-8R-M8</td><td>33.3</td></tr><tr><td>T2139M-10R-M10</td><td>35.7</td></tr><tr><td>T2139M-12.5R-M12</td><td>38.1</td></tr><tr><td>T2139M-15R-M16</td><td>40.4</td></tr></table>			Specifica DxM	Prezzi USD	T2139M-5R-M5	31.0	T2139M-6R-M6	31.0	T2139M-8R-M8	33.3	T2139M-10R-M10	35.7	T2139M-12.5R-M12	38.1	T2139M-15R-M16	40.4	<table><tr><th>Specifica dxMxLxT</th><th>Prezzi USD</th></tr><tr><td>T2139 C10-4R-100-1T</td><td>8.9</td></tr><tr><td>T2139 C12-4R-130-1T</td><td>8.9</td></tr><tr><td>T2139 C16-4R-150-1T</td><td>10.7</td></tr><tr><td>T2139 C10-5R-120-1T</td><td>8.9</td></tr><tr><td>T2139 C12-5R-150-1T</td><td>8.9</td></tr><tr><td>T2139 C16-5R-150-1T</td><td>10.7</td></tr><tr><td>T2139 C12-6R-130-1T</td><td>8.9</td></tr><tr><td>T2139 C12-6R-150-1T</td><td>8.9</td></tr><tr><td>T2139 C16-6R-150-1T</td><td>10.7</td></tr><tr><td>T2139 C16-6R-200-1T</td><td>12.6</td></tr><tr><td>T2139 C16-8R-150-1T</td><td>10.0</td></tr><tr><td>T2139 C16-8R-200-1T</td><td>11.9</td></tr><tr><td>T2139 C20-8R-200-1T</td><td>16.7</td></tr><tr><td>T2139 C25-8R-250-1T</td><td>19.7</td></tr><tr><td>T2139 C20-10R-150-1T</td><td>13.9</td></tr><tr><td>T2139 C20-10R-200-1T</td><td>16.0</td></tr><tr><td>T2139 C25-10R-250-1T</td><td>19.7</td></tr><tr><td>T2139 C32-10R-300-1T</td><td>22.1</td></tr><tr><td>T2139 C25-12.5R-150-1T</td><td>16.7</td></tr><tr><td>T2139 C25-12.5R-200-1T</td><td>19.6</td></tr><tr><td>T2139 C25-12.5R-250-1T</td><td>22.1</td></tr><tr><td>T2139 C25-12.5R-300-1T</td><td>25.0</td></tr><tr><td>T2139 C32-12.5R-300-1T</td><td>27.9</td></tr><tr><td>T2139 C32-15R-150-1T</td><td>18.3</td></tr><tr><td>T2139 C32-15R-200-1T</td><td>21.0</td></tr><tr><td>T2139 C32-15R-250-1T</td><td>23.9</td></tr><tr><td>T2139 C32-15R-300-1T</td><td>26.7</td></tr><tr><td>T2139 C32-15R-350-1T</td><td>30.4</td></tr><tr><td>T2139 C32-16R-150-1T</td><td>18.3</td></tr><tr><td>T2139 C32-16R-200-1T</td><td>21.0</td></tr><tr><td>T2139 C32-16R-250-1T</td><td>23.9</td></tr><tr><td>T2139 C32-16R-300-1T</td><td>26.7</td></tr><tr><td>T2139 C32-16R-350-1T</td><td>30.4</td></tr></table>			Specifica dxMxLxT	Prezzi USD	T2139 C10-4R-100-1T	8.9	T2139 C12-4R-130-1T	8.9	T2139 C16-4R-150-1T	10.7	T2139 C10-5R-120-1T	8.9	T2139 C12-5R-150-1T	8.9	T2139 C16-5R-150-1T	10.7	T2139 C12-6R-130-1T	8.9	T2139 C12-6R-150-1T	8.9	T2139 C16-6R-150-1T	10.7	T2139 C16-6R-200-1T	12.6	T2139 C16-8R-150-1T	10.0	T2139 C16-8R-200-1T	11.9	T2139 C20-8R-200-1T	16.7	T2139 C25-8R-250-1T	19.7	T2139 C20-10R-150-1T	13.9	T2139 C20-10R-200-1T	16.0	T2139 C25-10R-250-1T	19.7	T2139 C32-10R-300-1T	22.1	T2139 C25-12.5R-150-1T	16.7	T2139 C25-12.5R-200-1T	19.6	T2139 C25-12.5R-250-1T	22.1	T2139 C25-12.5R-300-1T	25.0	T2139 C32-12.5R-300-1T	27.9	T2139 C32-15R-150-1T	18.3	T2139 C32-15R-200-1T	21.0	T2139 C32-15R-250-1T	23.9	T2139 C32-15R-300-1T	26.7	T2139 C32-15R-350-1T	30.4	T2139 C32-16R-150-1T	18.3	T2139 C32-16R-200-1T	21.0	T2139 C32-16R-250-1T	23.9	T2139 C32-16R-300-1T	26.7	T2139 C32-16R-350-1T	30.4		HNGX0906-FF			DGN3102C	
Specifica DxM	Prezzi USD																																																																																												
T2139M-5R-M5	31.0																																																																																												
T2139M-6R-M6	31.0																																																																																												
T2139M-8R-M8	33.3																																																																																												
T2139M-10R-M10	35.7																																																																																												
T2139M-12.5R-M12	38.1																																																																																												
T2139M-15R-M16	40.4																																																																																												
Specifica dxMxLxT	Prezzi USD																																																																																												
T2139 C10-4R-100-1T	8.9																																																																																												
T2139 C12-4R-130-1T	8.9																																																																																												
T2139 C16-4R-150-1T	10.7																																																																																												
T2139 C10-5R-120-1T	8.9																																																																																												
T2139 C12-5R-150-1T	8.9																																																																																												
T2139 C16-5R-150-1T	10.7																																																																																												
T2139 C12-6R-130-1T	8.9																																																																																												
T2139 C12-6R-150-1T	8.9																																																																																												
T2139 C16-6R-150-1T	10.7																																																																																												
T2139 C16-6R-200-1T	12.6																																																																																												
T2139 C16-8R-150-1T	10.0																																																																																												
T2139 C16-8R-200-1T	11.9																																																																																												
T2139 C20-8R-200-1T	16.7																																																																																												
T2139 C25-8R-250-1T	19.7																																																																																												
T2139 C20-10R-150-1T	13.9																																																																																												
T2139 C20-10R-200-1T	16.0																																																																																												
T2139 C25-10R-250-1T	19.7																																																																																												
T2139 C32-10R-300-1T	22.1																																																																																												
T2139 C25-12.5R-150-1T	16.7																																																																																												
T2139 C25-12.5R-200-1T	19.6																																																																																												
T2139 C25-12.5R-250-1T	22.1																																																																																												
T2139 C25-12.5R-300-1T	25.0																																																																																												
T2139 C32-12.5R-300-1T	27.9																																																																																												
T2139 C32-15R-150-1T	18.3																																																																																												
T2139 C32-15R-200-1T	21.0																																																																																												
T2139 C32-15R-250-1T	23.9																																																																																												
T2139 C32-15R-300-1T	26.7																																																																																												
T2139 C32-15R-350-1T	30.4																																																																																												
T2139 C32-16R-150-1T	18.3																																																																																												
T2139 C32-16R-200-1T	21.0																																																																																												
T2139 C32-16R-250-1T	23.9																																																																																												
T2139 C32-16R-300-1T	26.7																																																																																												
T2139 C32-16R-350-1T	30.4																																																																																												
KM Aluminum 45° Face Milling Cutter KM Aluminum 45° Face Milling Cutter 			<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>KM12-50-22-4T</td><td>11.9</td></tr><tr><td>KM12-63-22-4T</td><td>15.3</td></tr><tr><td>KM12-80-27-5T</td><td>25.4</td></tr><tr><td>KM12-100-32-5T</td><td>35.7</td></tr><tr><td>KM12-125-40-6T</td><td>51.0</td></tr><tr><td>KM12-160-40-6T</td><td>61.1</td></tr><tr><td>KM12-200-40-8T</td><td>136.0</td></tr><tr><td>KM12-250-40-10T</td><td>204.0</td></tr><tr><td>KM12 300-60-12T</td><td>255.0</td></tr><tr><td>KM12-50-25.4-4T</td><td>13.6</td></tr><tr><td>KM12-63-25.4-4T</td><td>16.9</td></tr><tr><td>KM12-80-25.4-5T</td><td>28.9</td></tr><tr><td>KM12-100-31.75-5T</td><td>39.0</td></tr></table>			Specifica dxdxT	Prezzi USD	KM12-50-22-4T	11.9	KM12-63-22-4T	15.3	KM12-80-27-5T	25.4	KM12-100-32-5T	35.7	KM12-125-40-6T	51.0	KM12-160-40-6T	61.1	KM12-200-40-8T	136.0	KM12-250-40-10T	204.0	KM12 300-60-12T	255.0	KM12-50-25.4-4T	13.6	KM12-63-25.4-4T	16.9	KM12-80-25.4-5T	28.9	KM12-100-31.75-5T	39.0	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>ABPF C16-8R-150</td><td>23.9</td></tr><tr><td>ABPF C16-8R-200</td><td>29.7</td></tr><tr><td>ABPF C20-10R-150</td><td>31.7</td></tr><tr><td>ABPF C20-10R-200</td><td>37.6</td></tr><tr><td>ABPF C25-12.5R-150</td><td>39.7</td></tr><tr><td>ABPF C25-12.5R-200</td><td>49.6</td></tr><tr><td>ABPF C25-12.5R-250</td><td>55.4</td></tr><tr><td>ABPF C32-15R-150</td><td>45.7</td></tr><tr><td>ABPF C32-15R-200</td><td>51.7</td></tr><tr><td>ABPF C32-15R-250</td><td>59.6</td></tr><tr><td>ABPF C32-15R-300</td><td>79.3</td></tr></table>			Specifica dxdxT	Prezzi USD	ABPF C16-8R-150	23.9	ABPF C16-8R-200	29.7	ABPF C20-10R-150	31.7	ABPF C20-10R-200	37.6	ABPF C25-12.5R-150	39.7	ABPF C25-12.5R-200	49.6	ABPF C25-12.5R-250	55.4	ABPF C32-15R-150	45.7	ABPF C32-15R-200	51.7	ABPF C32-15R-250	59.6	ABPF C32-15R-300	79.3		AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507																												
Specifica dxdxT	Prezzi USD																																																																																												
KM12-50-22-4T	11.9																																																																																												
KM12-63-22-4T	15.3																																																																																												
KM12-80-27-5T	25.4																																																																																												
KM12-100-32-5T	35.7																																																																																												
KM12-125-40-6T	51.0																																																																																												
KM12-160-40-6T	61.1																																																																																												
KM12-200-40-8T	136.0																																																																																												
KM12-250-40-10T	204.0																																																																																												
KM12 300-60-12T	255.0																																																																																												
KM12-50-25.4-4T	13.6																																																																																												
KM12-63-25.4-4T	16.9																																																																																												
KM12-80-25.4-5T	28.9																																																																																												
KM12-100-31.75-5T	39.0																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
ABPF C16-8R-150	23.9																																																																																												
ABPF C16-8R-200	29.7																																																																																												
ABPF C20-10R-150	31.7																																																																																												
ABPF C20-10R-200	37.6																																																																																												
ABPF C25-12.5R-150	39.7																																																																																												
ABPF C25-12.5R-200	49.6																																																																																												
ABPF C25-12.5R-250	55.4																																																																																												
ABPF C32-15R-150	45.7																																																																																												
ABPF C32-15R-200	51.7																																																																																												
ABPF C32-15R-250	59.6																																																																																												
ABPF C32-15R-300	79.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		BLMP0603R-M			S229.0300.32																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		BLMP0904R-ML			SOEX090408-13																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		BLMP1205R-M			HNPJ130720ANSN-HD																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		BLMP1306R-M			SPIRH5-LT-L																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		TNGX2207PNTN			SPIRH5-LT-D																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		ZNHU080-08			APMT1003-NN																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3		SNMX1205XTN			SEKN1203AFTN-NN																																	
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												
<table><tr><th>Specifica DxdxT</th><th>Prezzi USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16.9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22.1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30.7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54.6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85.0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95.3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204.0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272.1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340.3</td></tr><tr><td>AL-KM12-50-25.4-4T</td><td>19.0</td></tr><tr><td>AL-KM12-63-25.4-4T</td><td>23.1</td></tr><tr><td>AL-KM12-80-25.4-5T</td><td>32.4</td></tr><tr><td>AL-KM12-100-31.75-5T</td><td>54.6</td></tr></table>			Specifica DxdxT	Prezzi USD	AL-KM12-50-22-4T	16.9	AL-KM12-63-22-4T	22.1	AL-KM12-80-22-5T	30.7	AL-KM12-100-22-5T	54.6	AL-KM12-125-27-6T	85.0	AL-KM12-160-27-6T	95.3	AL-KM12-200-27-8T	204.0	AL-KM12-250-32-10T	272.1	AL-KM12 300-32-12T	340.3	AL-KM12-50-25.4-4T	19.0	AL-KM12-63-25.4-4T	23.1	AL-KM12-80-25.4-5T	32.4	AL-KM12-100-31.75-5T	54.6	<table><tr><th>Specifica dxdxT</th><th>Prezzi USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11.9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11.9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15.0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17.9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21.0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23.9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-150-1T</td><td>25.0</td></tr><tr><td>BNML C25-12.5R-200-1T</td><td>29.7</td></tr><tr><td>BNML C25-12.5R-250-1T</td><td>33.3</td></tr></table>			Specifica dxdxT	Prezzi USD	BNML C12-6R-130-1T	11.9	BNML C12-6R-150-1T	11.9	BNML C16-8R-150-1T	15.0	BNML C16-8R-200-1T	17.9	BNML C20-10R-150-1T	21.0	BNML C20-10R-200-1T	23.9	BNML C25-10R-250-1T	29.7	BNML C25-12.5R-150-1T	25.0	BNML C25-12.5R-200-1T	29.7	BNML C25-12.5R-250-1T	33.3																																						
Specifica DxdxT	Prezzi USD																																																																																												
AL-KM12-50-22-4T	16.9																																																																																												
AL-KM12-63-22-4T	22.1																																																																																												
AL-KM12-80-22-5T	30.7																																																																																												
AL-KM12-100-22-5T	54.6																																																																																												
AL-KM12-125-27-6T	85.0																																																																																												
AL-KM12-160-27-6T	95.3																																																																																												
AL-KM12-200-27-8T	204.0																																																																																												
AL-KM12-250-32-10T	272.1																																																																																												
AL-KM12 300-32-12T	340.3																																																																																												
AL-KM12-50-25.4-4T	19.0																																																																																												
AL-KM12-63-25.4-4T	23.1																																																																																												
AL-KM12-80-25.4-5T	32.4																																																																																												
AL-KM12-100-31.75-5T	54.6																																																																																												
Specifica dxdxT	Prezzi USD																																																																																												
BNML C12-6R-130-1T	11.9																																																																																												
BNML C12-6R-150-1T	11.9																																																																																												
BNML C16-8R-150-1T	15.0																																																																																												
BNML C16-8R-200-1T	17.9																																																																																												
BNML C20-10R-150-1T	21.0																																																																																												
BNML C20-10R-200-1T	23.9																																																																																												
BNML C25-10R-250-1T	29.7																																																																																												
BNML C25-12.5R-150-1T	25.0																																																																																												
BNML C25-12.5R-200-1T	29.7																																																																																												
BNML C25-12.5R-250-1T	33.3																																																																																												

Insert Type Quick Drill

Insert Type Quick Drill

MaiFix®

Locking Tooth Type Right-Angle Fine Fraver Cutter

Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Specifica DxTxM	Prezzi USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Locking Tooth Type Spherical Fine Fraver Cutter

Locking Tooth Type Spherical End Milling Cutter



Specifica DxRxM	Prezzi USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Locking Tooth Type Right-Angle Fine Fraver Cutter

Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Specifica DxTxM	Prezzi USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Locking Tooth Type Right-Angle Fine Fraver Cutter

Locking Tooth Type Right-Angle Fine Fraver Cutter



Insert: AXMT0602..

Specifica DxTxM	Prezzi USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Fine Fraver Cutter

Locking Tooth Type Fast Fine Fraver Cutter



Specifica DxTxM	Prezzi USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6


* Lock teeth type tool stock Specifica are complete.
Please inquire for Specifica not listed.

* Lock teeth type tool stock Specification are complete.
Please inquire for Specifica not listed.

Product Pictures	Specifica	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

WC Insert Type Quick Drill

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Insert Type Quick Drill

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Specifica	NO.	Range D	Prezzi
	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
Insert:CCMT..	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0

	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7
	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9
	EWN20	CK1	20-36	123.9
	EWN25	CK2	25-47	131.0
	EWN32	CK3	32-60	142.9
	EWN41	CK4	41-74	163.1
	EWN53	CK5	53-95	178.6
	EWN68	CK6	68-150	197.6
	EWN100	CK6	100-203	214.3

	EWN1-1		20-25	13.1
	CBH1-2		25-31	13.1
	CBH1-3		30-36	13.1
	CBH2-1		25-33	13.1
	CBH2-2		32-40	13.1
	CBH2-3		39-47	13.1
	CBH3-1		32-42	13.1
	CBH3-2		41-51	13.1
	CBH3-3		50-60	13.1
	CBH4-1		41-54	13.1
	CBH4-2		50-63	13.1
	CBH4-3		61-74	13.1
	CBH5-1		53-70	13.1
	CBH5-2		65-82	13.1
	CBH5-3		78-95	13.1
	CBH6-1		68-100	13.1
			100-153	13.1
	CBH6-2		94-126	13.1
			126-179	13.1
	CBH6-3		118-150	13.1
Insert:TP..			150-203	13.1

	BE09A	M5	16.7	
	BE10. 5A	M5	16.7	
	BE12A	M6	16.7	
	BE14A	M6	16.7	
	BE16A	M6	16.7	
	BE18A	M10	16.7	
	BE20A	M10	16.7	
	BE22A	M10	16.7	
	BE24A	M10	16.7	
	BE26A	M10	16.7	
BE Boring Tool	BE28A	M10	16.7	
	BE30A	M10	16.7	
	BE32A	M10	19.0	
	BE34A	M10	19.0	
	BE36A	M10	23.9	
	BE38A	M10	23.9	
	BE40A	M10	23.9	

	EC1608	-	14.3	
	EC1610	-	14.3	
	EC1612	-	14.3	
	EC1614	-	14.3	

	ST08-W5-100L	M5	59.6	
	ST10-W6-110L	M6	69.0	
	ST12-W6-120L	M6	88.1	
	ST12-W6-150L	M6	107.1	
	ST14-W6-160L	M6	119.0	
	ST16-W10-160L	M10	135.7	
	ST16-W10-180L	M10	150.0	

NBH2084 Strumento di Boring (U taruntu noisu:8-280mm)					
NBH2084 Boring Tool (U taruntu noisu: 8-280mm) Fine-Tuning Accuracy 0.01mm					
Specifica	Range D	Prezzi			

Supporto per l'utili bighinatu					
SBJ2008-32	8-11	8.6			
SBJ2010-40	10-13	8.6			
SBJ2012-53	12-17	8.6			
SBJ2016-68	16-21	8.6			
SBJ2016-102	16-21	20.4			
SBJ2020-83	20-130	8.6			
SBJ2020-125	20-130	20.4			
SBJ2020-150	20-130	23.9			
SBJ2020-200	20-130	28.6			
SBJ2025-96	25-135	8.6			
SBJ2025-144	25-135	20.4			
SBJ2025-150	25-135	23.9			
SBJ2025-200	25-135	28.6			
SBJ2030-115	30-140	8.6			
SBJ2030-173	30-140	23.9			
SBJ2030-200	30-140	28.6			
SBJ2020-L	120-280	8.6			
SBJ2020-150L	120-400	23.9			

Set Set Strumento Perché			
NBH2084		8-280	138. 1
R8-NBH2084-8P		8-280	233. 3
NT30-NBH2084-8P		8-280	233. 3
NT40-NBH2084-8P		8-280	233. 3
NT50-NBH2084-8P		8-280	309. 6
BT40-NBH2084-8P		8-280	233. 3
BT50-NBH2084-8P		8-280	273. 9
SK40-NBH2084-8P		8-280	278. 6
SK50-NBH2084-8P		8-280	309. 6

NBJ16 Strumento di Boring (U taruntu noisu:8-50mm)

NBJ16 Boring Tool
(U taruntu noisu: 8-50mm)

Fine-Tuning Accuracy **0.01mm**

A collection of NBJ16 boring tools. At the top right is a large, detailed view of a tool with a silver-colored metal body and a black cutting edge. Below it, a row of smaller tools is shown, each with a different cutting edge geometry, including single-flute, double-flute, and multi-flute designs. The tools are arranged in a fan-like pattern, showing their varying lengths and diameters.

Supporto per l'utili bighinatu					
SBJ1606-24	6-9	8.6			
SBJ1608-32	8-11	8.6			
SBJ1610-40	10-13	8.6			
SBJ1612-53	12-15	8.6			
SBJ1614-60	14-17	8.6			
SBJ1616-68	16-21	8.6			
SBJ1620-83	20-26	8.6			
SBJ1620-150L	20-26	23.9			
SBJ1620-200L	20-26	28.6			
SBJ1625-90	25-31	8.6			
SBJ1625-150L	25-31	23.9			
SBJ1625-200L	25-31	28.6			
SBJ1630-90	30-36	8.6			
SBJ1630-150L	30-36	23.9			
SBJ1630-200L	30-36	28.6			
SBJ1635-90	35-41	8.6			
SBJ1635-150L	35-41	23.9			
SBJ1635-200L	35-41	28.6			
SBJ1640-90	40-46	8.6			
SBJ1640-150L	40-46	23.9			
SBJ1640-200L	40-46	28.6			
SBJ1645-90	45-51	8.6			
SBJ1645-150L	45-51	23.9			
SBJ1645-200L	45-51	28.6			

Set Set Strumento Perché			
NBJ16 Boring head		8-50	138.1
NT40-SBJ16-55-12P		8-50	233.3
NT50-SBJ16-65-12P		8-50	233.3
BT30-SBJ16-55-12P		8-50	233.3
BT40-SBJ16-55-12P		8-50	309.6
BT50-SBJ16-65-12P		8-50	233.3
SK30-SBJ16-60-12P		8-50	273.9
SK40-SBJ16-60-12P		8-50	278.6
SK50-SBJ16-65-12P		8-50	309.6

HBOR Fine-Tuning Boring Cutter(Fine-Tuning Accuracy 0.002mm)					
HBOR Fine-Tuning Boring Cutter (Fine-Tuning Accuracy 0.002mm)					
Specifica	Range D	Prezzi			

HBOR25 Boring Cutter					
HBOR25M (29-38) Boring head	29-38	666.7			
HBOR25M (29-38) Back Boring	29-38	666.7			
BT30-HBOR25P ToolHolder		857.1			
BT40-HBOR25P ToolHolder		857.1			
SK30-HBOR25P ToolHolder		857.1			
SK40-HBOR25P ToolHolder		857.1			
HSK63A-HBOR25P ToolHolder		976.1			
CA0602-09T Carbide Boring	2-3.2	59.6			
CA0603-16T Carbide Boring	3-4.2	59.6			
CA0604-22T Carbide Boring	4-5.2	59.6			
CA0605-27T Carbide Boring	5-6.2	59.6			
CA0606-32T Carbide Boring	6-7.2	59.6			
CB06050-21 (CC03)	5-6	123.9			
CB06055-26 (CC03)	5.5-6.5	123.9			
CB06060-26 (CC03)	6-7	123.9			
CB06065-31 (CC03)	6.5-7.5	123.9			
CB06070-31 (CC04)	7-8	123.9			

HBOR32 Boring Cutter			
HBOR32M (36-52) Boring head	36-52	800	
HBOR32M (36-52) Back Boring	36-52	800	

HBOR40 Boring Cutter			
HBOR40M (44-68) Boring head	44-68	833.3	
HBOR40M (44-68) Back Boring	44-68	833.3	

HBOR50 Set Set Strumento		Perché	
HBOR50BM (57-90) Boring head	57-90	742.9	
HBOR50BM (57-90) Back Boring	57-90	742.9	
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1	
BT30-HBOR50 (06-90) -14P	6-90	1190.4	
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1	
BT40-HBOR50 (06-90) -14P	6-90	1190.4	
BT50-HBOR50 (06-90) ToolHolder	6-90	904.7	
BT50-HBOR50 (06-90) -14P	6-90	1273.9	
SK30-HBOR50 (06-90) -14P	6-90	1273.9	
SK40-HBOR50 (06-90) -14P	6-90	1273.9	
SK50-HBOR50 (06-90) ToolHolder	6-90	904.7	
SK50-HBOR50 (06-90) -14P	6-90	1273.9	
HSK63A-HBOR50 (6-90) -14P	6-90	1309.6	

Strumento Perché Boring Tool

MaiFix®

BSA Rough Boring Cutter

BSA Rough Boring Cutter

Specifica	Prezzi
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Rough Boring Cutter

BSA Rough Boring Cutter

Specifica	Prezzi
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Rough Boring Cutter

BSB Rough Boring Cutter

Specifica	Prezzi
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Rough Boring Cutter

BSB-LBK Rough Boring Cutter

Specifica	Prezzi
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Rough Boring Cutter Holder

Rough Boring Cutter Holder

Specifica	Prezzi
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Specifica	Prezzi
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Specifica	Prezzi
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Specifica	Prezzi
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Specifica	Prezzi
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Specifica	Prezzi
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder

Specifica	Prezzi
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Extension Rod

LBK Extension Rod

Specifica	Prezzi
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

Manica di Conversione LBK

Manica di Conversione LBK

Specifica	Prezzi
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

Lholder di LBK

LBK Toolholder

Specifica	Prezzi
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Specifica	Prezzi
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Specifica	Prezzi
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Specifica	Prezzi
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder

Specifica	Prezzi
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Specifica	Prezzi
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Specifica	Prezzi
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3

CK Extension Rod


CK Extension Rod



Specifica	Prezzi
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9
CK6-6-100	44.7
CK6-6-120	59.6

ER Collet Toolholder

ER Collet Toolholder



Specifica NO. xColletxA/MxL	Prezzi USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Specifica NO. xColletxA/MxL	Prezzi USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-05OMS	82.1
HSK32E-ER20-05OMS	82.1
HSK32E-ER20-06OMS	82.1
HSK32E-ER25-06OMS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

ER Collet Extension Toolholder

ER Collet Extension Toolholder



Specifica DxColletxA/MxL	Prezzi USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER Extension Collet

ER Extension Collet



Specifica Collet	Precisione 0.01mm	Precisione 0.008mm	Precisione 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Specifica Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

FMB Inch Face Milling Tool Holder

FMB Inch Face Milling Tool Holder



Specifica NO. xdxL	Prezzi USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

FMB Metric Face Milling Tool Holder

FMB Metric Face Milling Tool Holder

Specifica NO. xdxL	Prezzi USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Tool Holder CNC Tool Holder

MaiFix®

GSK High Speed And High Precision Toolholder
GSK High Speed And High Precision Toolholder



Specifica NO. xColletxL	Prezzi USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA/B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



Specifica NO. xMT...xL	Prezzi USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Powerful Collet Toolholder
C Powerful Collet Toolholder



Specifica NO. xColletxL	Prezzi USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Strumento Stuccheggiu di Self-Tightening Drill Chuck

Tool Shank Of Self-Tightening Drill Chuck



Specifica NO. xColletxL	Prezzi USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Self-Tightening Drill Chuck1-13	19.7
Self-Tightening Drill Chuck1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

SDC Back-Pull Collet Toolholder
SDC Back-Pull Collet Toolholder



Specifica NO. xColletxL	Prezzi USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Torsional Tapping Protection Toolholder
Torsional Tapping Protection Toolholder



Specifica NO. xColletxL	Prezzi USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Side Milling Tool Holder of Saw Blade
Side Milling Tool Holder of Saw Blade




Specifica NO. xColletxL	Prezzi USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Machine Tool Spindle Test Rod
Machine Tool Spindle Test Rod



Specifica NO. xL	Prezzi USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Side Fixed Type Toolholder
SLN Side Fixed Type Toolholder



Specifica NO. xdxL	Prezzi USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

CNC Tool Holder Puller Bolt


CNC Tool Holder Puller Bolt

45°/60°/90°



CNC Tool Holder Lockset

CNC Tool Holder Lockset




CNC Tool Holder Lockset

CNC Tool Holder Lockset



CNC Tool Holder Lockset

CNC Tool Holder Lockset



Specifica	Prezzi USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° Tramite u Foru	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° Tramite u Foru	3.6
BT50-60°	3.6
BT50-60° Tramite u Foru	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

Specifica	Prezzi USD
NBT30	14.3

Specifica	Prezzi USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

Specifica	Prezzi USD
BT30	17.9
BT40	19.0
BT50	38.1

Z-Axis Setter

Z-Axis Setter



Specifica	Prezzi USD
Fotoelettriche Z-axis Setter	61.9
Dial Z-axis Setter	66.7

Finder di Edge CNC

CNC Edge Finder



Specifica	Prezzi USD
Ordinariu type	2.4
Antimagnetic type	3.6
Magnum ceramicu type	10.7
Fotoelettriche type	13.3

Machine Tool Spindle Cleaning Rod

Machine Tool Spindle Cleaning Rod



Specifica NO.	Prezzi USD
BT30	3.9
BT40	3.9
BT50	5.4

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Lathe Chuck Accessories

Lathe Chuck Accessories

MaiFix®

									
Specifica		1 JAWS	Prezzi	2 JAWS	Prezzi	3 JAWS	Prezzi	4 JAWS	Prezzi
Hollow Hydraulic Chuck	4 inch			SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch			SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch			SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch			SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch			SBL-210	697.6	SB-210	697.6	SBS-210	800.0
Hollow Hydraulic Chuck	12 inch			SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch			SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Aperture grande Hollow Hydraulic Chuck	6 inch			2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
Large Aperture Hollow Hydraulic Chuck	8 inch			2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
	10 inch			2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Longu Stroke Hollow Hydraulic Chuck	6 inch					3JDB-206	988.1		
Long Stroke Hollow Hydraulic Chuck	8 inch					3JDB-208	1121.4		
	10 inch					3JDB-210	1258.3		
Hollow Half-Through Chuck pneumatic Hollow Half-Through Pneumatic Chuck	5 inch			SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch			SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch			SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10 inch			SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Chuck Idraulico Solido Solid Hydraulic Chuck	4 inch			JNL-04	428.6	JN-04	401.1		
	5 inch			JNL-05	452.4	JN-05	409.6		
	6 inch			JNL-06	500.0	JN-06	459.6		
	8 inch			JNL-08	547.6	JN-08	511.9		
	10 inch			JNL-10	714.3	JN-10	666.7		
	12 inch			JNL-12	1119.0	JN-12	1088.1		
	15 inch			JNL-15		JN-15	2309.6		
Longu Stroke Chuck Idraulico Solido Long Stroke Solid Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3		
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9		
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7		
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0		
Longu Stroke Hollow Hydraulic Chuck Long Stroke Hollow Hydraulic Chuck	6 inch					JLS-206	892.9		
	8 inch					JLS-208	940.4		
	10 inch					JLS-210	1038.1		

Chuck T Block

Chuck T Block



Dimensioni	Prezzi USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Chuck Jaw Fixing Plate

Chuck Jaw Fixing Plate



Dimensioni	Prezzi USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Solid Hydraulic Rotary Cylinder

Solid Hydraulic Rotary Cylinder



Dimensioni	Prezzi USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Hollow Hydraulic Rotary Cylinder

Hollow Hydraulic Rotary Cylinder



Dimensioni	Prezzi USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Chuck Connecting Disc

Chuck Connecting Disc



Dimensioni	Prezzi USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Hard Jaw For Hydraulic Chucks

Hard Jaw For Hydraulic Chucks



Dimensioni	Prezzi USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Fan Soft Jaw For Hydraulic Chucks

Fan Soft Jaw For Hydraulic Chucks




Dimensioni	Prezzi USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

									
Specifica		1 JAWS	Prezzi	2 JAWS	Prezzi	3 JAWS	Prezzi	4 JAWS	Prezzi
Indennità Chuck Idraulico Solido Compensation Solid Hydraulic Chuck	6 inch	3GB-06	720.3						
	8 inch	3GB-08	839.3						
VertiCal Hollow Hydraulic Chuck Vertical Hollow Hydraulic Chuck	5 inch			JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch			JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch			JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch			JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Half-Through Vertical Chuck pneumatic Hollow Half-Through Vertical Chuck pneumatic	5 inch			SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch			SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch			SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch			SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Soft Jaw For Hydraulic Chucks

Soft Jaw For Hydraulic Chucks



a°=120° 5 Inch Soft Jaw For Hydraulic Chucks 6 Inch Soft Jaw For Hydraulic Chucks 8 Inch Soft Jaw For Hydraulic Chucks 10 Inch Soft Jaw For Hydraulic Chucks 12 Inch Soft Jaw For Hydraulic Chucks

Dimensioni	H	Prezzi USD	Dimensioni	H	Prezzi USD	Dimensioni	H	Prezzi USD	Dimensioni	H	Prezzi USD	Dimensioni	H	Prezzi USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

Above Prezzi Excludes Freight, Tax And Fee.

Domestic USD Dollar Transaction Prezzi In China.

If You Have Any Questions, Please Email: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price



E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Scanning, Contact Us

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn