


Machine Tools Pri


Machine Tools price

E-mail: eva@mzgtool.cn



Fè enspeksyon, Kontakte nou

Scanning , Contact Us

- | | | | |
|--|---|---|---|
| P01. Carbide Fraisage Kouto
Carbide Milling Cutter |  | P16. Eksteryè Cylindrique / anndan twou Grooving Vire Zouti
External Cylindrical/Inner Hole Grooving Turning Tool |  |
| P02. Cement Carbide Outil
Cemented Carbide Cutter |  | P17. Grooving / Cut-Off Turning Tool
Grooving/Cut-Off Turning Tool |  |
| P03. Ekstrizyon Tap Tap
Extrusion Screw Tap |  | P18. End Face / Anndan twou Grooving Turning Tool
End Face/Inner Hole Grooving Turning Tool |  |
| P04. Apex Tap
Apex Tap |  | P19. Zouti kap vire CNC
CNC Turning Tool |  |
| P05. Espiral Tap griyaj
Spiral Grooved Tap |  | P20. CNC Vire Zouti Pati
CNC Turning Tool Parts |  |
| P06. Tap Tap / Sikilè mouri
Hand Tap/Circular Die |  | P21. BAP Fraisen Dwa Ang
BAP Fraisen Dwa Ang |  |
| P07. CCMT.. CNMG.. |  | P22. Machin-kranpon Round Fraisage Nen kouto
Machine-Clamped Round Nose Milling Cutter |  |
| P08. DCMT.. DNMG.. |  | P23. KM12.. SEHT.. T2139.. P3200.. |  |
| P09. SCMT.. SNMG.. |  | P24. Bloke Koudèy Kalite Dan
Locking Tooth Type Cutter |  |
| P10. TPGT.. TNMG.. |  | P25. Zouti raz
Boring Tool |  |
| P11. VBMT.. VNMG.. |  | P26. Zouti raz Holder
Boring Tool Holder |  |
| P12. WNMG.. WNMG.. |  | P27. ER.. FMA/B.. |  |
| P13. Zouti Vire fil la
Thread Turning Tool |  | P28. GSK.. ADS.. APU.. |  |
| P14. Koupe-Off / ranvèse / Retounen vire nan ti pati yo
Cut-Off/Grooving/Back Turning Of Small Parts |  | P29. Pwodwi pou Telefòn CNC Zouti
CNC Tool Holder Accessories |  |
| P15. Zouti ekstèn ranvèse Cylindrique
External Cylindrique Grooving Turning Tool |  | P30. Thorne Chuck Pwodwi pou Telefòn
Lathe Chuck Accessories |  |


Pwofesyonèl vire, Fraisage, fil ak Boring Otèl konfigirasyon Zouti Processing.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



Longè a L1 nan kouto Fraisage ak diferan Dite ka diferan.

The L1 Length Of Milling Cutter With Different Hardness. May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter RxL1xDxL
--	--

		Kouch nwa ka koupe Steel anba a 45HRC Black Coatings Can Cut Steel Below 45 HRC			Kouvèti Copper Èske Koupe Steel Anba 55HRC Copper Coatings Can Cut Steel Below 55 HRC			Nano Kouch nwa ka koupe Steel Anba 58HRC Nano Black Coatings Can Cut Steel Below 58 HRC			Nano Kouvèti Copper Èske Koupe Steel Anba 60HRC Nano Copper Coatings Can Cut Steel Below 60 HRC			Nano Blue Coatings Can Koupe Steel anba 65HRC Nano Blue Coatings Can Cut Steel Below 65 HRC		
1. 0x3xD4x50	R0. 5x2xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
1. 5x4xD4x50	R0. 75x3xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
2. 0x6xD4x50	R1. 0x4xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
2. 5x8xD4x50	R1. 25x5xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 0x8xD3x50	R1. 5x6xD3x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 0x12xD3x75	R1. 5x6xD3x75	3.1	3.9		4.4	5.1		7.1						7.7	7.7	
3. 0x15xD3x100	R1. 5x6xD3x100	3.6	4.4		5.0	5.6		8.7						8.7	8.7	
3. 0x8xD4x50	R1. 5x6xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 5x10xD4x50	R1. 75x7xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
4. 0x10xD4x50	R2. 0x8xD4x50	1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	6.1	5.7	7.6
4. 0x20xD4x75	R2. 0x8xD4x75	2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	8.1	7.7	8.7
4. 0x25xD4x100	R2. 0x8xD4x100	3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	9.1	8.7	10.0
5. 0x13xD5x50	R2. 5x10xD5x50	3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	10.7	12.3
5. 0x13xD5x75	R2. 5x10xD5x75	5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5				13.0	13.0	14.7
5. 0x13xD5x100	R2. 5x10xD5x100	6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7				15.3	15.3	17.1
5. 0x13xD6x50	R2. 5x10xD6x50	3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	10.7	12.3
6. 0x15xD6x50	R3. 0x12xD6x50	3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	10.7	12.3
6. 0x20xD6x75	R3. 0x12xD6x75	4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	13.0	14.7
6. 0x30xD6x100	R3. 0x12xD6x100	6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	15.3	17.3
6. 0x30xD6x150	R3. 0x12xD6x150	12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5	26.6	26.3	29.7
8. 0x20xD8x60	R4. 0x16xD8x60	5.9	7.6	10.8	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	17.6	20.3
8. 0x25xD8x75	R4. 0x16xD8x75	8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	20.0	22.6
8. 0x35xD8x100	R4. 0x16xD8x100	9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	25.0	28.7
8. 0x40xD8x150	R4. 0x16xD8x150	19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1	41.0	41.0	45.0
10x25xD10x75	R5. 0x20xD10x75	9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	27.7	32.0
10x40xD10x100	R5. 0x20xD10x100	14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.7	37.3
10x45xD10x150	R5. 0x20xD10x150	28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4	54.4	54.7	63.0
12x30xD12x75	R6. 0x24xD12x75	14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	37.0	42.0
12x45xD12x100	R6. 0x24xD12x100	19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	47.0	53.0
12x50xD12x150	R6. 0x24xD12x150	34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7	77.6	77.6	85.6
14x35xD14x80	R7. 0x28xD14x80	25.6	29.7		32.3	34.1		49.3			54.3	58	54.4		61.0	70.6
14x40xD14x100	R7. 0x28xD14x100	27.1	31.7		34.6	38.0			52.9				54.4		61.0	
14x60xD14x150	R7. 0x28xD14x150	49.6	57.9		64.6	68.3			95.4				91.2		100.6	
16x40xD16x100	R8. 0x32xD16x100	35.7	38.9		51.0	53.0		63.6	74.0		73		72.8		78.7	91.3
16x65xD16x150	R8. 0x32xD16x150	63.3	73.9		86.0	91.0			129.0				116.3		127.6	143.0
18x40xD18x100	R9. 0x36xD18x100	43.3	50.4		59.1	65.1			89.7		82.3	87.9	88.4		96.7	111.3
18x65xD18x150	R9. 0x36xD18x150	74.9	86.7		101.3	101.3			148.1				153.1			
20x40xD20x100	R10x40xD20x100	52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5		115.7	133.7
20x65xD20x150	R10x40xD20x150	86.3	100.7		126.1	126.1			168.3				180.3		196.3	220.0


55° Dekim Point ki pa Peye-Creole Flat-End Fraisage kouto 55° Dekim Point Kouto ki pa Peye-Standard fen Fraisage kouto
55° Decimal Point Non-Standard Flat-End Milling Cutter 55° Decimal Point Non-Standard Ball End Milling Cutter



Ti Dyamèt Long Neck Flat-End Fraisage kouto
Èske Koupe Steel anba a 60HRC
Small Diameter Long Neck Flat-End Milling Cutter
Can Cut Steel Below 60 HRC



Ti Dyamèt Long Neck boul-Fen Fraisage kouto
Èske Koupe Steel anba a 60HRC
Small Diameter Long Neck Ball-End Milling Cutter
Can Cut Steel Below 60 HRC



Spesifikasyon RxDxL	Pri
D1. 1-D3. 9xD4x50	4.3
D4. 1-D5. 9xD6x50	6.9
D6. 1-D7. 9xD8x60	12.4
D8. 1-D9. 9xD10x75	20.4
D10. 1-D11. 9xD12x75	29.0
Chak entèval spesifikasyon pi wo a R0. 1mm	
D1. 0-D3. 0xD4x75	6.0
D1. 0-D3. 0xD4x100	6.4
D1. 0-D4. 0xD6x50	6.4
D1. 0-D5. 0xD6x75	9.6
D1. 0-D5. 0xD6x100	11.9
Chak entèval spesifikasyon pi wo a R0. 5mm	
D2x2x50	4.7
D4x15xD4x50	4.0
D6x20xD6x50	6.9
D8x30xD8x60	12.4
D8x40xD8x120	20.7
D8x200	43.6
D10x30xD10x75	20.4
D10x35xD10x75	20.4
D10x50xD10x100	26.1
D10x45xD10x120	32.4
D10x200	64.3
D12x35xD12x75	27.4
D12x50xD12x100	34.7
D12x45xD12x120	42.9
D12x200	86.9
D13x14xD100	54.7
D15xD16x100	66.7
D16x50xD16x100	63.1
D16x200	154.7
D20x200	222.9

Spesifikasyon RxDxL	Pri
R0. 6-R1. 9xD4x50	4.7
Chak entèval spesifikasyon pi wo a R0. 1mm	
R0. 5-R1. 5xD4x75	6.9
R0. 5-R1. 5xD4x100	7.6
R0. 5-R2. 0xD6x50	7.6
R0. 5-R2. 5xD6x75	10.7
R0. 5-R2. 5xD6x100	12.6
Chak entèval spesifikasyon pi wo a R0. 25mm	
R4x120	20.7
R4x200	43.6
R5x120	32.4
R5x200	40.3
R6x120	42.6
R6x200	86.9
R8x200	154.7
R10x200	222.9


Micro-Dyamèt Flat-End Fraisage Kouto Èske Koupe
Steel Anba 60HRC
Micro-Diameter Flat-End Milling Cutter Can Cut
Steel Below 60 HRC



Spesifikasyon D1xD.L	AL	Kouch
0. 3xD4x50	4.6	5.3
0. 4xD4x50	4.6	5.3
0. 5xD4x50	4.6	5.3
0. 6xD6x50	4.6	5.3
0. 7xD6x50	4.6	5.3
0. 8xD8x50	4.6	5.3
0. 9xD8x50	4.6	5.3

D1	L1	AL	Kouch
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Micro-Dyamèt boul-fen Fraisage kouto ka koupe
Steel Anba 60HRC
Micro-Diameter Ball-End Milling Cutter Can Cut
Steel Below 60 HRC



Spesifikasyon R.DxL	AL	Kouch
R0. 15xD4x50	5.3	5.4
R0. 2xD4x50	5.3	5.4
R0. 25xD4x50	5.3	5.4
R0. 3xD6x50	5.3	5.4
R0. 35xD6x50	5.3	5.4
R0. 4xD8x50	5.3	5.4
R0. 45xD8x50	5.3	5.4

Ti Dyamèt Long Neck Round Nen Nen Broyage Fen



D1xR	L1	Kouch
D1R0. 1	4/6/8/10	10.3
D1R0. 2	4/6/8/10	10.3
D1. 5R0. 1	6/8/10/12	10.3
D1. 5R0. 2	6/8/10/12	10.3
D2R0. 1	8/10/12/16	10.3
D2R0. 2	8/10/12/16	10.3
D3R0. 2	12/16/20	19.3
D3R0. 5	12/16/20	19.3
D3R0. 5	26/30	24.6
D4R0. 2	16/20	19.3
D4R0. 5	16/20	19.3
D4R0. 5	26/30	24.6

Single-Edge Acrylic / Aliminyòm Fraisage Kouto Single-Edge Acrylic / Aluminium Milling Cutter



Dimansyon D1xL1xDxL	General	Polisaj	AL -Polisaj
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

3-file flan Fraisage Kouto pou Tengstèn Steel Eske Koupe Steel Anba 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Steel Eske Koupe Steel Anba 55 HRC



Dimansyon D1xα°xL1xD2xDxLx3F	Pri USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Tengstèn Steel Inner R Fraisage Kouto
Eske Koupe Steel anba 55HRC


Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Dimansyon D1RxDxL	Pri USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	

Tengstèn Steel Dovetail Groove Fraisage
Kouto ka koupe Steel anba 60HRC


Tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Dimansyon D1xα°xL1xD2xDxL	Pri USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Espeyal Frais Kouto pou Tengstèn
Steel Envèse kòn mouri Frame
Eske Koupe Steel anba 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Dimansyon D1xL1xDxL	Pri USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Double Head Tengstèn Steel fiks-pwen
Fè egzèsis Doub Sèvi ak pwen fiks ak
Chamfè Ka Koupe Steel Anba 55HRC


Double Head Tengstèn Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 55 HRC



Dimansyon DxL	AL	Kouch
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tengstèn Steel T-Groove Fraisage bò Kouto ka koupe Steel anba 55HRC


Tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Dimansyon D1RxDxL	Pri USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x1. 5HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x1. 5HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x1. 5HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x1. 5HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x1. 5HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

Tengstèn Steel Dwat Groove
Chamfer Cutter Eske Koupe Steel
Anba 55HRC (60° / 90° / 120°)

Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 55 HRC (60° / 90° / 120°)



Dimansyon DxL	AL	Kouch
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Tengstèn Steel Fiks-pwen egzèsis Doub
Sèvi ak pwen fiks ak chanfren ka koupe
Steel Anba 55HRC

Tungsten Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can
Cut Steel Below 55 HRC




Dimansyon DxL	AL	Kouch
------------------	----	-------

Dimansyon DxL	AL	Kouch
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Espirèl-bò Tengstèn asye reamer Eske Koupe Steel anba 55HRC

Spiral-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Dimansyon D1xL1xDxLxT	Pri USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Dwat-bò Tengstèn asye reamer Eske Koupe Steel anba 55HRC


Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Dimansyon D1xL1xDxLxT	Pri USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Pòtrèl Steel Tengstèn

Tungsten Steel Drills



Dimansyon	Pri USD
D1. 0-D1. 5	1.9
D1. 6-D2. 0	2.4
D2. 1-D2. 5	2.6
D2. 6-D3. 0	3.3
D3. 1-D3. 5	4.0
D3. 6-D4. 0	4.7
D4. 1-D4. 5	5.4
D4. 6-D5. 0	6.9
D5. 1-D5. 5	7.9
D5. 6-D6. 0	9.6
D6. 1-D6. 5	11.1
D6. 6-D7. 0	12.9
D7. 1-D7. 5	16.9
D7. 6-D8. 0	18.9
D8. 1-D8. 5	22.4
D8. 6-D9. 0	24.7
D9. 1-D9. 5	28.3
D9. 6-D10. 0	30.7
D10. 1-D10. 5	35.7
D10. 6-D11. 0	37.4
D11. 1-D11. 5	46.0
D11. 6-D12. 0	50.0

Tengstèn Steel Bar

Tungsten Steel Bar



Dimansyon DxL	55° USD	60° USD
D3x100L	2.4	3.6
D4x100L	3.9	6.0
D6x100L	6.1	7.4
D8x100L	7.4	8.6
D10x100L	14.3	21.1
D12x100L	21.4	32.4
D16x100L	31.1	46.9

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzgtool.cn>

Ekstrizyon Tap Tap

Extrusion Screw Tap



Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L-Ranvèse Dan	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L-Ranvèse Dan	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L-Ranvèse Dan	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L-Ranvèse Dan	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L-Ranvèse Dan	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L-Ranvèse Dan	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	B	7.4	8.3
M5. 0x0. 8	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L-Ranvèse Dan	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L-Ranvèse Dan	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L-Ranvèse Dan	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L-Ranvèse Dan	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L-Ranvèse Dan	RH7	B	14.0	16.1

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L-Ranvèse Dan	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L-Ranvèse Dan	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L-Ranvèse Dan	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L-Ranvèse Dan	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L-Ranvèse Dan	RH7	B	11.1	12.6
UNC5/16-18-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L-Ranvèse Dan	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Apex Tap Apex Tap



Blan



Tin

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNEF1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Fòm	Blan	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Keson, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Espiral Tap griyaj Spiral Grooved Tap



Blan



Tin

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan	Tin
M1. 0x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 2x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 4x0. 2 M1. 4x0. 3	P1 P1 P2 P3 P4	5.3 5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0 6.0
M1. 5x0. 3 M1. 6x0. 2 M1. 6x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 6x0. 35-HT Djenn M1. 7x0. 2 M1. 7x0. 35	1B P1 P1 P2 P3 P4	6.9 6.7 5.3 5.3 5.3 5.3	6.9 7.4 6.0 6.0 6.0 6.0
M1. 8x0. 2 M1. 8x0. 35	P1 P1	6.7 5.7	7.4 6.7
M2. 0x0. 25 M2. 0x0. 4	P1 +0.1 P1 P2 P3 P4	6.7 5.3 4.7 4.7 4.7 4.7	7.4 6.0 5.4 5.4 5.4 5.4
M2. 0x0. 4-100L M2. 0x0. 4-AL M2. 0x0. 4-HT Djenn M2. 0x0. 4L Ranvèse Dan	P1 1B P1 P1	4.7 5.4 5.7 5.7	4.7 6.7 6.7 6.7
M2. 2x0. 25 M2. 2x0. 45 M2. 3x0. 4 M2. 3x0. 4L Ranvèse Dan M2. 5x0. 35 M2. 5x0. 45	P1 P1 P1 +0.1 P1 P2 P3 P4	6.7 4.7 4.7 5.3 4.7 4.7 4.7 4.7	7.4 5.4 5.4 6.0 5.4 5.4 5.4 5.4
M2. 5x0. 45-100L M2. 5x0. 45-AL M2. 5x0. 45-HT Djenn M2. 5x0. 45L Ranvèse Dan M2. 6x0. 35 M2. 6x0. 45	P1 P1 1B P1 P1 P2 P3 P4	4.7 4.7 5.4 5.7 6.7 4.7 4.7 4.7	4.7 4.7 6.7 6.7 7.4 5.4 5.4 5.4
M2. 6x0. 45-100L M2. 6x0. 45L Ranvèse Dan M3. 0x0. 35	P1 P1 P2 P3 P4	5.7 5.7 4.7 4.7 4.7	6.7 6.7 5.4 5.4 5.4
M3. 0x0. 35L Ranvèse Dan M3. 0x0. 5	P2 +0.1 P1 P2 P3 P4	5.7 4.7 4.7 4.7 4.7 4.7	5.4 5.4 4.7 4.7 4.7 4.7
M3. 0x0. 5-100L M3. 0x0. 5-150L M3. 0x0. 5-AL M3. 0x0. 5-HT Djenn M3. 0x0. 5L Ranvèse Dan M3. 5x0. 6-100L	P2 P2 1B P2 P2 P2	4.7 4.7 4.7 4.7 4.7 9.3	5.4 5.4 6.1 5.4 5.4 9.3
M4. 0x0. 35 M4. 0x0. 5	P2 P2 P3 P4	4.7 4.7 4.7 4.7	5.4 5.4 5.4 5.4
M4. 0x0. 5L Ranvèse Dan	P2	5.7	6.7

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan	Tin
M4. 0x0. 7	+0.1 P2 P3 P4	4.7 4 4 4	5.4 4.7 4.7 4.7
M4. 0x0. 7-100L M4. 0x0. 7-150L M4. 0x0. 7-AL M4. 0x0. 7-HT Djenn M4. 0x0. 7L Ranvèse Dan	P2 P2 1B P2	9.3 17.1 4.7 4.7 4.7	5.4 5.4 6.1 5.7 5.7
M5. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
M5. 0x0. 5L Ranvèse Dan M5. 0x0. 8	P2 +0.1 P2 P3 P4	5.7 4.7 4.7 4.7 4.7	6.9 5.4 4.7 4.7 4.7
M5. 0x0. 8-100L M5. 0x0. 8-150L M5. 0x0. 8-AL M5. 0x0. 8-HT Djenn M5. 0x0. 8L Ranvèse Dan	P2 P2 1B P2	9.6 17.9 4.7 4.7 4.7	5.4 5.4 6.1 5.7 5.7
M6. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.7 5.7
M6. 0x0. 5L Ranvèse Dan M6. 0x0. 75	P2 P2 P3 P4	5.7 4.7 4.7 4.7	6.9 5.7 5.7 5.7
M6. 0x0. 75L Ranvèse Dan M6. 0x1. 0	P2 +0.1 P2 P3 P4	5.7 4.7 4 4 4	6.9 5.7 5 5 5
M6. 0x1. 0-100L M6. 0x1. 0-150L M6. 0x1. 0-AL M6. 0x1. 0-HT Djenn M6. 0x1. 0L Ranvèse Dan	P2 1B P2	9.6 17.9 4.7 4.7 4.7	5.4 5.4 6.1 5.7 5.7
M7. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75L Ranvèse Dan M7. 0x1. 0	P2 P4	7.9 6	9.3 7.4
M7. 0x1. 0L Ranvèse Dan	P2	7.4	8.6
M8. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75L Ranvèse Dan M8. 0x1. 0	P2 P4	7.9 6.7	9.3 7.9
M8. 0x1. 0L Ranvèse Dan M8. 0x1. 25	P2 +0.1 P2 P3 P4	7.9 6.7 6 6 6	9.3 7.9 7.4 7.4 7.4
M8. 0x1. 25-100L M8. 0x1. 25-150L M8. 0x1. 25-AL M8. 0x1. 25-HT Djenn M8. 0x1. 25L Ranvèse Dan	P2 1B P2	7.4 7.4 7.4	7.9 7.9 8.6
M9. 0x0. 5 M9. 0x0. 75 M9. 0x1. 0 M9. 0x1. 0L Ranvèse Dan M9. 0x1. 25	P2 P2 P2 P2 P2	7.9 7.9 7.9 10 7.9	9.6 9.6 9.6 11.4 9.6
M10x0. 5 M10x0. 75	P2 P2	8.3 8.3	10 10
M10x0. 75L Ranvèse Dan M10x1. 0	P2 P4	10 8.3	11.4 10
M10x1. 0L Ranvèse Dan M10x1. 25	P2 P4	10 8.3	11.4 10
M10x1. 25L Ranvèse Dan M10x1. 5	P2 +0.1 P2 P3 P4	10 8.3 7.9 7.9 7.9	11.4 10 9.6 9.6 9.6
M10x1. 5-100L M10x1. 5-150L M10x1. 5-AL M10x1. 5-HT Djenn M10x1. 5L Ranvèse Dan	P2 P2 1B P2	14.6 19.7 9.3 9.6 9.6	7.9 7.9 10 11 11
M11x0. 5 M11x0. 75 M11x1. 0 M11x1. 5	P2 P2 P2 P2	11 11 11 10.4	13.1 13.1 13.1 12.6

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan	Tin
M12x0. 5 M12x0. 75 M12x1. 0	P2 P2 P2	11.0 11.0 11.0	13.1 13.1 13.1
M12x1. 0L Ranvèse Dan M12x1. 25	P4 P2	11.0 12.6	13.1 14.7
M12x1. 25L Ranvèse Dan M12x1. 5	P2 P2	11.0 12.6	13.1 14.7
M12x1. 5L Ranvèse Dan M12x1. 75	P4 P2	11.0 12.6	13.1 14.7
M12x1. 75-100L M12x1. 75-150L M12x1. 75-AL M12x1. 75-HT Djenn M12x1. 75L Ranvèse Dan	+0.1 P2 P3 P4	11.0 10.4 10.4 18.9 22.4	13.1 12.6 12.6 12.6 10.4
M14x1. 0 M14x1. 25 M14x1. 5 M14x2. 0 M16x1. 0 M16x1. 25 M16x1. 5 M16x2. 0	P2 P2 P2 P2 P2 P2 P2 P2	17.1 17.1 17.1 15.7 19.7 19.7 19.7 18.3	19.7 19.7 19.7 18.3 22.9 22.9 22.9 21.4
UNC0-80 UNC1-64 UNF1-72 UNC2-56	P1 P1 P1 P2	5.3 5.3 6.7 5.3	6 6 7.4 6
UNC2-56-100L UNC2-56-HT Djenn UNF2-64 UNC3-48 UNF3-56 UNC4-40	P3 1B P1 P1 P1 P2	5.3 6.1 6.7 5.3 6.7 4.7	6 6.9 7.4 6 7.4 5.4
UNC4-40-100L UNC4-40-AL UNC4-40-HT Djenn UNF4-48 UNC5-40 UNC5-40-100L UNF5-44 UNC6-32	P2 1B P1 P1 P2 P2 P3 P4	4.7 5.4 6.7 6.7 4.7 6.7 4.7 4.7	9.6 6.7 7.4 5.4 5.4 7.4 5.4 5.4
UNC6-32-100L UNC6-32-AL UNC6-32-HT Djenn UNC6-32L Ranvèse Dan UNF6-40 UNC8-32	P2 1B P2 P2 P2 P3 P4	4.7 5.4 5.7 6.7 6.7 4.7 4.7	4.7 6.7 7.4 5.4 5.4 5.7 5.4
UNC8-32-100L UNC8-32-AL UNC8-32-HT Djenn UNC8-32L Ranvèse Dan UNF8-36 UNC10-24	P2 1B P2 P2 P2 P3 P4	4.7 5.4 5.7 6.7 6.7 4.7 4.7	4.7 6.7 7.4 5.7 7.4 5.7 5.7
UNC10-24-100L UNC10-24-AL UNC10-24-HT Djenn UNC10-24L Ranvèse Dan UNF10-32	P2 1B P2 P2 P4	4.7 5.4 5.7 4.7 4.7	9.6 6.7 6.9 5.7 5.7
UNF10-32-100L UNF10-32-HT Djenn UNF10-32L Ranvèse Dan UNC12-24 UNF12-28 UNEF12-32 UNS12-36	P2 P2 P2 P2 P2 P2 P2	7.4 7.4 7.4 4.7 6.7 6.7 6.7	8.3 8.3 7.6 7.6 7.6 7.6 7.6
UNC1/4-20 UNC1/4-20-100L UNC1/4-20-AL UNC1/4-20-HT Djenn UNC1/4-20L Ranvèse Dan	P2 P3 P4 P2 P2	4.7 4.7 4.7 5.7 5.7	5.7 5.7 6.7 6.9 6.9

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan	Tin
UNF1/4-28	P2	6.7	7.6
UNF1/4-28-HT Djenn	P4	6.7	7.6
UNF1/4-28L Ranvèse Dan	1B	7.4	7.4
UNEF1/4-32	P2	7.4	8.3
UNS1/4-36	P2	6.7	7.6
UNC5/16-18	P2	6.0	7.4
UNC5/16-18-100L	P3	6.0	7.4
UNC5/16-18-AL	P4	6.0	7.4
UNC5/16-18-HT Djenn	P2	13.1	13.1
UNC5/16-18L Ranvèse Dan	P2	6.7	7.6
UNF5/16-24	1B	7.9	8.3
UNF5/16-24-HT Djenn	P2	7.4	8.6
UNF5/16-24L Ranvèse Dan	P2	7.4	8.6
UNC3/8-16	P4	7.4	8.6
UNC3/8-16-100L	P2	9.3	10.4
UNC3/8-16-AL	P2	9.3	10.4
UNC3/8-16-HT Djenn	P2	7.9	9.6
UNC3/8-16L Ranvèse Dan	P3	7.9	9.6
UNF3/8-24	P4	7.9	9.6
UNF3/8-24-HT Djenn	P2	14.7	14.7
UNF3/8-24L Ranvèse Dan	P2	8.3	8.3
UNF3/8-24L Ranvèse Dan	P2	9.6	10.4
UNF3/8-24L Ranvèse Dan	P2	9.6	11.0
UNF3/8-24L Ranvèse Dan	P2	9.3	10.7
UNF3/8-24L Ranvèse Dan	P4	9.3	10.7
UNF3/8-24L Ranvèse Dan	1B	12.1	12.1
UNF3/8-24L Ranvèse Dan	P2	11.0	12.6
UNF3/8-24L Ranvèse Dan	P2	9.3	10.7
UNF3/8-24L Ranvèse Dan	P2	11.9	13.9
UNF3/8-24L Ranvèse Dan	P2	12.6	14.7
UNF3/8-24L Ranvèse Dan	P2	13.1	15.3
UNF3/8-24L Ranvèse Dan	P2	14.6	16.4
W1/8-40 W5/32-32 W3/16-24 W7/32-24 W1/4-20 W5/16-18 W3/8-16 W7/16-14 W1/2-12	P1 P2 P2 P2 P2 P2 P2 P2 P2	4.7 4.7 4.7 4.7 4.7 6.0 7.9 11.9 13.1	5.4 5.4 5.4 5.7 5.7 7.4 9.6 13.9 15.3
PS1/8-28 PS1/4-14 PS1/4-18 PS1/4-19 PS3/8-18 PS3/8-19 PS1/2-14 PS1/2-14 PS3/4-14 PS1-11 PS1-11. 1-2	Croole Britanik la Croole Amerikan an Croole Britanik la Croole Britanik la Croole Amerikan an Croole Britanik la Croole Amerikan an Croole Britanik la Croole Britanik la Croole Britanik la American Standard	7.9 22.4 7.9 9.3 13.1 14.6 17.1 19.7 25.0 41.9 41.9	
PT1/16-28 PT1/8-28 PT1/4-19 PT3/8-19 PT1/2-14 PT3/4-14 PT1-11	Croole Britanik la Croole Britanik la Croole Britanik la Croole Britanik la Croole Britanik la Croole Britanik la Croole Britanik la	7.9 7.9 10.4 15.7 19.7 27.6 46.0	
NPT1/8-27 NPT1/4-18 NPT3/8-18 NPT1/2-14 NPT1/4-14 NPT1-11. 1-2	Croole Amerikan an Croole Amerikan an Croole Amerikan an Croole Amerikan an Croole Amerikan an American Standard	7.9 10.4 15.7 19.7 27.6 46.0	

Tap Tap / Sikilè mouri Hand Tap/Circular Die

MaiFix®

HT Dwat Fil Tap

HT Straight Wire Tap



Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Thread x Pitch x Length (/ Ranvèse Dan)	Presizyon	Blan
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF6-40	P2	4. 0
UNC8-32	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Creole Britanik la		6. 7
PS1/8-27 Creole Britanik la		6. 7
PS1/8-28 Creole Britanik la		6. 7
PS1/4-14 Creole Britanik la		22. 4
PS1/4-18 Creole Britanik la		7. 9
PS1/4-19 Creole Britanik la		7. 9
PS3/8-18 Creole Britanik la		13. 1
PS3/8-19 Creole Britanik la		13. 1
PS1/2-14 Creole Britanik la		17. 1
PS1/2-14 Creole Britanik la		17. 1
PS3/4-14 Creole Britanik la		22. 4
PS1-11 Creole Britanik la		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Creole Britanik la		6. 7
PT1/8-28 Creole Britanik la		6. 7
PT1/4-19 Creole Britanik la		8. 6
PT3/8-19 Creole Britanik la		14. 6
PT1/2-14 Creole Britanik la		18. 3
PT3/4-14 Creole Britanik la		25. 0
PT1-11 Creole Britanik la		41. 9
NPT1/8-27 Creole Britanik la		6. 7
NPT1/4-18 Creole Britanik la		8. 6
NPT3/8-18 Creole Britanik la		14. 6
NPT1/2-14 Creole Britanik la		18. 3
NPT1/4-14 Creole Britanik la		25. 0
NPT1-11. 1-2 American Standard		41. 9

AR-D reglabl sikilè mouri

AR-D Adjustable Circular Die



Thread x Pitch x Length (/ Ranvèse Dan)	External Diameter	Blan
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Ranvèse Dan	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Ranvèse Dan	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Ranvèse Dan	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Ranvèse Dan	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Ranvèse Dan	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Ranvèse Dan	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Ranvèse Dan	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Ranvèse Dan	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Ranvèse Dan	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6






Thread x Pitch x Length (/ Ranvèse Dan)	External Diameter	Blan
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNF5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNF7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9







Pi wo pase pri eskli machandiz, taks ak Frè.





Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn



<http://www.mzg.tw>



Pwodwi Foto	Spesifikasyon	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Fè jete ak kenbe tèt Materyèl Fini Machining			
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper ak aliminyòm Fini Machining			
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
Copper ak aliminyòm mwayen Fini Machining			
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
Processing Steel Nerjaveèl			
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Pati Gen Bon Fini			
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Pati Gen Bon Fini			

Pwodwi Foto	Spesifikasyon	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Fè jete ak kenbe tèt Materyèl Fini Machining			
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper ak aliminyòm Fini Machining			
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Mwayen fini Machining nan Steel			
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
R-X L-X Processing ki graj nan Steel			
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
Fini mwayen Machining nan Hard Steel			
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Copper ak aliminyòm mwayen Fini Machining			
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
Mwayen ki graj D'nan fè jete			
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
Mwayen Fini uzinaj nan fè jete			
	CNMG120408-HS ZM30	0.8	2.6
Processing Steel Nerjaveèl			
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			

Pwodwi Foto	Spesifikasyon	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0

Pwodwi Foto	Spesifikasyon	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
	DNMG110404-FG ZN60	0.4	2.6
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
	DNMG150404L-VF ZN60	0.4	2.6
	DNMG150404R-VF ZN60	0.4	2.6

Pwodwi Foto	Spesifikasyon	R	USD
 Fè jete ak kenbe tèt Materyèl Fini Machining	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
 Copper ak aliminyòm Fini Machining	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
 Processing ki graj nan Steel	SNMG120408L-S ZC25	0.8	2.6
 Processing ki graj nan Hard Steel	SNMG120408L-S ZC35	0.8	2.6
 Processing ki graj nan Steel	SNMG120408R-S ZC25	0.8	2.6
 Processing ki graj nan Hard Steel	SNMG120408R-S ZC35	0.8	2.6
 Mwayen fini Machining nan Steel	SNMG120408-TM ZC25	0.8	2.6
 Copper ak aliminyòm mwayen Fini Machining	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
 Processing Steel Nerjaveèi	SNMG120408-MA ZM30	0.8	2.6
 Processing Steel Nerjaveèi	SNMG120404-MS ZM30	0.4	2.6
 Processing Steel Nerjaveèi	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	SCMT09T304-MT ZN60	0.4	1.9
 Copper ak aliminyòm mwayen Fini Machining	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9





Pwodwi Foto	Spesifikasyon	R	USD
 Fè jete ak kenbe tèt Materyèl Fini Machining	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Copper ak aliminyòm Fini Machining	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
 Copper ak aliminyòm mwayen Fini Machining	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
 Processing Steel Nerjaveèi	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
 Processing Steel Nerjaveèi	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3







Pi wo pase pri eskli machandiz, taks ak Frè.





Domestik USD Dola tranzaksyon Pri Nan Lachin.



Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn





<http://www.mzg.tw>



Pwodwi Foto	Spesifikasyon	R	USD
 Fè jete ak kenbe tèt Materyèl Fini Machining	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Copper ak aliminyòm Fini Machining	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ Mwayen fini Machining nan Steel	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25	0.4 0.8	2.3 2.3
 HQ Mwayen fini Machining nan Steel	TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8	2.3 2.3
 R-S Processing ki graj nan Steel	TNMG160404L-S ZC25 TNMG160408L-S ZC25	0.4 0.8	2.3 2.3
 L-S Processing ki graj nan Steel	TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8	2.3 2.3
 R-S Processing ki graj nan Hard Steel	TNMG160404L-S ZC35 TNMG160408L-S ZC35	0.4 0.8	2.3 2.3
 L-S Processing ki graj nan Hard Steel	TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8	2.3 2.3
 Mwayen fini Machining nan Steel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Fini mwayen Machining nan Hard Steel	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Copper ak aliminyòm mwayen Fini Machining	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough Machining Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50	0.4 0.8	2.3 2.3
 TNMG Fini Machining Cast Iron	TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8	2.3 2.3
 HA Processing Steel Nerjavei	TNMG160404-HA ZM30 TNMG160408-HA ZM30	0.4 0.8	2.3 2.3
 MA Processing Steel Nerjavei	TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8	2.3 2.3
 Processing Steel Nerjavei	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Processing Steel Nerjavei	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3


Pwodwi Foto	Spesifikasyon	R	USD
 R-C Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404L-C ZN60 TNMG160408L-C ZN60	0.4 0.8	1.9 1.9
 L-C Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8	1.9 1.9
 R-S Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404L-S ZN60 TNMG160408L-S ZN60	0.4 0.8	1.9 1.9
 L-S Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8	1.9 1.9
 R-VF Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60	0.4 0.8	1.9 1.9
 L-VF Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8	1.9 1.9
 R-FS Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60	0.4 0.8	1.9 1.9
 L-FS Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8	1.9 1.9
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P Cermet Fine Steel Pati Gen Bon Fini	TNMG160402L-P ZN90 TNMG160404L-P ZN90	0.2 0.4	3.6 3.6
 L-P Cermet Fine Steel Pati Gen Bon Fini	TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4	3.6 3.6
 R-S Cermet Fine Steel Pati Gen Bon Fini	TNMG160402L-S ZN90 TNMG160404L-S ZN90	0.2 0.4	3.6 3.6
 L-S Cermet Fine Steel Pati Gen Bon Fini	TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4	3.6 3.6




Pwodwi Foto	Spesifikasyon	R	USD
	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7

Pwodwi Foto	Spesifikasyon	R	USD
	VNMG160404 CBN1	0.4	6.9
	VNMG160408 CBN1	0.8	6.9
	VNMG160402 PCD1	0.2	6.9
	VNMG160404 PCD1	0.4	6.9
	VNMG160408 PCD1	0.8	6.9
	VNMG160404-TM ZC25	0.4	2.7
	VNMG160408-TM ZC25	0.8	2.7
	VNMG160404-TM ZC35	0.4	2.7
	VNMG160408-TM ZC35	0.8	2.7
	VNMG160404-AL ZK01	0.4	2.3
	VNMG160408-AL ZK01	0.8	2.3
	VNMG160404 ZM30	0.4	2.7
	VNMG160408 ZM30	0.8	2.7
	VNMG160404-HS ZM30	0.4	2.7
	VNMG160408-HS ZM30	0.8	2.7
	VNMG160404-MT ZN60	0.4	2.3
	VNMG160408-MT ZN60	0.8	2.3

Pwodwi Foto	Spesifikasyon	R	USD
	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
Fè jete ak kenbe tèt Materyèl Fini Machining			
	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper ak aliminyòm Fini Machining			
	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Mwayen fini Machining nan Steel			
	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
Mwayen fini Machining nan Steel			
	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
R-S L-S Processing ki graj nan Steel			
	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
R-S L-S Processing ki graj nan Hard Steel			
	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
TM ZC25 TM ZC35 Mwayen fini Machining nan Steel			
	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
Mwayen fini Machining nan Steel			
	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
Copper ak aliminyòm mwayen Fini Machining			
	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
Mwayen ki graj D'nan fè jete			
	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6
Mwayen Fini uzinaj an fè jete			

Pwodwi Foto	Spesifikasyon	R	USD
	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
Processing Steel Nerjaveèl			
	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
R-S L-S Cermet Medium And Rough Steel Pati Gen Bon Fini			
	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			
	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini			


Pwodwi Foto	Spesifikasyon	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
PCD1 Copper ak aliminyòm Fini Machining  60° Metrik Eksteryè Pwosis fil	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	Pwosis Thread ekstèn		
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
PCD1 Copper ak aliminyòm Fini Machining  60° Metrik Entèn twou Pwosis fil	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	Entèn twou Pwosis fil		
TKFT... TTP...  Pwosis 60 metrik Thread Small Parts	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TTP...		
TTP... 	TTPR12	—	9.3
	TTPR16	—	11.7


Pwodwi Foto	Spesifikasyon	TPI	USD
 30° Trapezoid fil pou Transmisyon DIN103 Pwosis Thread ekstèn	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
 30° Trapezoid fil pou Transmisyon DIN103 Entèn twou Pwosis fil	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
ZP10 General Machining 	16ER 11W ZP10	1Inch11Tooth	2.0
	16ER 14W ZP10	1Inch14Tooth	2.0
	16ER 19W ZP10	1Inch19Tooth	2.0
	16ER 24W ZP10	1Inch24Tooth	2.0
	16ER 8W ZP10	1Inch8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1Inch19Tooth	2.0
	16IR 11W ZP10	1Inch11Tooth	2.0
	16IR 12W ZC01	1Inch12Tooth	2.0
PCD1 Copper ak aliminyòm Fini Machining  55° Pous ekstèn Pwosis fil	16IR 14W ZP10	1Inch14Tooth	2.0
	16IR 19W ZP10	1Inch19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1Inch19Tooth	2.0
	16IR 11W ZP10	1Inch11Tooth	2.0
	16IR 12W ZC01	1Inch12Tooth	2.0
	16IR 14W ZP10	1Inch14Tooth	2.0
	16IR 19W ZP10	1Inch19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
 60° Amerikan ekstèn Pwosis fil	16ER 12UN ZP10	1Inch12Tooth	2.0
	16ER 14UN ZP10	1Inch14Tooth	2.0
	16ER 16UN ZP10	1Inch16Tooth	2.0
	16ER 18UN ZP10	1Inch18Tooth	2.0
	16ER 20UN ZP10	1Inch20Tooth	2.0
	16IR 12UN ZP10	1Inch12Tooth	2.0
	16IR 14UN ZP10	1Inch14Tooth	2.0
	16IR 16UN ZP10	1Inch16Tooth	2.0
	16IR 18UN ZP10	1Inch18Tooth	2.0
	16IR 20UN ZP10	1Inch20Tooth	2.0
	16ER 12UN ZP10	1Inch12Tooth	2.0
	16IR 14UN ZP10	1Inch14Tooth	2.0
	16IR 16UN ZP10	1Inch16Tooth	2.0
	16IR 18UN ZP10	1Inch18Tooth	2.0
	16IR 20UN ZP10	1Inch20Tooth	2.0
 BSPT brital Standard flanbo Tube Thread Pwosis Thread ekstèn	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16ER 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 19BSPT ZP10	1Inch19Tooth	2.0
	16ER 28BSPT ZP10	1Inch28Tooth	2.0
	16IR 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0
	16IR 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16ER 14NPT ZP10	1Inch14Tooth	2.0
	16ER 18NPT ZP10	1Inch18Tooth	2.0
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0
 Fil pip NPT Pwosis Thread ekstèn	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0
 Tiyo NPT Entèn twou fil Pwosis fil	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0

Koupe-Off / ranvèse / Retounen vire nan ti pati yo

Cut-Off/Grooving/Back Turning Of Small Parts

MaiFix®

Pwodwi Foto	Spesifikasyon	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
Lajè plas envantè 0.5-3 mm; ak pwofondè 1-2.2 mm Materyèl jeneral yo ka transversalman koupe			
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
	T16N180 ZP15	1.8	3.0
	T16N200 ZP15	2.0	3.0
	T16N230 ZP15	2.3	3.0
	T16N250 ZP15	2.5	3.0
Lajè plas envantè 0.5-3 mm; ak pwofondè 1-2.2 mm Materyèl jeneral yo ka transversalman koupe			
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	—	10.7
	CTPSL12	—	11.9
	CTPASL10	—	10.7
	CTPASL12	—	11.9
	CTPR08	—	11.9
	CTPR10	—	9.4
	CTPR12	—	9.4
	CTPR16	—	9.4
	CTPR20	—	10.7
	CTPAR10	—	9.4
	CTPAR12	—	9.4
	CTPAR16	—	9.4
	CTPAR20	—	10.7
	CTPAR25	—	14.3
	TTB6001 ZP15	—	5.9
	Retounen vire nan ti pati yo		
	TBPR10	—	9.4
	TBPR12	—	9.4
	TBPAR10	—	9.4
	TBPAR12	—	9.4
	TBPAR16	—	9.4
	Retounen vire nan ti pati yo		

Pwodwi Foto	Spesifikasyon	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Ti pati Grooving /Koupe-Off Processing			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
Ti Pati Koupe-Off Processing			
	TKFB6001 ZP15	—	5.9
	Retounen vire nan ti pati yo		
	KTKFSL1010JX12	—	11.9
	KTKFSL1212JX12	—	11.9
	KTKFSL1212JX16	—	11.9
	KTKFSL..		
	KTKFR0810JX12	—	11.9
	KTKFR1010JX12	—	9.4
	KTKFR1212JX12	—	9.4
	KTKFR1616JX12	—	9.4
	KTKFR1010JX16	—	9.4
	KTKFR1212JX16	—	9.4
	KTKFR1616K16	—	9.4
	KTKFR2020JX16	—	10.7
	KTKFR..		
	FVC1604R150 ZP15	1.5	4.3
	FVC1604R200 ZP15	2.0	4.3
	FV1604R300 ZP15	3.0	4.3
	Fen Face Groovaj uzinaj		
	SVQCR2020K16-NJ	—	11.9
	SVQCR..		
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	SGIVFR16Q16	—	14.3
	SGIVFR20Q16	—	14.3
	SGIVFR25R16	—	16.7
	SGIVFR..		

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.


Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn


<http://www.mzg.tw>

Pwodwi Foto	Spesifikasyon	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Lajè plas envantè 0.3-3.2mm
Selektif pwofondè koupe 0.8-4 mm
Materyèl jeneral kapab
dwe transversalman koupe

	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFR..			

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL..			


	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S..-KTGFL..			

Pwodwi Foto	Spesifikasyon	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6





Lajè plas envantè 0.3-3.2mm
Selektif pwofondè koupe 0.8-4 mm
Materyèl jeneral kapab
dwe transversalman koupe



	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL..			

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------

	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR..			

	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S..-KTGFR..			

Pwodwi Foto	Spesifikasyon	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Lajè plas envantè 1.0-4.8mm Selektif pwofondè koupe 2.0-5.0 mm Materyèl jeneral kapab dwe transversalman koupe			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Lajè plas envantè 1.0-4.8mm Selektif pwofondè koupe 2.0-5.0 mm Materyèl jeneral kapab dwe transversalman koupe			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3

Pwodwi Foto	Spesifikasyon	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	— — —	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	— — — — —	11.9 11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	— — —	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	— — —	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	— — —	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	— — —	9.0 11.0 13.1

Pwodwi Foto	Spesifikasyon	Width	USD
Fè jete ak kenbe tèt Materyèl Fini Machining	MGMN150 CBN1 MGMN200 CBN1 MGMN250 CBN1 MGMN300 CBN1 MGMN400 CBN1 MGMN500 CBN1	1.5 2.0 2.5 3.0 4.0 5.0	6.9 6.9 6.9 6.9 6.9 6.9
Copper ak aliminyòm Fini Machining	MGMN150 PCD1 MGMN200 PCD1 MGMN250 PCD1 MGMN300 PCD1 MGMN400 PCD1	1.5 2.0 2.5 3.0 4.0	6.9 6.9 6.9 6.9 6.9
Grooving / Koupe-Off Processing	MGGN300 ZP15 MGGN400 ZP15	3.0 4.0	1.6 1.7
8° Taper Koupe-Off Processing	MGGN200-Q ZP15 MGGN300-Q ZP15	2.0 3.0	1.7 1.7
Copper or Aluminum Grooving / Koupe-Off Processing	MGGN200 ZK01 MGGN300 ZK01 MGGN400 ZK01	2.0 3.0 4.0	1.7 1.9 2.3
Grooving / Koupe-Off Processing	MGGN150 ZP30 MGGN200 ZP30 MGGN250 ZP30 MGGN300 ZP30 MGGN400 ZP30 MGGN500 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.7 1.7 2.0 2.7
8° Taper Koupe-Off Processing	MGGN150R-8 ZP30 MGGN200R-8 ZP30 MGGN250R-8 ZP30 MGGN300R-8 ZP30 MGGN400R-8 ZP30 MGGN500R-8 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.9 2.0 2.4 3.1
8° Taper Koupe-Off Processing	MGGN150L-8 ZP30 MGGN200L-8 ZP30 MGGN250L-8 ZP30 MGGN300L-8 ZP30 MGGN400L-8 ZP30	1.5 2.0 2.5 3.0 4.0	1.7 1.7 1.9 2.0 2.4
-G -M Copper or Aluminum Grooving / Koupe-Off Processing	MGMN150-G ZK01 MGMN200-G ZK01 MGMN200-M ZK01 MGMN300-M ZK01 MGMN400-M ZK01	1.5 2.0 2.0 3.0 4.0	1.7 1.7 1.7 1.7 2.0
Cermet Mwayen ak Fine Pati Steel gen bon fini	MGMN200-G ZN60 MGMN300-M ZN60 MGMN400-M ZN60 MGMN500-M ZN60	2.0 3.0 4.0 5.0	1.4 1.7 2.0 2.7
-H -T Asye pur Grooving / Koupe-Off Processing	MGMN200-T ZP30 MGMN300-T ZP30 MGMN400-T ZP30 MGMN300-H ZP30	2.0 3.0 4.0 3.0	1.6 1.6 2.0 1.6
-G -M Steel Grooving /Koupe-Off Processing	MGMN200-G ZP20 MGMN250-G ZP20 MGMN250-M ZP20 MGMN300-M ZP20 MGMN400-M ZP20	2.0 2.5 2.5 3.0 4.0	1.6 1.6 1.6 1.6 2.0
-G -M Hard asye silyon /Koupe-Off Processing	MGMN150-G ZP30 MGMN200-M ZP30 MGMN200-G ZP30 MGMN250-M ZP30 MGMN250-G ZP30 MGMN300-M ZP30 MGMN400-M ZP30 MGMN500-M ZP30	1.5 2.0 2.0 2.5 2.5 3.0 4.0 5.0	1.6 1.6 1.6 1.6 1.6 1.6 2.0 2.7

Pwodwi Foto	Spesifikasyon	Width	USD
-G -M Fini nan goraj Profiling nan Pati Steel	MRMN200-G ZP30 MRMN200-M ZP30 MRMN300-M ZP30 MRMN400-M ZP30	R1.0 R1.0 R1.5 R2.0	1.6 1.6 1.6 2.0
Fè jete ak kenbe tèt Materyèl Fini Machining	MRMN400 CBN1	R2.0	6.9
Cylindrique Grooving / Cut-Off	MGEHR1010-1.5 MGEHR1010-2 MGEHR1212-1.5 MGEHR1212-2 MGEHR1212-3 MGEHR1616-1.5 MGEHR1616-2 MGEHR1616-2.5 MGEHR1616-3 MGEHR1616-4 MGEHR2020-1.5 MGEHR2020-2 MGEHR2020-2.5 MGEHR2020-3 MGEHR2020-4 MGEHR2020-5 MGEHR2020-6 MGEHR2525-1.5 MGEHR2525-2 MGEHR2525-2.5 MGEHR2525-3 MGEHR2525-4 MGEHR2525-5 MGEHR2525-6 MGEHR3232-2 MGEHR3232-3 MGEHR3232-4 MGEHR3232-5 MGEHR3232-6	1.5 2.0 1.5 2.0 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 2.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 8.3 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 16.4 17.9
Spring Steel	MGEHR1010-1.5T12 MGEHR1010-2T12 MGEHR1212-1.5T12 MGEHR1212-2T12 MGEHR1616-1.5T13 MGEHR1616-2T16 MGEHR1616-2.5T18 MGEHR1616-3T12 MGEHR1616-3T20 MGEHR1616-4T20 MGEHR2020-1.5T13 MGEHR2020-2T16 MGEHR2020-3T20 MGEHR2020-4T20 MGEHR2525-3T20 MGEHR2525-4T20	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 3.0 4.0 1.5 2.0 3.0 4.0 3.0 4.0	10.7 10.7 9.6 9.6 9.0 9.0 9.0 9.0 9.0 9.0 9.6 9.6 9.6 9.6 11.0 11.0
Cylindrique Grooving / Cut-Off	MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 17.9
Cylindrique Grooving / Cut-Off			

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.





Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

End Face / Anndan twou Grooving Turning Tool

End Face/Inner Trou twou Turning Tool



MaiFix®






Pwodwi Foto	Spesifikasyon	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
Spring Steel			
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
Spring Steel			
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
Spring Steel			
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
Cylindrique Grooving			
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0
Cylindrique Grooving			


Pwodwi Foto	Spesifikasyon	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
Machining Inner Trou twou			
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
Spring Steel			
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1
Machining Inner Trou twou			






Pi wo pase pri eskli machandiz, taks ak Frè.
Domestik USD Dola tranzaksyon Pri Nan Lachin.
Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Pwodwi Foto	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
	4040R	21.9
S Kalite Cylindric Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
M Kalite Cylindric Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
W Kalite Cylindric Turning Tool		
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
D Kalite Cylindric Turning Tool		
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
S Kalite zouti enterèyè dwou tour		
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
H Kalite zouti enterèyè dwou tour		
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
C Kalite zouti enterèyè dwou tour		
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
Siman Carbide		
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1
S.M. Kalite zouti enterèyè dwou tour		

Pwodwi Foto	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
ZQ.. Kalite Koupe-Vire Zouti		
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
SPB.. Kalite Koupe-Vire Zouti		
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
SLTBN..		
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
MGEHR/L.. Kalite Koupe /Grooving Turning Tool		
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
MGEHR/L.. Kalite Koupe /Grooving Turning Tool		
	1616	8.6
	2020	8.6
	2525	11.0
MGVR/L.. Kalite Grooving Turning Tool		
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
CGWSR/L.. Kalite Koupe /Grooving Turning Tool		
	1616H	9.6
	2020K	10.7
WGE..		
	1616	10.3
	2020	10.3
	2525	11.9
GY2M..		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
KGMR/L.. Kalite Koupe /Grooving Turning Tool		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
TTER/L.. Kalite Koupe /Grooving Turning Tool		
	16	14.3
	20	16.7
	25	19.0
TTIR/L.. Type Inner Hole Grooving Turning Tool		

Pwodwi Foto	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
KTGR/L.. Kalite Grooving Turning Tool		
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
KTGR/L.. Kalite Grooving Turning Tool		
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
KTGRSR/L.. Kalite Grooving Turning Tool		
	1616	6.7
	2020	6.7
	2525	8.9
SGBR/L.. Kalite Grooving Turning Tool		
	1616	9.0
	2020	9.0
	2525	11.9
SGBSR/L.. Kalite Grooving Turning Tool		
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
CGBR/L.. Kalite Grooving Turning Tool		
	1616	11.9
	2020	14.3
	2525	17.9
CGBSR/L.. Kalite Grooving Turning Tool		
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
QE..R/L.. Kalite Koupe /Grooving Turning Tool		
	1616	15.3
	2020	16.9
	2525	20.4
DGTR/L.. Kalite Koupe /Grooving Turning Tool		
	1616	28.6
	2020	28.6
	2525	32.4
FGHH..R/L..		
	1616	35.7
	2020	38.1
	2525	42.9
QF..		
	1616	23.9
	2020	21.9
	2525	23.9
MGHH..		

Pwodwi Foto	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
C-Kalite Shim		
	MD1103 MD1504 MD1506	0.4 1.0 1.1
D-Kalite Shim		
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
S-Kalite Shim		
	MT1603 MT1604 MT2204	0.3 1.1 1.1
T-Kalite Shim		
	MV1603	0.6
V-Kalite Shim		
	MW0603 MW0804	0.4 0.6
W-Kalite Shim		
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
STM-Kalite Shim		
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7
Sant PIN vis		
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Plum Blossom Tool Screw		

Pwodwi Foto	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
M-Kalite Kranpon		
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
M-Kalite Kranpon kadna		
	WT16 WW08	0.4 0.4
W-Kalite Kranpon		
	WC0525E WC0625E	0.4 0.4
W-Kalite Kranpon kadna		
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
D-Kalite Kranpon		
	DL525 DL625	0.7 0.7
D-Kalite Kranpon kadna		
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
D-Kalite Shim Screw		
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
L-Tape Inner Egzagòn kle		
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
T-Tape Inner Egzagòn kle		
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
Drapo ki gen fòm drapo a		
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
Drapo ki gen fòm drapo a		
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0
T-Type Plum Wrench		

Pwodwi Foto	Spesifikasyon	R	USD
	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
	APKT1604-AL ZK01	0.2	1.9
	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Bloka Dan Kalite Dwa-ang fen Fraisage kouto
Locking Tooth Type Right-Angle End Milling Cutter



Spesifikasyon D x T x M	Pri USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9



Spesifikasyon D x d x T	Pri USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aliminyòm Dwa-Ang Fen Fraisage kouto
AL-BAP Aluminum Right-Angle End Milling Cutter



Spesifikasyon D x d x T	Pri USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Jete Dwa-ang Fen Fraisage outil koudwar
Discarded Right-Angle End Milling Cutter Toolholder



Spesifikasyon d x D x L	Pri USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Machin-kranpon Round Fraisage Nen kouto

Machine-Clamped Round Nose Milling Cutter

MaiFix®


Pwodwi Foto	Spesifikasyon	R	Pri
	RDMW1204MOT-PM ZP30	R6	1.7
Pwosesis nan materyèl jeneral	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Mwayen fini Copper and Aluminum			
	RPMW1003MO ZN60	R5	1.6
Cermet Mwayen ak Fine Steel Pati Gen Bon Fini	RPMW1003 ZN60 Non Chamfering	R5	1.3
	RPMT1204MO ZN60	R6	1.9
	RPMT08T2-JS ZP25	R4	1.1
Pwosesis nan materyèl jeneral	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
Pwosesis segondè dite HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Pwosesis nan materyèl jeneral			
	RPMT1204MO ZP60	R6	1.7
Pwosesis nan materyèl jeneral			
	RPMT1204-XM ZP25	R6	1.3
Pwosesis nan materyèl jeneral			
	RPMW1003MO ZM90	R5	1.7
Pwosesis segondè dite HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Pwosesis nan materyèl jeneral			
	RPMW1003MO ZP30	R5	1.3
Pwosesis nan materyèl jeneral			
	RPMW1003MO ZP60	R5	1.3
Pwosesis nan materyèl jeneral			
	RPMW1003-XM ZP25	R5	1.3
Pwosesis nan materyèl jeneral			

Bloke Dan Kalite wonn Nen fen Fraisage kouto
Locking Tooth Type Round Nose End Milling Cutter



Spesifikasyon D x T x M	Pri USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M12	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

Kouto EMR Steel Round Nen Nen Baj Fraisage
EMR Steel Round Nose End Milling Cutter



Spesifikasyon D x d x T	Pri USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Spesifikasyon Are RP.. Inserts,
RC... / RD.. Insérè ak okipe, tanpri mande!
The Above Spesifikasyon Are RP.. Inserts,
RC... / RD.. Inserts and handle, please inquire!
















Jete Round Nerjaveèl Outil Koupe fen Fraisage yo
Discarded Round Nose End Milling Cutter Toolholder



Spesifikasyon D x D x L x T	Pri USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1

Pi wo pase pri eskli machandiz, taks ak Frè.
Domestik USD Dola tranzaksyon Pri Nan Lachin.
Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Spesifikasyon	USD	Product Pictures	Spesifikasyon	USD	Product Pictures	Spesifikasyon	USD	Product Pictures	Spesifikasyon	USD																																																																				
	Fini an fè jete ak materyèl endispoze SEHT1204AFFN CBN1	7. 1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12. 5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7. 4 8. 3 8. 3 9. 9 11. 9 20. 3 31. 1 40. 3		LNMU0303ZER-MJ			800-08A																																																																					
	Fini de Copper and Aluminum SEHT1204AFFN PCD1	7. 1		Profile Fine Milling of Materyèl Jeneral			PNMU0905GNEN-MJ			800-08T308M-C-G																																																																					
	Mwayen fini Copper and Aluminum SEHT1204AFFN ZK01	1. 7		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17. 1 17. 1 20. 4 23. 9 32. 4 51. 4		PNMU0905XNER-GM			800-08T308M-I-G																																																																					
	Processing ki graj nan Materyèl Jeneral SECA1204AFTN ZP30	3. 1		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17. 1 18. 6 23. 9 32. 4 41. 0		SNMU130508EN-GM			800-09T308H-P-G																																																																					
	Mwayen fini Machining nan Jeneral Materyèl SEHT1204AFSN ZM90	3. 1	Bloke Dan Kalite sferik Fen Fraiseage kouto Locking Tooth Type Spherical End Milling Cutter				WNMU080608EN-SM			R390-11T308-PM																																																																					
	Mwayen fini Machining nan Jeneral Materyèl SEKT1204AFTN ZM90	3. 1		Jete sferik Fen Fraiseage kouto Discarded Spherical End Milling Toolholder			XJMG1204			S-R215. 44-15T364M																																																																					
KM Steel 45° Face Fraiseage outil KM Steel 45° Face Milling Cutter							HNGX0906-FF			DGN3102C																																																																					
			<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>T2139M-5R-M5</td><td>31. 0</td></tr><tr><td>T2139M-6R-M6</td><td>31. 0</td></tr><tr><td>T2139M-8R-M8</td><td>33. 3</td></tr><tr><td>T2139M-10R-M10</td><td>35. 7</td></tr><tr><td>T2139M-12. 5R-M12</td><td>38. 1</td></tr><tr><td>T2139M-15R-M16</td><td>40. 4</td></tr></table>			Spesifikasyon DxdT	Pri USD	T2139M-5R-M5	31. 0	T2139M-6R-M6	31. 0	T2139M-8R-M8	33. 3	T2139M-10R-M10	35. 7	T2139M-12. 5R-M12	38. 1	T2139M-15R-M16	40. 4		6NGU060408R-M 6NGU090508R-M			LNKX1506-G																																																							
Spesifikasyon DxdT	Pri USD																																																																														
T2139M-5R-M5	31. 0																																																																														
T2139M-6R-M6	31. 0																																																																														
T2139M-8R-M8	33. 3																																																																														
T2139M-10R-M10	35. 7																																																																														
T2139M-12. 5R-M12	38. 1																																																																														
T2139M-15R-M16	40. 4																																																																														
KM Aluminum 45° Face Milling Cutter KM Aluminum 45° Face Milling Cutter							CNHX100508T CNHX131108T			WXCU080612T																																																																					
			<table><tr><th>Spesifikasyon dxDxLxT</th><th>Pri USD</th></tr><tr><td>T2139 C10-4R-100-1T</td><td>8. 9</td></tr><tr><td>T2139 C12-4R-130-1T</td><td>8. 9</td></tr><tr><td>T2139 C16-4R-150-1T</td><td>10. 7</td></tr><tr><td>T2139 C10-5R-120-1T</td><td>8. 9</td></tr><tr><td>T2139 C12-5R-150-1T</td><td>8. 9</td></tr><tr><td>T2139 C16-5R-150-1T</td><td>10. 7</td></tr><tr><td>T2139 C12-6R-130-1T</td><td>8. 9</td></tr><tr><td>T2139 C12-6R-150-1T</td><td>8. 9</td></tr><tr><td>T2139 C16-6R-150-1T</td><td>10. 7</td></tr><tr><td>T2139 C16-6R-200-1T</td><td>12. 6</td></tr><tr><td>T2139 C16-8R-150-1T</td><td>10. 0</td></tr><tr><td>T2139 C16-8R-200-1T</td><td>11. 9</td></tr><tr><td>T2139 C20-8R-200-1T</td><td>16. 7</td></tr><tr><td>T2139 C25-8R-250-1T</td><td>19. 7</td></tr><tr><td>T2139 C20-10R-150-1T</td><td>13. 9</td></tr><tr><td>T2139 C20-10R-200-1T</td><td>16. 0</td></tr><tr><td>T2139 C25-10R-250-1T</td><td>19. 7</td></tr><tr><td>T2139 C32-10R-300-1T</td><td>22. 1</td></tr><tr><td>T2139 C25-12. 5R-150-1T</td><td>16. 7</td></tr><tr><td>T2139 C25-12. 5R-200-1T</td><td>19. 6</td></tr><tr><td>T2139 C25-12. 5R-250-1T</td><td>22. 1</td></tr><tr><td>T2139 C25-12. 5R-300-1T</td><td>25. 0</td></tr><tr><td>T2139 C32-12. 5R-300-1T</td><td>27. 9</td></tr><tr><td>T2139 C32-15R-150-1T</td><td>18. 3</td></tr><tr><td>T2139 C32-15R-200-1T</td><td>21. 0</td></tr><tr><td>T2139 C32-15R-250-1T</td><td>23. 9</td></tr><tr><td>T2139 C32-15R-300-1T</td><td>26. 7</td></tr><tr><td>T2139 C32-15R-350-1T</td><td>30. 4</td></tr><tr><td>T2139 C32-16R-150-1T</td><td>18. 3</td></tr><tr><td>T2139 C32-16R-200-1T</td><td>21. 0</td></tr><tr><td>T2139 C32-16R-250-1T</td><td>23. 9</td></tr><tr><td>T2139 C32-16R-300-1T</td><td>26. 7</td></tr><tr><td>T2139 C32-16R-350-1T</td><td>30. 4</td></tr></table>			Spesifikasyon dxDxLxT	Pri USD	T2139 C10-4R-100-1T	8. 9	T2139 C12-4R-130-1T	8. 9	T2139 C16-4R-150-1T	10. 7	T2139 C10-5R-120-1T	8. 9	T2139 C12-5R-150-1T	8. 9	T2139 C16-5R-150-1T	10. 7	T2139 C12-6R-130-1T	8. 9	T2139 C12-6R-150-1T	8. 9	T2139 C16-6R-150-1T	10. 7	T2139 C16-6R-200-1T	12. 6	T2139 C16-8R-150-1T	10. 0	T2139 C16-8R-200-1T	11. 9	T2139 C20-8R-200-1T	16. 7	T2139 C25-8R-250-1T	19. 7	T2139 C20-10R-150-1T	13. 9	T2139 C20-10R-200-1T	16. 0	T2139 C25-10R-250-1T	19. 7	T2139 C32-10R-300-1T	22. 1	T2139 C25-12. 5R-150-1T	16. 7	T2139 C25-12. 5R-200-1T	19. 6	T2139 C25-12. 5R-250-1T	22. 1	T2139 C25-12. 5R-300-1T	25. 0	T2139 C32-12. 5R-300-1T	27. 9	T2139 C32-15R-150-1T	18. 3	T2139 C32-15R-200-1T	21. 0	T2139 C32-15R-250-1T	23. 9	T2139 C32-15R-300-1T	26. 7	T2139 C32-15R-350-1T	30. 4	T2139 C32-16R-150-1T	18. 3	T2139 C32-16R-200-1T	21. 0	T2139 C32-16R-250-1T	23. 9	T2139 C32-16R-300-1T	26. 7	T2139 C32-16R-350-1T	30. 4		AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507	
Spesifikasyon dxDxLxT	Pri USD																																																																														
T2139 C10-4R-100-1T	8. 9																																																																														
T2139 C12-4R-130-1T	8. 9																																																																														
T2139 C16-4R-150-1T	10. 7																																																																														
T2139 C10-5R-120-1T	8. 9																																																																														
T2139 C12-5R-150-1T	8. 9																																																																														
T2139 C16-5R-150-1T	10. 7																																																																														
T2139 C12-6R-130-1T	8. 9																																																																														
T2139 C12-6R-150-1T	8. 9																																																																														
T2139 C16-6R-150-1T	10. 7																																																																														
T2139 C16-6R-200-1T	12. 6																																																																														
T2139 C16-8R-150-1T	10. 0																																																																														
T2139 C16-8R-200-1T	11. 9																																																																														
T2139 C20-8R-200-1T	16. 7																																																																														
T2139 C25-8R-250-1T	19. 7																																																																														
T2139 C20-10R-150-1T	13. 9																																																																														
T2139 C20-10R-200-1T	16. 0																																																																														
T2139 C25-10R-250-1T	19. 7																																																																														
T2139 C32-10R-300-1T	22. 1																																																																														
T2139 C25-12. 5R-150-1T	16. 7																																																																														
T2139 C25-12. 5R-200-1T	19. 6																																																																														
T2139 C25-12. 5R-250-1T	22. 1																																																																														
T2139 C25-12. 5R-300-1T	25. 0																																																																														
T2139 C32-12. 5R-300-1T	27. 9																																																																														
T2139 C32-15R-150-1T	18. 3																																																																														
T2139 C32-15R-200-1T	21. 0																																																																														
T2139 C32-15R-250-1T	23. 9																																																																														
T2139 C32-15R-300-1T	26. 7																																																																														
T2139 C32-15R-350-1T	30. 4																																																																														
T2139 C32-16R-150-1T	18. 3																																																																														
T2139 C32-16R-200-1T	21. 0																																																																														
T2139 C32-16R-250-1T	23. 9																																																																														
T2139 C32-16R-300-1T	26. 7																																																																														
T2139 C32-16R-350-1T	30. 4																																																																														
			<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>KM12-50-22-4T</td><td>11. 9</td></tr><tr><td>KM12-63-22-4T</td><td>15. 3</td></tr><tr><td>KM12-80-27-5T</td><td>25. 4</td></tr><tr><td>KM12-100-32-5T</td><td>35. 7</td></tr><tr><td>KM12-125-40-6T</td><td>51. 0</td></tr><tr><td>KM12-160-40-6T</td><td>61. 1</td></tr><tr><td>KM12-200-40-8T</td><td>136. 0</td></tr><tr><td>KM12-250-40-10T</td><td>204. 0</td></tr><tr><td>KM12 300-60-12T</td><td>255. 0</td></tr><tr><td>KM12-50-25. 4-4T</td><td>13. 6</td></tr><tr><td>KM12-63-25. 4-4T</td><td>16. 9</td></tr><tr><td>KM12-80-25. 4-5T</td><td>28. 9</td></tr><tr><td>KM12-100-31. 75-5T</td><td>39. 0</td></tr></table>			Spesifikasyon DxdT	Pri USD	KM12-50-22-4T	11. 9	KM12-63-22-4T	15. 3	KM12-80-27-5T	25. 4	KM12-100-32-5T	35. 7	KM12-125-40-6T	51. 0	KM12-160-40-6T	61. 1	KM12-200-40-8T	136. 0	KM12-250-40-10T	204. 0	KM12 300-60-12T	255. 0	KM12-50-25. 4-4T	13. 6	KM12-63-25. 4-4T	16. 9	KM12-80-25. 4-5T	28. 9	KM12-100-31. 75-5T	39. 0		BLMP0603R-M			S229. 0300. 32																																									
Spesifikasyon DxdT	Pri USD																																																																														
KM12-50-22-4T	11. 9																																																																														
KM12-63-22-4T	15. 3																																																																														
KM12-80-27-5T	25. 4																																																																														
KM12-100-32-5T	35. 7																																																																														
KM12-125-40-6T	51. 0																																																																														
KM12-160-40-6T	61. 1																																																																														
KM12-200-40-8T	136. 0																																																																														
KM12-250-40-10T	204. 0																																																																														
KM12 300-60-12T	255. 0																																																																														
KM12-50-25. 4-4T	13. 6																																																																														
KM12-63-25. 4-4T	16. 9																																																																														
KM12-80-25. 4-5T	28. 9																																																																														
KM12-100-31. 75-5T	39. 0																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>AL-KM12-50-22-4T</td><td>16. 9</td></tr><tr><td>AL-KM12-63-22-4T</td><td>22. 1</td></tr><tr><td>AL-KM12-80-22-5T</td><td>30. 7</td></tr><tr><td>AL-KM12-100-22-5T</td><td>54. 6</td></tr><tr><td>AL-KM12-125-27-6T</td><td>85. 0</td></tr><tr><td>AL-KM12-160-27-6T</td><td>95. 3</td></tr><tr><td>AL-KM12-200-27-8T</td><td>204. 0</td></tr><tr><td>AL-KM12-250-32-10T</td><td>272. 1</td></tr><tr><td>AL-KM12 300-32-12T</td><td>340. 3</td></tr><tr><td>AL-KM12-50-25. 4-4T</td><td>19. 0</td></tr><tr><td>AL-KM12-63-25. 4-4T</td><td>23. 1</td></tr><tr><td>AL-KM12-80-25. 4-5T</td><td>32. 4</td></tr><tr><td>AL-KM12-100-31. 75-5T</td><td>54. 6</td></tr></table>			Spesifikasyon DxdT	Pri USD	AL-KM12-50-22-4T	16. 9	AL-KM12-63-22-4T	22. 1	AL-KM12-80-22-5T	30. 7	AL-KM12-100-22-5T	54. 6	AL-KM12-125-27-6T	85. 0	AL-KM12-160-27-6T	95. 3	AL-KM12-200-27-8T	204. 0	AL-KM12-250-32-10T	272. 1	AL-KM12 300-32-12T	340. 3	AL-KM12-50-25. 4-4T	19. 0	AL-KM12-63-25. 4-4T	23. 1	AL-KM12-80-25. 4-5T	32. 4	AL-KM12-100-31. 75-5T	54. 6		BLMP0904R-ML			SOEX090408-13																																												
Spesifikasyon DxdT	Pri USD																																																																														
AL-KM12-50-22-4T	16. 9																																																																														
AL-KM12-63-22-4T	22. 1																																																																														
AL-KM12-80-22-5T	30. 7																																																																														
AL-KM12-100-22-5T	54. 6																																																																														
AL-KM12-125-27-6T	85. 0																																																																														
AL-KM12-160-27-6T	95. 3																																																																														
AL-KM12-200-27-8T	204. 0																																																																														
AL-KM12-250-32-10T	272. 1																																																																														
AL-KM12 300-32-12T	340. 3																																																																														
AL-KM12-50-25. 4-4T	19. 0																																																																														
AL-KM12-63-25. 4-4T	23. 1																																																																														
AL-KM12-80-25. 4-5T	32. 4																																																																														
AL-KM12-100-31. 75-5T	54. 6																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>ABPF C16-8R-150</td><td>23. 9</td></tr><tr><td>ABPF C16-8R-200</td><td>29. 7</td></tr><tr><td>ABPF C20-10R-150</td><td>31. 7</td></tr><tr><td>ABPF C20-10R-200</td><td>37. 6</td></tr><tr><td>ABPF C25-12. 5R-150</td><td>39. 7</td></tr><tr><td>ABPF C25-12. 5R-200</td><td>49. 6</td></tr><tr><td>ABPF C25-12. 5R-250</td><td>55. 4</td></tr><tr><td>ABPF C32-15R-150</td><td>45. 7</td></tr><tr><td>ABPF C32-15R-200</td><td>51. 7</td></tr><tr><td>ABPF C32-15R-250</td><td>59. 6</td></tr><tr><td>ABPF C32-15R-300</td><td>79. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	ABPF C16-8R-150	23. 9	ABPF C16-8R-200	29. 7	ABPF C20-10R-150	31. 7	ABPF C20-10R-200	37. 6	ABPF C25-12. 5R-150	39. 7	ABPF C25-12. 5R-200	49. 6	ABPF C25-12. 5R-250	55. 4	ABPF C32-15R-150	45. 7	ABPF C32-15R-200	51. 7	ABPF C32-15R-250	59. 6	ABPF C32-15R-300	79. 3		BLMP1205R-M			HNPJ130720ANSN-HD																																																
Spesifikasyon DxdT	Pri USD																																																																														
ABPF C16-8R-150	23. 9																																																																														
ABPF C16-8R-200	29. 7																																																																														
ABPF C20-10R-150	31. 7																																																																														
ABPF C20-10R-200	37. 6																																																																														
ABPF C25-12. 5R-150	39. 7																																																																														
ABPF C25-12. 5R-200	49. 6																																																																														
ABPF C25-12. 5R-250	55. 4																																																																														
ABPF C32-15R-150	45. 7																																																																														
ABPF C32-15R-200	51. 7																																																																														
ABPF C32-15R-250	59. 6																																																																														
ABPF C32-15R-300	79. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11. 9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11. 9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15. 0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17. 9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21. 0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23. 9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-150-1T</td><td>25. 0</td></tr><tr><td>BNML C25-12. 5R-200-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-250-1T</td><td>33. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	BNML C12-6R-130-1T	11. 9	BNML C12-6R-150-1T	11. 9	BNML C16-8R-150-1T	15. 0	BNML C16-8R-200-1T	17. 9	BNML C20-10R-150-1T	21. 0	BNML C20-10R-200-1T	23. 9	BNML C25-10R-250-1T	29. 7	BNML C25-12. 5R-150-1T	25. 0	BNML C25-12. 5R-200-1T	29. 7	BNML C25-12. 5R-250-1T	33. 3		BLMP1306R-M			SP1RH5-LT-L																																																		
Spesifikasyon DxdT	Pri USD																																																																														
BNML C12-6R-130-1T	11. 9																																																																														
BNML C12-6R-150-1T	11. 9																																																																														
BNML C16-8R-150-1T	15. 0																																																																														
BNML C16-8R-200-1T	17. 9																																																																														
BNML C20-10R-150-1T	21. 0																																																																														
BNML C20-10R-200-1T	23. 9																																																																														
BNML C25-10R-250-1T	29. 7																																																																														
BNML C25-12. 5R-150-1T	25. 0																																																																														
BNML C25-12. 5R-200-1T	29. 7																																																																														
BNML C25-12. 5R-250-1T	33. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>ABPF C16-8R-150</td><td>23. 9</td></tr><tr><td>ABPF C16-8R-200</td><td>29. 7</td></tr><tr><td>ABPF C20-10R-150</td><td>31. 7</td></tr><tr><td>ABPF C20-10R-200</td><td>37. 6</td></tr><tr><td>ABPF C25-12. 5R-150</td><td>39. 7</td></tr><tr><td>ABPF C25-12. 5R-200</td><td>49. 6</td></tr><tr><td>ABPF C25-12. 5R-250</td><td>55. 4</td></tr><tr><td>ABPF C32-15R-150</td><td>45. 7</td></tr><tr><td>ABPF C32-15R-200</td><td>51. 7</td></tr><tr><td>ABPF C32-15R-250</td><td>59. 6</td></tr><tr><td>ABPF C32-15R-300</td><td>79. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	ABPF C16-8R-150	23. 9	ABPF C16-8R-200	29. 7	ABPF C20-10R-150	31. 7	ABPF C20-10R-200	37. 6	ABPF C25-12. 5R-150	39. 7	ABPF C25-12. 5R-200	49. 6	ABPF C25-12. 5R-250	55. 4	ABPF C32-15R-150	45. 7	ABPF C32-15R-200	51. 7	ABPF C32-15R-250	59. 6	ABPF C32-15R-300	79. 3		TNGX2207PNTN			SP1RH5-LT-D																																																
Spesifikasyon DxdT	Pri USD																																																																														
ABPF C16-8R-150	23. 9																																																																														
ABPF C16-8R-200	29. 7																																																																														
ABPF C20-10R-150	31. 7																																																																														
ABPF C20-10R-200	37. 6																																																																														
ABPF C25-12. 5R-150	39. 7																																																																														
ABPF C25-12. 5R-200	49. 6																																																																														
ABPF C25-12. 5R-250	55. 4																																																																														
ABPF C32-15R-150	45. 7																																																																														
ABPF C32-15R-200	51. 7																																																																														
ABPF C32-15R-250	59. 6																																																																														
ABPF C32-15R-300	79. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>ABPF C16-8R-150</td><td>23. 9</td></tr><tr><td>ABPF C16-8R-200</td><td>29. 7</td></tr><tr><td>ABPF C20-10R-150</td><td>31. 7</td></tr><tr><td>ABPF C20-10R-200</td><td>37. 6</td></tr><tr><td>ABPF C25-12. 5R-150</td><td>39. 7</td></tr><tr><td>ABPF C25-12. 5R-200</td><td>49. 6</td></tr><tr><td>ABPF C25-12. 5R-250</td><td>55. 4</td></tr><tr><td>ABPF C32-15R-150</td><td>45. 7</td></tr><tr><td>ABPF C32-15R-200</td><td>51. 7</td></tr><tr><td>ABPF C32-15R-250</td><td>59. 6</td></tr><tr><td>ABPF C32-15R-300</td><td>79. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	ABPF C16-8R-150	23. 9	ABPF C16-8R-200	29. 7	ABPF C20-10R-150	31. 7	ABPF C20-10R-200	37. 6	ABPF C25-12. 5R-150	39. 7	ABPF C25-12. 5R-200	49. 6	ABPF C25-12. 5R-250	55. 4	ABPF C32-15R-150	45. 7	ABPF C32-15R-200	51. 7	ABPF C32-15R-250	59. 6	ABPF C32-15R-300	79. 3		ZNHU080-08			APMT1003-NN																																																
Spesifikasyon DxdT	Pri USD																																																																														
ABPF C16-8R-150	23. 9																																																																														
ABPF C16-8R-200	29. 7																																																																														
ABPF C20-10R-150	31. 7																																																																														
ABPF C20-10R-200	37. 6																																																																														
ABPF C25-12. 5R-150	39. 7																																																																														
ABPF C25-12. 5R-200	49. 6																																																																														
ABPF C25-12. 5R-250	55. 4																																																																														
ABPF C32-15R-150	45. 7																																																																														
ABPF C32-15R-200	51. 7																																																																														
ABPF C32-15R-250	59. 6																																																																														
ABPF C32-15R-300	79. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>ABPF C16-8R-150</td><td>23. 9</td></tr><tr><td>ABPF C16-8R-200</td><td>29. 7</td></tr><tr><td>ABPF C20-10R-150</td><td>31. 7</td></tr><tr><td>ABPF C20-10R-200</td><td>37. 6</td></tr><tr><td>ABPF C25-12. 5R-150</td><td>39. 7</td></tr><tr><td>ABPF C25-12. 5R-200</td><td>49. 6</td></tr><tr><td>ABPF C25-12. 5R-250</td><td>55. 4</td></tr><tr><td>ABPF C32-15R-150</td><td>45. 7</td></tr><tr><td>ABPF C32-15R-200</td><td>51. 7</td></tr><tr><td>ABPF C32-15R-250</td><td>59. 6</td></tr><tr><td>ABPF C32-15R-300</td><td>79. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	ABPF C16-8R-150	23. 9	ABPF C16-8R-200	29. 7	ABPF C20-10R-150	31. 7	ABPF C20-10R-200	37. 6	ABPF C25-12. 5R-150	39. 7	ABPF C25-12. 5R-200	49. 6	ABPF C25-12. 5R-250	55. 4	ABPF C32-15R-150	45. 7	ABPF C32-15R-200	51. 7	ABPF C32-15R-250	59. 6	ABPF C32-15R-300	79. 3		SNMX1205XTN			SEKN1203AFTN-NN																																																
Spesifikasyon DxdT	Pri USD																																																																														
ABPF C16-8R-150	23. 9																																																																														
ABPF C16-8R-200	29. 7																																																																														
ABPF C20-10R-150	31. 7																																																																														
ABPF C20-10R-200	37. 6																																																																														
ABPF C25-12. 5R-150	39. 7																																																																														
ABPF C25-12. 5R-200	49. 6																																																																														
ABPF C25-12. 5R-250	55. 4																																																																														
ABPF C32-15R-150	45. 7																																																																														
ABPF C32-15R-200	51. 7																																																																														
ABPF C32-15R-250	59. 6																																																																														
ABPF C32-15R-300	79. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11. 9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11. 9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15. 0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17. 9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21. 0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23. 9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-150-1T</td><td>25. 0</td></tr><tr><td>BNML C25-12. 5R-200-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-250-1T</td><td>33. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	BNML C12-6R-130-1T	11. 9	BNML C12-6R-150-1T	11. 9	BNML C16-8R-150-1T	15. 0	BNML C16-8R-200-1T	17. 9	BNML C20-10R-150-1T	21. 0	BNML C20-10R-200-1T	23. 9	BNML C25-10R-250-1T	29. 7	BNML C25-12. 5R-150-1T	25. 0	BNML C25-12. 5R-200-1T	29. 7	BNML C25-12. 5R-250-1T	33. 3		AXMT123508PEERG			TPUN160308-NN																																																		
Spesifikasyon DxdT	Pri USD																																																																														
BNML C12-6R-130-1T	11. 9																																																																														
BNML C12-6R-150-1T	11. 9																																																																														
BNML C16-8R-150-1T	15. 0																																																																														
BNML C16-8R-200-1T	17. 9																																																																														
BNML C20-10R-150-1T	21. 0																																																																														
BNML C20-10R-200-1T	23. 9																																																																														
BNML C25-10R-250-1T	29. 7																																																																														
BNML C25-12. 5R-150-1T	25. 0																																																																														
BNML C25-12. 5R-200-1T	29. 7																																																																														
BNML C25-12. 5R-250-1T	33. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11. 9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11. 9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15. 0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17. 9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21. 0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23. 9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-150-1T</td><td>25. 0</td></tr><tr><td>BNML C25-12. 5R-200-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-250-1T</td><td>33. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	BNML C12-6R-130-1T	11. 9	BNML C12-6R-150-1T	11. 9	BNML C16-8R-150-1T	15. 0	BNML C16-8R-200-1T	17. 9	BNML C20-10R-150-1T	21. 0	BNML C20-10R-200-1T	23. 9	BNML C25-10R-250-1T	29. 7	BNML C25-12. 5R-150-1T	25. 0	BNML C25-12. 5R-200-1T	29. 7	BNML C25-12. 5R-250-1T	33. 3		RPHX1204M6EN-M31			APKT150412-PM																																																		
Spesifikasyon DxdT	Pri USD																																																																														
BNML C12-6R-130-1T	11. 9																																																																														
BNML C12-6R-150-1T	11. 9																																																																														
BNML C16-8R-150-1T	15. 0																																																																														
BNML C16-8R-200-1T	17. 9																																																																														
BNML C20-10R-150-1T	21. 0																																																																														
BNML C20-10R-200-1T	23. 9																																																																														
BNML C25-10R-250-1T	29. 7																																																																														
BNML C25-12. 5R-150-1T	25. 0																																																																														
BNML C25-12. 5R-200-1T	29. 7																																																																														
BNML C25-12. 5R-250-1T	33. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11. 9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11. 9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15. 0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17. 9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21. 0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23. 9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-150-1T</td><td>25. 0</td></tr><tr><td>BNML C25-12. 5R-200-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-250-1T</td><td>33. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	BNML C12-6R-130-1T	11. 9	BNML C12-6R-150-1T	11. 9	BNML C16-8R-150-1T	15. 0	BNML C16-8R-200-1T	17. 9	BNML C20-10R-150-1T	21. 0	BNML C20-10R-200-1T	23. 9	BNML C25-10R-250-1T	29. 7	BNML C25-12. 5R-150-1T	25. 0	BNML C25-12. 5R-200-1T	29. 7	BNML C25-12. 5R-250-1T	33. 3		XNEX080608-MD15			SPMT120408-PM																																																		
Spesifikasyon DxdT	Pri USD																																																																														
BNML C12-6R-130-1T	11. 9																																																																														
BNML C12-6R-150-1T	11. 9																																																																														
BNML C16-8R-150-1T	15. 0																																																																														
BNML C16-8R-200-1T	17. 9																																																																														
BNML C20-10R-150-1T	21. 0																																																																														
BNML C20-10R-200-1T	23. 9																																																																														
BNML C25-10R-250-1T	29. 7																																																																														
BNML C25-12. 5R-150-1T	25. 0																																																																														
BNML C25-12. 5R-200-1T	29. 7																																																																														
BNML C25-12. 5R-250-1T	33. 3																																																																														
<table><tr><th>Spesifikasyon DxdT</th><th>Pri USD</th></tr><tr><td>BNML C12-6R-130-1T</td><td>11. 9</td></tr><tr><td>BNML C12-6R-150-1T</td><td>11. 9</td></tr><tr><td>BNML C16-8R-150-1T</td><td>15. 0</td></tr><tr><td>BNML C16-8R-200-1T</td><td>17. 9</td></tr><tr><td>BNML C20-10R-150-1T</td><td>21. 0</td></tr><tr><td>BNML C20-10R-200-1T</td><td>23. 9</td></tr><tr><td>BNML C25-10R-250-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-150-1T</td><td>25. 0</td></tr><tr><td>BNML C25-12. 5R-200-1T</td><td>29. 7</td></tr><tr><td>BNML C25-12. 5R-250-1T</td><td>33. 3</td></tr></table>			Spesifikasyon DxdT	Pri USD	BNML C12-6R-130-1T	11. 9	BNML C12-6R-150-1T	11. 9	BNML C16-8R-150-1T	15. 0	BNML C16-8R-200-1T	17. 9	BNML C20-10R-150-1T	21. 0	BNML C20-10R-200-1T	23. 9	BNML C25-10R-250-1T	29. 7	BNML C25-12. 5R-150-1T	25. 0	BNML C25-12. 5R-200-1T	29. 7	BNML C25-12. 5R-250-1T	33. 3		XOMX180608TR-M14			ONHU060408-PM ONHU08T508-PM																																																		
Spesifikasyon DxdT	Pri USD																																																																														
BNML C12-6R-130-1T	11. 9																																																																														
BNML C12-6R-150-1T	11. 9																																																																														
BNML C16-8R-150-1T	15. 0																																																																														
BNML C16-8R-200-1T	17. 9																																																																														
BNML C20-10R-150-1T	21. 0																																																																														
BNML C20-10R-200-1T	23. 9																																																																														
BNML C25-10R-250-1T	29. 7																																																																														
BNML C25-12. 5R-150-1T	25. 0																																																																														
BNML C25-12. 5R-200-1T	29. 7																																																																														
BNML C25-12. 5R-250-1T	33. 3																																																																														

Mete Kalite egzèsis rapid Insert Type Quick Drill

MaiFix®

Bloka Dan Kalite Dwa-ang fen Fraisage kouto

Locking Tooth Type Right-Angle End Milling Cutter



Spesifikasyon DxTxM	Pri USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Bloka Dan Kalite sferik Fen Fraisage kouto

Locking Tooth Type Spherical End Milling Cutter



Spesifikasyon DxRxM	Pri USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Bloka Dan Kalite Dwa-ang fen Fraisage kouto

Locking Tooth Type Right-Angle End Milling Cutter



Spesifikasyon DxTxM	Pri USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Tengstèn asye anti-Vibration zouti baton

Tungsten steel anti-vibration tool rod



Spesifikasyon d x D x L x M	Pri USD
MFL08-08-100-M4	59.6
MFL10-10-100-M5	59.6
MFL10-10-150-M5	83.3
MFL12-12-100-M6	75.0
MFL12-12-150-M6	102.4
MFL12-12-200-M6	135.7
MFL15-15-150-M8	131.0
MFL15-15-200-M8	178.6
MFL16-16-100-M8	114.3
MFL16-16-150-M8	131.0
MFL16-16-200-M8	178.6
MFL16-16-250-M8	226.1

Bloka Dan Kalite Dwa-ang fen Fraisage kouto

Locking Tooth Type Right-Angle Fen Fraisage Kouto



Spesifikasyon DxTxM	Pri USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Fen Fraisage Kouto

Bloka Dantè Kalite vit Fen Fraisage kouto



Spesifikasyon DxTxM	Pri USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

* Fèmen di kalite zouti stock Spesifikasyon konplè.

Tanpri mande pou Spesifikasyon pa nan lis la.

* Lock teeth type tool stock Specification are complete. Please inquire for Specification not listed.

Pwodwi Foto	Spesifikasyon	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

WC Mete Kalite Quick Drill

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Insert Type Drill

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Plus WDXT.../GPMT... Kalite Stock Drill Komodite rapid, Byenveni nan mande!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Pi wo pase pri eskli machandiz, taks ak Frè.
Domestik USD Dola tranzaksyon Pri Nan Lachin.
Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Pwodwi Foto	Spesifikasyon	NO.	Range D	Pri
 Indexable De-Edge Kraz ki graj raz Indexable Two-Edge Rough Boring Cutter	RBH19C	LBK1	19–25	28.6
	RBH25C	LBK2	25–33	28.6
	RBH32C	LBK3	32–42	31.0
	RBH40C	LBK4	40–55	40.4
	RBH52C	LBK5	52–70	61.9
	RBH68C	LBK6	68–92	83.3
	RBH90C	LBK6	90–122	102.4
	RBH120C	LBK6	120–164	119.0
	RBH160C	BST	160–204	135.7
	RBH200C	BST	200–310	273.9
Insert:CCMT..	RBH300C	BST	300–410	544.0
	RBH400C	BST	400–510	583.3
	RBH500C	BST	500–610	681.0

	Endeksa Fine-ajist Presizyon Draper	CBH20	LBK1	20-26	135.7
	Indexable Fine-Tunable Presizyon Boring Cutter	CBH25	LBK2	25-33	154.7
		CBH32	LBK3	32-42	163.1
		CBH40	LBK4	40-55	181.0
		CBH52	LBK5	52-75	204.7
		CBH68	LBK6	68-102	238.1
		CBH100	LBK6	100-152	273.9
		CBH150	LBK6	150-202	323.9
		CBH200	BST	200-310	714.3
		CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm		CBH400	BST	400-510	919.0
		CBH500	BST	500-610	1023.9
		EWN20	CK1	20-36	123.9
		EWN25	CK2	25-47	131.0
		EWN32	CK3	32-60	142.9
		EWN41	CK4	41-74	163.1
		EWN53	CK5	53-95	178.6
		EWN68	CK6	68-150	197.6
		EWN100	CK6	100-203	214.3

	Zouti raz Clamp	EWN1-1		20-25	13.1
		CBH1-2		25-31	13.1
		CBH1-3		30-36	13.1
		CBH2-1		25-33	13.1
		CBH2-2		32-40	13.1
		CBH2-3		39-47	13.1
		CBH3-1		32-42	13.1
		CBH3-2		41-51	13.1
		CBH3-3		50-60	13.1
		CBH4-1		41-54	13.1
		CBH4-2		50-63	13.1
		CBH4-3		61-74	13.1
		CBH5-1		53-70	13.1
		CBH5-2		65-82	13.1
		CBH5-3		78-95	13.1
		CBH6-1		68-100	13.1
Insert:TP..				100-153	13.1
		CBH6-2		94-126	13.1
		CBH6-3		126-179	13.1
				118-150	13.1
				150-203	13.1

	Fè zouti ki raz	BE09A	M5	16.7	
	BE Boring Tool	BE10. 5A	M5	16.7	
		BE12A	M6	16.7	
		BE14A	M6	16.7	
		BE16A	M6	16.7	
		BE18A	M10	16.7	
		BE20A	M10	16.7	
		BE22A	M10	16.7	
		BE24A	M10	16.7	
		BE26A	M10	16.7	
		BE28A	M10	16.7	
		BE30A	M10	16.7	
		BE32A	M10	19.0	
		BE34A	M10	19.0	
		BE36A	M10	23.9	
		BE38A	M10	23.9	
		BE40A	M10	23.9	

	EC konvèsyon manch	EC1608	-	14.3	
	EC Conversion Sleeve	EC1610	-	14.3	
		EC1612	-	14.3	
		EC1614	-	14.3	

	Tengsten Steel Bar raz	ST08-W5-100L	M5	59.6	
	Tungsten Steel Boring Bar	ST10-W6-110L	M6	69.0	
		ST12-W6-120L	M6	88.1	
		ST12-W6-150L	M6	107.1	
		ST14-W6-160L	M6	119.0	
		ST16-W10-160L	M10	135.7	
		ST16-W10-180L	M10	150.0	

NBH2084 Zouti raz (Ranje raz: 8-280mm)

NBH2084 Boring Tool
(Ranje raz: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Spesifikasyon	Range D	Pri
Zouti raz Holder		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Mete Boring Zouti

NBH2084 Boring head	8-280	138.1
R8-NBH2084-8P	8-280	233.3
NT30-NBH2084-8P	8-280	233.3
NT40-NBH2084-8P	8-280	233.3
NT50-NBH2084-8P	8-280	309.6
BT40-NBH2084-8P	8-280	233.3
BT50-NBH2084-8P	8-280	273.9
SK40-NBH2084-8P	8-280	278.6
SK50-NBH2084-8P	8-280	309.6

Zouti Boring NBJ16 (Ranje raz: 8-50mm)

NBJ16 Boring Tool
(Ranje raz: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Spesifikasyon	Range D	Pri
Zouti raz Holder		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Mete Boring Zouti

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

HBOR Fine-Tuning Boring Kouto (Fine-Optimization presizyon 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Spesifikasyon	Range D	Pri
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Mete Boring Zouti

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT30-HBOR50 (06-90) -14P	6-90	1190.4
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) ToolHolder	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
SK30-HBOR50 (06-90) -14P	6-90	1273.9
SK40-HBOR50 (06-90) -14P	6-90	1273.9
SK50-HBOR50 (06-90) ToolHolder	6-90	904.7
SK50-HBOR50 (06-90) -14P	6-90	1273.9
HSK63A-HBOR50 (6-90) -14P	6-90	1309.6

HBOR63 Mete Boring Zouti

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories

Boring Accessories		
BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP10150 (TP..11..L)	110-150	47.6

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

BSA Kraze ki graj raz

BSA Rough Boring Cutter

Spesifikasyon	Pri
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Kraze ki graj raz

BSA Rough Boring Cutter

Spesifikasyon	Pri
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Kraze ki graj raz

BSB Rough Boring Cutter

Spesifikasyon	Pri
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Kraze ki graj raz

BSB-LBK Rough Boring Cutter

Spesifikasyon	Pri
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Kraze ki graj raz Holder

Rough Boring Cutter Holder

Spesifikasyon	Pri
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Spesifikasyon	Pri
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Spesifikasyon	Pri
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Spesifikasyon	Pri
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Spesifikasyon	Pri
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Spesifikasyon	Pri
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder

Spesifikasyon	Pri
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Ekstansyon Rod

LBK Extension Rod

Spesifikasyon	Pri
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

LBK Konvèsyon manch

LBK Conversion Sleeve

Spesifikasyon	Pri
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

Spesifikasyon	Pri
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Spesifikasyon	Pri
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Spesifikasyon	Pri
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Spesifikasyon	Pri
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder

Spesifikasyon	Pri
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Spesifikasyon	Pri
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Spesifikasyon	Pri
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3


CK Ekstansyon Rod

CK Extension Rod

Spesifikasyon	Pri
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9

ER Collet Toolholder

ER Collet Toolholder



Spesifikasyon NO. xColletxA/MxL	Pri USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Spesifikasyon NO. xColletxA/MxL	Pri USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

ER Collet Extension Toolholder

ER Collet Extension Toolholder



Spesifikasyon DxColletxA/MxL	Pri USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER ekstansyon Collet

ER Extension Collet



Spesifikasyon Collet	Presizyon 0.01mm	Presizyon 0.008mm	Presizyon 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Spesifikasyon Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

FMB Inch Face Milling Holder Zouti

FMB Inch Face Milling Tool Holder



Spesifikasyon NO. xdxL	Pri USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

FMB Metric Face Milling Tool Holder

FMB Metric Face Milling Tool Holder

Spesifikasyon NO. xdxL	Pri USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Tool Holder

CNC Tool Holder

MaiFix®

GSK gwo vitès ak
High Presizyon Toolholder
GSK High Speed And
High Presizyon Toolholder



Spesifikasyon NO. xColletxL	Pri USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



Spesifikasyon NO. xMT...xL	Pri USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C pwisan kole Toolholder

C Powerful Collet Toolholder



Spesifikasyon NO. xColletxL	Pri USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Zouti tij nan
Self-sere boulon Drill Chuck

Tool Shank Of
Self-Tightening
Drill Chuck



Spesifikasyon NO. xColletxL	Pri USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Self-sere boulon Drill Chuck1-13	19.7
Self-sere boulon Drill Chuck1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

SDC Back-Pull Collet Toolholder


SDC Back-Pull Collet Toolholder



Spesifikasyon NO. xColletxL	Pri USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Torsyonèl frapan Pwoteksyon Zouti

Torsional Tapping Protection Toolholder



Spesifikasyon NO. xColletxL	Pri USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4

Tap Collets

Spesifikasyon NO. xColletxL	Pri USD
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Bò Fraisage zouti ôt lame

Side Milling Tool Holder of Saw Blade



Spesifikasyon NO. xColletxL	Pri USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Machine Tool Spindle Test Rod

Machine Tool Spindle Test Rod



Spesifikasyon NO. xL	Pri USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Side Fixed Type Outil

SLN Side Fixed Type Toolholder



Spesifikasyon NO. xdxL	Pri USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4

Spesifikasyon NO. xdxL	Pri USD
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3

Spesifikasyon NO. xdxL	Pri USD
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4

Spesifikasyon NO. xL	Pri USD
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Pi wo pase pri eskli machandiz, taks ak Frè.

Domestik USD Dola tranzaksyon Pri Nan Lachin.

Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

CNC zouti Holder Puller boulon

CNC Tool Holder Puller Bolt


45°/60°/90°



BT DIN69872 ISO JIS MAZAK

CNC Lockset Holder Zouti

CNC Tool Holder Lockset



CNC Lockset Holder Zouti

CNC Tool Holder Lockset



CNC Lockset Holder Zouti

CNC Tool Holder Lockset



Spesifikasyon	Pri USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° Atravè twou	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° Atravè twou	3.6
BT50-60°	3.6
BT50-60° Atravè twou	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

Spesifikasyon	Pri USD
NBT30	14.3

Spesifikasyon	Pri USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

Spesifikasyon	Pri USD
BT30	17.9
BT40	19.0
BT50	38.1

Z-Aks Fikseur

Z-Axis Setter



Fotoelektrik

Dial

CNC Edge Chèche

CNC Edge Finder



.Diné

Antimagnetic

Ceramic

Fotoelektrik

Machin zouti file koton Netwayaj Rod

Machine Tool Spindle Cleaning Rod



Spesifikasyon	Pri USD
Fotoelektrik Z-axis Setter	61.9
Dial Z-axis Setter	66.7

Spesifikasyon	Pri USD
.Diné type	2.4
Antimagnetic type	3.6
Seramik leman type	10.7
Fotoelektrik type	13.3

Spesifikasyon NO.	Pri USD
BT30	3.9
BT40	3.9
BT50	5.4

Thorne Chuck Pwodwi pou Telefòn Lathe Chuck Accessories

MaiFix®

									
Spesifikasyon		1 JAWS	Pri	2 JAWS	Pri	3 JAWS	Pri	4 JAWS	Pri
Hollow Chuck idwolik	4 inch			SBL-204	435.3	SB-204	435.3	SBS-204	—
	5 inch			SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch			SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch			SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10inch			SBL-210	697.6	SB-210	697.6	SBS-210	800.0
	12inch			SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
Hollow Hydraulic Chuck	15inch			SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Gwo Ouverture Hollow Chuck idwolik Large Aperture Hollow Hydraulic Chuck	6 inch			2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	8 inch			2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
	10inch			2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Long Konjesyon Serebral Hollow Chuck idwolik Long Stroke Hollow Hydraulic Chuck	6 inch					3JDB-206	988.1		
	8 inch					3JDB-208	1121.4		
	10inch					3JDB-210	1258.3		
Hollow Half-Through Chann konpwesyon lè Chuck Hollow Half-Through Pneumatic Chuck	5 inch			SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch			SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch			SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10inch			SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Solid idwolik Chuck Solid Hydraulic Chuck	4 inch			JNL-04	428.6	JN-04	401.1		
	5 inch			JNL-05	452.4	JN-05	409.6		
	6 inch			JNL-06	500.0	JN-06	459.6		
	8 inch			JNL-08	547.6	JN-08	511.9		
	10inch			JNL-10	714.3	JN-10	666.7		
	12inch			JNL-12	1119.0	JN-12	1088.1		
	15inch			JNL-15		JN-15	2309.6		
Long Konjesyon Serebral Solid idwolik Chuck Long Stroke Solid Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3		
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9		
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7		
	10inch	1L-10	833.3	2L-10	750.0	3L-10	881.0		
Long Konjesyon Serebral Hollow Chuck idwolik Long Stroke Hollow Hydraulic Chuck	6 inch					JLS-206	892.9		
	8 inch					JLS-208	940.4		
	10inch					JLS-210	1038.1		

Chuck T Block

Chuck T Block



Dimansyon	Pri USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Chuck Machwa Fiksasyon Plak

Chuck Jaw Fixing Plate



Dimansyon	Pri USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Solid idwolik Silend Rotary

Solid Hydraulic Rotary Cylinder



Dimansyon	Pri USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Hollow Silenn Rotary idwolik

Hollow Hydraulic Rotary Cylinder



Dimansyon	Pri USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Chuck Connecting Disc

Chuck Connecting Disc



Dimansyon	Pri USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Hard Machwa Pou Chucks idwolik

Hard Jaw For Hydraulic Chucks



Dimansyon	Pri USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Fanatik Machwa mou pou Chucks idwolik

Fan Soft Jaw For Hydraulic Chucks




Dimansyon	Pri USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

									
Spesifikasyon		1 JAWS	Pri	2 JAWS	Pri	3 JAWS	Pri	4 JAWS	Pri
Konpansasyon Solid idwolik Chuck Compensation Solid Hydraulic Chuck	6 inch	3GB-06	720.3						
	8 inch	3GB-08	839.3						
VertiCal Hollow Chuck idwolik Vertical Hollow Hydraulic Chuck	5 inch			JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch			JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch			JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch			JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Half-Through Vetikal Chann konpwesyon lè Chuck Hollow Half-Through Vertical Chann konpwesyon lè Chuck	5 inch			SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch			SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch			SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch			SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Mou Machwa Pou Chucks idwolik

Soft Jaw For Hydraulic Chucks



5 Pousyè Machwa Mou Pou Chucks idwolik

6 Pousyè Machwa Mou Pou Chucks idwolik

8 Pousyè Machwa Mou Pou Chucks idwolik

10 Pousyè Machwa Mou Pou Chucks idwolik

12 Pousyè Machwa Mou Pou Chucks idwolik

5 Inch Soft Jaw For Hydraulic Chucks 6 Inch Soft Jaw For Hydraulic Chucks

8 Inch Soft Jaw For Hydraulic Chucks 10 Inch Soft Jaw For Hydraulic Chucks

12 Inch Soft Jaw For Hydraulic Chucks

Dimansyon	H	Pri USD	Dimansyon	H	Pri USD	Dimansyon	H	Pri USD	Dimansyon	H	Pri USD	Dimansyon	H	Pri USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

Creole Machwa mou pou chucks idwolik

Standard Soft Jaw For Hydraulic Chucks

Dimansyon	a°	H	Pri USD
4 inch		23	10.3
5 inch		30	10.3
6 inch	60°	36	11.9
8 inch	90°	38	13.9
10 inch	120°	42	16.1
12 inch		50	27.4
15 inch		62	67.9

15 Pousyè Machwa Mou Pou Chucks idwolik

15 Inch Soft Jaw For Hydraulic Chucks

Dimansyon	H	Pri USD
15H100	100	154.7
15H120	120	170.3
15H150	150	257.1

Pi wo pase pri eskli machandiz, taks ak Frè.
Domestik USD Dola tranzaksyon Pri Nan Lachin.
Si Ou Gen Nenpòt Kesyon, Tanpri Imèl: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools price




E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Fè enspeksyon, Kontakte nou

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn