

Machine Tools harga

Machine Tools Price

E-mail: eva@mzgtool.cn



Scanning, Taros Kami

Scanning, Contact Us

- | | | | |
|---|--|---|---|
| P01. Carbide panggilingan cutter
Carbide Milling Cutter |  | P16. Eksternal Cylindrical / Batin Hole Grooving Ngaktipkeun Alat
External Cylindrical/Inner Hole Grooving Alat Ngaktipkeun |  |
| P02. Cemented Carbide cutter
Cemented Carbide Cutter |  | P17. Grooving / Cut-Pareum Ngaktipkeun Alat
Grooving/Cut-Off Turning Tool |  |
| P03. Tonjolan screw Ketok
Extrusion Screw Tap |  | P18. Tungtung raray / Batin Hole Grooving Ngaktipkeun Alat
End Face/Inner Hole Grooving Alat Ngaktipkeun |  |
| P04. Apex Ketok
Apex Tap |  | P19. Alat Ngaktipkeun CNC
CNC Turning Tool |  |
| P05. Spiral Grooved Ketok
Spiral Grooved Tap |  | P20. CNC Ngaktipkeun Bagian Alat
CNC Turning Tool Parts |  |
| P06. Leungeun Ketok / maot Circular
Hand Tap/Circular Die |  | P21. BAP Katuhu-Angle panggilingan cutter
BAP Katuhu-Angle panggilingan cutter |  |
| P07. |  CCMT..
 CNMG.. | P22. Mesin-Clamped Babak Irung panggilingan cutter
Machine-Clamped Round Nose Milling Cutter |  |
| P08. |  DCMT..
 DNMG.. | P23. |  KM12..
 SEHT..
 T2139..
 P3200.. |
| P09. |  SCMT..
 SNMG.. | P24. Ngonci gudang Huntu Tipe cutter
Locking Tooth Type Cutter |  |
| P10. |  TPGT..
 TNMG.. | P25. Alat boring
Boring Tool |  |
| P11. |  VBMT..
 VNMG.. | P26. Boring Alat Holder
Boring Tool Holder |  |
| P12. |  WNMG..
 WNMG.. | P27. |  ER..
 FMA/B..
 |
| P13. Alat Ngaktipkeun thread
Thread Turning Tool |  | P28. |  GSK..
 ADS..
 APU..
 |
| P14. Motong-Pareum / Grooving / Balik Ngaktipkeun Of Bagian Leutik
Cut-Off/Grooving/Back Turning Of Small Parts |  | P29. Asesoris Holder CNC Alat
CNC Tool Holder Accessories |  |
| P15. Eksternal Grooving Cylindrical Ngaktipkeun Alat
External Grooving Cylindrical Turning Tool |  | P30. Lathe Amrik Asesoris
Lathe Chuck Accessories |  |


Profésional péngkolan, panggilingan, Threading jeung membosankan Hole Processing Alat Konfigurasi.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



The L1 panjang panggilan cutter Kalawan teu karasa Béda bisa jadi béda

The L1 Length Of Milling Cutter With Different Hardness May Be Different

Right-Angle Milling Cutter	Ball End Milling Cutter
$D1 \times L1 \times P \times L$	$R \times L1 \times P \times L$

1. 0x3xD4x50	R0. 5x2xD4x50
1. 5x4xD4x50	R0. 75x3xD4x50
2. 0x6xD4x50	R1. 0x4xD4x50
2. 5x8xD4x50	R1. 25x5xD4x50
3. 0x8xD3x50	R1. 5x6xD3x50
3. 0x12xD3x75	R1. 5x6xD3x75
3. 0x15xD3x100	R1. 5x6xD3x100
3. 0x8xD4x50	R1. 5x6xD4x50
3. 5x10xD4x50	R1. 75x7xD4x50
4. 0x10xD4x50	R2. 0x8xD4x50
4. 0x20xD4x75	R2. 0x8xD4x75
4. 0x25xD4x100	R2. 0x8xD4x100
5. 0x13xD5x50	R2. 5x10xD5x50
5. 0x13xD5x75	R2. 5x10xD5x75
5. 0x13xD5x100	R2. 5x10xD5x100
5. 0x13xD6x50	R2. 5x10xD6x50
6. 0x15xD6x50	R3. 0x12xD6x50
6. 0x20xD6x75	R3. 0x12xD6x75
6. 0x30xD6x100	R3. 0x12xD6x100
6. 0x30xD6x150	R3. 0x12xD6x150
8. 0x20xD8x60	R4. 0x16xD8x60
8. 0x25xD8x75	R4. 0x16xD8x75
8. 0x35xD8x100	R4. 0x16xD8x100
8. 0x40xD8x150	R4. 0x16xD8x150
10x25xD10x75	R5. 0x20xD10x75
10x40xD10x100	R5. 0x20xD10x100
10x45xD10x150	R5. 0x20xD10x150
12x30xD12x75	R6. 0x24xD12x75
12x45xD12x100	R6. 0x24xD12x100
12x50xD12x150	R6. 0x24xD12x150
14x35xD14x80	R7. 0x28xD14x80
14x40xD14x100	R7. 0x28xD14x100
14x60xD14x150	R7. 0x28xD14x150
16x40xD16x100	R8. 0x32xD16x100
16x65xD16x150	R8. 0x32xD16x150
18x40xD18x100	R9. 0x36xD18x100
18x65xD18x150	R9. 0x36xD18x150
20x40xD20x100	R10x40xD20x100
20x65xD20x150	R10x40xD20x150

Hideung Coatings Dupi Cut
Baja handap 45HRC
Black Coatings Can Cut
Steel Below 45 HRC

Coatings tambaga Dupi Cut
Baja handap 55HRC
Copper Coatings Can Cut
Steel Below 55 HRC

Nano Hideung Coatings Dupi C
Baja handap 58HRC
Nano Black Coatings Can Cut
Steel Below 58 HRC

**Nano Tambaga Coatings Dupi Cut
Baja handap 60HRC**
Nano Copper Coatings Can Cut
Steel Below 60 HRC

Nano Blue Coatings Bisa
Motong Steel handap 65HRC
Nano Blue Coatings Can
Cut Steel Below 65 HRC

																
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
3.1	3.9		4.4	5.1			7.1			5.1		5.1		7.7	7.7	
3.6	4.4		5.0	5.6			8.7							8.7	8.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
2.0	2.6		2.7	3.1			4.6			5.1		5.1		5.7	5.7	
1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	6.1	6.1	5.7	5.7	7.6
2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	8.1	6.7	7.7	7.7	8.7
3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	9.1	7.9	8.7	8.7	10.0
3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	9.6	11.6	10.7	12.3
5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5						13.0	13.0	14.7
6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7						15.3	15.3	17.1
3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	9.6	11.6	10.7	12.3
3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	9.6	11.6	10.7	12.3
4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	11.4	13.6	13.0	14.7
6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	13.4	16.3	15.3	17.3
12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5		26.6	26.3	26.3	29.7
5.9	7.6	10.4	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	15.3	18.4	17.6	20.3
8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	17.7	21.1	20.0	22.6
9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	22.1	26.6	25.0	28.7
19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1		37.1	41.0	41.0	45.0
9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	24.7	30.3	27.7	32.0
14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.3	37.4	31.7	37.3
28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4		54.4	54.7	54.7	63.0
14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	32.7	39.4	37.0	42.0
19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	43.6	47.3	47.0	53.0
34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7		70.7	77.6	77.6	85.6
25.6	29.7		32.3	34.1		49.3			54.3	58				61.0	61.0	70.6
27.1	31.7		34.6	38.0			52.9				54.4		54.4	100.6		
49.6	57.9		64.6	68.3			95.4				91.2		91.1		100.6	
35.7	38.9		51.0	53.0		63.6	74.0		67.4	73	72.8		72.9	78.7	78.7	91.3
63.3	73.9		86.0	91.0			129.0				116.3		116.3	127.6	127.6	143.0
43.3	50.4		59.1	65.1			89.7		82.3	87.9			88.4	96.7	96.7	111.3
74.9	86.7		101.3	101.3			148.1				153.1		153.1			
52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5		105.4	115.7	115.7	133.7
86.3	100.7		126.1	126.1			168.3				180.3		180.3	196.3	196.3	220.0

55 * decimal Point Non-Standar Data-Ahli pengumpulan cutter

55° Decimal Point Non-Standard Flat-End Milling Cutter



spesifikasi	RxDxL	harga
D1. 1-D3. 9xD4x50		4. 3
D4. 1-D5. 9xD6x50		6. 9
D6. 1-D7. 9xD8x60		12. 4
D8. 1-D9. 9xD10x75		20. 0
D10. 1-D11. 9xD12x75		29. 0
Triap interval spesifikasi luhur 0. 1mm		
D1. 0-D3. 0xD4x75		6. 0
D1. 0-D3. 0xD4x100		6. 4
D1. 0-D4. 0xD6x50		6. 4
D1. 0-D5. 0xD6x75		9. 6
D1. 0-D5. 0xD6x100		11. 9
Triap interval spesifikasi luhur 0. 5mm		
D2xD2x50		4. 7
D4x15xD4x50		4. 0
D6x20xD6x50		6. 9
D8x30xD8x60		12. 4
D8x40xD8x120		20. 7
D8x200		43. 6
D10x30xD10x75		20. 4
D10x35xD10x75		20. 4
D10x50xD10x100		26. 0
D10x45xD10x120		32. 4
D10x200		64. 3
D12x35xD12x75		27. 4
D12x50xD12x100		34. 7
D12x45xD12x120		42. 9
D12x200		86. 9
D13xD14x100		54. 7
D15xD16x100		66. 7
D16x50xD16x100		63. 1
D16x200		154. 7
D20x200		222

55 * decimal Point Non-Standard Ball Tungtung panggaligan cutter

55° Decimal Point Non-Standard Ball End Milling Cutter



spesifikasi	RxDxL	harga
R0. 6-R1. 9xD4x50		4. 7
Tiap interval spesifikasi luhur R0. 1mm		
R0. 5-R1. 5xD4x75		6. 9
R0. 5-R1. 5xD4x100		7. 7
R0. 5-R2. 0xD6x50		7. 6
R0. 5-R2. 5xD6x75		10. 7
R0. 5-R2. 5xD6x100		12. 6
Tiap interval spesifikasi luhur R0. 25mm		
R4x120		20. 7
R4x200		43. 6
R5x120		32. 4
R5x200		40. 3
R6x120		42. 6
R6x200		86. 9
R8x200		154. 7
R10x200		222. 9
Mikro-diameterna Datar-Ahir panggilingan o Baja handap 60HRC Micro-Diameter Flat-End Milling Cutter Can Steel Below 60 HRC		
		
spesifikasi	D1xDxL	AL
0. 3xD4x50		4. 6
0. 4xD4x50		4. 6
0. 5xD4x50		4. 6
0. 6xD6x50		4. 6
0. 7xD6x50		4. 6
0. 8xD8x50		4. 6
0. 9xD8x50		4. 6

Diaméterna Leutik Long beuheung Datar-Ahir panggilingan cutter

Tiasa Cut Steel handap 60HRC





D1	L1	AL	Coating
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Mikro diameterne Ball Abir pengalihan cutter Duri Cut

Mikro-diameterna Ball-Ahir panggilingan cutter Dupi Cut
Baia bandan 60HRC

Micro-Diameter Ball-End Milling Cutter Can Cut

Steel Below **60** HRC



Coatings	spesifikasi R ₂ D ₂ L	AL	Coatings
5.3	R0. 15xD4x50	5.3	5.4
5.3	R0. 2xD4x50	5.3	5.4
5.3	R0. 25xD4x50	5.3	5.4
5.3	R0. 3xD6x50	5.3	5.4
5.3	R0. 35xD6x50	5.3	5.4
5.3	R0. 4xD8x50	5.3	5.4
5.3	R0. 45xD8x50	5.3	5.4

Diaméterna Leutik Long beuheung Ball-Ahir panggilingan cutter

Tiasa Cut Steel handap 60HRC




D1	L1	AL	Coatings
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	8/10/12/15/20	4.6	5.3

Diaméternu Leutik Long beuheung Babak Irung Datar Tungtung panggilingan cutter

Diameternya Leutik Long bedinding Babak Irung Batar Tungtung panggilingan cutter

Small Diameter Long Neck Round Nose Flat End Milling Cutter



D1. 5R0. 1	6/8/10/12	10. 3
D1. 5R0. 2	6/8/10/12	10. 3
D2R0. 1	8/10/12/16	10. 3
D2R0. 2	8/10/12/16	10. 3
D3R0. 2	12/16/20	19. 3
D3R0. 5	12/16/20	19. 3
D3R0. 5	26/30	24. 6
D4R0. 2	16/20	19. 3
D4R0. 5	16/20	19. 3
D4R0. 5	26/30	24. 6

Cemented Carbide cutter Cemented Carbide Cutter

MaiFix®

Single-Tepi acrylic / Aluminium panggilingan cutter
Single-Edge Acrylic / Aluminium Milling Cutter



dimensi D1xL1xDxL	General	Polishing	AL Polishing
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

3-edged Taper panggilingan cutter Pikeun tungsten
Baja Dupi Cut baja handap 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Baja Dupi Cut baja handap 55 HRC




dimensi D1xα°xL1xD2xDxLx3F	harga USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

tungsten Steel Batin Sunda panggilingan cutter
Tiasa Cut Steel handap 55HRC
tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



dimensi D1RxDxL	harga USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	


Panggilingan tungsten Steel Dovetail alur
Cutter Dupi Cut Steel handap 60HRC
tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



dimensi D1xα°xL1xD2xDxL	harga USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Panggilingan cutter husus pikeun tungsten
Baja inverted Cone maot kotakna
Tiasa Cut Steel handap 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



dimensi D1xL1xDxL	harga USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Ganda Kepala tungsten Steel Maneuh-titik
Bor Dual Paké Of Maneuh Point Jeung
Chamfer Dupi Cut Steel handap 58HRC

Double Head tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



dimensi DxL	AL	Coatings
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Sisi panggilingan tungsten Steel T-legek
Cutter Dupi Cut Steel handap 55HRC
tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



dimensi D1RxDxL	harga USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

tungsten Steel alur lempeng
Chamfer cutter Dupi Cut Steel
Handap 58HRC (60° / 90° / 120°)
tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC (60° / 90° / 120°)



dimensi DxL	AL	Coatings
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

tungsten Steel Maneuh-titik bor Dual
Paké Of Point Maneuh Na Chamfer Dupi Cut
Baja Handap 58HRC

tungsten Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



dimensi DxL	AL	Coatings
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Palapis (Konéng / Hideung / Tambaga)

Spiral-edged tungsten Steel Reamer
Tiasa Cut Steel handap 55HRC
Spiral-Edged tungsten Steel Reamer
Can Cut Steel Below 55 HRC



dimensi D1xL1xDxLxT	harga USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Lempeng-edged tungsten Steel Reamer
Tiasa Cut Steel handap 55HRC


Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



dimensi D1xL1xDxLxT	harga USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

tungsten Steel Drills

Tungsten Steel Drills



dimensi	harga USD
D1. 0-D1. 5	1.9
D1. 6-D2. 0	2.4
D2. 1-D2. 5	2.6
D2. 6-D3. 0	3.3
D3. 1-D3. 5	4.0
D3. 6-D4. 0	4.7
D4. 1-D4. 5	5.4
D4. 6-D5. 0	6.9
D5. 1-D5. 5	7.9
D5. 6-D6. 0	9.6
D6. 1-D6. 5	11.1
D6. 6-D7. 0	12.9
D7. 1-D7. 5	16.9
D7. 6-D8. 0	18.9
D8. 1-D8. 5	22.4
D8. 6-D9. 0	24.7
D9. 1-D9. 5	28.3
D9. 6-D10. 0	30.7
D10. 1-D10. 5	35.7
D10. 6-D11. 0	37.4
D11. 1-D11. 5	46.0
D11. 6-D12. 0	50.0

tungsten Steel Bar

Tungsten Steel Bar



dimensi DxL	55° USD	60° USD
D3x100L	2.4	3.6
D4x100L	3.9	6.0
D5x100L	6.1	7.4
D6x100L	7.4	8.6
D8x100L	14.3	21.1
D10x100L	21.4	32.4
D12x100L	31.1	46.9

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Tonjolan screw Ketok

Extrusion Screw Tap



Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4Lhuntu ngabalikkeun	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4Lhuntu ngabalikkeun	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45Lhuntu ngabalikkeun	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5Lhuntu ngabalikkeun	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6Lhuntu ngabalikkeun	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7Lhuntu ngabalikkeun	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
M5. 0x0. 8	RH6	P	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8Lhuntu ngabalikkeun	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0Lhuntu ngabalikkeun	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25Lhuntu ngabalikkeun	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5Lhuntu ngabalikkeun	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75Lhuntu ngabalikkeun	RH7	B	14.0	16.1

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24Lhuntu ngabalikkeun	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32Lhuntu ngabalikkeun	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20Lhuntu ngabalikkeun	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28Lhuntu ngabalikkeun	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18Lhuntu ngabalikkeun	RH7	B	11.1	12.6
UNC5/16-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16Lhuntu ngabalikkeun	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Apex Ketok Apex Tap



bodas



Tin

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNEF1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	wujud	bodas	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Spiral Grooved Ketok



bodas



Tin

Thread x pitch x Panjang (/huntu ngabalikkeun)	katalilan	bodas	T in
M1. 0x0. 25	P1	5. 3	6. 0
	P2	5. 3	6. 0
	P3	5. 3	6. 0
	P4	5. 3	6. 0
M1. 2x0. 25	P1	5. 3	6. 0
	P2	5. 3	6. 0
	P3	5. 3	6. 0
	P4	5. 3	6. 0
M1. 4x0. 2 M1. 4x0. 3	P1	6. 7	7. 4
	P1	5. 3	6. 0
	P2	5. 3	6. 0
	P3	5. 3	6. 0
M1. 5x0. 3 M1. 6x0. 2 M1. 6x0. 35	P4	5. 3	6. 0
	P1	6. 7	7. 4
	P1	6. 7	7. 4
	P1	5. 3	6. 0
M1. 6x0. 35-HT malapah M1. 7x0. 2 M1. 7x0. 35	P2	5. 3	6. 0
	P3	5. 3	6. 0
	P4	5. 3	6. 0
	1B	5. 3	6. 9
M1. 7x0. 2 M1. 7x0. 35	P1	6. 7	7. 4
	P1	5. 3	6. 0
	P2	5. 3	6. 0
	P3	5. 3	6. 0
M1. 8x0. 2 M1. 8x0. 35	P4	5. 3	6. 0
	P1	6. 7	7. 4
	P1	5. 7	6. 7
	M2. 0x0. 25 M2. 0x0. 4	P1	6. 7
+0. 1		5. 3	6. 0
P1		4. 7	5. 4
P2		4. 7	5. 4
M2. 0x0. 4-100L M2. 0x0. 4-AL M2. 0x0. 4-HT malapah	P3	4. 7	5. 4
	P4	4. 7	5. 4
	P1	9. 3	
	P1	4. 7	4. 7
M2. 2x0. 25 M2. 2x0. 45	1B	5. 4	6. 7
	P1	5. 7	6. 7
	P1	6. 7	7. 4
	P1	4. 7	5. 4
M2. 3x0. 4 M2. 3x0. 4L huntu ngabalikkeun	P1	6. 7	7. 4
	P1	4. 7	5. 4
	P1	5. 7	6. 7
	M2. 5x0. 35 M2. 5x0. 45	P1	6. 7
+0. 1		5. 3	6. 0
P1		4. 7	5. 4
P2		4. 7	5. 4
M2. 5x0. 45-100L M2. 5x0. 45-AL M2. 5x0. 45-HT malapah	P3	4. 7	5. 4
	P4	4. 7	5. 4
	P1	9. 3	
	P1	4. 7	4. 7
M2. 5x0. 45L huntu ngabalikkeun M2. 6x0. 35 M2. 6x0. 45	1B	5. 4	6. 7
	P1	5. 7	6. 7
	P1	6. 7	7. 4
	P1	4. 7	5. 4
M2. 6x0. 35 M2. 6x0. 45	P2	4. 7	5. 4
	P3	4. 7	5. 4
	P4	4. 7	5. 4
	P1	9. 3	
M2. 6x0. 45-100L M2. 6x0. 45L huntu ngabalikkeun	P1	5. 7	6. 7
	P1	4. 7	5. 4
	P2	4. 7	5. 4
	P3	4. 7	5. 4
M3. 0x0. 35 M3. 0x0. 35L huntu ngabalikkeun	P4	4. 7	5. 4
	P1	4. 7	5. 4
	P2	4. 7	5. 4
	P3	4. 7	5. 4
M3. 0x0. 5 M3. 0x0. 5L huntu ngabalikkeun	P4	4. 7	5. 4
	P2	5. 7	6. 7
	+0. 1	4. 7	5. 4
	P1	4	4. 7
M3. 0x0. 5-100L M3. 0x0. 5-150L M3. 0x0. 5-AL	P2	4	4. 7
	P2	4	4. 7
	P3	4	4. 7
	P4	4	4. 7
M3. 0x0. 5-HT malapah M3. 0x0. 5L huntu ngabalikkeun M3. 5x0. 6-100L	P1	9. 3	
	P1	17. 1	
	1B	4	4. 0
	P2	4. 7	6. 1
M4. 0x0. 35 M4. 0x0. 5	P2	4. 7	5. 4
	P2	4. 7	5. 4
	P3	4. 7	5. 4
	P4	4. 7	5. 4
M4. 0x0. 5L huntu ngabalikkeun	P2	4. 7	5. 4
	P2	5. 7	6. 7

Thread x pitch x Panjang (/huntu ngabalikkeun)	katalitian	bodas	T in
M4. 0x0. 7	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 4. 7 4. 7 4. 7
M4. 0x0. 7-100L		9. 3	
M4. 0x0. 7-150L		17. 1	
M4. 0x0. 7-AL	P2	4	4
M4. 0x0. 7-HT <i>malapah</i>	1B	4. 7	6. 1
M4. 0x0. 7L <i>huntu ngabalikkeun</i>	P2	4. 7	5. 7
M5. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 4 5. 4
M5. 0x0. 5L <i>huntu ngabalikkeun</i>	P2	5. 7	6. 9
M5. 0x0. 8	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 5. 7 4. 7 4. 7
M5. 0x0. 8-100L		9. 6	
M5. 0x0. 8-150L		17. 9	
M5. 0x0. 8-AL	P2	4	4
M5. 0x0. 8-HT <i>malapah</i>	1B	4. 7	6. 1
M5. 0x0. 8L <i>huntu ngabalikkeun</i>	P2	4. 7	5. 7
M6. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 7 5. 7
M6. 0x0. 5L <i>huntu ngabalikkeun</i>	P2	5. 7	6. 9
M6. 0x0. 75	P2 P3 P4	4. 7 4. 7 4. 7	5. 7 5. 7 5. 7
M6. 0x0. 75L <i>huntu ngabalikkeun</i>	P2	5. 7	6. 9
M6. 0x1. 0	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5. 7 5 5
M6. 0x1. 0-100L		9. 6	
M6. 0x1. 0-150L		17. 9	
M6. 0x1. 0-AL	P2	4	4
M6. 0x1. 0-HT <i>malapah</i>	1B	4. 7	6. 1
M6. 0x1. 0L <i>huntu ngabalikkeun</i>	P2	4. 7	5. 7
M7. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M7. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M7. 0x0. 75L <i>huntu ngabalikkeun</i>	P2	7. 9	9. 3
M7. 0x1. 0	P2 P4	6 6	7. 4 7. 4
M7. 0x1. 0L <i>huntu ngabalikkeun</i>	P2	7. 4	8. 6
M8. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75L <i>huntu ngabalikkeun</i>	P2	7. 9	9. 3
M8. 0x1. 0	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x1. 0L <i>huntu ngabalikkeun</i>	P2	7. 9	9. 3
M8. 0x1. 25	+0. 1 P2 P3 P4	6. 7 6 6 6	7. 9 7. 4 7. 4 7. 4
M8. 0x1. 25-100L		12. 6	
M8. 0x1. 25-150L		18. 3	
M8. 0x1. 25-AL	P2		6
M8. 0x1. 25-HT <i>malapah</i>	1B	7. 4	7. 9
M8. 0x1. 25L <i>huntu ngabalikkeun</i>	P2	7. 4	8. 6
M9. 0x0. 5	P2	7. 9	9. 6
M9. 0x0. 75	P2	7. 9	9. 6
M9. 0x1. 0	P2	7. 9	9. 6
M9. 0x1. 0L <i>huntu ngabalikkeun</i>	P2	10	11. 4
M9. 0x1. 25	P2	7. 9	9. 6
M10x0. 5	P2	8. 3	10
M10x0. 75	P2 P4	8. 3 8. 3	10 10
M10x0. 75L <i>huntu ngabalikkeun</i>	P2	10	11. 4
M10x1. 0	P2 P4	8. 3 8. 3	10 10
M10x1. 0L <i>huntu ngabalikkeun</i>	P2	10	11. 4
M10x1. 25	P2 P4	8. 3 8. 3	10 10
M10x1. 25L <i>huntu ngabalikkeun</i>	P2	10	11. 4
M10x1. 5	+0. 1 P2 P3 P4	8. 3 7. 9 7. 9 7. 9	10 9. 6 9. 6 9. 6
M10x1. 5-100L		14. 6	
M10x1. 5-150L		19. 7	
M10x1. 5-AL	P2		7. 9
M10x1. 5-HT <i>malapah</i>	1B	9. 3	10
M10x1. 5L <i>huntu ngabalikkeun</i>	P2	9. 6	11
M11x0. 5	P2	11	13. 1
M11x0. 75	P2	11	13. 1
M11x1. 0	P2	11	13. 1
M11x1. 5	P2	10. 4	12


Thread x pitch x Panjang (/huntu ngabalikkeun)	katalitian	bodas	Tin
M12x0.5	P2	11.0	13.1
M12x0.75	P2	11.0	13.1
M12x1.0	P2	11.0	13.1
	P4	11.0	13.1
M12x1.0L _{huntu ngabalikkeun}	P2	12.6	14.7
M12x1.25	P2	11.0	13.1
	P4	11.0	13.1
M12x1.25L _{huntu ngabalikkeun}	P2	12.6	14.7
M12x1.5	P2	11.0	13.1
	P4	11.0	13.1
M12x1.5L _{huntu ngabalikkeun}	P2	12.6	14.7
M12x1.75	+0.1 P2 P3 P4	11.0 10.4 10.4 10.4	13.1 12.6 12.6 12.6
M12x1.75-100L		18.9	
M12x1.75-150L		22.4	
M12x1.75-AL	P2		10.4
M12x1.75-HT _{malapah}	1B	11.9	12.6
M12x1.75L _{huntu ngabalikkeun}	P2	12.1	14.7
M14x1.0	P2	17.1	19.7
M14x1.25	P2	17.1	19.7
M14x1.5	P2	17.1	19.7
M14x2.0	P2	15.7	18.3
M16x1.0	P2	19.7	22.9
M16x1.25	P2	19.7	22.9
M16x1.5	P2	19.7	22.9
M16x2.0	P2	18.3	21.4
UNF0-80	P1	5.3	6
UNC1-64	P1	5.3	6
UNF1-72	P1	6.7	7.4
UNC2-56	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6 6 6 6
UNC2-56-100L		9.6	
UNC2-56-HT _{malapah}	1B	6.1	6.9
UNF2-64	P1	6.7	7.4
UNC3-48	P1	5.3	6
UNF3-56	P1	6.7	7.4
UNC4-40	P1 P2 P3 P4	4.7 4.7 4.7 4.7	5.4 5.4 5.4 5.4
UNC4-40-100L		9.6	
UNC4-40-AL	P2	4.7	
UNC4-40-HT _{malapah}	1B	5.4	6.7
UNF4-48	P1	6.7	7.4
UNC5-40	P2	4.7	5.4
UNC5-40-100L		9.6	
UNF5-44	P2	6.7	7.4
UNC6-32	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
UNC6-32-100L		9.6	
UNC6-32-AL	P2	4.7	
UNC6-32-HT _{malapah}	1B	5.4	6.7
UNC6-32L _{huntu ngabalikkeun}	P2	5.7	6.7
UNF6-40	P2	6.7	7.4
UNC8-32	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
UNC8-32-100L		9.6	
UNC8-32-AL	P2	4.7	
UNC8-32-HT _{malapah}	1B	5.4	6.7
UNC8-32L _{huntu ngabalikkeun}	P2	5.7	6.7
UNF8-36	P2	6.7	7.4
UNC10-24	P2 P3 P4	4.7 4.7 4.7	5.7 5.7 5.7
UNC10-24-100L		9.6	
UNC10-24-AL	P2	4.7	
UNC10-24-HT _{malapah}	1B	5.4	6.7
UNC10-24L _{huntu ngabalikkeun}	P2	5.7	6.9
UNC10-32	P2 P3 P4	4.7 4.7 4.7	5.7 5.7 5.7
UNF10-32-100L		9.6	
UNF10-32-HT _{malapah}	1B		7.4
UNC10-32L _{huntu ngabalikkeun}	P2	7.4	8.3
UNC12-24	P2	4.7	5.7
UNF12-28	P2	6.7	7.6
UNEF12-32	P2	6.7	7.6
UNS12-36	P2	6.7	7.6
UNC1/4-20	P2 P3 P4	4.7 4.7 4.7	5.7 5.7 5.7
UNC1/4-20		9.6	
UNC1/4-20-100L	P2	4.7	
UNC1/4-20-AL	P2	4.7	
UNC1/4-20-HT _{malapah}	1B	5.4	6.7
UNC1/4-20L _{huntu ngabalikkeun}	P2	5.7	6.7

Thread x pitch x Panjang (/huntu ngabalikkeun)	katalitian	bodas	Tin
UNF1/4-28	P2	6.7	7.6
	P4	6.7	7.6
UNF1/4-28-HT malapah	1B		7.4
UNF1/4-28L huntu ngabalikkeun	P2	7.4	8.3
UNEF1/4-32	P2	6.7	7.6
UNSF1/4-36	P2	6.7	7.6
UNC5/16-18	P2	6.0	7.4
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16-18-100L		13.1	
UNC5/16-18-AL	P2	6.7	
UNC5/16-18-HT malapah	1B	7.9	8.3
UNC5/16-18L huntu ngabalikkeun	P2	7.4	8.6
UNF5/16-24	P2	7.4	8.6
	P4	7.4	8.6
UNF5/16-24-HT malapah	1B		10.0
UNF5/16-24L huntu ngabalikkeun	P2	9.3	10.4
UNC3/8-16	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8-16-100L		14.7	
UNC3/8-16-AL	P2	8.3	
UNC3/8-16-HT malapah	1B	9.6	10.4
UNC3/8-16L huntu ngabalikkeun	P2	9.6	11.0
UNF3/8-24	P2	9.3	10.7
	P4	9.3	10.7
UNF3/8-24-HT malapah	1B		12.1
UNF3/8-24L huntu ngabalikkeun	P2	11.0	12.6
UNF3/8-32	P2	9.3	10.7
UNF7/16-14	P2	11.9	13.9
UNF7/16-20	P2	12.6	14.7
UNC1/2-12	P2	13.1	15.3
UNF1/2-20	P2	14.6	16.4
W1/8-40	P1	4.7	5.4
W5/32-32	P2	4.7	5.4
W3/16-24	P2	4.7	5.4
W7/32-24	P2	4.7	5.7
W1/4-20	P2	4.7	5.7
W5/16-18	P2	6.0	7.4
W3/8-16	P2	7.9	9.6
W7/16-14	P2	11.9	13.9
W1/2-12	P2	13.1	15.3
PS1/8-28 Standar Britania		7.9	
PS1/4-14 Standar Amérika		22.4	
PS1/4-18 Standar Amérika		7.9	
PS1/4-19 Standar Britania		9.3	
PS3/8-18 Standar Amérika		13.1	
PS3/8-19 Standar Britania		14.6	
PS1/2-14 Standar Amérika		17.1	
PS1/2-14 Standar Britania		19.7	
PS3/4-14 Standar Britania		25.0	
PS1-11 Standar Britania		41.9	
PS1-11. 1-2 American Standard		41.9	
PT1/16-28 Standar Britania		7.9	
PT1/8-28 Standar Britania		7.9	
PT1/4-19 Standar Britania		10.4	
PT3/8-19 Standar Britania		15.7	
PT1/2-14 Standar Britania		19.7	
PT3/4-14 Standar Britania		27.6	
PT1-11 Standar Britania		46.0	
NPT1/8-27 Standar Amérika		7.9	
NPT1/4-18 Standar Amérika		10.4	
NPT3/8-18 Standar Amérika		15.7	
NPT1/2-14 Standar Amérika		19.7	
NPT1/4-14 Standar Amérika		27.6	
NPT1-11. 1-2 American Standard		46.0	

Leungeun Ketok / maot Circular Hand Tap/Circular Die

MaiFix®

HT lempeng Kawat Ketok HT Straight Wire Tap



Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	bodas
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Thread x pitch x Panjang (/ huntu ngabalikkeun)	katalitian	bodas
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Standar Britania		6. 7
PS1/8-27 Standar Amérika		6. 7
PS1/8-28 Standar Britania		6. 7
PS1/4-14 Standar Amérika		22. 4
PS1/4-18 Standar Amérika		7. 9
PS1/4-19 Standar Britania		7. 9
PS3/8-18 Standar Amérika		13. 1
PS3/8-19 Standar Britania		13. 1
PS1/2-14 Standar Amérika		17. 1
PS1/2-14 Standar Britania		17. 1
PS3/4-14 Standar Britania		22. 4
PS1-11 Standar Britania		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Standar Britania		6. 7
PT1/8-28 Standar Britania		6. 7
PT1/4-19 Standar Britania		8. 6
PT3/8-19 Standar Britania		14. 6
PT1/2-14 Standar Britania		18. 3
PT3/4-14 Standar Britania		25. 0
PT1-11 Standar Britania		41. 9
NPT1/8-27 Standar Amérika		6. 7
NPT1/4-18 Standar Amérika		8. 6
NPT3/8-18 Standar Amérika		14. 6
NPT1/2-14 Standar Amérika		18. 3
NPT1/4-14 Standar Amérika		25. 0
NPT1-11. 1-2 American Standard		41. 9

AR-D maot Circular adjustable AR-D Adjustable Circular Die







Thread x pitch x Panjang (/ huntu ngabalikkeun)	External Diameter	bodas
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4Lhuntu ngabalikkeun	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45Lhuntu ngabalikkeun	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5Lhuntu ngabalikkeun	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7Lhuntu ngabalikkeun	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8Lhuntu ngabalikkeun	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0Lhuntu ngabalikkeun	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25Lhuntu ngabalikkeun	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5Lhuntu ngabalikkeun	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75Lhuntu ngabalikkeun	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6

Thread x pitch x Panjang (/ huntu ngabalikkeun)	External Diameter	bodas
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.
Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	CCGT060202 CBN1	0.2	6.9
	CCGT060204 CBN1	0.4	6.9
	CCGT060208 CBN1	0.8	6.9
	CCGT09T302 CBN1	0.2	6.9
	CCGT09T304 CBN1	0.4	6.9
	CCGT09T308 CBN1	0.8	6.9
	CCGT120402 CBN1	0.2	6.9
 Tambaga Jeung Aluminium finish Machining	CCGT060202 PCD1	0.2	6.9
	CCGT060204 PCD1	0.4	6.9
	CCGT09T302 PCD1	0.2	6.9
	CCGT09T304 PCD1	0.4	6.9
	CCGT09T308 PCD1	0.8	6.9
	CCGT120402 PCD1	0.2	6.9
	CCGT120404 PCD1	0.4	6.9
 Tambaga Jeung Aluminium Medium finish Machining	CCGT060202-AL ZK01	0.2	1.1
	CCGT060204-AL ZK01	0.4	1.1
	CCGT060208-AL ZK01	0.8	1.1
	CCGT09T302-AL ZK01	0.2	1.4
	CCGT09T304-AL ZK01	0.4	1.4
	CCGT09T308-AL ZK01	0.8	1.4
	CCGT120402-AL ZK01	0.2	2.3
 Steel Steel Processing	CCGT120404-AL ZK01	0.4	2.3
	CCGT120408-AL ZK01	0.8	2.3
	CCMT060204 ZM30	0.4	1.6
	CCMT060208 ZM30	0.8	1.6
	CCMT09T304 ZM30	0.4	1.7
	CCMT09T308 ZM30	0.8	1.7
	CCMT120404 ZM30	0.4	2.4
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	CCMT120408 ZM30	0.8	2.4
	CCMT060204-FG ZN60	0.4	1.7
	CCMT09T304-FG ZN60	0.4	1.9
	CCMT09T308-FG ZN60	0.8	1.9
	CCMT060202-HQ ZN60	0.2	1.7
	CCMT060204-HQ ZN60	0.4	1.7
	CCMT09T302-HQ ZN60	0.2	1.9
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	CCMT09T304-HQ ZN60	0.4	1.9
	CCMT060204-MT ZN60	0.4	1.7
	CCMT09T304-MT ZN60	0.8	1.9
	CCMT09T308-MT ZN60	0.8	1.9
	CCGT060202EL-U ZN90	0.2	4.0
	CCGT060204EL-U ZN90	0.4	4.0
	CCGT09T302EL-U ZN90	0.2	4.0
 Cermet Rupa Steel Bagian Boga Good finish	CCGT09T304EL-U ZN90	0.4	4.0
	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0
	CCGT09T302ER-U ZN90	0.2	4.0
	CCGT09T304ER-U ZN90	0.4	4.0
	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0

Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	CNMG120402 CBN1	0.2	6.9
	CNMG120404 CBN1	0.4	6.9
	CNMG120408 CBN1	0.8	6.9
 Tambaga Jeung Aluminium finish Machining	CNMG120402 PCD1	0.2	6.9
	CNMG120404 PCD1	0.4	6.9
	CNMG120408 PCD1	0.8	6.9
 Sedeng finish Machining tina Steel	CNMG120404-TM ZC25	0.4	2.6
	CNMG120408-TM ZC25	0.8	2.6
	CNMG120412-TM ZC25	1.2	2.6
 R-X L-X Processing kasar Steel	CNMG120408R-X ZC25	0.8	2.6
	CNMG120408L-X ZC25	0.8	2.6
 Sedeng finish Machining tina Hard Steel	CNMG120404-TM ZC35	0.4	2.6
	CNMG120408-TM ZC35	0.8	2.6
 Tambaga Jeung Aluminium Medium finish Machining	CNMG120404-HA ZK01	0.4	2.0
	CNMG120408-HA ZK01	0.8	2.0
 Sedeng kasar Machining tina atak Beusi	CNMA120404 ZK50	0.4	2.6
	CNMA120408 ZK50	0.8	2.6
 Sedeng finish Machining tina atak Beusi	CNMG120404 ZK50	0.4	2.6
	CNMG120408 ZK50	0.8	2.6
 Steel Steel Processing	CNMG120408-HS ZM30	0.8	2.6
	CNMG120404-MA ZM30	0.4	2.6
 Steel Steel Processing	CNMG120408-MA ZM30	0.8	2.6
	CNMG120404-MS ZM30	0.4	2.6
 Steel Steel Processing	CNMG120408-MS ZM30	0.8	2.6
	CNMG120404-HQ ZN60	0.4	2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	CNMG120408-HQ ZN60	0.8	2.3
	CNMG120404-TS ZN60	0.4	2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	CNMG120408-TS ZN60	0.8	2.3
	CNMG120404-TS ZN60	0.4	2.3

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.
Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0



Gambar produk	spésifikasi	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
	DNMG110404-FG ZN60	0.4	2.6
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
	DNMG150404L-VF ZN60	0.4	2.6
	DNMG150404R-VF ZN60	0.4	2.6






Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
Tuang beusi Jeung Hardened Bahan finish Machining			
	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
Tambaga Jeung Aluminium finish Machining			
	SNMG120408L-S ZC25	0.8	2.6
Processing kasar Steel			
	SNMG120408L-S ZC35	0.8	2.6
Processing kasar Hard Steel			
	SNMG120408R-S ZC25	0.8	2.6
Processing kasar Steel			
	SNMG120408R-S ZC35	0.8	2.6
Processing kasar Hard Steel			
	SNMG120408-TM ZC25	0.8	2.6
Sedeng finish Machining tinaSteel			
	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Tambaga Jeung Aluminium Medium finish Machining			
	SNMG120408-MA ZM30	0.8	2.6
Steel Steel Processing			
	SNMG120404-MS ZM30	0.4	2.6
Steel Steel Processing			
	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
Steel Steel Processing			
	SCMT09T304-MT ZN60	0.4	1.9
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9
Tambaga Jeung Aluminium Medium finish Machining			


Gambar produk	spésifikasi	R	USD
	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Tuang beusi Jeung Hardened Bahan finish Machining			
	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Tambaga Jeung Aluminium finish Machining			
	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
Tambaga Jeung Aluminium Medium finish Machining			
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3
Steel Steel Processing			






Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Tambaga Jeung Aluminium finish Machining	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ Sedeng finish Machining tina Steel	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25 TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S Processing kasar Steel	TNMG160404L-S ZC25 TNMG160408L-S ZC25 TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S Processing kasar Hard Steel	TNMG160404L-S ZC35 TNMG160408L-S ZC35 TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Sedeng finish Machining tina Steel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 sedeng finish Machining tina Hard Steel	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Tambaga Jeung Aluminium Medium finish Machining	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough Machining tina Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50 TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 HA Steel Steel Processing	TNMG160404-HA ZM30 TNMG160408-HA ZM30 TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Steel Steel Processing	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Steel Steel Processing	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3



Gambar produk	spésifikasi	R	USD
 R-C Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404L-C ZN60 TNMG160408L-C ZN60 TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-S Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404L-S ZN60 TNMG160408L-S ZN60 TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-VF Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60 TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-FS Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60 TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P Cermet Rupa Steel Bagian Boga Good finish	TNMG160402L-P ZN90 TNMG160404L-P ZN90 TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6
 R-S Cermet Rupa Steel Bagian Boga Good finish	TNMG160402L-S ZN90 TNMG160404L-S ZN90 TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6



Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
 Tambaga Jeung Aluminium finish Machining	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VCGT110301 PCD1	0.1	6.9
 Tambaga Jeung Aluminium Medium finish Machining	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
 Steel Steel Processing	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			






Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	VNMGM160404 CBN1	0.4	6.9
	VNMGM160408 CBN1	0.8	6.9
 Tambaga Jeung Aluminium finish Machining	VNMGM160402 PCD1	0.2	6.9
	VNMGM160404 PCD1	0.4	6.9
 Sedeng finish Machining tina Steel	VNMGM160408 PCD1	0.8	6.9
	VNMGM160404-TM ZC25	0.4	2.7
 sedeng finish Machining tina Hard Steel	VNMGM160408-TM ZC25	0.8	2.7
	VNMGM160404-TM ZC35	0.4	2.7
 Tambaga Jeung Aluminium Medium finish Machining	VNMGM160408-TM ZC35	0.8	2.7
	VNMGM160404-AL ZK01	0.4	2.3
 Steel Steel Processing	VNMGM160408-AL ZK01	0.8	2.3
	VNMGM160404 ZM30	0.4	2.7
 Steel Steel Processing	VNMGM160408 ZM30	0.8	2.7
	VNMGM160404-HS ZM30	0.4	2.7
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	VNMGM160408-HS ZM30	0.8	2.7
	VNMGM160404-MT ZN60	0.4	2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	VNMGM160408-MT ZN60	0.8	2.3
 Cermet Rupa Steel Bagian Boga Good finish			
 Cermet Rupa Steel Bagian Boga Good finish			
 Cermet Rupa Steel Bagian Boga Good finish			


Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	R	USD
 Tuang beusi Jeung Hardened Bahan finish Machining	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
 Tambaga Jeung Aluminium finish Machining	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Sedeng finish Machining tinaSteel	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Sedeng finish Machining tinaSteel	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
 R-S L-S Processing kasar Steel	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 R-S L-S Processing kasar Hard Steel	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 TM ZC25 TM ZC35 Sedeng finish Machining tinaSteel	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Sedeng finish Machining tinaSteel	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
 Tambaga Jeung Aluminium Medium finish Machining	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
 Steel Steel Processing	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
 Sedeng kasar Machining tinamatak Beusi	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
 Sedeng finish Machining tinamatak Beusi	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6


Gambar produk	spésifikasi	R	USD
 Steel Steel Processing	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
 Steel Steel Processing	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
 Steel Steel Processing	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
 R-S L-S Cermet Medium And Rough Steel Bagian Boga Good finish	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3







Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
PCD1 Tambaga Jeung Aluminium finish Machining  60° métrik kaluar thread Processing	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	Eksternal thread Processing		
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
PCD1 Tambaga Jeung Aluminium finish Machining  60° métrik internal Hole thread Processing	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
 Hole internal thread Processing	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	TKFT..		
	TTP..		
	Ngolah 60 métrik Thread Bagian Leutik		
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TTP..		
	TTPR12	—	9.3
	TTPR16	—	11.7

Gambar produk	spésifikasi	TPI	USD
 30° Trapezoidal threads pikeun DIN103 Transmission Eksternal thread Processing	16ER 2TR ZP10 16ER 3TR ZP10	2.0 3.0	2.0 2.0
 30° Trapezoidal threads pikeun DIN103 Transmission Hole internal thread Processing	16IR 2TR ZP10 16IR 3TR ZP10	2.0 3.0	2.0 2.0
ZP10 General Machining  PCD1 Tambaga Jeung Aluminium finish Machining  55° inci kaluar thread Processing	16ER 11W ZP10 16ER 14W ZP10 16ER 19W ZP10 16ER 24W ZP10 16ER 8W ZP10 16ER A55 ZP10 16ER AG55 PCD1 16ER AG55 ZP10 16ER G55 ZP10 22ER N55 ZP10	1Inch11Tooth 1Inch14Tooth 1Inch19Tooth 1Inch24Tooth 1Inch8Tooth 0.5-1.5 0.5-3.0 0.5-3.0 1.5-3.0 3.5-5.0	2.0 2.0 2.0 2.0 2.0 2.0 6.9 2.0 2.0 5.1
ZP10 General Machining  PCD1 Tambaga Jeung Aluminium finish Machining  55° inci internal Hole thread Processing	06IR A55 ZP10 08IR A55 ZP10 11IR 19W ZP10 16IR 11W ZP10 16IR 12W ZC01 16IR 14W ZP10 16IR 19W ZP10 16IR A55 ZP10 16IR AG55 PCD1 16IR AG55 ZP10 16IR G55 ZP10 22IR N55 ZP10	0.5-1.25 0.5-1.5 1Inch19Tooth 1Inch11Tooth 1Inch12Tooth 1Inch14Tooth 1Inch19Tooth 0.5-1.5 0.5-3.0 0.5-3.0 1.5-3.0 3.5-5.0	4.7 4.1 2.0 2.0 2.0 2.0 2.0 2.0 6.9 2.0 2.0 5.1
 60° Amérika kaluar thread Processing	16ER 12UN ZP10 16ER 14UN ZP10 16ER 16UN ZP10 16ER 18UN ZP10 16ER 20UN ZP10	1Inch12Tooth 1Inch14Tooth 1Inch16Tooth 1Inch18Tooth 1Inch20Tooth	2.0 2.0 2.0 2.0 2.0
 60° Amérika internal Hole thread Processing	16IR 12UN ZP10 16IR 14UN ZP10 16IR 16UN ZP10 16IR 18UN ZP10 16IR 20UN ZP10	1Inch12Tooth 1Inch14Tooth 1Inch16Tooth 1Inch18Tooth 1Inch20Tooth	2.0 2.0 2.0 2.0 2.0
 BSPT Standar Britania Taper pipah Thread kaluar Processing Thread	16ER 11BSPT ZP10 16ER 14BSPT ZP10 16ER 19BSPT ZP10 16ER 28BSPT ZP10	1Inch11Tooth 1Inch14Tooth 1Inch19Tooth 1Inch28Tooth	2.0 2.0 2.0 2.0
 BSPT Standar Britania Taper Tube thread internal Liang thread Processing	16IR 11BSPT ZP10 16IR 14BSPT ZP10	1Inch11Tooth 1Inch14Tooth	2.0 2.0
 NPT pipe Thread Eksternal thread Processing	16ER 11.5NPT ZP10 16ER 14NPT ZP10 16ER 18NPT ZP10	1Inch11.5Tooth 1Inch14Tooth 1Inch18Tooth	2.0 2.0 2.0
 Pipe NPT thread internal Hole thread Processing	16IR 11.5NPT ZP10 16IR 14NPT ZP10	1Inch11.5Tooth 1Inch14Tooth	2.0 2.0

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.


Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn



<http://www.mzg.tw>

Motong-Pareum / Grooving / Balik Ngaktipkeun Of Bagian Leutik

Cut-Off/Grooving/Back Turning Of Small Parts

Maifix®

Gambar produk	spésifikasi	Width	USD
	T16E100 ZP15 T16E150 ZP15 T16E160 ZP15 T16E200 ZP15 T16E250 ZP15 T16E300 ZP15	1.0 1.5 1.6 2.0 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0
slot lebar inventory 0.5-3 mm na jero 1-2.2 mm bahan umum bisa transversely motong			
	SER1616H16 SER2020K16 SER2525M16	- - -	7.1 7.1 9.3
	T11N100 ZP15 T11N150 ZP15 T11N200 ZP15 T16N100 ZP15 T16N150 ZP15 T16N160 ZP15 T16N180 ZP15 T16N200 ZP15 T16N230 ZP15 T16N250 ZP15 T16N300 ZP15	1.0 1.5 2.0 1.0 1.5 1.6 1.8 2.0 2.3 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0
slot lebar inventory 0.5-3 mm na jero 1-2.2 mm bahan umum bisa transversely motong			
	SNR0010K11 SNR0012M11 SNR0013N16 SNR0014N16 SNR0016Q16 SNR0020R16 SNR0025S16	- - - - - - -	5.1 5.4 6.1 6.7 6.7 7.1 11.7
	CTP10FR ZP15 CTP15FR ZP15 CTP20FR ZP15 CTPA10FR ZP15 CTPA15FR ZP15 CTPA20FR ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
16° Taper			
Bagian Leutik Cut-Pareum Processing			
	CTP10FRN ZP15 CTP15FRN ZP15 CTP20FRN ZP15 CTPA10FRN ZP15 CTPA15FRN ZP15 CTPA20FRN ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
Bagian Leutik Grooving / Motong-Pareum Processing			
	CTPSL10 CTPSL12 CTPASL10 CTPASL12 CTPASL16	- - - - -	10.7 11.9 10.7 11.9 14.3
CTPSL CTPASL..			
	CTPR08 CTPR10 CTPR12 CTPR16 CTPR20 CTPAR10 CTPAR12 CTPAR16 CTPAR20 CTPAR25	- - - - - - - - - -	11.9 9.4 9.4 9.4 10.7 9.4 9.4 9.4 10.7 14.3
CTPR/CTPAR..			
	TTB6001 ZP15	-	5.9
Deui Ngaktipkeun sahiji Bagian Leutik			
	TBPR10 TBPR12 TBPAP10 TBPAP12 TBPAP16	- - - - -	9.4 9.4 9.4 9.4 9.4

Gambar produk	spésifikasi	Width	USD
	TKF12R100-S ZP15 TKF12R150-S ZP15 TKF12R200-S ZP15 TKF16R100-S ZP15 TKF16R150-S ZP15 TKF16R200-S ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
Bagian Leutik Grooving / Motong-Pareum Processing			
	TKF12R100-S16R ZP15 TKF12R150-S16R ZP15 TKF12R200-S16R ZP15 TKF16R100-S16R ZP15 TKF16R150-S16R ZP15 TKF16R200-S16R ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
16° Taper			
Bagian Leutik Cut-Pareum Processing			
	TKFB6001 ZP15	-	5.9
Deui Ngaktipkeun sahiji Bagian Leutik			
	KTKFSL1010JX12 KTKFSL1212JX12 KTKFSL1212JX16	- - -	11.9 11.9 11.9
KTKFSL..			
	KTKFR0810JX12 KTKFR1010JX12 KTKFR1212JX12 KTKFR1616JX12 KTKFR1010JX16 KTKFR1212JX16 KTKFR1616K16 KTKFR2020JX16	- - - - - - - -	11.9 9.4 9.4 9.4 9.4 9.4 9.4 10.7
KTKFR..			
	FVC1604R150 ZP15 FVC1604R200 ZP15 FV1604R300 ZP15	1.5 2.0 3.0	4.3 4.3 4.3
Mungkas raray Grooving Machining			
	SVQCR2020K16-NJ	-	11.9
SVQCR..			
	VC1604R250 ZP15 VC1604R300 ZP15	2.5 3.0	4.3 4.3
Mungkas raray Grooving Machining			
	SGIVFR16Q16 SGIVFR20Q16 SGIVFR25R16	- - -	14.3 14.3 16.7
SGIVFR..			

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

MaiFix® Éksternal Grooving Cylindrical Ngaktipkeun Alat

External Grooving Cylindrical Alat Ngaktipkeun

Gambar produk	spésifikasi	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

slot lebar inventory 0.3-3.2mm
jero motong selektif 0.8-4 mm
bahan umum tiasa
jadi transversely motong

Gambar produk	spésifikasi	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

slot lebar inventory 0.3-3.2mm
jero motong selektif 0.8-4 mm
bahan umum tiasa
jadi transversely motong

	KTGFR1010H16	—	6.9
	KTGFR1212H16	—	6.9
	KTGFR1616H16	—	6.9
	KTGFR2020K16	—	6.9
	KTGFR2525M16	—	9.0

KTGFR..

	KTGFL1010H16	—	6.9
	KTGFL1212H16	—	6.9
	KTGFL1616H16	—	6.9
	KTGFL2020K16	—	6.9
	KTGFL2525M16	—	9.0

KTGFL..

	KTGFR1010H16F	—	6.7
	KTGFR1212H16F	—	6.7
	KTGFR1616H16F	—	6.7
	KTGFR2020K16F	—	6.7

	KTGFL1010H16F	—	6.7
	KTGFL1212H16F	—	6.7
	KTGFL1616H16F	—	6.7
	KTGFL2020K16F	—	6.7

	KTGFSL1010H16	—	6.9
	KTGFSL1212H16	—	6.9
	KTGFSL1616H16	—	6.9
	KTGFSL2020K16	—	6.9
	KTGFSL2525M16	—	9.3

KTGFSL..

	KTGFSR1010H16	—	6.9
	KTGFSR1212H16	—	6.9
	KTGFSR1616H16	—	6.9
	KTGFSR2020K16	—	6.9
	KTGFSR2525M16	—	9.3

KTGFSR..

	S16N-KTGFL16	—	9.3
	S20Q-KTGFL16	—	11.0
	S25R-KTGFL16	—	13.1

S..-KTGFL..

	S16N-KTGFR16	—	9.3
	S20Q-KTGFR16	—	11.0
	S25R-KTGFR16	—	13.1

S..-KTGFR..

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.




Domestik Rp Dollar urus Harga Dina Cina.






Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Ėksternal Cylindrical / Batin Hole Grooving Ngaktipkeun Alat **MaiFix®**

External Cylindrical/Batin Hole Grooving Turning Tool

Gambar produk	spésifikasi	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
slot lebar inventory 1.0-4.8mm jero motong selektif 2.0-5.0 mm bahan umum tiasa jadi transversely motong			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	- - -	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	- -	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	- - -	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	- -	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
slot lebar inventory 1.0-4.8mm jero motong selektif 2.0-5.0 mm bahan umum tiasa jadi transversely motong			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	- - -	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	- -	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	- - -	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	- -	10.7 14.3

Gambar produk	spésifikasi	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH spring Steel SIGER0808A-EHT	- - -	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH spring Steel SIGER1010B-EHT SIGER1210B-EHT	- - - - -	11.9 11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH spring Steel SIGER1412C-EH	- - -	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	- -	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 spring Steel SNGR10K07	- - -	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 spring Steel SNGR10K08	- - -	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	- - -	9.0 11.0 13.1

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spésifikasi	Width	USD
	MGMN150 CBN1	1.5	6.9
	MGMN200 CBN1	2.0	6.9
	MGMN250 CBN1	2.5	6.9
	MGMN300 CBN1	3.0	6.9
	MGMN400 CBN1	4.0	6.9
	MGMN500 CBN1	5.0	6.9
	MGMN150 PCD1	1.5	6.9
	MGMN200 PCD1	2.0	6.9
	MGMN250 PCD1	2.5	6.9
	MGMN300 PCD1	3.0	6.9
	MGMN400 PCD1	4.0	6.9
	MGMN500 PCD1	5.0	6.9
	MGGN300 ZP15	3.0	1.6
	MGGN400 ZP15	4.0	1.7
	MGGN200-Q ZP15	2.0	1.7
	MGGN300-Q ZP15	3.0	1.7
	MGGN200 ZK01	2.0	1.7
	MGGN300 ZK01	3.0	1.9
	MGGN400 ZK01	4.0	2.3
	MGGN150 ZP30	1.5	1.7
	MGGN200 ZP30	2.0	1.7
	MGGN250 ZP30	2.5	1.7
	MGGN300 ZP30	3.0	1.7
	MGGN400 ZP30	4.0	2.0
	MGGN500 ZP30	5.0	2.7
	MGGN150R-8 ZP30	1.5	1.7
	MGGN200R-8 ZP30	2.0	1.7
	MGGN250R-8 ZP30	2.5	1.9
	MGGN300R-8 ZP30	3.0	2.0
	MGGN400R-8 ZP30	4.0	2.4
	MGGN500R-8 ZP30	5.0	3.1
	MGGN150L-8 ZP30	1.5	1.7
	MGGN200L-8 ZP30	2.0	1.7
	MGGN250L-8 ZP30	2.5	1.9
	MGGN300L-8 ZP30	3.0	2.0
	MGGN400L-8 ZP30	4.0	2.4
	MGGN500L-8 ZP30	5.0	3.1
	MGMN150-G ZK01	1.5	1.7
	MGMN200-G ZK01	2.0	1.7
	MGMN200-M ZK01	2.0	1.7
	MGMN300-M ZK01	3.0	1.7
	MGMN400-M ZK01	4.0	2.0
	MGMN500-M ZK01	5.0	2.7
	MGMN200-G ZN60	2.0	1.4
	MGMN300-G ZN60	3.0	1.7
	MGMN400-M ZN60	4.0	2.0
	MGMN500-M ZN60	5.0	2.7
	MGMN200-T ZP30	2.0	1.6
	MGMN300-T ZP30	3.0	1.6
	MGMN400-T ZP30	4.0	2.0
	MGMN300-H ZP30	3.0	1.6
	MGMN200-G ZP20	2.0	1.6
	MGMN250-G ZP20	2.5	1.6
	MGMN250-M ZP20	2.5	1.6
	MGMN300-M ZP20	3.0	1.6
	MGMN400-M ZP20	4.0	2.0
	MGMN500-M ZP20	5.0	2.7
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6

Gambar produk	spésifikasi	Width	USD
	MRMN200-G ZP30	R1.0	1.6
	MRMN200-M ZP30	R1.0	1.6
	MRMN300-M ZP30	R1.5	1.6
	MRMN400-M ZP30	R2.0	2.0
	MRMN500-M ZP30	R2.0	2.0
	MRMN400 CBN1	R2.0	6.9
	MRMN500 CBN1	R2.0	6.9
	MGEHR1010-1.5	1.5	9.0
	MGEHR1010-2	2.0	9.0
	MGEHR1212-1.5	1.5	9.0
	MGEHR1212-2	2.0	9.0
	MGEHR1212-3	3.0	9.0
	MGEHR1616-1.5	1.5	6.7
	MGEHR1616-2	2.0	6.7
	MGEHR1616-2.5	2.5	6.7
	MGEHR1616-3	3.0	6.7
	MGEHR1616-4	4.0	6.7
	MGEHR2020-1.5	1.5	6.7
	MGEHR2020-2	2.0	6.7
	MGEHR2020-2.5	2.5	6.7
	MGEHR2020-3	3.0	6.7
	MGEHR2020-4	4.0	6.7
	MGEHR2020-5	5.0	6.7
	MGEHR2020-6	6.0	8.3
	MGEHR2525-1.5	1.5	9.0
	MGEHR2525-2	2.0	9.0
	MGEHR2525-2.5	2.5	9.0
	MGEHR2525-3	3.0	9.0
	MGEHR2525-4	4.0	9.0
	MGEHR2525-5	5.0	9.0
	MGEHR2525-6	6.0	10.7
	MGEHR3232-2	2.0	16.4
	MGEHR3232-3	3.0	16.4
	MGEHR3232-4	4.0	16.4
	MGEHR3232-5	5.0	16.4
	MGEHR3232-6	6.0	17.9
	MGEHR3232-7	7.0	17.9
	MGEHR1010-1.5T12	1.5	10.7
	MGEHR1010-2T12	2.0	10.7
	MGEHR1212-1.5T12	1.5	9.6
	MGEHR1212-2T12	2.0	9.6
	MGEHR1616-1.5T13	1.5	9.0
	MGEHR1616-2T16	2.0	9.0
	MGEHR1616-2.5T18	2.5	9.0
	MGEHR1616-3T12	3.0	9.0
	MGEHR1616-3T20	3.0	9.0
	MGEHR1616-4T20	4.0	9.0
	MGEHR2020-1.5T13	1.5	9.6
	MGEHR2020-2T16	2.0	9.6
	MGEHR2020-3T20	3.0	9.6
	MGEHR2020-4T20	4.0	9.6
	MGEHR2525-3T20	3.0	11.0
	MGEHR2525-4T20	4.0	11.0
	MGEHL1010-1.5	1.5	9.0
	MGEHL1010-2	2.0	9.0
	MGEHL1212-1.5	1.5	9.0
	MGEHL1212-2	2.0	9.0
	MGEHL1616-1.5	1.5	6.7
	MGEHL1616-2	2.0	6.7
	MGEHL1616-2.5	2.5	6.7
	MGEHL1616-3	3.0	6.7
	MGEHL1616-4	4.0	6.7
	MGEHL2020-1.5	1.5	6.7
	MGEHL2020-2	2.0	6.7
	MGEHL2020-2.5	2.5	6.7
	MGEHL2020-3	3.0	6.7
	MGEHL2020-4	4.0	6.7
	MGEHL2020-5	5.0	6.7
	MGEHL2525-2	2.0	9.0
	MGEHL2525-2.5	2.5	9.0
	MGEHL2525-3	3.0	9.0
	MGEHL2525-4	4.0	9.0
	MGEHL2525-5	5.0	9.0
	MGEHL2525-6	6.0	10.7
	MGEHL3232-3	3.0	16.4
	MGEHL3232-4	4.0	16.4
	MGEHL3232-5	5.0	16.4
	MGEHL3232-6	6.0	17.9
	MGEHL3232-7	7.0	17.9






























Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Tungtung raray / Batin Hole Grooving Ngaktipkeun Alat End Face/Batin Hole Grooving Turning Tool **MaiFix®**

Gambar produk	spésifikasi	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0


Gambar produk	spésifikasi	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1



Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
	4040R	21.9
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
	spring Steel	
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
	Cemented Carbide	
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1
	S..M.. Ketik Batin Hole Lathe Alat	

Gambar produk	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
	1616	8.6
	2020	8.6
	2525	11.0
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
	spring Steel	
	1616H	9.6
	2020K	10.7
	1616	10.3
	2020	10.3
	2525	11.9
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	16	14.3
	20	16.7
	25	19.0






Gambar produk	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
	1616	6.7
	2020	6.7
	2525	8.9
	1616	9.0
	2020	9.0
	2525	11.9
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
	1616	11.9
	2020	14.3
	2525	17.9
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
	1616	15.3
	2020	16.9
	2525	20.4
	1616	28.6
	2020	28.6
	2525	32.4
	1616	35.7
	2020	38.1
	2525	42.9
	1616	23.9
	2020	21.9
	2525	23.9

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
C-tipe Shim		
	MD1103 MD1504 MD1506	0.4 1.0 1.1
D-tipe Shim		
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
S-tipe Shim		
	MT1603 MT1604 MT2204	0.3 1.1 1.1
T-tipe Shim		
	MV1603	0.6
V-tipe Shim		
	MW0603 MW0804	0.4 0.6
W-tipe Shim		
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
STM-tipe Shim		
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7
Puseur Pin screw		
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Plum mekar Alat screw		


Gambar produk	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
M-tipe clamp		
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
M-Tipe clamp screw		
	WT16 WW08	0.4 0.4
W-tipe clamp		
	WC0525E WC0625E	0.4 0.4
W-Tipe clamp screw		
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
D-tipe clamp		
	DL525 DL625	0.7 0.7
D-Tipe clamp screw		
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
D-tipe Shim Screw		
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
L-Ketik Batin sagi genep Spanner		
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
T-Ketik Batin sagi genep Spanner		
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
Citakan: Country data ngawungul		
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
Citakan: Country data ngawungul		
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0
T-Tipe Plum rengkuh		

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>


Gambar produk	spesifikasi	R	USD
 pagawean tina Tuang Beusi sarta Hardened Bahan	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 pagawean tina Tuang Beusi sarta Hardened Bahan	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 pagawean tina Copper and Aluminum	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 pagawean tina Copper and Aluminum	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Pagawean sedeng tina Copper and Aluminum	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
 pagawean tina Copper and Aluminum	APKT1604-AL ZK01	0.2	1.9
 Cermet Medium Jeung Rupa Steel Bagian Boga Good finish	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
 Sedeng finish Machining	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
 Sedeng kasar Machining	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
 Processing dina Umum Bahan	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
 Luhur teu karasa Processing mun HRC 62	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
 Processing dina Umum Bahan	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
 Processing dina Umum Bahan	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
 Processing dina Umum Bahan	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Ngonci gudang Huntu Tipe Katuhu-Angle Tungtung panggilan Katuhu-Angle Tungtung panggilan cutter Toolholder
Locking Tooth Type Right-Angle End Milling Cutter Discarded Right-Angle End Milling Cutter Toolholder



spesifikasi D x T x M	harga USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9

BAP Steel Katuhu-Angle
Mungkas panggilan cutter
BAP Steel Right-Angle
End Milling Cutter



spesifikasi D x d x T	harga USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminium Katuhu-Angle Tungtung panggilan cutter
AL-BAP Aluminum Right-Angle End Milling Cutter



spesifikasi D x d x T	harga USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

spesifikasi d x D x L	harga USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.


Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Mesin-Clamped Babak Irung panggilan cutter Machine-Clamped Round Nose Milling Cutter

MaiFix®


Gambar produk	spésifikasi	R	harga
	RDMW1204MOT-PM ZP30	R6	1.7
Processing dina Umum Bahan	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Pagawean sedeng tina Copper and Aluminum			
	RPMW1003MO ZN60 RPMW1003 ZN60 Non Chamfering RPMT1204MO ZN60	R5 R5 R6	1.6 1.3 1.9
Cermet Medium Jeung Rupa Steel Bagian Boga Good finish			
	RPMT08T2-JS ZP25 RPMT10T3-JS ZP25	R4 R5	1.1 1.4
Processing dina Umum Bahan			
	RPMT1204MO ZM90	R6	2.0
Luhur teu karasa Processing mun HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Processing dina Umum Bahan			
	RPMT1204MO ZP60	R6	1.7
Processing dina Umum Bahan			
	RPMT1204-XM ZP25	R6	1.3
Processing dina Umum Bahan			
	RPMW1003MO ZM90	R5	1.7
Luhur teu karasa Processing mun HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Processing dina Umum Bahan			
	RPMW1003MO ZP30	R5	1.3
Processing dina Umum Bahan			
	RPMW1003MO ZP60	R5	1.3
Processing dina Umum Bahan			
	RPMW1003-XM ZP25	R5	1.3
Processing dina Umum Bahan			

Ngonci gudang Huntu Tipe Irung Babak Tamat panggilan cutter
Locking Tooth Type Round Nose End Milling Cutter



spésifikasi D x T x M	harga USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

EMR Steel Babak Irung Tungtung panggilan cutter
EMR Steel Round Nose End Milling Cutter



spésifikasi D x d x T	harga USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above spésifikasi Are RP. Inserts,
RC... / RD... Inserts jeung nanganan, mangga inquire!














The Above spésifikasi Are RP. Inserts,
RC... / RD... Inserts and handle, please inquire!

spésifikasi D x D x L x T	harga USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R20-250-2T	11.9
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.
Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn


<http://www.mzg.tw>

Product Pictures	spésifikasi	USD	Product Pictures	spésifikasi	USD	Product Pictures	spésifikasi	USD	Product Pictures	spésifikasi	USD
	Pagaean ti tuang Beusi sarta Bahan Hardened SEHT1204AFFN CBN1	7.1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12.5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7.4 8.3 8.3 9.9 11.9 20.3 31.1 40.3		LNMU0303ZER-MJ			800-08A	
	pagaean tina Copper and Aluminum SEHT1204AFFN PCD1	7.1		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17.1 17.1 20.4 23.9 32.4 51.4		PNMU0905GNEN-MJ			800-08T308M-C-G	
	Pagaean sedeng tina Copper and Aluminum SEHT1204AFFN ZK01	1.7		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17.1 18.6 23.9 32.4 41.0		PNMU0905XNER-GM			800-08T308M-I-G	
	Processing kasar Bahan umum SECA1204AFTN ZP30	3.1	Ngonci gudang Huntu Tipe buled Tungtung panggilingan cutter Locking Tooth Type Spherical End Milling Cutter				SNMU130508EN-GM			800-09T308H-P-G	
	Sedeng finish Machining General Bahan SEHT1204AFSN ZM90	3.1		Dipiceun buled Tungtung panggilingan Toolholder Discarded Spherical End Milling Toolholder				WNMU080608EN-SM		R390-11T308-PM	
	Sedeng finish Machining General Bahan SEKT1204AFTN ZM90	3.1						3PKT100408R-M 3PKT150508R-M 3PKT190608R-M		SCMT09T308-MM	
KM Steel 45° raray panggilingan cutter KM Steel 45° Face Milling Cutter								XJMG1204		S-R215.44-15T364M	
								HNGX0906-FF		DGN3102C	
								WNMX060312ZNN-MM WNMX09T316ZNN-MM		GRIP3003Y GRIP4004Y	
								6NGU060408R-M 6NGU090508R-M		LNKX1506-G	
								CNHX100508T CNHX131108T		WXCU080612T	
								AXMT060208R-EM		LNKX1005-Y LNKX1206-Y LNKT1507	
								BLMP0603R-M		S229.0300.32	
								BLMP0904R-ML		SOEX090408-13	
								BLMP1205R-M		HNPJ130720ANSN-HD	
								BLMP1306R-M		SPIRH5-LT-L	
								TNGX2207PNTN		SPIRH5-LT-D	
								ZNHU080-08		APMT1003-NN	
								SNMX1205XTN		SEKN1203AFTN-NN	
								SOMT050204-DP SOMT060204-DP SOMT070306-DP SOMT08T306-DP SOMT09T308-DP SOMT11T308-DP		SEKR1203AFTN-NN	
								AXMT123508PEERG		APKT150412-PM	
								RPHX1204M6EN-M31		SPMT120408-PM	
								XNEX080608-MD15		ONHU060408-PM ONHU08T508-PM	
								XOMX180608TR-M14		KNX-Q7-3.5	

Selapkeun Tipe bor Gancang Insert Type Quick Drill

MaiFix®

Ngonci gudang iluntu Tipe Katuhu-Angle
Tungtung panggilangan cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

spésifikasi DxTxM	harga USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Ngonci gudang iluntu Tipe buleud Tungtung panggilangan cutter
Locking Tooth Type Spherical End Milling Cutter



spésifikasi DxRxM	harga USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Ngonci gudang iluntu Tipe Katuhu-Angle
Tungtung panggilangan cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

spésifikasi DxTxM	harga USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Ngonci gudang iluntu Tipe Katuhu-Angle
Tungtung panggilangan cutter
Locking Tooth Type Right-Angle
Mungkas panggilangan cutter



Insert: AXMT0602..

spésifikasi DxTxM	harga USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Mungkas panggilangan cutter

Ngonci gudang iluntu Tipe Fast
Tungtung panggilangan cutter



spésifikasi DxTxM	harga USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

* Konci tipe huntu stock alat spésifikasi nu lengkep.
Mangga inquire pikeun spésifikasi teu dipadarkeun.

* Lock teeth type tool stock Specification are complete.
Please inquire for specification not listed.

Gambar produk	spésifikasi	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
Pangeboran Processing tina Bahan umum			
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
Pangeboran Processing tina Bahan tinggi teu karasa			
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
Pangeboran Processing tina Bahan umum			
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
Pangeboran Processing tina Bahan tinggi teu karasa	SPMG140408 ZP30	0.8	5.4

WC Selapkeun Tipe bor Gancang

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Selapkeun Tipe bor Gancang

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Tambah WDXT.../GPMT... Tipe Bursa Gancang bor Komoditas, Wilujeng sumping Ka inquire!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Luhur Harga haunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Gambar produk	spesifikasi	NO.	jajaran D	harga	
 Indexable Two-Edge Rough Boring Cutter	Indexable Dua-Tepi Kasar cutter boring	RBH19C	LBK1	19–25	28.6
		RBH25C	LBK2	25–33	28.6
		RBH32C	LBK3	32–42	31.0
		RBH40C	LBK4	40–55	40.4
		RBH52C	LBK5	52–70	61.9
		RBH68C	LBK6	68–92	83.3
		RBH90C	LBK6	90–122	102.4
		RBH120C	LBK6	120–164	119.0
		RBH160C	BST	160–204	135.7
		RBH200C	BST	200–310	273.9
Insert:CCMT..		RBH300C	BST	300–410	544.0
		RBH400C	BST	400–510	583.3
		RBH500C	BST	500–610	681.0

	Indexable Rupa-Tunable katalitian boring cutter	CBH20	LBK1	20-26	135.7
		CBH25	LBK2	25-33	154.7
		CBH32	LBK3	32-42	163.1
		CBH40	LBK4	40-55	181.0
		CBH52	LBK5	52-75	204.7
		CBH68	LBK6	68-102	238.1
		CBH100	LBK6	100-152	273.9
		CBH150	LBK6	150-202	323.9
		CBH200	BST	200-310	714.3
		CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm		CBH400	BST	400-510	919.0
		CBH500	BST	500-610	1023.9
		EWN20	CK1	20-36	123.9
		EWN25	CK2	25-47	131.0
		EWN32	CK3	32-60	142.9
		EWN41	CK4	41-74	163.1
		EWN53	CK5	53-95	178.6
		EWN68	CK6	68-150	197.6
		EWN100	CK6	100-203	214.3

	Boring Alat clamp	EWN1-1		20-25	13.1
		CBH1-2		25-31	13.1
		CBH1-3		30-36	13.1
		CBH2-1		25-33	13.1
		CBH2-2		32-40	13.1
		CBH2-3		39-47	13.1
		CBH3-1		32-42	13.1
		CBH3-2		41-51	13.1
		CBH3-3		50-60	13.1
		CBH4-1		41-54	13.1
		CBH4-2		50-63	13.1
		CBH4-3		61-74	13.1
		CBH5-1		53-70	13.1
		CBH5-2		65-82	13.1
		CBH5-3		78-95	13.1
		CBH6-1		68-100	13.1
				100-153	13.1
		CBH6-2		94-126	13.1
				126-179	13.1
		CBH6-3		118-150	13.1
Insert:TP..				150-203	13.1

	Janten Alat boring	BE09A	M5	16.7
		BE10. 5A	M5	16.7
		BE12A	M6	16.7
		BE14A	M6	16.7
		BE16A	M6	16.7
		BE18A	M10	16.7
		BE20A	M10	16.7
		BE22A	M10	16.7
		BE24A	M10	16.7
		BE26A	M10	16.7
BE Boring Tool		BE28A	M10	16.7
		BE30A	M10	16.7
		BE32A	M10	19.0
		BE34A	M10	19.0
		BE36A	M10	23.9
		BE38A	M10	23.9
		BE40A	M10	23.9

	EC Konversi leungeun baju	EC1608	-	14.3
		EC1610	-	14.3
		EC1612	-	14.3
		EC1614	-	14.3

	tungsten Steel boring Bar	ST08-W5-100L	M5	59.6
		ST10-W6-110L	M6	69.0
		ST12-W6-120L	M6	88.1
		ST12-W6-150L	M6	107.1
		ST14-W6-160L	M6	119.0
		ST16-W10-160L	M10	135.7
		ST16-W10-180L	M10	150.0

NBH2084 Alat boring (rentang boring:8-280mm)

NBH2084 Boring Tool
(rentang boring: 8-280mm)
Fine-Tuning Accuracy 0.01mm

spesifikasi	jajaran D	harga
Boring Alat Holder		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Atur Alat boring

NBH2084 Boring head	8-280	138.1
R8-NBH2084-8P	8-280	233.3
NT30-NBH2084-8P	8-280	233.3
NT40-NBH2084-8P	8-280	233.3
NT50-NBH2084-8P	8-280	309.6
BT40-NBH2084-8P	8-280	233.3
BT50-NBH2084-8P	8-280	273.9
SK40-NBH2084-8P	8-280	278.6
SK50-NBH2084-8P	8-280	309.6

NBJ16 Alat boring (rentang boring:8-50mm)

NBJ16 Boring Tool
(rentang boring: 8-50mm)
Fine-Tuning Accuracy 0.01mm

spesifikasi	jajaran D	harga
Boring Alat Holder		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Atur Alat boring

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

HBOR Rupa-Tuning boring Cutter (Rupa-Tuning akurasi 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

spesifikasi	jajaran D	harga
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Atur Alat boring

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT50-HBOR50 (06-90) ToolHolder	6-90	1190.4
BT50-HBOR50 (06-90) -14P	6-90	857.1
BT50-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) -14P	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	1309.6

HBOR63 Atur Alat boring

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories

BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP110150 (TP..11..L)	110-150	47.6

BSA Kasar cutter boring

BSA Rough Boring Cutter

spesifikasi	harga
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Kasar cutter boring

BSA Rough Boring Cutter

spesifikasi	harga
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Kasar cutter boring

BSB Rough Boring Cutter

spesifikasi	harga
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Kasar cutter boring

BSB-LBK Rough Boring Cutter

spesifikasi	harga
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Kasar cutter boring Holder

Rough Boring Cutter Holder

spesifikasi	harga
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

spesifikasi	harga
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

spesifikasi	harga
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

spesifikasi	harga
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

spesifikasi	harga
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

spesifikasi	harga
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder

spesifikasi	harga
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK penyuluh Rod

LBK Extension Rod

spesifikasi	harga
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

LBK Konversi leungeun Rod

LBK Conversion Sleeve

spesifikasi	harga
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

spesifikasi	harga
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

spesifikasi	harga
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

spesifikasi	harga
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

spesifikasi	harga
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

ck Toolholder

CK Toolholder

spesifikasi	harga
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

spesifikasi	harga
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

spesifikasi	harga
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3

Ck penyuluh Rod


CK Extension Rod



spesifikasi	harga
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9
CK6-6-100	44.7
CK6-6-120	59.6

Er Collet Toolholder

ER Collet Toolholder



spésifikasi NO. xColletxA/MxL	harga USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

spésifikasi NO. xColletxA/MxL	harga USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

Er Collet penyuluh Toolholder

ER Collet Extension Toolholder



spésifikasi DxColletxA/MxL	harga USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

Er penyuluh Collet

ER Extension Collet



spésifikasi Collet	katalitian 0.01mm	katalitian 0.008mm	katalitian 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

Er rengkuh / kacangan

ER Wrench / Nuts



spésifikasi Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

FMB inci rayar panggilingan Alat Holder

FMB Inch Face Milling Tool Holder



spésifikasi NO. xdxL	harga USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

FMB métrik rayar panggilingan Alat Holder

FMB Metric Face Milling Tool Holder

spésifikasi NO. xdxL	harga USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Tool Holder

CNC Tool Holder

MaiFix®

GSK High Speed Jeung Tinggi katalitian Toolholder
GSK High Speed And High katalitian Toolholder



spésifikasi NO. xColletxL	harga USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



spésifikasi NO. xMT...xL	harga USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C tameng Collet Toolholder

C Powerful Collet Toolholder



spésifikasi NO. xColletxL	harga USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Alat Shank Of Timer Tightening bor Amrik


Tool Shank Of Self-Tightening Drill Chuck



spésifikasi NO. xColletxL	harga USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Timer Tightening bor Amrik1-13	19.7
Timer Tightening bor Amrik1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

SDC Balik-Tarik Collet Toolholder

SDC Back-Pull Collet Toolholder



spésifikasi NO. xColletxL	harga USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Torsional ngetok Protection Toolholder

Torsional Tapping Protection Toolholder



spésifikasi NO. xColletxL	harga USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4

Tap Collets

spésifikasi NO. xColletxL	harga USD
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Samping panggilingan Alat Holder of Saw saeulah
Side Milling Tool Holder of Saw Blade



spésifikasi NO. xColletxL	harga USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Mesin Alat Spindle Test Rod


Machine Tool Spindle Test Rod



spésifikasi NO. xL	harga USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Sisi Maneuh Tipe Toolholder

SLN Side Fixed Type Toolholder



spésifikasi NO. xdxL	harga USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4

spésifikasi NO. xdxL	harga USD
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3

spésifikasi NO. xdxL	harga USD
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4

spésifikasi NO. xdxL	harga USD
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Alat Holder Puller baud

CNC Tool Holder Puller Bolt


45°/60°/90°



spésifikasi	harga USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° ngaliwatan Hole	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° ngaliwatan Hole	3.6
BT50-60°	3.6
BT50-60° ngaliwatan Hole	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

CNC Alat Holder Lockset

CNC Tool Holder Lockset



spésifikasi	harga USD
NBT30	14.3

CNC Alat Holder Lockset


CNC Tool Holder Lockset



spésifikasi	harga USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

CNC Alat Holder Lockset

CNC Tool Holder Lockset



spésifikasi	harga USD
BT30	17.9
BT40	19.0
BT50	38.1

Z-Axis Setter

Z-Axis Setter



spésifikasi	harga USD
Photoelectric	61.9
piringan	66.7

spésifikasi	harga USD
Photoelectric Z-axis Setter	61.9
piringan Z-axis Setter	66.7

CNC Tepi Panimu

CNC Edge Finder



spésifikasi	harga USD
biasa type	2.4
Antimagnetic type	3.6
magnet keramik type	10.7
Photoelectric type	13.3

Mesin Alat Spindle beberesih Rod

Machine Tool Spindle Cleaning Rod



spésifikasi NO.	harga USD
BT30	3.9
BT40	3.9
BT50	5.4

Lathe Amrik Asesoris Lathe Chuck Accessories

MaiFix®

spésifikasi		1 JAWS	harga	2 JAWS	harga	3 JAWS	harga	4 JAWS	harga
Usik hidrolik Amrik	4 inch			SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch			SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch			SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch			SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch			SBL-210	697.6	SB-210	697.6	SBS-210	800.0
	12 inch			SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
Hollow Hydraulic Chuck	15 inch			SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
	aperture badag			2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	Usik hidrolik Amrik			2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
Large Aperture Hollow Hydraulic Chuck	8 inch			2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
	10 inch								
panjang stroke Usik hidrolik Amrik	6 inch					3JDB-206	988.1		
	8 inch					3JDB-208	1121.4		
	10 inch					3JDB-210	1258.3		
Hollow Hydraulic Chuck									
Usik Satengah-Ngaliwatan Pneumatic Amrik	5 inch			SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch			SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch			SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10 inch			SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Hollow Half-Through Pneumatic Chuck									
Padet hidrolik Amrik	4 inch			JNL-04	428.6	JN-04	401.1		
	5 inch			JNL-05	452.4	JN-05	409.6		
	6 inch			JNL-06	500.0	JN-06	459.6		
	8 inch			JNL-08	547.6	JN-08	511.9		
	10 inch			JNL-10	714.3	JN-10	666.7		
	12 inch			JNL-12	1119.0	JN-12	1088.1		
Solid Hydraulic Chuck	15 inch			JNL-15		JN-15	2309.6		
panjang stroke Padet hidrolik Amrik	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3		
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9		
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7		
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0		
Long Stroke Solid Hydraulic Chuck									
panjang stroke Usik hidrolik Amrik	6 inch					JLS-206	892.9		
	8 inch					JLS-208	940.4		
	10 inch					JLS-210	1038.1		
Hollow Hydraulic Chuck									

Amrik T Block

Chuck T Block



dimensi	harga USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Amrik rahang ngaropéa Lempeng

Chuck Jaw Fixing Plate



dimensi	harga USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Padet hidrolik usaha Rotary Silinder

Solid Hydraulic Rotary Cylinder



dimensi	harga USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Usik hidrolik usaha Rotary Silinder

Hollow Hydraulic Rotary Cylinder



dimensi	harga USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Amrik Nyambungkeun Disc

Chuck Connecting Disc



dimensi	harga USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Teuas rahang Pikeun hidrolik Chucks

Hard Jaw For Hydraulic Chucks



dimensi	harga USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Kipas Leuleus rahang Pikeun hidrolik Chucks

Fan Soft Jaw For Hydraulic Chucks



dimensi	harga USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	


spésifikasi		1 JAWS	harga	2 JAWS	harga	3 JAWS	harga	4 JAWS	harga
ganti rugi Padet hidrolik Amrik	6 inch	3GB-06	720.3						
	8 inch	3GB-08	839.3						
ajeg Usik hidrolik Amrik	5 inch			JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch			JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch			JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch			JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Usik Satengah-Ngaliwatan Nangtung Pneumatic Amrik	5 inch			SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch			SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch			SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch			SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4
Hollow Half-Through Vertical Pneumatic Amrik									

Lemes rahang Pikeun hidrolik Chucks

Soft Jaw For Hydraulic Chucks



a°=120°			a°=120°			a°=120°			a°=120°			a°=120°		
5 Inchi Leuleus rahang Pikeun hidrolik Chucks	6 Inchi Leuleus rahang Pikeun hidrolik Chucks	8 Inchi Leuleus rahang Pikeun hidrolik Chucks	10 Inchi Leuleus rahang Pikeun hidrolik Chucks	12 Inchi Leuleus rahang Pikeun hidrolik Chucks		5 Inchi Soft Jaw For Hydraulic Chucks	6 Inchi Soft Jaw For Hydraulic Chucks	8 Inchi Soft Jaw For Hydraulic Chucks	10 Inchi Soft Jaw For Hydraulic Chucks	12 Inchi Soft Jaw For Hydraulic Chucks		5 Inchi Soft Jaw For Hydraulic Chucks	6 Inchi Soft Jaw For Hydraulic Chucks	8 Inchi Soft Jaw For Hydraulic Chucks



Baku Leuleus rahang Pikeun hidrolik Chucks

Standard Soft Jaw For Hydraulic Chucks

dimensi	a°	H	harga USD
4 inch		23	10.3
5 inch		30	10.3
6 inch	60°	36	11.9
8 inch	90°	38	13.9
10 inch	120°	42	16.1
12 inch		50	27.4
15 inch		62	67.9

dimensi	H	harga USD	dimensi	H	harga USD	dimensi	H	harga USD	dimensi	H	harga USD	dimensi	H	harga USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

a°=120°

15 Inchi Leuleus rahang Pikeun hidrolik Chucks

dimensi	H	harga USD
15H100	100	154.7
15H120	120	170.3
15H150	150	257.1

Luhur Harga heunteu ngasupkeun angkutan barang, Pajak Jeung fee.

Domestik Rp Dollar urus Harga Dina Cina.

Mun anjeun mibanda patalékan, Mangga Surélék: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price




E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Scanning, Taros Kami

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn