

Lisebelisoa tsa Mochine

Machine Tools Price


E-mail: eva@mzgtool.cn



WeChat



Twitter



Linkedin



Facebook



Scanning, Contact Us

Scanning , Contact Us

P01. Cutter Carpet Milling Cutter
Carbide Milling Cutter



P02. Cemented Carbide Cutter
Cemented Carbide Cutter



P03. Extrusion Screw Tap
Extrusion Screw Tap



P04. Tšoaee Tlanya
Apex Tap



P05. Moea oa Spiral Grooved
Spiral Grooved Tap



P06. Hand Tap / Circular Die
Hand Tap/Circular Die



P07. CCMT.. CNMG..



P08. DCMT.. DNMG..



P09. SCMT.. SNMG..



P10. TPGT.. TNMG..



P11. VBMT.. VNMG..



P12. WNMG.. WNMG..



P13. Thread Turning Tool
Thread Turning Tool



P14. Khaola-Off / Grooving / Back Ho Fetoha ha Likarolo Tse Nyenyane
Cut-Off/Grooving/Back Turning Of Small Parts



P15. Sebaka sa ka ntle sa Cylindrical Ho Jala Tooling ea ho Fetola
External Cylindrical Grooving Turning Tool



P16. External Cylindrical / Inner Hole Ho Jala Tooling ea ho Fetola
External Cylindrical/Inner Hole Ho Jala Tooling ea ho Fetola3



P17. Sesebelisoa sa ho fetola / ho khaotsa ho khaola
Grooving/Cut-Off Turning Tool



P18. Qetello ea sefahleho / Inner Hole Ho Jala Tooling ea ho Fetola
End Face/Inner Hole Ho Jala Tooling ea ho Fetola



P19. Sesebelisoa sa ho fetola CNC
CNC Turning Tool



P20. Lisebelisoa tsa Sesebelisoa sa ho fetola CNC
CNC Turning Tool Parts



P21. BAP Cutter Milling Cutting
BAP Cutter Milling Cutting



P22. Moqhetsi oa ho roala ka moriri o koahetsoeng ka mochini
Machine-Clamped Round Nose Milling Cutter



P23. KM12.. SEHT.. T2139.. P3200..



P24. Mokhoa oa ho koala mofuta oa leino Kenya Tharollo ea Mofuta o Potlakileng
Locking Tooth Type Cutter Insert Type Quick Drill



P25. Boring Tool
Boring Tool



P26. Boring Tool Tool
Boring Tool Holder



P27. ER.. FMA/B..



P28. GSK.. ADS.. APU..



P29. CNC Tool Tool Holder
CNC Tool Holder Accessories



P30. Lathe Chuck Sets
Lathe Chuck Accessories



Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®

		Liaparo tse meholo li ka khaola Lisebelisoa ka tlaase ho 45HRC Black Coatings Can Cut Steel Below 45 HRC				Liaparo tsa Copper li ka khaola Lisebelisoa tlaase 55HRC Copper Coatings Can Cut Steel Below 55 HRC				Nano Black Coatings e ka khaola Lera la ka tlaase ho 58HRC Nano Black Coatings Can Cut Steel Below 58 HRC				Liaparo tsa Nano Tsa Copper li ka khaola Tsepe ka tlaase ho 60HRC Nano Copper Coatings Can Cut Steel Below 60 HRC				Nano Blue Coatings Ka Khaola Steel ka tlaase ho 65HRC Nano Blue Coatings Can Cut Steel Below 65 HRC			
Right-Angle Milling Cutter D1xL1xDxL		Ball End Milling Cutter RxL1xDxL																			
1. 0x3xD4x50	R0. 5x2xD4x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
1. 5x4xD4x50	R0. 75x3xD4x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
2. 0x6xD4x50	R1. 0x4xD4x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
2. 5x8xD4x50	R1. 25x5xD4x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
3. 0x8xD3x50	R1. 5x6xD3x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
3. 0x12xD3x75	R1. 5x6xD3x75	3.1	3.9		4.4	5.1								7.7	7.7						
3. 0x15xD3x100	R1. 5x6xD3x100	3.6	4.4		5.0	5.6								8.7	8.7						
3. 0x8xD4x50	R1. 5x6xD4x50	2.0	2.6		2.7	3.1								5.7	5.7						
3. 5x10xD4x50	R1. 75x7xD4x50	2.0	2.6		2.7	3.1				5.1		5.1		5.7	5.7						
4. 0x10xD4x50	R2. 0x8xD4x50	1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	6.1	5.7	7.6					
4. 0x20xD4x75	R2. 0x8xD4x75	2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	8.1	7.7	8.7					
4. 0x25xD4x100	R2. 0x8xD4x100	3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	9.1	8.7	10.0					
5. 0x13xD5x50	R2. 5x10xD5x50	3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	10.7	12.3					
5. 0x13xD5x75	R2. 5x10xD5x75	5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5					13.0	14.7					
5. 0x13xD5x100	R2. 5x10xD5x100	6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7					15.3	17.1					
5. 0x13xD6x50	R2. 5x10xD6x50	3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	10.7	12.3					
6. 0x15xD6x50	R3. 0x12xD6x50	3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	10.7	12.3					
6. 0x20xD6x75	R3. 0x12xD6x75	4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	13.0	14.7					
6. 0x30xD6x100	R3. 0x12xD6x100	6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	15.3	17.3					
6. 0x30xD6x150	R3. 0x12xD6x150	12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5	26.6	26.3	29.7					
8. 0x20xD8x60	R4. 0x16xD8x60	5.9	7.6	10.4	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	17.6	20.3					
8. 0x25xD8x75	R4. 0x16xD8x75	8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	20.0	22.6					
8. 0x35xD8x100	R4. 0x16xD8x100	9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	25.0	28.7					
8. 0x40xD8x150	R4. 0x16xD8x150	19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1		41.0	45.0					
10x25xD10x75	R5. 0x20xD10x75	9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	27.7	32.0					
10x40xD10x100	R5. 0x20xD10x100	14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.7	37.3					
10x45xD10x150	R5. 0x20xD10x150	28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4		54.7	63.0					
12x30xD12x75	R6. 0x24xD12x75	14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	37.0	42.0					
12x45xD12x100	R6. 0x24xD12x100	19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	47.0	53.0					
12x50xD12x150	R6. 0x24xD12x150	34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7		77.6	85.6					
14x35xD14x80	R7. 0x28xD14x80	25.6	29.7		32.3	34.1		49.3			54.3	58									
14x40xD14x100	R7. 0x28xD14x100	27.1	31.7		34.6	38.0			52.9				54.4		61.0	70.6					
14x60xD14x150	R7. 0x28xD14x150	49.6	57.9		64.6	68.3			95.4				91.2		100.6						
16x40xD16x100	R8. 0x32xD16x100	35.7	38.9		51.0	53.0		63.6	74.0		67.4	73	72.8		78.7	91.3					
16x65xD16x150	R8. 0x32xD16x150	63.3	73.9		86.0	91.0			129.0				116.3		127.6	143.0					
18x40xD18x100	R9. 0x36xD18x100	43.3	50.4		59.1	65.1			89.7		82.3	87.9	88.4		96.7	111.3					
18x65xD18x150	R9. 0x36xD18x150	74.9	86.7		101.3	101.3			148.1				153.1								
20x40xD20x100	R10x40xD20x100	52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5		115.7	133.7					
20x65xD20x150	R10x40xD20x150	86.3	100.7		126.1	126.1			168.3				180.3		196.3	220.0					

55° Seqhahlo sa Milling Cutter Flat-End sekapakeng se sa reng tefo
55° Decimal Point Non-Standard Flat-End Milling Cutter



Tlhaloso	RxDxL	Theko
D1. 1-D3. 9xD4x50		4.3
D4. 1-D5. 9xD6x50		6.9
D6. 1-D7. 9xD8x60		12.4
D8. 1-D9. 9xD10x75		20.4
D10. 1-D11. 9xD12x75		29.0
Karohano ka 'ngoe ka holimo 0.1mm		
D1. 0-D3. 0xD4x75		6.0
D1. 0-D3. 0xD4x100		6.4
D1. 0-D4. 0xD6x50		6.4
D1. 0-D5. 0xD6x75		9.6
D1. 0-D5. 0xD6x100		11.9
Karohano ka 'ngoe ka holimo 0.5mm		
D2x20x50		4.7
D4x15xD4x50		4.0
D6x20xD6x50		6.9
D8x30xD8x60		12.4
D8x40xD8x120		20.7
D8x200		43.6
D10x30xD10x75		20.4
D10x35xD10x75		20.4
D10x50xD10x100		26.1
D10x45xD10x120		32.4
D10x200		64.3
D12x35xD12x75		27.4
D12x50xD12x100		34.7
D12x45xD12x120		42.9
D12x200		86.9
D13x14xD100		54.7
D15xD16x100		66.7
D16x50xD16x100		153.1
D16x200		154.7
D20x200		222.9

55° Seqhahlo sa Milling Cutter e Sekhahla se sa Tloaeneng
55° Decimal Point Non-Standard Ball End Milling Cutter



Tlhaloso	RxDxL	Theko
R0. 6-R1. 9xD4x50		4. 7
Karohano ka 'ngoe ka holimo R0. 1mm		
R0. 5-R1. 5xD4x75		6. 9
R0. 5-R1. 5xD4x100		7. 6
R0. 5-R2. 0xD6x50		7. 6
R0. 5-R2. 5xD6x75		10. 7
R0. 5-R2. 5xD6x100		12. 6
Karohano ka 'ngoe ka holimo R0. 25mm		
R4x120		20. 7
R4x200		43. 6
R5x120		32. 4
R5x200		40. 3
R6x120		42. 6
R6x200		86. 9
R8x200		154. 7
R10x200		222. 9

Sekhahla sa ho roala sekhahla sa ho roala sepakapeng se sa khaola
Tsepe ka tlaase ho 60HRC

Micro-Diameter Flat-End Milling Cutter Can Cut Steel Below 60 HRC



The diagram illustrates a micro-diameter flat-end milling cutter. It shows a side view of the tool with a cylindrical body and a flat end. Key dimensions are labeled: D1 is the diameter of the shank, L1 is the length of the shank, and L=50mm is the total length of the tool.

Tlhaloso	D1xDxL	AL
0. 3xD4x50		4. 6
0. 4xD4x50		4. 6
0. 5xD4x50		4. 6
0. 6xD6x50		4. 6
0. 7xD6x50		4. 6
0. 8xD8x50		4. 6
0. 9xD8x50		4. 6

Monyane o monyane oa nako e telele ea mchini oa ho qahqa ka holimo
Ka Khaola Khaola ka tlaase ho 60HRC

Small Diameter Long Neck Flat-End Milling Cutter
Can Cut Steel Below 60 HRC

D1	L1	AL	Liaparo
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Sethapo sa Milling Cutting End-Cutter se sa khaola
Tsepe ka tlaase ho 60HRC
Micro-Diameter Ball-End Milling Cutter Can Cut Steel Below 60 HRC




Tlhaloso	RxDxL	AL	Liaparo
R0. 15xD4x50		5.3	5.4
R0. 2xD4x50		5.3	5.4
R0. 25xD4x50		5.3	5.4
R0. 3xD6x50		5.3	5.4
R0. 35xD6x50		5.3	5.4
R0. 4xD8x50		5.3	5.4
R0. 45xD8x50		5.3	5.4

Monyane o monyane oa Neck Ball-End Finishing Cutting
Ka Khaola Khaola ka tlaase ho 60HRC

Small Diameter Long Neck Ball-End Milling Cutter
Can Cut Steel Below 60 HRC

D1	L1	AL	Liaparo
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	10/12/15/20	4.6	5.3

Nyanyane e nyane Nako e telele ea Neck Round Nose Flat End Milling Cutter



D1xR	L1	Liaparo
D1R0.1	4/6/8/10	10.3
D1R0.2	4/6/8/10	10.3
D1.5R0.1	6/8/10/12	10.3
D1.5R0.2	6/8/10/12	10.3
D2R0.1	8/10/12/16	10.3
D2R0.2	8/10/12/16	10.3
D3R0.2	12/16/20	19.3
D3R0.5	12/16/20	19.3
D3R0.5	26/30	24.6
D4R0.2	16/20	19.3
D4R0.5	16/20	19.3
D4R0.5	26/30	24.6

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

Single Acrylic / Aluminium Milling Cutter Single-Edge Acrylic / Aluminium Milling Cutter



Litekanyo D1xL1xDxL	General	Ho polishin	AL Ho polishin
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

Tungsten Steel Reamer e khabisisoeng moeeng
Ka Khaola Khauta ka tlase ho 55HRC
Spiral-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Litekanyo D1xL1xDxLxT	Theko USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Tungsten Steel Reamer e otlohlileng
Ka Khaola Khauta ka tlase ho 55HRC

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Litekanyo D1xL1xDxLxT	Theko USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Cutter Milling Cutter bakeng sa Tungsten
Lisebelisoa Tse ka Khaola Khauta ka tlase ho 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Lisebelisoa Tse ka Khaola Khauta ka tlase ho 55 HRC

Litekanyo D1xα°xL1xD2xDxLx3F	Theko USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Tungsten Steel Inner R Ho Fokotsa Moriri
Ka Khaola Khauta ka tlase ho 55HRC
Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC




Litekanyo D1RxDxL	Theko USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	



Litekanyo D1xα°xL1xD2xDxLx3F	Theko USD
D4x0. 5°x15LxD4. 26xD6x50Lx3F	11.9
D4x1°x15LxD4. 52xD6x50Lx3F	11.9
D4x1. 5°x15LxD4. 79xD6x50Lx3F	11.9
D4x2°x15LxD5. 04xD6x50Lx3F	11.9
D4x3°x15LxD5. 57xD6x50Lx3F	11.9
D4x5°x15LxD6. 62xD8x60Lx3F	18.1
D4x8°x14. 93LxD8x60Lx3F	18.1
D4x10°x15LxD9. 29xD10x75Lx3F	28.9
D4x15°x14. 93LxD12x12x75Lx3F	39.6
D6x0. 5°x20LxD6. 35xD8x60Lx3F	18.1
D6x1°x20LxD6. 7xD8x60Lx3F	18.1
D6x1. 5°x20LxD7. 05xD8x60Lx3F	18.1
D6x2°x20LxD7. 4xD8x60Lx3F	18.1
D6x3°x19LxD8x8x60Lx3F	18.1
D6x5°x20LxD9. 5xD10x75Lx3F	28.9
D6x8°x20LxD11. 62xD12x75Lx3F	39.6
D6x10°x17LxD12x12x75Lx3F	39.6
D8x0. 5°x25LxD8. 44xD10x75Lx3F	28.9
D8x1°x25LxD8. 87xD10x75Lx3F	28.9
D8x1. 5°x25LxD9. 31xD10x75Lx3F	28.9
D8x2°x25LxD9. 74xD10x75Lx3F	28.9
D8x3°x25LxD10. 62xD12x75Lx3F	39.6
D8x5°x22. 8LxD12x12x75Lx3F	39.6


Tungsten Steel Dovetail Ho Elsa Lijo
Khauta e ka Khaola Letlappa ka tlase ho 60HRC
Tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Litekanyo D1xα°xL1xD2xDxL	Theko USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Cutter e khethehileng ea ho rekisa ka Tungsten
Mchine o entsoeng ka tšepo o entsoeng ka tšepo
Ka Khaola Khauta ka tlase ho 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Litekanyo D1xL1xDxL	Theko USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Tutu ea Double Tungsten Steel e tsatsitsang
Sabelisa Tseliso e Tselisoano na Tseliso e Makheto e Mabeli e
Chamfer Can Cut Steel ka tlase ho 58HRC

Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Litekanyo DxL	AL	Liaparo
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tungsten Steel T-Groove Side Milling
Khauta e ka Khaola Letlappa ka tlase ho 55HRC
Tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Litekanyo D1RxDxL	Theko USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x1. 5HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x1. 5HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x1. 5HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4x10x75	24.6
D10x1HxD4x10x75	24.6
D10x1. 5HxD4x10x75	24.6
D10x2HxD4x10x75	24.6
D10x3HxD4x10x75	24.6
D12x0. 5HxD5x12x75	31.9
D12x1HxD5x12x75	31.9
D12x1. 5HxD5x12x75	31.9
D12x2HxD5x12x75	31.9
D12x3HxD5x12x75	31.9

Tungsten Steel Straight Groove
Chamfer Cutter e ka Khaola Khauta
Ka tlase ho 58HRC (60°/90°/120°)


Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC(60°/90°/120°)



Litekanyo DxL	AL	Liaparo
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Tungsten Steel Drill-point e le 'ngoe e tsatsitsang
Sabelisa Of Fixed Point Le Chamfer E ka Khaola
Khauta ka tlase ho 58HRC

Tungsten Steel Fixed-point Drill. Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Litekanyo DxL	AL	Liaparo
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Ho apara (Yellow / Black / Copper)

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzgtool.cn>

Extrusion Screw Tap

Extrusion Screw Tap



Tšoea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L Reverse Teeth	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L Reverse Teeth	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L Reverse Teeth	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Tšoea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L Reverse Teeth	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L Reverse Teeth	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L Reverse Teeth	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
M5. 0x0. 8	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L Reverse Teeth	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L Reverse Teeth	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L Reverse Teeth	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L Reverse Teeth	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L Reverse Teeth	RH7	B	14.0	16.1

Tšoea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L Reverse Teeth	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L Reverse Teeth	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L Reverse Teeth	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L Reverse Teeth	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L Reverse Teeth	RH7	B	11.1	12.6
UNC5/16-18-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L Reverse Teeth	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

Tšoaea Tlanya Apex Tap

MaiFix®

Tšoaea Tlanya Apex Tap



E tšoeu



Tin

Tšoaea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Tšoaea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNE1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Tšoaea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	Shape	E tšoeu	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

Moea oa Spiral Grooved Spiral Grooved Tap



E tšoeu



Tin

Tšooaea x Tsamaaea x Nako (/ Reverse Teeth)	Ho nepahala	E tšoeu	T in
M1. 0x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 2x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 4x0. 2 M1. 4x0. 3	P1	6.7	7.4
	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
M1. 5x0. 3	P1	6.7	7.4
	P1	6.7	7.4
	P2	5.3	6.0
	P3	5.3	6.0
M1. 6x0. 35	P1	6.7	7.4
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 6x0. 35-HT <i>Sheath</i>	1B	6.7	6.9
M1. 7x0. 2 M1. 7x0. 35	P1	6.7	7.4
	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
M1. 8x0. 2 M1. 8x0. 35	P1	6.7	7.4
	P1	5.7	6.7
	P1	6.7	7.4
	P1	5.3	6.0
M2. 0x0. 25 M2. 0x0. 4	P1	6.7	7.4
	+0. 1	5.3	6.0
	P1	4.7	5.4
	P2	4.7	5.4
M2. 0x0. 4-100L M2. 0x0. 4-AL M2. 0x0. 4-HT <i>Sheath</i> M2. 0x0. 4L <i>Reverse Teeth</i>	P3	4.7	5.4
	P4	4.7	5.4
		9.3	
	P1	4.7	4.7
M2. 2x0. 25 M2. 2x0. 45	1B	5.4	6.7
	P1	5.7	6.7
	P1	6.7	7.4
	P1	4.7	5.4
M2. 3x0. 4 M2. 3x0. 4L <i>Reverse Teeth</i>	P1	4.7	5.4
	P1	5.7	6.7
	P1	6.7	7.4
	P1	5.3	6.0
M2. 5x0. 35 M2. 5x0. 45	+0. 1	5.3	6.0
	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
M2. 5x0. 45-100L M2. 5x0. 45-AL M2. 5x0. 45-HT <i>Sheath</i> M2. 5x0. 45L <i>Reverse Teeth</i>	P4	4.7	5.4
		9.3	
	P1	4.7	4.7
	1B	5.4	6.7
M2. 6x0. 35 M2. 6x0. 45	P1	5.7	6.7
	P1	6.7	7.4
	P1	4.7	5.4
	P2	4.7	5.4
M2. 6x0. 45-100L M2. 6x0. 45L <i>Reverse Teeth</i>	P3	4.7	5.4
	P4	4.7	5.4
		9.3	
	P1	5.7	6.7
M3. 0x0. 35	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M3. 0x0. 35L <i>Reverse Teeth</i> M3. 0x0. 5	P2	5.7	6.7
	+0. 1	4.7	5.4
	P1	4	4.7
	P2	4	4.7
M3. 0x0. 5-100L M3. 0x0. 5-150L M3. 0x0. 5-AL M3. 0x0. 5-HT <i>Sheath</i> M3. 0x0. 5L <i>Reverse Teeth</i> M3. 5x0. 6-100L	P3	4	4.7
	P4	4	4.7
		9.3	
	P2	17. 1	
M4. 0x0. 35 M4. 0x0. 5	P2	4	4.0
	P2	4.7	6.1
	1B	4.7	5.4
	P2	4.7	5.4
M4. 0x0. 5L <i>Reverse Teeth</i>	P2	5.7	6.7
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M4. 0x0. 5L <i>Reverse Teeth</i>	P2	5.7	6.7
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4

Tsōaea x Tsamaaea x Nako (/ Reverse Teeth)	No negabals	E tšoeu	T in
M4. 0x0. 7	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 4. 7 4. 7 4. 7
M4. 0x0. 7-100L		9. 3	
M4. 0x0. 7-150L		17. 1	
M4. 0x0. 7-AL	P2	4	4
M4. 0x0. 7-HT <i>Sheath</i>	1B	4. 7	6. 1
M4. 0x0. 7L <i>Reverse Teeth</i>	P2	4. 7	5. 7
M5. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 4 5. 4
M5. 0x0. 5L <i>Reverse Teeth</i>	P2	5. 7	6. 9
M5. 0x0. 8	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5. 7 4. 7 4. 7
M5. 0x0. 8-100L		9. 6	
M5. 0x0. 8-150L		17. 9	
M5. 0x0. 8-AL	P2	4	4
M5. 0x0. 8-HT <i>Sheath</i>	1B	4. 7	6. 1
M5. 0x0. 8L <i>Reverse Teeth</i>	P2	4. 7	5. 7
M6. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 7 5. 7
M6. 0x0. 5L <i>Reverse Teeth</i>	P2	5. 7	6. 9
M6. 0x0. 75	P2 P3 P4	4. 7 4. 7 4. 7	5. 7 5. 7 5. 7
M6. 0x0. 75L <i>Reverse Teeth</i>	P2	5. 7	6. 9
M6. 0x1. 0	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5. 7 5 5
M6. 0x1. 0-100L		9. 6	
M6. 0x1. 0-150L		17. 9	
M6. 0x1. 0-AL	P2	4	4
M6. 0x1. 0-HT <i>Sheath</i>	1B	4. 7	6. 1
M6. 0x1. 0L <i>Reverse Teeth</i>	P2	4. 7	5. 7
M7. 0x0. 5	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M7. 0x0. 75	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M7. 0x0. 75L <i>Reverse Teeth</i>	P2	7. 9	9. 3
M7. 0x1. 0	P2 P4	6 6	7. 4 7. 4
M7. 0x1. 0L <i>Reverse Teeth</i>	P2	7. 4	8. 6
M8. 0x0. 5	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M8. 0x0. 75	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M8. 0x0. 75L <i>Reverse Teeth</i>	P2	7. 9	9. 3
M8. 0x1. 0	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x1. 0L <i>Reverse Teeth</i>	P2	7. 9	9. 3
M8. 0x1. 25	+0. 1 P2 P3 P4	6. 7 6 6 6	7. 9 7. 4 7. 4 7. 4
M8. 0x1. 25-100L		12. 6	
M8. 0x1. 25-150L		18. 3	
M8. 0x1. 25-AL	P2		6
M8. 0x1. 25-HT <i>Sheath</i>	1B	7. 4	7. 9
M8. 0x1. 25L <i>Reverse Teeth</i>	P2	7. 4	8. 6
M9. 0x0. 5	P2	7. 9	9. 6
M9. 0x0. 75	P2	7. 9	9. 6
M9. 0x1. 0	P2	7. 9	9. 6
M9. 0x1. 0L <i>Reverse Teeth</i>	P2	10	11. 4
M9. 0x1. 25	P2	7. 9	9. 6
M10x0. 5	P2	8. 3	10
M10x0. 75	P2 P3 P4	8. 3 8. 3 8. 3	10 10 10
M10x0. 75L <i>Reverse Teeth</i>	P2	10	11. 4
M10x1. 0	P2 P3 P4	8. 3 8. 3 8. 3	10 10 10
M10x1. 0L <i>Reverse Teeth</i>	P2	10	11. 4
M10x1. 25	P2 P3 P4	8. 3 8. 3 8. 3	10 10 10
M10x1. 25L <i>Reverse Teeth</i>	P2	10	11. 4
M10x1. 5	+0. 1 P2 P3 P4	8. 3 7. 9 7. 9 7. 9	10 9. 6 9. 6 9. 6
M10x1. 5-100L		14. 6	
M10x1. 5-150L		19. 7	
M10x1. 5-AL	P2		7. 9
M10x1. 5-HT <i>Sheath</i>	1B	9. 3	10
M10x1. 5L <i>Reverse Teeth</i>	P2	9. 6	11
M11x0. 5	P2	11	13. 1
M11x0. 75	P2	11	13. 1
M11x1. 0	P2	11	13. 1
M11x1. 5	P2	10. 4	12

Tsoaea x Tsamaea x Nako (/Reverse Teeth)	No negative	E tsoeu	Tin
M12x0.5	P2	11.0	13.1
M12x0.75	P2	11.0	13.1
M12x1.0	P2	11.0	13.1
	P4	11.0	13.1
M12x1.0L _{Reverse Teeth}	P2	12.6	14.7
M12x1.25	P2	11.0	13.1
	P4	11.0	13.1
M12x1.25L _{Reverse Teeth}	P2	12.6	14.7
M12x1.5	P2	11.0	13.1
	P4	11.0	13.1
M12x1.5L _{Reverse Teeth}	P2	12.6	14.7
M12x1.75	+0.1	11.0	13.1
	P2	10.4	12.6
	P3	10.4	12.6
	P4	10.4	12.6
M12x1.75-100L		18.9	
M12x1.75-150L		22.4	
M12x1.75-HT _{Sheath}	P2		10.4
M12x1.75L _{Reverse Teeth}	1B	11.9	12.6
	P2	12.1	14.7
M14x1.0	P2	17.1	19.7
M14x1.25	P2	17.1	19.7
M14x1.5	P2	17.1	19.7
M14x2.0	P2	15.7	18.3
M16x1.0	P2	19.7	22.9
M16x1.25	P2	19.7	22.9
M16x1.5	P2	19.7	22.9
M16x2.0	P2	18.3	21.4
UNF0-80			
UNC1-64	P1	5.3	6
UNF1-72	P1	5.3	6
	P1	6.7	7.4
UNC2-56			
	P1	5.3	6
	P2	5.3	6
	P3	5.3	6
	P4	5.3	6
UNC2-56-100L		9.6	
UNC2-56-HT _{Sheath}	1B	6.1	6.9
UNF2-64	P1	6.7	7.4
UNC3-48	P1	5.3	6
UNF3-56	P1	6.7	7.4
UNC4-40			
	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC4-40-100L		9.6	
UNC4-40-AL	P2	4.7	
UNC4-40-HT _{Sheath}	1B	5.4	6.7
UNF4-48	P1	6.7	7.4
UNC5-40	P2	4.7	5.4
UNC5-40-100L		9.6	
UNF5-44	P2	6.7	7.4
UNC6-32			
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC6-32-100L		9.6	
UNC6-32-AL	P2	4.7	
UNC6-32-HT _{Sheath}	1B	5.4	6.7
UNC6-32L _{Reverse Teeth}	P2	5.7	6.7
UNF6-40	P2	6.7	7.4
UNC8-32			
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC8-32-100L		9.6	
UNC8-32-AL	P2	4.7	
UNC8-32-HT _{Sheath}	1B	5.4	6.7
UNC8-32L _{Reverse Teeth}	P2	5.7	6.7
UNF8-36	P2	6.7	7.4
UNC10-24			
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC10-24-100L		9.6	
UNC10-24-AL	P2	4.7	
UNC10-24-HT _{Sheath}	1B	5.4	6.7
UNC10-24L _{Reverse Teeth}	P2	5.7	6.9
UNF10-32	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNF10-32-100L		9.6	
UNF10-32-HT _{Sheath}	1B		7.4
UNC10-32L _{Reverse Teeth}	P2	7.4	8.3
UNC12-24	P2	4.7	5.7
UNF12-28	P2	6.7	7.6
UNEF12-32	P2	6.7	7.6
UNS12-36	P2	6.7	7.6
UNC1/4-20			
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC1/4-20		9.6	
UNC1/4-20-100L			
UNC1/4-20-AL	P2	4.7	
UNC1/4-20-HT _{Sheath}	1B	5.4	6.7
UNC1/4-20L _{Reverse Teeth}	P2	5.7	6.7

Tsoaea x Tsamaea x Nako (Reverse Teeth)	Ho nepahala	E tsoeu	T in
UNF1/4-28	P2	6.7	7.6
	P4	6.7	7.6
UNF1/4-28-HT <i>Sheath</i>	1B		7.4
UNF1/4-28L <i>Reverse Teeth</i>	P2	7.4	8.3
UNEf1/4-32	P2	6.7	7.6
UNS1/4-36	P2	6.7	7.6
UNC5/16-18	P2	6.0	7.4
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16-18-100L		13.1	
UNC5/16-18-AL	P2	6.7	
UNC5/16-18-HT <i>Sheath</i>	1B	7.9	8.3
UNC5/16-18L <i>Reverse Teeth</i>	P2	7.4	8.6
UNF5/16-24	P2	7.4	8.6
	P4	7.4	8.6
UNF5/16-24-HT <i>Sheath</i>	1B		10.0
UNF5/16-24L <i>Reverse Teeth</i>	P2	9.3	10.4
UNC3/8-16	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8-16-100L		14.7	
UNC3/8-16-AL	P2	8.3	
UNC3/8-16-HT <i>Sheath</i>	1B	9.6	10.4
UNC3/8-16L <i>Reverse Teeth</i>	P2	9.6	11.0
UNF3/8-24	P2	9.3	10.7
	P4	9.3	10.7
UNF3/8-24-HT <i>Sheath</i>	1B		12.1
UNF3/8-24L <i>Reverse Teeth</i>	P2	11.0	12.6
	P2	9.3	10.7
UNC7/16-14	P2	11.9	13.9
UNF7/16-20	P2	12.6	14.7
UNC1/2-12	P2	13.1	15.3
UNF1/2-20	P2	14.6	16.4
W1/8-40	P1	4.7	5.4
W5/32-32	P2	4.7	5.4
W3/16-24	P2	4.7	5.4
W7/32-24	P2	4.7	5.7
W1/4-20	P2	4.7	5.7
W5/16-18	P2	6.0	7.4
W3/8-16	P2	7.9	9.6
W7/16-14	P2	11.9	13.9
W1/2-12	P2	13.1	15.3
PS1/8-28 <i>Mehala ea Brithani</i>		7.9	
PS1/4-14 <i>Maemo a Amerika</i>		22.4	
PS1/4-18 <i>Maemo a Amerika</i>		7.9	
PS1/4-19 <i>Mehala ea Brithani</i>		9.3	
PS3/8-18 <i>Maemo a Amerika</i>		13.1	
PS3/8-19 <i>Mehala ea Brithani</i>		14.6	
PS1/2-14 <i>Maemo a Amerika</i>		17.1	
PS1/2-14 <i>Mehala ea Brithani</i>		19.7	
PS3/4-14 <i>Mehala ea Brithani</i>		25.0	
PS1-11 <i>Mehala ea Brithani</i>		41.9	
PS1-11. 1-2 <i>American Standard</i>		41.9	
PT1/16-28 <i>Mehala ea Brithani</i>		7.9	
PT1/8-28 <i>Mehala ea Brithani</i>		7.9	
PT1/4-19 <i>Mehala ea Brithani</i>		10.4	
PT3/8-19 <i>Mehala ea Brithani</i>		15.7	
PT1/2-14 <i>Mehala ea Brithani</i>		19.7	
PT3/4-14 <i>Mehala ea Brithani</i>		27.6	
PT1-11 <i>Mehala ea Brithani</i>		46.0	
NPT1/8-27 <i>Maemo a Amerika</i>		7.9	
NPT1/4-18 <i>Maemo a Amerika</i>		10.4	
NPT3/8-18 <i>Maemo a Amerika</i>		15.7	
NPT1/2-14 <i>Maemo a Amerika</i>		19.7	
NPT1/4-14 <i>Maemo a Amerika</i>		27.6	
NPT1-11. 1-2 <i>American Standard</i>		46.0	

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

<http://www.mzg.tw>


Hand Tap / Circular Die

Hand Tap/Circular Die

MaiFix®

HT Tsela e Loketseng ea Thala

HT Straight Wire Tap



Ts'oaea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	E tsoeu
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Ts'oaea x Tsamaea x Nako (/ Reverse Teeth)	Ho nepahala	E tsoeu
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNC4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28	Mehala ea Brithani	6. 7
PS1/8-27	Maemo a Amerika	6. 7
PS1/8-28	Mehala ea Brithani	6. 7
PS1/4-14	Maemo a Amerika	22. 4
PS1/4-18	Maemo a Amerika	7. 9
PS1/4-19	Mehala ea Brithani	7. 9
PS3/8-18	Maemo a Amerika	13. 1
PS3/8-19	Mehala ea Brithani	13. 1
PS1/2-14	Maemo a Amerika	17. 1
PS1/2-14	Mehala ea Brithani	17. 1
PS3/4-14	Mehala ea Brithani	22. 4
PS1-11	Mehala ea Brithani	38. 1
PS1-11. 1-2	American Standard	38. 1
PT1/16-28	Mehala ea Brithani	6. 7
PT1/8-28	Mehala ea Brithani	6. 7
PT1/4-19	Mehala ea Brithani	8. 6
PT3/8-19	Mehala ea Brithani	14. 6
PT1/2-14	Mehala ea Brithani	18. 3
PT3/4-14	Mehala ea Brithani	25. 0
PT1-11	Mehala ea Brithani	41. 9
NPT1/8-27	Maemo a Amerika	6. 7
NPT1/4-18	Maemo a Amerika	8. 6
NPT3/8-18	Maemo a Amerika	14. 6
NPT1/2-14	Maemo a Amerika	18. 3
NPT1/4-14	Maemo a Amerika	25. 0
NPT1-11. 1-2	American Standard	41. 9

AR-D Circular Die Die

AR-D Adjustable Circular Die








Ts'oaea x Tsamaea x Nako (/ Reverse Teeth)	External Diameter	E tsoeu
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Reverse Teeth	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Reverse Teeth	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Reverse Teeth	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Reverse Teeth	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Reverse Teeth	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Reverse Teeth	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Reverse Teeth	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Reverse Teeth	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Reverse Teeth	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6

Ts'oaea x Tsamaea x Nako (/ Reverse Teeth)	External Diameter	E tsoeu
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9





Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn




<http://www.mzg.tw>

Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Letšepa la Letlapi le Thatafalloa Lisebelisoa tsa ho qeta Machining			
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper And Aluminum Qetella Machining			
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
Koporo le Aluminium Medium Qetella Machining			
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
Ts'epa e sa beng le mabali Processing			
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Likarolo li Ntle li Feletse			
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Likarolo li Ntle li Feletse			

Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Letšepa la Letlapi le Thatafalloa Lisebelisoa tsa ho qeta Machining			
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper And Aluminum Qetella Machining			
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Machining ea Sesebelisoa se Bohareng			
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
R-X L-X Rough Processing of Steel			
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
E kholo ea Qetellong Machining of Steel Hard			
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Koporo le Aluminium Medium Qetella Machining			
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
Mokhoa o Boima oa ho Sebelisa Machining ea Ts'epa ea Letamo			
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
Mechine e Bohareng ea Qetellong ea Pente ea Letamo			
	CNMG120408-HS ZM30	0.8	2.6
Ts'epa e sa beng le mabali Processing			
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
Ts'epa e sa beng le mabali Processing			
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
Ts'epa e sa beng le mabali Processing			
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imelele: eva@mzgtool.cn

Itšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0


Itšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
	DNMG110404-FG ZN60	0.4	2.6
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
	DNMG150404L-VF ZN60	0.4	2.6
	DNMG150404R-VF ZN60	0.4	2.6






Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.



Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn









<http://www.mzg.tw>

Letšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
Letšepa la Letlapi le Thatafalloa Lisebelisoa tsa ho qeta Machining			
	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
Copper And Aluminum Qetella Machining			
	SNMG120408L-S ZC25	0.8	2.6
Rough Processing of Steel			
	SNMG120408L-S ZC35	0.8	2.6
Tšebeliso e Boima ea Thepa e Matla			
	SNMG120408R-S ZC25	0.8	2.6
Rough Processing of Steel			
	SNMG120408R-S ZC35	0.8	2.6
Tšebeliso e Boima ea Thepa e Matla			
	SNMG120408-TM ZC25	0.8	2.6
Machining ea Sesebelisoa se Bohareng			
	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Koporo le Aluminium Medium Qetella Machining			
	SNMG120408-MA ZM30	0.8	2.6
Ts'epe e sa beng le mabali Processing			
	SNMG120404-MS ZM30	0.4	2.6
Ts'epe e sa beng le mabali Processing			
	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
Ts'epe e sa beng le mabali Processing			
	SCMT09T304-MT ZN60	0.4	1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9
Koporo le Aluminium Medium Qetella Machining			

Letšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Letšepa la Letlapi le Thatafalloa Lisebelisoa tsa ho qeta Machining			
	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper And Aluminum Qetella Machining			
	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
Koporo le Aluminium Medium Qetella Machining			
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3
Ts'epe e sa beng le mabali Processing			

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

Itšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Letšephe la Letlapi le Thatafalloa Lisebelisoa tsa ho qeta Machining			
	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper And Aluminum Qetella Machining			
 CQ	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25	0.4 0.8	2.3 2.3
 HQ	TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8	2.3 2.3
Machining ea Sesebelisoa se Bohareng			
 R-S	TNMG160404L-S ZC25 TNMG160408L-S ZC25	0.4 0.8	2.3 2.3
 L-S	TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8	2.3 2.3
Rough Processing of Steel			
 R-S	TNMG160404L-S ZC35 TNMG160408L-S ZC35	0.4 0.8	2.3 2.3
 L-S	TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8	2.3 2.3
Tšebeliso e Boima ea Thepa e Matla			
	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
Machining ea Sesebelisoa se Bohareng			
	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
E kholo ea Qetellong Machining of Steel Hard			
	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
Koporo le Aluminium Medium Qetella Machining			
 TNMA	TNMA160404 ZK50 TNMA160408 ZK50	0.4 0.8	2.3 2.3
 TNMG	TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8	2.3 2.3
Medium Rough Machining of Cast Iron			
 HA	TNMG160404-HA ZM30 TNMG160408-HA ZM30	0.4 0.8	2.3 2.3
 MA	TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8	2.3 2.3
Ts'epe e sa beng le mabali Processing			
	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
Ts'epe e sa beng le mabali Processing			
	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3
Ts'epe e sa beng le mabali Processing			






Itšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
 R-C	TNMG160404L-C ZN60 TNMG160408L-C ZN60	0.4 0.8	1.9 1.9
 L-C	TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
 R-S	TNMG160404L-S ZN60 TNMG160408L-S ZN60	0.4 0.8	1.9 1.9
 L-S	TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
 R-VF	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60	0.4 0.8	1.9 1.9
 L-VF	TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
 R-FS	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60	0.4 0.8	1.9 1.9
 L-FS	TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
 R-P	TNMG160402L-P ZN90 TNMG160404L-P ZN90	0.2 0.4	3.6 3.6
 L-P	TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4	3.6 3.6
Cermet Fine Steel Likarolo li Ntle li Feletse			
 R-S	TNMG160402L-S ZN90 TNMG160404L-S ZN90	0.2 0.4	3.6 3.6
 L-S	TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4	3.6 3.6
Cermet Fine Steel Likarolo li Ntle li Feletse			




Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7
	VBMT160404-MT ZN60	0.4	3.6


Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	VNMGM160404 CBN1	0.4	6.9
	VNMGM160408 CBN1	0.8	6.9
	VNMGM160402 PCD1	0.2	6.9
	VNMGM160404 PCD1	0.4	6.9
	VNMGM160408 PCD1	0.8	6.9
	VNMGM160404-TM ZC25	0.4	2.7
	VNMGM160408-TM ZC25	0.8	2.7
	VNMGM160404-TM ZC35	0.4	2.7
	VNMGM160408-TM ZC35	0.8	2.7
	VNMGM160404-AL ZK01	0.4	2.3
	VNMGM160408-AL ZK01	0.8	2.3
	VNMGM160404 ZM30	0.4	2.7
	VNMGM160408 ZM30	0.8	2.7
	VNMGM160404-HS ZM30	0.4	2.7
	VNMGM160408-HS ZM30	0.8	2.7
	VNMGM160404-MT ZN60	0.4	2.3
	VNMGM160408-MT ZN60	0.8	2.3
	VNMGM160404-MT ZN60	0.4	2.3
	VNMGM160408-MT ZN60	0.8	2.3
	VNMGM160404-MT ZN60	0.4	2.3
	VNMGM160408-MT ZN60	0.8	2.3





Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
Letšepa le Letlape le Thatafallao Lisebelisoa tsa ho qeta Machining			
	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper And Aluminum Qetella Machining			
	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Machining ea Sesebelisoa se Bohareng			
	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
Machining ea Sesebelisoa se Bohareng			
	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
R-S L-S Rough Processing of Steel			
	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
R-S L-S Tšebeliso e Boima ea Thepa e Matla			
	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
TM ZC25 TM ZC35 Machining ea Sesebelisoa se Bohareng			
	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
Machining ea Sesebelisoa se Bohareng			
	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
Koporo le Aluminium Medium Qetella Machining			
	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
Ts'epe e sa beng le mabali Processing			
	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
Mokhoa o Boima oa ho Sebelisa Machining ea Ts'epe ea Letamo			
	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6
Mechine e Bohareng ea Qetellong ea Pente ea Letamo			

Litšoantšo tsa Lihlahisoa	Tlhaloso	R	USD
	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
Ts'epe e sa beng le mabali Processing			
	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
Ts'epe e sa beng le mabali Processing			
	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
Ts'epe e sa beng le mabali Processing			
	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
R-S L-S Cermet Medium And Rough Steel Likarolo li Ntle li Feletse			
	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn


tšoantšo tsa Lihlahisoa	Tihalošo	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
PCD1 Copper And Aluminum Qetella Machining  Metric 60° Ka ntle Tihalošo ea ho Tlanya	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
External Tihalošo ea ho Tlanya			
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
PCD1 Copper And Aluminum Qetella Machining  60° Metric Ka hare Hole Tihalošo ea ho Tlanya	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
 Ka hare Hole Tihalošo ea ho Tlanya	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	TKFT6001 ZP15	0.5-3.0	5.9
TKFT.. TTP..  Tšebelliso ea Metric 60° Tlanya Likarolo Tse Nyenyane	TTP6001 ZP15	0.5-3.0	5.9
	TTPR12	—	9.3
	TTPR16	—	11.7

tšoantšo tsa Lihlahisoa	Tihalošo	TPI	USD
 30° Trapezoidal Threads bakeng sa DIN103 Transmission External Tihalošo ea ho Tlanya	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
 30° Trapezoidal Threads bakeng sa DIN103 Transmission Ka hare Hole Tihalošo ea ho Tlanya	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
ZP10 General Machining 	16ER 11W ZP10	1 1/11 Tooth	2.0
	16ER 14W ZP10	1 1/14 Tooth	2.0
	16ER 19W ZP10	1 1/19 Tooth	2.0
	16ER 24W ZP10	1 1/24 Tooth	2.0
	16ER 8W ZP10	1 1/8 Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
PCD1 Copper And Aluminum Qetella Machining  55° Inch External Tihalošo ea ho Tlanya	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1 1/19 Tooth	2.0
	16IR 11W ZP10	1 1/11 Tooth	2.0
	16IR 12W ZC01	1 1/12 Tooth	2.0
	16IR 14W ZP10	1 1/14 Tooth	2.0
	16IR 19W ZP10	1 1/19 Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
ZP10 General Machining  55° Inch Ka hare Hole Tihalošo ea ho Tlanya	16ER 12UN ZP10	1 1/12 Tooth	2.0
	16ER 14UN ZP10	1 1/14 Tooth	2.0
	16ER 16UN ZP10	1 1/16 Tooth	2.0
	16ER 18UN ZP10	1 1/18 Tooth	2.0
	16ER 20UN ZP10	1 1/20 Tooth	2.0
	16IR 12UN ZP10	1 1/12 Tooth	2.0
	16IR 14UN ZP10	1 1/14 Tooth	2.0
	16IR 16UN ZP10	1 1/16 Tooth	2.0
	16IR 18UN ZP10	1 1/18 Tooth	2.0
	16IR 20UN ZP10	1 1/20 Tooth	2.0
 60° E Ka ntle ho Amerika Tihalošo ea ho Tlanya	16ER 11BSPT ZP10	1 1/11 Tooth	2.0
	16ER 14BSPT ZP10	1 1/14 Tooth	2.0
	16ER 19BSPT ZP10	1 1/19 Tooth	2.0
	16ER 28BSPT ZP10	1 1/28 Tooth	2.0
	16IR 11BSPT ZP10	1 1/11 Tooth	2.0
 60° Palo ea ka hare ea Amerika Tihalošo ea ho Tlanya	16IR 14BSPT ZP10	1 1/14 Tooth	2.0
	16IR 16UN ZP10	1 1/16 Tooth	2.0
	16IR 18UN ZP10	1 1/18 Tooth	2.0
	16IR 20UN ZP10	1 1/20 Tooth	2.0
	16IR 11BSPT ZP10	1 1/11 Tooth	2.0
 BSPT Mehala ea Brithani Taper Tube Tlanya External Tihalošo ea ho Tlanya	16ER 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16ER 14NPT ZP10	1 1/14 Tooth	2.0
	16ER 18NPT ZP10	1 1/18 Tooth	2.0
	16IR 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16IR 14NPT ZP10	1 1/14 Tooth	2.0
 BSPT Mehala ea Brithani Taper Tube Thread Internal Hole Tihalošo ea ho Tlanya	16ER 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16ER 14NPT ZP10	1 1/14 Tooth	2.0
	16ER 18NPT ZP10	1 1/18 Tooth	2.0
	16IR 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16IR 14NPT ZP10	1 1/14 Tooth	2.0
 NPT Pipe Thread External Tihalošo ea ho Tlanya	16ER 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16IR 14NPT ZP10	1 1/14 Tooth	2.0
 NPT Pipe Thread Ka hare Hole Tihalošo ea ho Tlanya	16ER 11.5NPT ZP10	1 1/11.5 Tooth	2.0
	16IR 14NPT ZP10	1 1/14 Tooth	2.0

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
Slot width inventory 0.5-3 mm le botlebo 1-2.2 mm Boitsebiso bo tloaelehlang bo ka khaola ka tsela e fapaneng			
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
Slot width inventory 0.5-3 mm le botlebo 1-2.2 mm Boitsebiso bo tloaelehlang bo ka khaola ka tsela e fapaneng			
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	—	10.7
	CTPSL12	—	11.9
	CTPASL10	—	10.7
	CTPASL12	—	11.9
	CTPASL16	—	14.3
	CTPSL16	—	14.3
	CTPR08	—	11.9
	CTPR10	—	9.4
	CTPR12	—	9.4
	CTPR16	—	9.4
	CTPR20	—	10.7
	CTPR25	—	14.3
	CTPAR10	—	9.4
	CTPAR12	—	9.4
	CTPAR16	—	9.4
	CTPAR20	—	10.7
	CTPAR25	—	14.3
	CTPAR30	—	14.3
	TTB6001 ZP15	—	5.9
	TTB6002 ZP15	—	5.9
	TTB6003 ZP15	—	5.9
	TTB6004 ZP15	—	5.9
	TTB6005 ZP15	—	5.9
	TTB6006 ZP15	—	5.9
	TBPR10	—	9.4
	TBPR12	—	9.4
	TBPR16	—	9.4
	TBPR20	—	9.4
	TBPR25	—	9.4
	TBPR30	—	9.4

Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Likaroloana tse nyenyane tsa Grooving /Tsebeliso ea ho khaola			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
Lisebelisoa tse Nyenyane tsa ho Khaola Litšepa			
	TKFB6001 ZP15	—	5.9
	TKFB6002 ZP15	—	5.9
	TKFB6003 ZP15	—	5.9
	TKFB6004 ZP15	—	5.9
	TKFB6005 ZP15	—	5.9
	TKFB6006 ZP15	—	5.9
Ho Khutlela Likarolo Tse Nyenyane			
	KTKFSL1010JX12	—	11.9
	KTKFSL1212JX12	—	11.9
	KTKFSL1212JX16	—	11.9
	KTKFSL1616JX12	—	11.9
	KTKFSL1616JX16	—	11.9
	KTKFSL2020JX12	—	11.9
	KTKFR0810JX12	—	11.9
	KTKFR1010JX12	—	9.4
	KTKFR1212JX12	—	9.4
	KTKFR1616JX12	—	9.4
	KTKFR1010JX16	—	9.4
	KTKFR1212JX16	—	9.4
	KTKFR1616K16	—	9.4
	KTKFR2020JX16	—	10.7
	KTKFR2525JX16	—	14.3
	KTKFR3030JX16	—	14.3
	KTKFR3535JX16	—	14.3
	KTKFR4040JX16	—	14.3
	FVC1604R150 ZP15	1.5	4.3
	FVC1604R200 ZP15	2.0	4.3
	FVC1604R300 ZP15	3.0	4.3
	FVC1604R400 ZP15	—	4.3
	FVC1604R500 ZP15	—	4.3
	FVC1604R600 ZP15	—	4.3
	SVQCR2020K16-NJ	—	11.9
	SVQCR2525K16-NJ	—	11.9
	SVQCR3030K16-NJ	—	11.9
	SVQCR3535K16-NJ	—	11.9
	SVQCR4040K16-NJ	—	11.9
	SVQCR4545K16-NJ	—	11.9
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	VC1604R400 ZP15	—	4.3
	VC1604R500 ZP15	—	4.3
	VC1604R600 ZP15	—	4.3
	VC1604R700 ZP15	—	4.3
	SGIVFR16Q16	—	14.3
	SGIVFR20Q16	—	14.3
	SGIVFR25R16	—	16.7
	SGIVFR30R16	—	16.7
	SGIVFR35R16	—	16.7
	SGIVFR40R16	—	16.7


Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn


MaiFix® External Cylindrical Ho Jala Tooling ea ho Fetola

tšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Slot width inventory 0.3-3.2mm
Ho teba ho khethiloeng ha khetho 0.3-3.2mm
Boitsebiso bo tlalehleng bo ka
ho khaola ka tsela e fapaneng

	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFR..			

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL..			


	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S..-KTGFL..			

tšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

Slot width inventory 0.3-3.2mm
Ho teba ho khethiloeng ha khetho 0.3-3.2mm
Boitsebiso bo tlalehleng bo ka
ho khaola ka tsela e fapaneng

	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL..			

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------

	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR..			





	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S..-KTGFR..			





Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

External Cylindrical / Inner Hole Ho Jala Tooling ea ho Fetola **MaiFix®**

External Cylindrical/Inner Hole Grooving Turning Tool

Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Slot width inventory 1.0-4.8mm Ho teba ho khethiloeng ha khetho 2.0-5.0 mm Boitsebiso bo tloaelehileng bo ka ho khaola ka tsela e fapaneng			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Slot width inventory 1.0-4.8mm Ho teba ho khethiloeng ha khetho 2.0-5.0 mm Boitsebiso bo tloaelehileng bo ka ho khaola ka tsela e fapaneng			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3

Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	— — —	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	— — — — —	11.9 11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	— — —	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	— — —	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	— — —	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	— — —	9.0 11.0 13.1

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

litšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
Letšepe la Letlape le Thatafalooa Lisebelisoa tsa ho qeta Machining	MGMN150 CBN1 MGMN200 CBN1 MGMN250 CBN1 MGMN300 CBN1 MGMN400 CBN1 MGMN500 CBN1	1.5 2.0 2.5 3.0 4.0 5.0	6.9 6.9 6.9 6.9 6.9 6.9
Copper And Aluminum Qetella Machining	MGMN150 PCD1 MGMN200 PCD1 MGMN250 PCD1 MGMN300 PCD1 MGMN400 PCD1	1.5 2.0 2.5 3.0 4.0	6.9 6.9 6.9 6.9 6.9
Ho Phekola / Ho Khaola Lithlapi	MGGN300 ZP15 MGGN400 ZP15	3.0 4.0	1.6 1.7
8° Taper Tšebeliso ea ho khaola	MGGN200-Q ZP15 MGGN300-Q ZP15	2.0 3.0	1.7 1.7
Copper or Aluminum Ho Phekola / Ho Khaola Lithlapi	MGGN200 ZK01 MGGN300 ZK01 MGGN400 ZK01	2.0 3.0 4.0	1.7 1.9 2.3
Ho Phekola / Ho Khaola Lithlapi	MGGN150 ZP30 MGGN200 ZP30 MGGN250 ZP30 MGGN300 ZP30 MGGN400 ZP30 MGGN500 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.7 1.7 2.0 2.7
8° Taper Tšebeliso ea ho khaola	MGGN150R-8 ZP30 MGGN200R-8 ZP30 MGGN250R-8 ZP30 MGGN300R-8 ZP30 MGGN400R-8 ZP30 MGGN500R-8 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.9 2.0 2.4 3.1
8° Taper Tšebeliso ea ho khaola	MGGN150L-8 ZP30 MGGN200L-8 ZP30 MGGN250L-8 ZP30 MGGN300L-8 ZP30 MGGN400L-8 ZP30	1.5 2.0 2.5 3.0 4.0	1.7 1.7 1.9 2.0 2.4
-G -M Copper or Aluminum Ho Phekola / Ho Khaola Lithlapi	MGMN150-G ZK01 MGMN200-G ZK01 MGMN200-M ZK01 MGMN300-M ZK01 MGMN400-M ZK01	1.5 2.0 2.0 3.0 4.0	1.7 1.7 1.7 1.7 2.0
Cermet Medium to E ntle Lisebelisoa tsa Steel li na le Lilemo Tse Fele	MGMN200-G ZN60 MGMN300-M ZN60 MGMN400-M ZN60 MGMN500-M ZN60	2.0 3.0 4.0 5.0	1.4 1.7 2.0 2.7
-H -T Tšepa e sa beng le mabali Ho Phekola / Ho Khaola Lithlapi	MGMN200-T ZP30 MGMN300-T ZP30 MGMN400-T ZP30 MGMN300-H ZP30	2.0 3.0 4.0 3.0	1.6 1.6 2.0 1.6
-G -M Steel Grooving /Tšebeliso ea ho khaola	MGMN200-G ZP20 MGMN250-G ZP20 MGMN250-M ZP20 MGMN300-M ZP20 MGMN400-M ZP20	2.0 2.5 2.5 3.0 4.0	1.6 1.6 1.6 1.6 2.0
-G -M Hard steel Grooving /Tšebeliso ea ho khaola	MGMN150-G ZP30 MGMN200-M ZP30 MGMN200-G ZP30 MGMN250-M ZP30 MGMN250-G ZP30 MGMN300-M ZP30 MGMN400-M ZP30 MGMN500-M ZP30	1.5 2.0 2.0 2.5 2.5 3.0 4.0 5.0	1.6 1.6 1.6 1.6 1.6 1.6 2.0 2.7





litšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
-G -M Qetella Grooving Ho Profiling of Steel Parts	MRMN200-G ZP30 MRMN200-M ZP30 MRMN300-M ZP30 MRMN400-M ZP30	R1.0 R1.0 R1.5 R2.0	1.6 1.6 1.6 2.0
Letšepe la Letlape le Thatafalooa Lisebelisoa tsa ho qeta Machining	MRMN400 CBN1	R2.0	6.9
Cylindrical Grooving / Cut-Off	MGEHR1010-1.5 MGEHR1010-2 MGEHR1212-1.5 MGEHR1212-2 MGEHR1212-3 MGEHR1616-1.5 MGEHR1616-2 MGEHR1616-2.5 MGEHR1616-3 MGEHR1616-4 MGEHR2020-1.5 MGEHR2020-2 MGEHR2020-2.5 MGEHR2020-3 MGEHR2020-4 MGEHR2020-5 MGEHR2020-6 MGEHR2525-1.5 MGEHR2525-2 MGEHR2525-2.5 MGEHR2525-3 MGEHR2525-4 MGEHR2525-5 MGEHR2525-6 MGEHR3232-2 MGEHR3232-3 MGEHR3232-4 MGEHR3232-5 MGEHR3232-6	1.5 2.0 1.5 2.0 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 2.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 8.3 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 16.4 17.9
Spring Steel	MGEHR1010-1.5T12 MGEHR1010-2T12 MGEHR1212-1.5T12 MGEHR1212-2T12 MGEHR1616-1.5T13 MGEHR1616-2T16 MGEHR1616-2.5T18 MGEHR1616-3T12 MGEHR1616-3T20 MGEHR1616-4T20 MGEHR2020-1.5T13 MGEHR2020-2T16 MGEHR2020-3T20 MGEHR2020-4T20 MGEHR2525-3T20 MGEHR2525-4T20	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 3.0 4.0 1.5 2.0 3.0 4.0 3.0 4.0	10.7 10.7 9.6 9.6 9.0 9.0 9.0 9.0 9.0 9.0 9.6 9.6 9.6 9.6 11.0 11.0
Cylindrical Grooving / Cut-Off	MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 17.9
Cylindrical Grooving / Cut-Off			

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>



Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
  Machining Circular Ho hola ka sefahleho sa ho qetela	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
  Machining Circular Ho hola ka sefahleho sa ho qetela	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
  Machining Circular Ho hola ka sefahleho sa ho qetela	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
 Cylindrical Grooving	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
 Cylindrical Grooving	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0





Itšoantšo tsa Lihlahisoa	Tlhaloso	Width	USD
 Machining of Inner Hole Grooving	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
 Spring Steel Machining of Inner Hole Grooving	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
 Machining of Inner Hole Grooving	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn


Litšoantšo tsa Lihlahisoa	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
4040R		21.9
S Tlanya Sesebelisoa sa ho Fetolela Cylindrical		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
M Tlanya Sesebelisoa sa ho Fetolela Cylindrical		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
W Tlanya Sesebelisoa sa ho Fetolela Cylindrical		
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
D Tlanya Sesebelisoa sa ho Fetolela Cylindrical		
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
S Tlanya Tool Inner Hole Lathe		
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
	S25	9.7
Spring Steel		
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
High Speed Steel		
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
	C40U	721.1
Cemented Carbide		
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1
	S60W	119.1
	S70X	181.1
S.M. Tlanya Tool Inner Hole Lathe		

Litšoantšo tsa Lihlahisoa	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
	4040R	21.9
ZQ.. Tšoa Tloša Tupa ea ho Fetola		
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
SPB.. Tšoa Tloša Tupa ea ho Fetola		
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
	4040R	32.4
SLTBN.. Tšoa Tloša Tupa ea ho Fetola		
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
MGEHR/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
MGEHR/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	8.6
	2020	8.6
	2525	11.0
	3232	16.4
	4040R	32.4
MGEVR/L.. Tlanya Tool Tool Turning		
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
Spring Steel		
	1616H	9.6
	2020K	10.7
	2525M	12.9
	3232P	20.0
	4040R	32.4
CGWSR/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	10.3
	2020	10.3
	2525	11.9
	3232	20.0
	4040R	32.4
GY2M.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
KGMR/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
TTER/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	16	14.3
	20	16.7
	25	19.0
	32	25.7
	40	54.3
TTIR/L.. Type Inner Hole /Ho Jala Tooling ea ho Fetola		






Litšoantšo tsa Lihlahisoa	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
	4040R	21.9
KTGFR/L.. Tlanya Tool Tool Turning		
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
KTGFR/L.. Tlanya Tool Tool Turning		
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
KTGFSR/L.. Tlanya Tool Tool Turning		
	1616	6.7
	2020	6.7
	2525	8.9
	3232	16.4
	4040R	32.4
SGBR/L.. Tlanya Tool Tool Turning		
	1616	9.0
	2020	9.0
	2525	11.9
	3232	20.0
	4040R	32.4
SGBSR/L.. Tlanya Tool Tool Turning		
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
	4040R	32.4
CGBR/L.. Tlanya Tool Tool Turning		
	1616	11.9
	2020	14.3
	2525	17.9
	3232	20.0
	4040R	32.4
CGBSR/L.. Tlanya Tool Tool Turning		
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
	4040R	32.4
QE..R/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	15.3
	2020	16.9
	2525	20.4
	3232	20.0
	4040R	32.4
DGTR/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	28.6
	2020	28.6
	2525	32.4
	3232	20.0
	4040R	32.4
FGHH..R/L.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	35.7
	2020	38.1
	2525	42.9
	3232	20.0
	4040R	32.4
QF.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		
	1616	23.9
	2020	21.9
	2525	23.9
	3232	20.0
	4040R	32.4
MGHH.. Tšoa Khaola /Ho Jala Tooling ea ho Fetola		

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

Litšoantšo tsa Lihlahisoa	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
	MD1103 MD1504 MD1506	0.4 1.0 1.1
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
	MT1603 MT1604 MT2204	0.3 1.1 1.1
	MV1603	0.6
	MW0603 MW0804	0.4 0.6
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1

Litšoantšo tsa Lihlahisoa	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
	WT16 WW08	0.4 0.4
	WC0525E WC0625E	0.4 0.4
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
	DL525 DL625	0.7 0.7
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn


Litšoantšo tsa Lihlahisoa	Tihlalo	R	USD
	APKT113502 CBN1	0.2	6.9
	APKT113504 CBN1	0.4	6.9
	APKT113508 CBN1	0.8	6.9
Qetellong ea Lisebelisoa tsa tšepa le thepa e thata			
	APKT160402 CBN1	0.2	6.9
	APKT160404 CBN1	0.4	6.9
	APKT160408 CBN1	0.8	6.9
Qetellong ea Lisebelisoa tsa tšepa le thepa e thata			
	APKT113502 PCD1	0.2	6.9
	APKT113504 PCD1	0.4	6.9
	APKT113508 PCD1	0.8	6.9
Qetellong ea Copper and Aluminum			
	APKT160402 PCD1	0.2	6.9
	APKT160404 PCD1	0.4	6.9
	APKT160408 PCD1	0.8	6.9
Qetellong ea Copper and Aluminum			
	APKT1135PDER-AL ZK01	0.8	1.4
	APKT1604PDER-G2 ZK01	0.8	1.9
E kholo ea Qetellong ea Copper and Aluminum			
	APKT1604-AL ZK01	0.2	1.9
Qetellong ea Copper and Aluminum			
	APMT1135-TG ZN60	0.8	1.4
	APMT1604-TG ZN60	0.8	1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	APMT1135PDER-M2 ZP25	0.8	1.1
	APMT1604PDER-M2 ZP25	0.8	1.9
Machine a Bohareng a Bofelo			
	APMT1135PDER-H2 ZP25	0.8	1.1
	APMT1604PDER-H2 ZP25	0.8	1.9
Mefuta e Boima e a Machining			
	APMT1135PDER-XM ZP25	0.8	1.1
	APMT1604PDER-XM ZP25	0.8	1.9
Ho sebetsoa ka Boltsebisu bo Kakaretso			
	APMT1135PDER ZM90	0.8	2.0
	APMT1604PDER ZM90	0.8	2.7
Mathata a holimo ka thata ho HRC 62°			
	APMT1135PDER ZP20	0.8	1.6
	APMT1604PDER ZP20	0.8	2.3
Ho sebetsoa ka Boltsebisu bo Kakaretso			
	APMT1135PDER ZP30	0.8	1.6
	APMT1604PDER ZP30	0.8	2.3
Ho sebetsoa ka Boltsebisu bo Kakaretso			
	APMT1135PDER ZP60	0.8	1.4
	APMT1604PDER ZP60	0.8	1.7
Ho sebetsoa ka Boltsebisu bo Kakaretso			

Ho koala leino Lethe Moqhetso oa ho Feia ka Nako e Ntle
Locking Tooth Type Right-Angle End Milling Cutter



Tihlalo	Theko
D x T x M	USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9

BAP Steel Right-Angle
Qetella ho khaola
BAP Steel Right-Angle
End Milling Cutter



Tihlalo	Theko
D x d x T	USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminium Right-Angle Qetella ho khaola
AL-BAP Aluminum Right-Angle End Milling Cutter



Tihlalo	Theko
D x d x T	USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Lahleheloa ke Letsoho la Letsoho la Mochine oa Khase le Letona
Discarded Right-Angle End Milling Cutter Toolholder





Tihlalo	Theko
d x D x L	USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	15.3
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

Moqhetsi oa ho roala ka moriri o koahetsoeng ka mochini Machine-Clamped Round Nose Milling Cutter

MaiFix®

litšoantšo tsa Lihlahisoa	Tlhaloso	R	Theko
	RDMW1204MOT-PM ZP30	R6	1.7
Ho sebetsoa ka Boitsebiso bo Kakaretso	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
E kholo ea Qetellong of Copper and Aluminum			
	RPMW1003MO ZN60 RPMW1003 ZN60 Non Chamfering RPMT1204MO ZN60	R5 R5 R6	1.6 1.3 1.9
Cermet Medium le Steel e ntle Likarolo li Ntle li Feletse			
	RPMT08T2-JS ZP25	R4	1.1
Ho sebetsoa ka Boitsebiso bo Kakaretso	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
Mathata a holimo ka thata ho HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMT1204MO ZP60	R6	1.7
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMT1204-XM ZP25	R6	1.3
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMW1003MO ZM90	R5	1.7
Mathata a holimo ka thata ho HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMW1003MO ZP30	R5	1.3
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMW1003MO ZP60	R5	1.3
Ho sebetsoa ka Boitsebiso bo Kakaretso			
	RPMW1003-XM ZP25	R5	1.3
Ho sebetsoa ka Boitsebiso bo Kakaretso			

Mokhoa oa ho thibela leino Lethong la Nose le Nako ea ho Qala Ho Kholoa
Locking Tooth Type Round Nose End Milling Cutter




Lahleheloa ke Sesebelisoa sa Sesebelisoa sa Mesebelisoa se Phelang ka Nose
Discarded Round Nose End Milling Cutter Toolholder



Tlhaloso D x T x M	Theko USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

EMR Steel Round Nose Qetella ho khaola
EMR Steel Round Nose End Milling Cutter



Tlhaloso D x d x T	Theko USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7



















The Above Tlhaloso Are RP.. Inserts,
RC... / RD... Ho kenya le ho sebetšana, ka kōpo botsa!

The Above Tlhaloso Are RP.. Inserts,
RC... / RD... Inserts and handle, please inquire!


Tlhaloso D x D x L x T	Theko USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1

Ka holimo ho Tlhōlo ha e kenyele likoloi, lekhetho le tefo.
Dilemo ea dollar ea dollar Transaction Theko Chaena.
Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Tihalošo	USD	Product Pictures	Tihalošo	USD	Product Pictures	Tihalošo	USD	Product Pictures	Tihalošo	USD
	Qetellong ea tšephe ea tšephe le lisebelisoa tse thata	7.1		P3200-R4 ZP10	7.4		LNMU0303ZER-MJ			800-08A	
	Qetellong ea Copper and Aluminum	7.1		P3200-R5 ZP10	8.3		PNMU0905GNEN-MJ			800-08T308M-C-G	
	E kholo ea Qetellong ea Copper and Aluminum	1.7		P3200-R6 ZP10	8.3		PNMU0905XNER-GM			800-08T308M-I-G	
	Rough Processing of Boitsebiso bo akaretsang	3.1		P3200-R8 ZP10	9.9		SNMU130508EN-GM			800-09T308H-P-G	
	Machine a Bohareng a Bolelo ea Boitsebiso bo Kakaretso	3.1		P3200-R10 ZP10	11.9		WNMU080608EN-SM			R390-11T308-PM	
	Machine a Bohareng a Bolelo ea Boitsebiso bo Kakaretso	3.1		P3200-R12.5 ZP10	20.3		3PKT100408R-M			SCMT09T308-MM	
				P3200-R15 ZP10	31.1		3PKT150508R-M			S-R215.44-15T364M	
				P3200-R16 ZP10	40.3		3PKT190608R-M			DGN3102C	
				Cutting Below HRC55	17.1		XJMG1204			HNGX0906-FF	
				ZPFG100 ZM55	17.1		WNMX060312ZNN-MM			WNMX09T316ZNN-MM	
				ZPFG120 ZM55	17.1		6NGU060408R-M			6NGU090508R-M	
				ZPFG160 ZM55	20.4		CNHX100508T			CNHX131108T	
				ZPFG200 ZM55	23.9		AXMT060208R-EM			BLMP0603R-M	
				ZPFG250 ZM55	32.4		BLMP0904R-ML			BLMP0904R-ML	
				ZPFG300 ZM55	51.4		BLMP1205R-M			BLMP1205R-M	
				Cutting Below HRC55	17.1		BLMP1306R-M			BLMP1306R-M	
				BNM120 ZM55	17.1		TNGX2207PNTN			TNGX2207PNTN	
				BNM160 ZM55	18.6		ZNHU080-08			ZNHU080-08	
				BNM200 ZM55	23.9		SNMX1205XTN			SEKN1203AFTN-NN	
				BNM250 ZM55	32.4		SOMT050204-DP			SOMT060204-DP	
				BNM300 ZM55	41.0		SOMT070306-DP			SOMT080306-DP	
							SOMT09T308-DP			SOMT11T308-DP	
							AXMT123508PEERG			APKT150412-PM	
							RPHX1204M6EN-M31			SPMT120408-PM	
							XNEX080608-MD15			ONHU060408-PM	
							XOMX180608TR-M14			ONHU08T508-PM	
										KNX-Q7-3.5	

KM Steel 45° Sefahleho sa sefate sa ho roala
KM Steel 45° Face Milling Cutter



Tihalošo DxdT	Theko USD
KM12-50-22-4T	11.9
KM12-63-22-4T	15.3
KM12-80-27-5T	25.4
KM12-100-32-5T	35.7
KM12-125-40-6T	51.0
KM12-160-40-6T	61.1
KM12-200-40-8T	136.0
KM12-250-40-10T	204.0
KM12 300-60-12T	255.0
KM12-50-25.4-4T	13.6
KM12-63-25.4-4T	16.9
KM12-80-25.4-5T	28.9
KM12-100-31.75-5T	39.0

KM Aluminum 45° Face Milling Cutter
KM Aluminum 45° Face Milling Cutter



Tihalošo DxdT	Theko USD
AL-KM12-50-22-4T	16.9
AL-KM12-63-22-4T	22.1
AL-KM12-80-22-5T	30.7
AL-KM12-100-22-5T	54.6
AL-KM12-125-27-6T	85.0
AL-KM12-160-27-6T	95.3
AL-KM12-200-27-8T	204.0
AL-KM12-250-32-10T	272.1
AL-KM12 300-32-12T	340.3
AL-KM12-50-25.4-4T	19.0
AL-KM12-63-25.4-4T	23.1
AL-KM12-80-25.4-5T	32.4
AL-KM12-100-31.75-5T	54.6

E lahilohe Spherical End Milling Toolholder
Discarded Spherical End Milling Toolholder



Tihalošo dxdLxT	Theko USD
T2139 C10-4R-100-1T	8.9
T2139 C12-4R-130-1T	8.9
T2139 C16-4R-150-1T	10.7
T2139 C10-5R-120-1T	8.9
T2139 C12-5R-150-1T	8.9
T2139 C16-5R-150-1T	10.7
T2139 C12-6R-130-1T	8.9
T2139 C12-6R-150-1T	8.9
T2139 C16-6R-150-1T	10.7
T2139 C16-6R-200-1T	12.6
T2139 C16-8R-150-1T	10.0
T2139 C16-8R-200-1T	11.9
T2139 C20-8R-200-1T	16.7
T2139 C25-8R-250-1T	19.7
T2139 C20-10R-150-1T	13.9
T2139 C20-10R-200-1T	16.0
T2139 C25-10R-250-1T	19.7
T2139 C32-10R-300-1T	22.1
T2139 C25-12.5R-150-1T	16.7
T2139 C25-12.5R-200-1T	19.6
T2139 C25-12.5R-250-1T	22.1
T2139 C25-12.5R-300-1T	25.0
T2139 C32-12.5R-300-1T	27.9
T2139 C32-15R-150-1T	18.3
T2139 C32-15R-200-1T	21.0
T2139 C32-15R-250-1T	23.9
T2139 C32-15R-300-1T	26.7
T2139 C32-16R-150-1T	30.4
T2139 C32-16R-200-1T	18.3
T2139 C32-16R-250-1T	21.0
T2139 C32-16R-300-1T	23.9
T2139 C32-16R-350-1T	26.7
T2139 C32-16R-350-1T	30.4
Insert: ZPFG	
ABPF C16-8R-150	23.9
ABPF C16-8R-200	29.7
ABPF C20-10R-150	31.7
ABPF C20-10R-200	37.6
ABPF C25-12.5R-150	39.7
ABPF C25-12.5R-200	49.6
ABPF C25-12.5R-250	55.4
ABPF C32-15R-150	45.7
ABPF C32-15R-200	51.7
ABPF C32-15R-250	59.6
ABPF C32-15R-300	79.3
Insert: BNM	
BNML C12-6R-130-1T	11.9
BNML C12-6R-150-1T	11.9
BNML C16-8R-150-1T	15.0
BNML C16-8R-200-1T	17.9
BNML C20-10R-150-1T	21.0
BNML C20-10R-200-1T	23.9
BNML C25-10R-250-1T	29.7
BNML C25-12.5R-150-1T	25.0
BNML C25-12.5R-200-1T	29.7
BNML C25-12.5R-250-1T	33.3

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgttool.cn


<http://www.mzg.tw>

Kenya Tharollo ea Mofuta o Potlakileng Insert Type Quick Drill

MaiFix®

Ho koala leino Lethe Moqhetso oa ho Fela ka Nako e Ntle

Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Tlhaloso DxTxM	Theko USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Mofuta oa Leino o Koalang Mofuta o Halalelang oa ho Halala

Locking Tooth Type Spherical End Milling Cutter



Tlhaloso DxRxM	Theko USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Ho koala leino Lethe Moqhetso oa ho Fela ka Nako e Ntle

Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Tlhaloso DxTxM	Theko USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Ho koala leino Lethe Moqhetso oa ho Fela ka Nako e Ntle

Locking Tooth Type Right-Angle Qetella ho khaola



Insert: AXMT0602..

Tlhaloso DxTxM	Theko USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Qetella ho khaola

Mofuta oa Leino o Koalang Qetella ea Khale Ho Khaola



Tlhaloso DxTxM	Theko USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

* Mokhoa oa ho thibela meno oa mofuta o thibelang Tlhaloso e felle.
Ka kopo botsa hore Tlhaloso e sa hlalisoa.

* Lock teeth type tool stock Specification are complete.
Please inquire for Tlhaloso not listed.

Litsoantso tsa Lihlahisoa

Tlhaloso	R	USD
WCMX030208 ZP25	0.8	1.4
WCMX040208 ZP25	0.8	1.4
WCMX050308 ZP25	0.8	1.7
WCMX06T308 ZP25	0.8	1.9
WCMX080412 ZP25	1.2	2.6
WCMX030208 ZP30	0.8	2.3
WCMX040208 ZP30	0.8	2.3
WCMX050308 ZP30	0.8	2.4
WCMX06T308 ZP30	0.8	2.6
WCMX080412 ZP30	1.2	3.7
SPMG050204 ZP25	0.4	1.4
SPMG060204 ZP25	0.4	1.4
SPMG07T308 ZP25	0.8	1.7
SPMG090408 ZP25	0.8	1.9
SPMG110408 ZP25	0.8	2.3
SPMG050204 ZP30	0.4	2.7
SPMG060204 ZP30	0.4	2.9
SPMG07T308 ZP30	0.8	2.9
SPMG090408 ZP30	0.8	3.3
SPMG110408 ZP30	0.8	3.6
SPMG140408 ZP30	0.8	5.4

WC Kenya Tharollo ea Potlakase

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Kenya mofuta oa potlakase

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Hape WDXT ../GPMT ... Mofuta o potlakileng oa ho khanna thepa, Mofuthu oa ho botsa!

Plus WDXT../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Ka holimo ho Tlholo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kopo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

soantšoa tsa Lihlahisoa	soa Tihlalo	NO.	Range D	Theko
Tsela e peli e hlakileng Rough Boring Cutter Indexable Two-Edge Rough Boring Cutter	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
Insert:CCMT..	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0

E ntle-Tabiso e hlakileng Ho nepahala Boring Cutter Indexable Fine-Tunable Ho nepahala Boring Cutter	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7
	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9

Boring Tool Tool Boring Tool Clamp	EWN1-1	CK1	20-25	13.1
	CBH1-2	CK2	25-31	13.1
	CBH1-3	CK3	30-36	13.1
	CBH2-1	CK4	25-33	13.1
	CBH2-2	CK5	32-40	13.1
	CBH2-3	CK6	39-47	13.1
	CBH3-1		32-42	13.1
	CBH3-2		41-51	13.1
	CBH3-3		50-60	13.1
	CBH4-1		41-54	13.1
Insert:TP..	CBH4-2		50-63	13.1
	CBH4-3		61-74	13.1
	CBH5-1		53-70	13.1
	CBH5-2		65-82	13.1
	CBH5-3		78-95	13.1
	CBH6-1		68-100	13.1
			100-153	13.1
	CBH6-2		94-126	13.1
			126-179	13.1
	CBH6-3		118-150	13.1
			150-203	13.1

NBH2084 Boring Tool (Boring range:8-280mm)

NBH2084 Boring Tool
(Boring range: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Tihlalo	Range D	Theko
Boring Tool Tool		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

NBJ16 Boring Tool (Boring range:8-50mm)

NBJ16 Boring Tool
(Boring range: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Tihlalo	Range D	Theko
Boring Tool Tool		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Beha Boring Tool

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

Boring e ntle ea HBOR

Khauta (Ho nepahala ka ho hlaka hantle 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Tlhaloso	Range D	Theko
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (Carbide ToolHolder) (CC03)	5-6	123.9
CB06055-26 (Carbide ToolHolder) (CC03)	5.5-6.5	123.9
CB06060-26 (Carbide ToolHolder) (CC03)	6-7	123.9
CB06065-31 (Carbide ToolHolder) (CC03)	6.5-7.5	123.9
CB06070-31 (Carbide ToolHolder) (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Beha Boring Tool

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT30-HBOR50 (06-90) -14P	6-90	1190.4
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) ToolHolder	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
SK30-HBOR50 (06-90) -14P	6-90	1273.9
SK40-HBOR50 (06-90) -14P	6-90	1273.9
SK50-HBOR50 (06-90) ToolHolder	6-90	904.7
SK50-HBOR50 (06-90) -14P	6-90	1273.9
HSK63A-HBOR50 (6-90) -14P	6-90	1309.6

HBOR63 Beha Boring Tool

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories

BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP10150 (TP..11..L)	110-150	47.6

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

BSA Rough Boring Cutter

BSA Rough Boring Cutter

Tihalošo	Theko
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Rough Boring Cutter

BSA Rough Boring Cutter

Tihalošo	Theko
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Rough Boring Cutter

BSB Rough Boring Cutter

Tihalošo	Theko
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Rough Boring Cutter

BSB-LBK Rough Boring Cutter

Tihalošo	Theko
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Rough Boring Cutter Holder

Rough Boring Cutter Holder

Tihalošo	Theko
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Tihalošo	Theko
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Tihalošo	Theko
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Tihalošo	Theko
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Tihalošo	Theko
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Tihalošo	Theko
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder

Tihalošo	Theko
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Extension Rod

LBK Extension Rod

Tihalošo	Theko
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

LBK Sleeve ea ho Fetola

Tihalošo	Theko
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

Tihalošo	Theko
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Tihalošo	Theko
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Tihalošo	Theko
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Tihalošo	Theko
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder

Tihalošo	Theko
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Tihalošo	Theko
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Tihalošo	Theko
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3


CK Extension Rod

CK Extension Rod

Tihalošo	Theko
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9
CK6-6-100	44.7
CK6-6-120	59.6

ER Collet Toolholder

ER Collet Toolholder



Tihalošo NO. xColletxA/MxL	Theko USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	18.6
BT30-ER20-70	19.7
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Tihalošo NO. xColletxA/MxL	Theko USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

ER Collet Extension Toolholder

ER Collet Extension Toolholder



Tihalošo DxColletxA/MxL	Theko USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER Extension Collet

ER Extension Collet



Tihalošo Collet	Ho nepahala 0.01mm	nepahala 0.008mm	nepahala 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Tihalošo Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

FMB Sefahleho sa Lefatše sa ho Felisa Sefahla Holder

FMB Inch Face Milling Tool Holder



Tihalošo NO. xdxL	Theko USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

FMB Metric Face Milling Tool Holder

FMB Metric Face Milling Tool Holder

Tihalošo NO. xdxL	Theko USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imele: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Tool Holder CNC Tool Holder

MaiFix®

GSK High Speed And High Ho nepahala Toolholder
GSK High Speed And High Ho nepahala Toolholder



Tihalošo NO. xColletxL	Theko USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



Tihalošo NO. xMT...xL	Theko USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Powerful Collet Toolholder

C Powerful Collet Toolholder



Tihalošo NO. xColletxL	Theko USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Tool Shank Of Drill Chuck Self-Stress


Tool Shank Of Self-Tightening Drill Chuck



Tihalošo NO. xColletxL	Theko USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Drill Chuck Self-Stress1-13	19.7
Drill Chuck Self-Stress1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

Setsebi sa lithuto tsa morao-rao sa SDC

SDC Back-Pull Collet Toolholder



Tihalošo NO. xColletxL	Theko USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Setsebi sa Tihaseletso ea Tšebeliso ea Tšebeliso ea Tšebeliso

Torsional Tapping Protection Toolholder



Tihalošo NO. xColletxL	Theko USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Setsebi sa Milling Tool Side Holder ea Saw Blade

Side Milling Tool Holder of Saw Blade



Tihalošo NO. xColletxL	Theko USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Sesebelisoa sa "Tool Tool Spindle Test Rod"

Machine Tool Spindle Test Rod



Tihalošo NO. xL	Theko USD
BT30	92.9
BT40	92.9
BT50	131.0

Setebelisoa sa SLN Sehlabele se Tšoanang

SLN Side Fixed Type Toolholder



Tihalošo NO. xdxL	Theko USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT40-SLN40-150	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Ka holimo ho Tihōlo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.


Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

<http://www.mzg.tw>

CNC Tool Tool Puller Bolt
CNC Tool Holder Puller Bolt
45°/60°/90°




CNC Tool Tool Holder
CNC Tool Holder Lockset



CNC Tool Tool Holder
CNC Tool Holder Lockset



CNC Tool Tool Holder
CNC Tool Holder Lockset



Tihalošo	Theko USD	Tihalošo	Theko USD	Tihalošo	Theko USD	Tihalošo	Theko USD
BT30-45°	1.4	NBT30	14.3	ISO20	59.6	BT30	17.9
BT30-60°	1.4			ISO25	59.6	BT40	19.0
BT30-90°	1.9			HSK25	59.6	BT50	38.1
BT40-45°	1.4			HSK32	59.6		
BT40-45° Ka Hole	1.9			HSK40	71.4		
BT40-60°	1.9			HSK50	71.4		
BT40-90°	1.9			HSK63	83.3		
BT50-45°	3.1			HSK100	119.0		
BT50-45° Ka Hole	3.6						
BT50-60°	3.6						
BT50-60° Ka Hole	3.9						
BT50-90°	3.6						
DIN69872-30	3.6						
DIN69872-40	3.6						
DIN69872-50	6.0						
ISO7388-30	4.6						
ISO7388-40	4.6						
ISO7388-50	6.0						
JIS6339-30	3.6						
JIS6339-40	3.6						
JIS6339-50	6.0						
MAZAK-BT40	3.6						
MAZAK-BT50	6.0						

Setši sa Z-Axis Z-Axis Setter	Motlatši oa CNC Edge Finder CNC Edge Finder	Mochine oa Tšepe oa ho Sebelisa Lisebelisoa Machine Tool Spindle Cleaning Rod
		
Photoelectric	Etsa	E tloaelehile Antimagnetic Ceramic Photoelectric

Tihalošo	Theko USD	Tihalošo	Theko USD	Tihalošo NO.	Theko USD
Photoelectric Z-axis Setter	61.9	E tloaelehileng type	2.4	BT30	3.9
Etsa Z-axis Setter	66.7	Antimagnetic type	3.6	BT40	3.9
		Magnet e entsoeng ka Ceramic type	13.3	BT50	5.4
		Photoelectric type			

Lathe Chuck Sets Lathe Chuck Accessories

MaiFix®

Tlhaloso	1 JAWS	Theko	2 JAWS	Theko	3 JAWS	Theko	4 JAWS	Theko
Hollow Hydraulic Chuck	4 inch		SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch		SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch		SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch		SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch		SBL-210	697.6	SB-210	697.6	SBS-210	800.0
	12 inch		SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch		SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Ho Tloha Ho Hoholo Large Aperture Hollow Hydraulic Chuck	6 inch		2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	8 inch		2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
	10 inch		2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Long Stroke Hollow Hydraulic Chuck	6 inch				3JDB-206	988.1		
	8 inch				3JDB-208	1121.4		
	10 inch				3JDB-210	1258.3		
Hollow Half-Through Chuck ea matsoafo	5 inch		SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch		SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch		SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10 inch		SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Solid Hydraulic Chuck	4 inch		JNL-04	428.6	JN-04	401.1		
	5 inch		JNL-05	452.4	JN-05	409.6		
	6 inch		JNL-06	500.0	JN-06	459.6		
	8 inch		JNL-08	547.6	JN-08	511.9		
	10 inch		JNL-10	714.3	JN-10	666.7		
	12 inch		JNL-12	1119.0	JN-12	1088.1		
	15 inch		JNL-15		JN-15	2309.6		
Long Stroke Solid Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3	
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9	
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7	
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0	
Long Stroke Hollow Hydraulic Chuck	6 inch				JLS-206	892.9		
	8 inch				JLS-208	940.4		
	10 inch				JLS-210	1038.1		

Chuck T Block

Chuck T Block



Litekanyo	Theko USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Chuck Jaw Fixing Plate


Chuck Jaw Fixing Plate



Litekanyo	Theko USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Solid Hydraulic Rotary Cylinder

Solid Hydraulic Rotary Cylinder



Litekanyo	Theko USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Hollow Hydraulic Rotary Cylinder

Hollow Hydraulic Rotary Cylinder



Litekanyo	Theko USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Chuck Connecting Disc

Chuck Connecting Disc



Litekanyo	Theko USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Tšepe e Thata Bakeng sa Likokoana-hloko tsa Hydraulic

Hard Jaw For Hydraulic Chucks



Litekanyo	Theko USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Motsoako o Soft Fan bakeng sa Hydraulic Chucks

Fan Soft Jaw For Hydraulic Chucks




Litekanyo	Theko USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

Tlhaloso	1 JAWS	Theko	2 JAWS	Theko	3 JAWS	Theko	4 JAWS	Theko
Matšelis								
Solid Hydraulic Chuck	6 inch	3GB-06	720.3					
Compensation Solid Hydraulic Chuck	8 inch	3GB-08	839.3					
VertiCal	5 inch		JYL-05	738.1	JY-05	714.3	JYS-05	833.3
Hollow Hydraulic Chuck	6 inch		JYL-06	785.7	JY-06	761.9	JYS-06	904.7
Vertical Hollow Hydraulic Chuck	8 inch		JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch		JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Half-Through	5 inch		SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
Chuck ea Pneumatic Vertical	6 inch		SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
Hollow Half-Through	8 inch		SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
Vertical Chuck ea matsoafo	10 inch		SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Tšepe e Soft For Hydraulic Chucks

Soft Jaw For Hydraulic Chucks



5 Tšela e Mokhutšoanyane ea Moriana Bakeng sa Likokoana-hloko tsa Hydraulic	6 Tšela e Mokhutšoanyane ea Moriana Bakeng sa Likokoana-hloko tsa Hydraulic	8 Tšela e Mokhutšoanyane ea Moriana Bakeng sa Likokoana-hloko tsa Hydraulic	10 Tšela e Mokhutšoanyane ea Moriana Bakeng sa Likokoana-hloko tsa Hydraulic	12 Tšela e Mokhutšoanyane ea Moriana Bakeng sa Likokoana-hloko tsa Hydraulic
5 Inch Soft Jaw For Hydraulic Chucks	6 Inch Soft Jaw For Hydraulic Chucks	8 Inch Soft Jaw For Hydraulic Chucks	10 Inch Soft Jaw For Hydraulic Chucks	12 Inch Soft Jaw For Hydraulic Chucks

Litekanyo	H	Theko USD	Litekanyo	H	Theko USD	Litekanyo	H	Theko USD	Litekanyo	H	Theko USD	Litekanyo	H	Theko USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

Ka holimo ho Tlholo ha e kenyele likoloi, lekhetho le tefo.

Dilemo ea dollar ea dollar Transaction Theko Chaena.

Haeba U na le Lipotso, Ka kōpo Imeile: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price



E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Scanning, Contact Us

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn