

Machine Tools Price

Machine Tools Price

E-mail: eva@mzgtool.cn



Kubva, Taura nesu

Scanning , Contact Us

P01. Carbide Milling Cutter
Carbide Milling Cutter



P02. Cemented Carbide Cutter
Cemented Carbide Cutter



P03. Extrusion Screw Tap
Extrusion Screw Tap



P04. Apex Tap
Apex Tap



P05. Spiral Grooved Tap
Spiral Grooved Tap



P06. Simba Tap / Circular Die
Hand Tap/Circular Die




P07. CCMT.. CNMG..



P08. DCMT.. DNMG..



P09. SCMT.. SNMG..



P10. TPGT.. TNMG..



P11. VBMT.. VNMG..



P12. WNMG.. WNMG..



P13. Thread Turning Tool
Thread Turning Tool



P14. Cut-Off / Grooving / Back Kuchinja Kwezvikamu Zvidiki
Cut-Off/Grooving/Back Turning Of Small Parts



P15. Kunze kweCylindrical Kugadzira Turning Tool
External Cylindrical Grooving Turning Tool



P16. External Cylindrical / Inner Hole Kugadzira Turning Tool
External Cylindrical/Inner Hole Kugadzira Turning Tool3



P17. Grooving / Cut-Off Kutora Chimbo
Grooving/Cut-Off Turning Tool



P18. Kuguma Nayo / Inner Hole Kugadzira Turning Tool
End Face/Inner Hole Kugadzira Turning Tool



P19. CNC Turning Tool
CNC Turning Tool



P20. CNC Turning Tool Parts
CNC Turning Tool Parts



P21. BAP Yakarurama-Angle Milling Cutter
BAP Yakarurama-Angle Milling Cutter



P22. Machine-Clamped Round Nose Milling Cutter
Machine-Clamped Round Nose Milling Cutter



P23. KM12.. SEHT.. T2139.. P3200..



P24. Kuvhara Jino Rudzi Rucheka
Locking Tooth Type Cutter



Isa Chete Quick Drill
Insert Type Quick Drill

P25. Boring Tool
Boring Tool



P26. Boring Tool Chirongwa
Boring Tool Holder



P27. ER.. FMA/B..



P28. GSK.. ADS.. APU..



P29. CNC Chirongwa Chekushandisa Zvimwe
CNC Tool Holder Accessories



P30. Lathe Chuck Accessories
Lathe Chuck Accessories




Professional Turning, Milling, Threading uye Boring Hole Processing Tool Kugadzirisa.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



The L1 Ubude Chekucheka Mucheka Nehutano Hwega Hungave Hwakasana

The L1 Length Of Milling Cutter With Different Handedness, May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter R1xDxL
---	-----------------------------------

1. 0x3xD4x50	R0. 5x2xD4x50
1. 5x4xD4x50	R0. 75x3xD4x50
2. 0x6xD4x50	R1. 0x4xD4x50
2. 5x8xD4x50	R1. 25x5xD4x50
3. 0x8xD3x50	R1. 5x6xD3x50
3. 0x12xD3x75	R1. 5x6xD3x75
3. 0x15xD3x100	R1. 5x6xD3x100
3. 0x8xD4x50	R1. 5x6xD4x50
3. 5x10xD4x50	R1. 75x7xD4x50
4. 0x10xD4x50	R2. 0x8xD4x50
4. 0x20xD4x75	R2. 0x8xD4x75
4. 0x25xD4x100	R2. 0x8xD4x100
5. 0x13xD5x50	R2. 5x10xD5x50
5. 0x13xD5x75	R2. 5x10xD5x75
5. 0x13xD5x100	R2. 5x10xD5x100
5. 0x13xD6x50	R2. 5x10xD6x50
6. 0x15xD6x50	R3. 0x12xD6x50
6. 0x20xD6x75	R3. 0x12xD6x75
6. 0x30xD6x100	R3. 0x12xD6x100
6. 0x30xD6x150	R3. 0x12xD6x150
8. 0x20xD8x60	R4. 0x16xD8x60
8. 0x25xD8x75	R4. 0x16xD8x75
8. 0x35xD8x100	R4. 0x16xD8x100
8. 0x40xD8x150	R4. 0x16xD8x150
10x25xD10x75	R5. 0x20xD10x75
10x40xD10x100	R5. 0x20xD10x100
10x45xD10x150	R5. 0x20xD10x150
12x30xD12x75	R6. 0x24xD12x75
12x45xD12x100	R6. 0x24xD12x100
12x50xD12x150	R6. 0x24xD12x150
14x35xD14x80	R7. 0x28xD14x80
14x40xD14x100	R7. 0x28xD14x100
14x60xD14x150	R7. 0x28xD14x150
16x40xD16x100	R8. 0x32xD16x100
16x65xD16x150	R8. 0x32xD16x150
18x40xD18x100	R9. 0x36xD18x100
18x65xD18x150	R9. 0x36xD18x150
20x40xD20x100	R10x40xD20x100
20x65xD20x150	R10x40xD20x150


Black Coatings Inogona Kucheka
Sirivha Pasi 45HRC

Black Coatings Can Cut
Steel Below 45 HRC




Copper Coatings Inogona Kucheka
Sirivha Pasi 55HRC

Copper Coatings Can Cut
Steel Below 55 HRC




Nano Black Coatings Inogona Kucheka
Sirivha Pasi 58HRC

Nano Black Coatings Can Cut
Steel Below 58 HRC



Nano Copper Mpendero Inogona Kucheka
Sirivha Pasi 60HRC

Nano Copper Coatings Can Cut
Steel Below 60 HRC



Nano Blue Coatings Can
Dzinga Siri Pasi Pasi 65HRC

Nano Blue Coatings Can Cut
Steel Below 65 HRC



55° Decimal Point Hasi-Standard Flat-End Milling Cutter

55° Decimal Point Non-Standard Flat-End Milling Cutter



55° Decimal Point Hasi-Standard Ball End Milling Cutter

55° Decimal Point Non-Standard Ball End Milling Cutter




Small Diameter Long Neck Flat-End Milling Cutter

Inogona Kugadzira Soro Pasi 60HRC

Small Diameter Long Neck Flat-End Milling Cutter

Can Cut Steel Below 60 HRC




Dhiziro Duku Kure Neck Ball-End Milling Cutter

Inogona Kugadzira Soro Pasi 60HRC

Small Diameter Long Neck Ball-End Milling Cutter

Can Cut Steel Below 60 HRC



Tsanangudzo RxDxL	Mutengo
D1. 1-D3. 9xD4x50	4.3
D4. 1-D5. 9xD6x50	6.9
D6. 1-D7. 9xD8x60	12.4
D8. 1-D9. 9xD10x75	20.4
D10. 1-D11. 9xD12x75	29.0
Chikamu chimwe nechimwe chezivyorwa pamusoro 0.1mm	
D1. 0-D3. 0xD4x75	6.0
D1. 0-D3. 0xD4x100	6.4
D1. 0-D4. 0xD6x50	6.4
D1. 0-D5. 0xD6x75	9.6
D1. 0-D5. 0xD6x100	11.9
Chikamu chimwe nechimwe chezivyorwa pamusoro 0.5mm	
D2x2x50	4.7
D4x15xD4x50	4.0
D6x20xD6x50	6.9
D8x30xD8x60	12.4
D8x40xD8x120	20.7
D8x200	43.6
D10x30xD10x75	20.4
D10x35xD10x75	20.4
D10x50xD10x100	26.1
D10x45xD10x120	32.4
D10x200	64.3
D12x35xD12x75	27.4
D12x50xD12x100	34.7
D12x45xD12x120	42.9
D12x200	86.9
D13x14x100	54.7
D15x16x100	66.7
D16x50xD16x100	63.1
D16x200	154.7
D20x200	222.9


Tsanangudzo RxDxL	Mutengo
R0. 6-R1. 9xD4x50	4.7
Chikamu chimwe nechimwe chezivyorwa pamusoro 0.1mm	
R0. 5-R1. 5xD4x75	6.9
R0. 5-R1. 5xD4x100	7.6
R0. 5-R2. 0xD6x50	7.6
R0. 5-R2. 5xD6x75	10.7
R0. 5-R2. 5xD6x100	12.6
Chikamu chimwe nechimwe chezivyorwa pamusoro 0.25mm	
R4x120	20.7
R4x200	43.6
R5x120	32.4
R5x200	40.3
R6x120	42.6
R6x200	86.9
R8x200	154.7
R10x200	222.9

Micro-Diameter Flat-End Milling Cutter Inogona Kucheka

Sirivha Pasi 60HRC

Micro-Diameter Flat-End Milling Cutter Can Cut

Steel Below 60 HRC



Tsanangudzo D1xD.L	AL	Zvipfeko
0. 3xD4x50	4.6	5.3
0. 4xD4x50	4.6	5.3
0. 5xD4x50	4.6	5.3
0. 6xD6x50	4.6	5.3
0. 7xD6x50	4.6	5.3
0. 8xD8x50	4.6	5.3
0. 9xD8x50	4.6	5.3

D1	L1	AL	Zvipfeko
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Micro-Diameter Ball-End Milling Cutter Inogona Kucheka

Sirivha Pasi 60HRC

Micro-Diameter Ball-End Milling Cutter Can Cut

Steel Below 60 HRC



Tsanangudzo R.DxL	AL	Zvipfeko
R0. 15xD4x50	5.3	5.4
R0. 2xD4x50	5.3	5.4
R0. 25xD4x50	5.3	5.4
R0. 3xD6x50	5.3	5.4
R0. 35xD6x50	5.3	5.4
R0. 4xD8x50	5.3	5.4
R0. 45xD8x50	5.3	5.4

D1	L1	AL	Zvipfeko
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	10/12/15/20	4.6	5.3


Dhiziro Duku Kureba Neck Round Nose Flat End Milling Cutter

Small Diameter Long Neck Round Nose Flat End Milling Cutter



D1xR	L1	Zvipfeko
D1R0. 1	4/6/8/10	10.3
D1R0. 2	4/6/8/10	10.3
D1. 5R0. 1	6/8/10/12	10.3
D1. 5R0. 2	6/8/10/12	10.3
D2R0. 1	8/10/12/16	10.3
D2R0. 2	8/10/12/16	10.3
D3R0. 2	12/16/20	19.3
D3R0. 5	12/16/20	19.3
D3R0. 5	26/30	24.6
D4R0. 2	16/20	19.3
D4R0. 5	16/20	19.3
D4R0. 5	26/30	24.6

Single-Edge Acrylic / Aluminium Milling Cutter Single-Edge Acrylic / Aluminium Milling Cutter



Kuyera D1xL1xDxL	General	Polishing	AL Polishing
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

3-Edged Taper Milling Cutter Kwa Tungsten Sirasi Inogona Kugadzira Siriri Pasi 55 HRC 3-Edged Taper Milling Cutter For Tungsten Sirasi Inogona Kugadzira Siriri Pasi 55 HRC




Kuyera D1xα°xL1xL1xD2xDxLx3F	Muteng USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Tungsten Steel Inner R Milling Cutter
Inogona Kugadzira Soro Pasi 55HRC
Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Kuyera D1RxDxL	Muteng USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	

Tungsten Steel Dovetail Groove Milling
Mucheka Unogona Kucheka Soro Pasi 60HRC
Tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Kuyera D1xα°xL1xL1xD2xDxLx3F	Muteng USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Special Milling Cutter yeTungsten
Sirirwe Inverted Cone Die Frame
Inogona Kugadzira Soro Pasi 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Kuyera D1xL1xDxL	Muteng USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9


Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point Uye
Chamfer Can Cut Steel Pasi 58HRC

Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Kuyera DxL	AL	Zvipfeko
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tungsten Steel T-Groove Side Milling Mucheka Unogona Kucheka Soro Pasi 55HRC Tungsten Steel T-Groove Side Milling Cutter Can Cut Steel Below 55 HRC



Kuyera D1RxDxL	Muteng USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x1. 5HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x1. 5HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x1. 5HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4x10x75	24.6
D10x1HxD4x10x75	24.6
D10x1. 5HxD4x10x75	24.6
D10x2HxD4x10x75	24.6
D10x3HxD4x10x75	24.6
D12x0. 5HxD5x12x75	31.9
D12x1HxD5x12x75	31.9
D12x1. 5HxD5x12x75	31.9
D12x2HxD5x12x75	31.9
D12x3HxD5x12x75	31.9

Tungsten Steel Yakarurama Groove
Chamfer Cutter Inogona Kucheka Siriri
Pasi pe 58HRC (60° / 90° / 120°)

Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC(60°/90°/120°)



Kuyera DxL	AL	Zvipfeko
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Tungsten Steel Fixed-point Drill Dual
Shandisa Fixed Point Uye Chamfer Can Cut
Sirirwa Pasi 58HRC

Tungsten Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Kuyera D1xL1xDxL	Muteng USD
---------------------	---------------

Kuyera DxL	AL	Zvipfeko
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Spiral-Yakagadzirwa Tungsten Steel Reamer Inogona Kugadzira Soro Pasi 55HRC Spiral-Edged Tungsten Steel Reamer Can Cut Steel Below 55 HRC



Kuyera D1xL1xDxLxT	Muteng USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7


Yakarurama-Yakasanga Tungsten Steel Reamer
Inogona Kugadzira Soro Pasi 55HRC

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Kuyera D1xL1xDxLxT	Muteng USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Tungsten Steel Drills Tungsten Steel Drills



Kuyera	Muteng USD
D1. 0-D1. 5	1.9
D1. 6-D2. 0	2.4
D2. 1-D2. 5	2.6
D2. 6-D3. 0	3.3
D3. 1-D3. 5	4.0
D3. 6-D4. 0	4.7
D4. 1-D4. 5	5.4
D4. 6-D5. 0	6.9
D5. 1-D5. 5	7.9
D5. 6-D6. 0	9.6
D6. 1-D6. 5	11.1
D6. 6-D7. 0	12.9
D7. 1-D7. 5	16.9
D7. 6-D8. 0	18.9
D8. 1-D8. 5	22.4
D8. 6-D9. 0	24.7
D9. 1-D9. 5	28.3
D9. 6-D10. 0	30.7
D10. 1-D10. 5	35.7
D10. 6-D11. 0	37.4
D11. 1-D11. 5	46.0
D11. 6-D12. 0	50.0

Tungsten Steel Bar Tungsten Steel Bar



Kuyera DxL	55° USD	60° USD
D3x100L	2.4	3.6
D4x100L	3.9	6.0
D5x100L	6.1	7.4
D6x100L	7.4	8.6
D8x100L	14.3	21.1
D10x100L	21.4	32.4
D12x100L	31.1	46.9

Extrusion Screw Tap

Extrusion Screw Tap



Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	Shape	chena	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L Kudzokorora Meso	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L Kudzokorora Meso	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L Kudzokorora Meso	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	Shape	chena	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	9.7
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L Kudzokorora Meso	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L Kudzokorora Meso	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L Kudzokorora Meso	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
M5. 0x0. 8	RH6	P	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L Kudzokorora Meso	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L Kudzokorora Meso	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L Kudzokorora Meso	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L Kudzokorora Meso	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L Kudzokorora Meso	RH7	B	14.0	16.1

Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	Shape	chena	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L Kudzokorora Meso	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L Kudzokorora Meso	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L Kudzokorora Meso	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L Kudzokorora Meso	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L Kudzokorora Meso	RH7	B	11.1	12.6
UNC5/16-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L Kudzokorora Meso	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Apex Tap Apex Tap



chena



Tin

Thread x Nzvimbo x Kureba (/ Kudzororora Meso)	Precision	Shape	chena	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x Nzvimbo x Kureba (/ Kudzororora Meso)	Precision	Shape	chena	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNEF1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x Nzvimbo x Kureba (/ Kudzororora Meso)	Precision	Shape	chena	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Spiral Grooved Tap



chena



Tin

Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	chena	T in
M1. 0x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 2x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 4x0. 2	P1	6.7	7.4
M1. 4x0. 3	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 5x0. 3	P1	6.7	7.4
M1. 6x0. 2	P1	6.7	7.4
M1. 6x0. 35	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 6x0. 35-HT <i>Sheath</i>	1B	6.7	6.9
M1. 7x0. 2	P1	6.7	7.4
M1. 7x0. 35	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 8x0. 2	P1	6.7	7.4
M1. 8x0. 35	P1	5.7	6.7
M2. 0x0. 25	P1	6.7	7.4
M2. 0x0. 4	+0. 1	5.3	6.0
	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
M2. 0x0. 4-100L	P4	4.7	5.4
M2. 0x0. 4-100L	9.3		
M2. 0x0. 4-AL	P1	4.7	4.7
M2. 0x0. 4-HT <i>Sheath</i>	1B	5.4	6.7
M2. 0x0. 4L <i>Kudzokorora Meso</i>	P1	5.7	6.7
M2. 2x0. 25	P1	6.7	7.4
M2. 2x0. 45	P1	4.7	5.4
M2. 3x0. 4	P1	4.7	5.4
M2. 3x0. 4L <i>Kudzokorora Meso</i>	P1	5.7	6.7
M2. 5x0. 35	P1	6.7	7.4
M2. 5x0. 45	+0. 1	5.3	6.0
	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
M2. 5x0. 45-100L	P4	4.7	5.4
M2. 5x0. 45-100L	9.3		
M2. 5x0. 45-AL	P1	4.7	4.7
M2. 5x0. 45-HT <i>Sheath</i>	1B	5.4	6.7
M2. 5x0. 45L <i>Kudzokorora Meso</i>	P1	5.7	6.7
M2. 6x0. 35	P1	6.7	7.4
M2. 6x0. 45	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M2. 6x0. 45-100L	9.3		
M2. 6x0. 45L <i>Kudzokorora Meso</i>	P1	5.7	6.7
M3. 0x0. 35	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M3. 0x0. 35L <i>Kudzokorora Meso</i>	P2	5.7	6.7
M3. 0x0. 5	+0. 1	4.7	5.4
	P1	4	4.7
	P2	4	4.7
	P3	4	4.7
M3. 0x0. 5-100L	P4	4	4.7
M3. 0x0. 5-100L	9.3		
M3. 0x0. 5-150L	17.1		
M3. 0x0. 5-AL	P2	4	4.0
M3. 0x0. 5-HT <i>Sheath</i>	1B	4.7	6.1
M3. 0x0. 5L <i>Kudzokorora Meso</i>	P2	4.7	5.4
M3. 5x0. 6-100L		9.3	
M4. 0x0. 35	P2	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M4. 0x0. 5L <i>Kudzokorora Meso</i>	P2	5.7	6.7

Thread x Nzvimbo x Kureba (/Kudzokorora Meso)	Precision	chena	T in
M4. 0x0. 7	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 4. 7 4. 7 4. 7
M4. 0x0. 7-100L		9. 3	
M4. 0x0. 7-150L		17. 1	
M4. 0x0. 7-AL	P2	4	4
M4. 0x0. 7-HT <i>Sheath</i>	1B	4. 7	6. 1
M4. 0x0. 7L <i>Kudzokorora Meso</i>	P2	4. 7	5. 7
M5. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 4 5. 4
M5. 0x0. 5L <i>Kudzokorora Meso</i>	P2	5. 7	6. 9
M5. 0x0. 8	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 4. 7 4. 7 4. 7
M5. 0x0. 8-100L		9. 6	
M5. 0x0. 8-150L		17. 9	
M5. 0x0. 8-AL	P2	4	4
M5. 0x0. 8-HT <i>Sheath</i>	1B	4. 7	6. 1
M5. 0x0. 8L <i>Kudzokorora Meso</i>	P2	4. 7	5. 7
M6. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 7 5. 7
M6. 0x0. 5L <i>Kudzokorora Meso</i>	P2	5. 7	6. 9
M6. 0x0. 75	P2 P3 P4	4. 7 4. 7 4. 7	5. 7 5. 7 5. 7
M6. 0x0. 75L <i>Kudzokorora Meso</i>	P2	5. 7	6. 9
M6. 0x1. 0	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5 5 5
M6. 0x1. 0-100L		9. 6	
M6. 0x1. 0-150L		17. 9	
M6. 0x1. 0-AL	P2	4	4
M6. 0x1. 0-HT <i>Sheath</i>	1B	4. 7	6. 1
M6. 0x1. 0L <i>Kudzokorora Meso</i>	P2	4. 7	5. 7
M7. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M7. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M7. 0x0. 75L <i>Kudzokorora Meso</i>	P2	7. 9	9. 3
M7. 0x1. 0	P2 P4	6 6	7. 4 7. 4
M7. 0x1. 0L <i>Kudzokorora Meso</i>	P2	7. 4	8. 6
M8. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75L <i>Kudzokorora Meso</i>	P2	7. 9	9. 3
M8. 0x1. 0	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x1. 0L <i>Kudzokorora Meso</i>	P2	7. 9	9. 3
M8. 0x1. 25	+0. 1 P2 P3 P4	6. 7 6 6 6	7. 9 7. 4 7. 4 7. 4
M8. 0x1. 25-100L		12. 6	
M8. 0x1. 25-150L		18. 3	
M8. 0x1. 25-AL	P2		6
M8. 0x1. 25-HT <i>Sheath</i>	1B	7. 4	7. 9
M8. 0x1. 25L <i>Kudzokorora Meso</i>	P2	7. 4	8. 6
M9. 0x0. 5	P2	7. 9	9. 6
M9. 0x0. 75	P2	7. 9	9. 6
M9. 0x1. 0	P2	7. 9	9. 6
M9. 0x1. 0L <i>Kudzokorora Meso</i>	P2	10	11. 4
M9. 0x1. 25	P2	7. 9	9. 6
M10x0. 5	P2	8. 3	10
M10x0. 75	P2 P4	8. 3 8. 3	10 10
M10x0. 75L <i>Kudzokorora Meso</i>	P2	10	11. 4
M10x1. 0	P2	8. 3	10
M10x1. 0L <i>Kudzokorora Meso</i>	P2	8. 3	10
M10x1. 25	P2 P4	10 8. 3	11. 4 10
M10x1. 25L <i>Kudzokorora Meso</i>	P2	10	11. 4
M10x1. 5	+0. 1 P2 P3 P4	8. 3 7. 9 7. 9 7. 9	10 9. 6 9. 6 9. 6
M10x1. 5-100L		14. 6	
M10x1. 5-150L		19. 7	
M10x1. 5-AL	P2		7. 9
M10x1. 5-HT <i>Sheath</i>	1B	9. 3	10
M10x1. 5L <i>Kudzokorora Meso</i>	P2	9. 6	11
M11x0. 5	P2	11	13. 1
M11x0. 75	P2	11	13. 1
M11x1. 0	P2	11	13. 1
M11x1. 5	P2	10. 4	12

Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	chena	Tin
M12x0.5	P2	11.0	13.1
M12x0.75	P2	11.0	13.1
M12x1.0	P2	11.0	13.1
	P4	11.0	13.1
M12x1.0L Kudzokorora Meso	P2	12.6	14.7
M12x1.25	P2	11.0	13.1
	P4	11.0	13.1
M12x1.25L Kudzokorora Meso	P2	12.6	14.7
M12x1.5	P2	11.0	13.1
	P4	11.0	13.1
M12x1.5L Kudzokorora Meso	P2	12.6	14.7
M12x1.75	+0.1	11.0	13.1
	P2	10.4	12.6
	P3	10.4	12.6
	P4	10.4	12.6
M12x1.75–100L		18.9	
M12x1.75–150L		22.4	
M12x1.75–AL	P2		10.4
M12x1.75–HT Sheath	1B	11.9	12.6
M12x1.75L Kudzokorora Meso	P2	12.1	14.7
M14x1.0	P2	17.1	19.7
M14x1.25	P2	17.1	19.7
M14x1.5	P2	17.1	19.7
M14x2.0	P2	15.7	18.3
M16x1.0	P2	19.7	22.9
M16x1.25	P2	19.7	22.9
M16x1.5	P2	19.7	22.9
M16x2.0	P2	18.3	21.4
UNC0–80	P1	5.3	6
UNC1–64	P1	5.3	6
UNC1–72	P1	6.7	7.4
UNC2–56	P1	5.3	6
	P2	5.3	6
	P3	5.3	6
	P4	5.3	6
UNC2–56–100L		9.6	
UNC2–56–HT Sheath	1B	6.1	6.9
UNC2–64	P1	6.7	7.4
UNC3–48	P1	5.3	6
UNC3–56	P1	6.7	7.4
UNC4–40			
	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC4–40–100L		9.6	
UNC4–40–AL	P2	4.7	
UNC4–40–HT Sheath	1B	5.4	6.7
UNC4–48	P1	6.7	7.4
UNC5–40	P2	4.7	5.4
UNC5–40–100L		9.6	
UNC5–44	P2	6.7	7.4
UNC6–32			
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC6–32–100L		9.6	
UNC6–32–AL	P2	4.7	
UNC6–32–HT Sheath	1B	5.4	6.7
UNC6–32L Kudzokorora Meso	P2	5.7	6.7
UNC6–40	P2	6.7	7.4
UNC8–32			
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC8–32–100L		9.6	
UNC8–32–AL	P2	4.7	
UNC8–32–HT Sheath	1B	5.4	6.7
UNC8–32L Kudzokorora Meso	P2	5.7	6.7
UNC8–36	P2	6.7	7.4
UNC10–24			
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC10–24–100L		9.6	
UNC10–24–AL	P2	4.7	
UNC10–24–HT Sheath	1B	5.4	6.7
UNC10–24L Kudzokorora Meso	P2	5.7	6.9
UNC10–32			
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC10–32–100L		9.6	
UNC10–32–HT Sheath	1B		7.4
UNC10–32L Kudzokorora Meso	P2	7.4	8.3
UNC12–24	P2	4.7	5.7
UNF12–28	P2	6.7	7.6
UNEF12–32	P2	6.7	7.6
UNS12–36	P2	6.7	7.6
UNC1/4–20			
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC1/4–20			
UNC1/4–20–100L		9.6	
UNC1/4–20–AL	P2	4.7	
UNC1/4–20–HT Sheath	1B	5.4	6.7
UNC1/4–20L Kudzokorora Meso	P2	5.7	6.7

Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	chena	T in
UNF1/4–28	P2	6.7	7.6
	P4	6.7	7.6
UNF1/4–28-HT <i>Sheath</i>	1B		7.4
UNF1/4–28L <i>Kudzokorora Meso</i>	P2	7.4	8.3
UNEF1/4–32	P2	6.7	7.6
UNJ1/4–36	P2	6.7	7.6
UNC5/16–18	P2	6.0	7.4
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16–18–100L		13.1	
UNC5/16–18–AL	P2	6.7	
UNC5/16–18–HT <i>Sheath</i>	1B	7.9	8.3
UNC5/16–18L <i>Kudzokorora Meso</i>	P2	7.4	8.6
UNF5/16–24	P2	7.4	8.8
	P4	7.4	
UNF5/16–24–HT <i>Sheath</i>	1B		10.0
UNF5/16–24L <i>Kudzokorora Meso</i>	P2	9.3	10.4
UNC3/8–16	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8–16–100L		14.7	
UNC3/8–16–AL	P2	8.3	
UNC3/8–16–HT <i>Sheath</i>	1B	9.6	10.4
UNC3/8–16L <i>Kudzokorora Meso</i>	P2	9.6	11.0
UNF3/8–24	P2	9.3	10.7
	P4	9.3	10.7
UNF3/8–24–HT <i>Sheath</i>	1B		12.1
UNF3/8–24L <i>Kudzokorora Meso</i>	P2	11.0	12.6
UNS3/8–32	P2	9.3	10.7
UNC7/16–14	P2	11.9	13.9
UNF7/16–20	P2	12.6	14.7
UNC1/2–12	P2	13.1	15.3
UNF1/2–20	P2	14.6	16.4
W1/8–40	P1	4.7	5.4
W5/32–32	P2	4.7	5.4
W3/16–24	P2	4.7	5.4
W7/32–24	P2	4.7	5.7
W1/4–20	P2	4.7	5.7
W5/16–18	P2	6.0	7.4
W3/8–16	P2	7.9	9.6
W7/16–14	P2	11.9	13.9
W1/2–12	P2	13.1	15.3
PS1/8–28 <i>British Standard</i>		7.9	
PS1/4–14 <i>American Standard</i>		22.4	
PS1/4–18 <i>American Standard</i>		7.9	
PS1/4–19 <i>British Standard</i>		9.3	
PS3/8–18 <i>American Standard</i>		13.1	
PS3/8–19 <i>British Standard</i>		14.6	
PS1/2–14 <i>American Standard</i>		17.1	
PS1/2–14 <i>British Standard</i>		19.7	
PS3/4–14 <i>British Standard</i>		25.0	
PS1–11 <i>British Standard</i>		41.9	
PS1–11. 1–2 <i>American Standard</i>		41.9	
PT1/16–28 <i>British Standard</i>		7.9	
PT1/8–28 <i>British Standard</i>		7.9	
PT1/4–19 <i>British Standard</i>		10.4	
PT3/8–19 <i>British Standard</i>		15.7	
PT1/2–14 <i>British Standard</i>		19.7	
PT3/4–14 <i>British Standard</i>		27.6	
PT1–11 <i>British Standard</i>		46.0	
NPT1/8–27 <i>American Standard</i>		7.9	
NPT1/4–18 <i>American Standard</i>		10.4	
NPT3/8–18 <i>American Standard</i>		15.7	
NPT1/2–14 <i>American Standard</i>		19.7	
NPT1/4–14 <i>American Standard</i>		27.6	
NPT1–11. 1–2 <i>American Standard</i>		46.0	

Simba Tap / Circular Die Hand Tap/Circular Die

MaiFix®

HT Yakananga Nyore Tap HT Straight Wire Tap



Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	chena
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1





Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	Precision	chena
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF6-40	P2	4. 0
UNC8-32	P2	4. 0
	P3	4. 0
	P4	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 British Standard		6. 7
PS1/8-27 American Standard		6. 7
PS1/8-28 American Standard		6. 7
PS1/4-14 American Standard		22. 4
PS1/4-18 American Standard		7. 9
PS1/4-19 British Standard		7. 9
PS3/8-18 American Standard		13. 1
PS3/8-19 American Standard		13. 1
PS1/2-14 American Standard		17. 1
PS1/2-14 British Standard		17. 1
PS3/4-14 British Standard		22. 4
PS1-11 British Standard		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 British Standard		6. 7
PT1/8-28 British Standard		6. 7
PT1/4-19 British Standard		8. 6
PT3/8-19 British Standard		14. 6
PT1/2-14 British Standard		18. 3
PT3/4-14 British Standard		25. 0
PT1-11 British Standard		41. 9
NPT1/8-27 American Standard		6. 7
NPT1/4-18 American Standard		8. 6
NPT3/8-18 American Standard		14. 6
NPT1/2-14 American Standard		18. 3
NPT1/4-14 American Standard		25. 0
NPT1-11. 1-2 American Standard		41. 9



AR-D Yakagadziriswa Circular Die AR-D Adjustable Circular Die







Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	External Diameter	chena
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Kudzokorora Meso	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Kudzokorora Meso	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Kudzokorora Meso	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Kudzokorora Meso	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Kudzokorora Meso	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Kudzokorora Meso	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Kudzokorora Meso	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Kudzokorora Meso	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Kudzokorora Meso	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6



Thread x Nzvimbo x Kureba (/ Kudzokorora Meso)	External Diameter	chena
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNF5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNF7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9







Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Copper And Aluminum Finish Machining	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Copper And Aluminum Medium Finish Machining	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
 Simbi isina ngura Processing	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
 Cermet Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
 Cermet Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0




Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Copper And Aluminum Finish Machining	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Pakati Pakugadzira Machining of Steel	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 R-X L-X Rough Processing Steel	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
 Pakati pekupedzisa Machining of Steel Hard	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
 Copper And Aluminum Medium Finish Machining	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
 Yechipfuva Yakashata Machining of Cast Iron	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
 Yomukati Yakapedza Machining ye China Iron	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
 Simbi isina ngura Processing	CNMG120408-HS ZM30	0.8	2.6
 Simbi isina ngura Processing	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
 Simbi isina ngura Processing	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3










Product Pictures	Tsanangudzo	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0



Product Pictures	Tsanangudzo	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
	DNMG110404-FG ZN60	0.4	2.6
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
	DNMG150404L-VF ZN60	0.4	2.6
	DNMG150404R-VF ZN60	0.4	2.6



Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
 Copper And Aluminum Finish Machining	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
 Rough Processing Steel	SNMG120408L-S ZC25	0.8	2.6
 Rough Processing yeChina Dare	SNMG120408L-S ZC35	0.8	2.6
 Rough Processing Steel	SNMG120408R-S ZC25	0.8	2.6
 Rough Processing yeChina Dare	SNMG120408R-S ZC35	0.8	2.6
 Pakati Pakugadzira Machining of Steel	SNMG120408-TM ZC25	0.8	2.6
 Copper And Aluminum Medium Finish Machining	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
 Simbi isina ngura Processing	SNMG120408-MA ZM30	0.8	2.6
 Simbi isina ngura Processing	SNMG120404-MS ZM30	0.4	2.6
 Simbi isina ngura Processing	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa	SCMT09T304-MT ZN60	0.4	1.9
 Copper And Aluminum Medium Finish Machining	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9







Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Copper And Aluminum Finish Machining	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
 Copper And Aluminum Medium Finish Machining	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
 Simbi isina ngura Processing	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3



Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Copper And Aluminum Finish Machining	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25	0.4 0.8	2.3 2.3
 HQ	TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8	2.3 2.3
 R-S	TNMG160404L-S ZC25 TNMG160408L-S ZC25	0.4 0.8	2.3 2.3
 L-S	TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8	2.3 2.3
 R-S	TNMG160404L-S ZC35 TNMG160408L-S ZC35	0.4 0.8	2.3 2.3
 L-S	TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8	2.3 2.3
 Pakati Pakugadzira Machining of Steel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Pakati pekupedzisa Machining of Steel Hard	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Copper And Aluminum Medium Finish Machining	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough Machining of Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50	0.4 0.8	2.3 2.3
 TNMG Pakati pekupedzisa Machining of Cast Iron	TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8	2.3 2.3
 HA	TNMG160404-HA ZM30 TNMG160408-HA ZM30	0.4 0.8	2.3 2.3
 MA	TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8	2.3 2.3
 Simbi isina ngura Processing	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Simbi isina ngura Processing	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3


Product Pictures	Tsanangudzo	R	USD
 R-C	TNMG160404L-C ZN60 TNMG160408L-C ZN60	0.4 0.8	1.9 1.9
 L-C	TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8	1.9 1.9
 R-S	TNMG160404L-S ZN60 TNMG160408L-S ZN60	0.4 0.8	1.9 1.9
 L-S	TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8	1.9 1.9
 R-VF	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60	0.4 0.8	1.9 1.9
 L-VF	TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8	1.9 1.9
 R-FS	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60	0.4 0.8	1.9 1.9
 L-FS	TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8	1.9 1.9
 Cermert Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Cermert Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Cermert Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P	TNMG160402L-P ZN90 TNMG160404L-P ZN90	0.2 0.4	3.6 3.6
 L-P	TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4	3.6 3.6
 R-S	TNMG160402L-S ZN90 TNMG160404L-S ZN90	0.2 0.4	3.6 3.6
 L-S	TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4	3.6 3.6



Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
 Copper And Aluminum Finish Machining	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VBGT160412 PCD1	1.2	6.9
 Copper And Aluminum Medium Finish Machining	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
 Simbi Isina ngura Processing	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7

Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	VNMGM160404 CBN1	0.4	6.9
	VNMGM160408 CBN1	0.8	6.9
 Copper And Aluminum Finish Machining	VNMGM160402 PCD1	0.2	6.9
	VNMGM160404 PCD1	0.4	6.9
 Pakati Pakugadzira Machining of Steel	VNMGM160408 PCD1	0.8	6.9
	VNMGM160404-TM ZC25	0.4	2.7
 Pakati pekupedzisa Machining of Steel Hard	VNMGM160408-TM ZC25	0.8	2.7
	VNMGM160404-TM ZC35	0.4	2.7
 Copper And Aluminum Medium Finish Machining	VNMGM160408-TM ZC35	0.8	2.7
	VNMGM160404-AL ZK01	0.4	2.3
 Simbi Isina ngura Processing	VNMGM160408-AL ZK01	0.8	2.3
	VNMGM160404 ZM30	0.4	2.7
 Simbi Isina ngura Processing	VNMGM160408 ZM30	0.8	2.7
	VNMGM160404-HS ZM30	0.4	2.7
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	VNMGM160408-HS ZM30	0.8	2.7
	VNMGM160404-MT ZN60	0.4	2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	VNMGM160408-MT ZN60	0.8	2.3

Product Pictures	Tsanangudzo	R	USD
 Dhinda Dare uye Akaoma Zvinhu Zvokugadzira Machining	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
 Copper And Aluminum Finish Machining	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Pakati Pakugadzira Machining of Steel	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Pakati Pakugadzira Machining of Steel	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
 R-S L-S Rough Processing Steel	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 R-S L-S Rough Processing yeChina Dare	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 TM ZC25 TM ZC35 Pakati Pakugadzira Machining of Steel	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Pakati Pakugadzira Machining of Steel	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
 Copper And Aluminum Medium Finish Machining	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
 Simbi isina ngura Processing	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
 Yechipfuva Yakashata Machining of Cast Iron	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
 Yomukati Yakapedza Machining yeChina Iron	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6

Product Pictures	Tsanangudzo	R	USD
 Simbi isina ngura Processing	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
 Simbi isina ngura Processing	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
 Simbi isina ngura Processing	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
 R-S L-S Cermet Medium And Rough Steel Zvikamu Zvine Zvakanaka Kugumisa	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
 Cermet Medium And Fine Steel Zvikamu Zvine Zvakanaka Kugumisa	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3

Product Pictures	Tsanangudzo	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
PCD1 Copper And Aluminum Finish Machining  60° Metric kunze Thread Processing	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	External Thread Processing		
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
PCD1 Copper And Aluminum Finish Machining  60° Metric Internal Hole Thread Processing	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
TKFT.. TTP.. Kuchengetedzwa kwema 60 Metric Thread Small Parts 	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	Internal Hole Thread Processing		
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TTP..		
	TTPR12	—	9.3
	TTPR16	—	11.7

Product Pictures	Tsanangudzo	TPI	USD
 30° Trapezoidal Threads for DIN103 Kutumira External Thread Processing	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
 30° Trapezoidal Threads for DIN103 Kutumira Internal Hole Thread Processing	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
ZP10 General Machining 	16ER 11W ZP10	1Inch11Tooth	2.0
	16ER 14W ZP10	1Inch14Tooth	2.0
	16ER 19W ZP10	1Inch19Tooth	2.0
	16ER 24W ZP10	1Inch24Tooth	2.0
	16ER 8W ZP10	1Inch8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
PCD1 Copper And Aluminum Finish Machining  55° Inch kunze Thread Processing	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1Inch19Tooth	2.0
	16IR 11W ZP10	1Inch11Tooth	2.0
	16IR 12W ZC01	1Inch12Tooth	2.0
	16IR 14W ZP10	1Inch14Tooth	2.0
	16IR 19W ZP10	1Inch19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
ZP10 General Machining  55° Inch Internal Hole Thread Processing	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	16ER 12UN ZP10	1Inch12Tooth	2.0
	16ER 14UN ZP10	1Inch14Tooth	2.0
	16ER 16UN ZP10	1Inch16Tooth	2.0
	16ER 18UN ZP10	1Inch18Tooth	2.0
	16ER 20UN ZP10	1Inch20Tooth	2.0
	60° American External Thread Processing		
	16IR 12UN ZP10	1Inch12Tooth	2.0
	16IR 14UN ZP10	1Inch14Tooth	2.0
 60° American Internal Hole Thread Processing	16IR 16UN ZP10	1Inch16Tooth	2.0
	16IR 18UN ZP10	1Inch18Tooth	2.0
	16IR 20UN ZP10	1Inch20Tooth	2.0
	60° American Internal Hole Thread Processing		
	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16ER 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 19BSPT ZP10	1Inch19Tooth	2.0
	16ER 28BSPT ZP10	1Inch28Tooth	2.0
	BSPT British Standard Taper Tube Thread External Thread Processing		
	16IR 11BSPT ZP10	1Inch11Tooth	2.0
 BSPT British Standard Taper Tube Thread Internal Hole Thread Processing	16IR 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16ER 14NPT ZP10	1Inch14Tooth	2.0
	16ER 18NPT ZP10	1Inch18Tooth	2.0
	NPT Pipe Thread External Thread Processing		
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0
	NPT Pipe Thread Internal Hole Thread Processing		
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0


Product Pictures	Tsanangudzo	Width	USD
	T16E100 ZP15 T16E150 ZP15 T16E160 ZP15 T16E200 ZP15 T16E250 ZP15 T16E300 ZP15	1.0 1.5 1.6 2.0 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0
	SER1616H16 SER2020K16 SER2525M16	— — —	7.1 7.1 9.3
	T11N100 ZP15 T11N150 ZP15 T11N200 ZP15	1.0 1.5 2.0	3.0 3.0 3.0
	T16N100 ZP15 T16N150 ZP15 T16N160 ZP15 T16N180 ZP15 T16N200 ZP15 T16N230 ZP15 T16N250 ZP15 T16N300 ZP15	1.0 1.5 1.6 1.8 2.0 2.3 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0
	SNR0010K11 SNR0012M11	— —	5.1 5.4
	SNR0013N16 SNR0014N16 SNR0016Q16 SNR0020R16 SNR0025S16	— — — — —	6.1 6.7 6.7 7.1 11.7
	CTP10FR ZP15 CTP15FR ZP15 CTP20FR ZP15 CTPA10FR ZP15 CTPA15FR ZP15 CTPA20FR ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	CTP10FRN ZP15 CTP15FRN ZP15 CTP20FRN ZP15 CTPA10FRN ZP15 CTPA15FRN ZP15 CTPA20FRN ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	CTPSL10 CTPSL12	— —	10.7 11.9
	CTPASL10 CTPASL12 CTPASL16	— — —	10.7 11.9 14.3
	CTPR08 CTPR10 CTPR12 CTPR16 CTPR20	— — — — —	11.9 9.4 9.4 9.4 10.7
	CTPAR10 CTPAR12 CTPAR16 CTPAR20 CTPAR25	— — — — —	9.4 9.4 9.4 10.7 14.3
	TTB6001 ZP15	—	5.9
	TBPR10 TBPR12	— —	9.4 9.4
	TBP10 TBP12 TBP16	— — —	9.4 9.4 9.4


Product Pictures	Tsanangudzo	Width	USD
	TKF12R100-S ZP15 TKF12R150-S ZP15 TKF12R200-S ZP15 TKF16R100-S ZP15 TKF16R150-S ZP15 TKF16R200-S ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	TKF12R100-S16R ZP15 TKF12R150-S16R ZP15 TKF12R200-S16R ZP15 TKF16R100-S16R ZP15 TKF16R150-S16R ZP15 TKF16R200-S16R ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	TKFB6001 ZP15	—	5.9
	KTKFSL1010JX12 KTKFSL1212JX12 KTKFSL1212JX16	— — —	11.9 11.9 11.9
	KTKFR0810JX12 KTKFR1010JX12 KTKFR1212JX12 KTKFR1616JX12 KTKFR1010JX16 KTKFR1212JX16 KTKFR1616K16 KTKFR2020JX16	— — — — — — — —	11.9 9.4 9.4 9.4 9.4 9.4 9.4 10.7
	FVC1604R150 ZP15 FVC1604R200 ZP15 FV1604R300 ZP15	1.5 2.0 3.0	4.3 4.3 4.3
	SVQCR2020K16-NJ	—	11.9
	VC1604R250 ZP15 VC1604R300 ZP15	2.5 3.0	4.3 4.3
	SGIVFR16Q16 SGIVFR20Q16 SGIVFR25R16	— — —	14.3 14.3 16.7

Product Pictures	Tsanangudzo	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Inventory slot width 0.3-3.2mm
Kusarudza kuderedza zvakadzika 0.8-4 mm
Zvose zvinogona kuitika
ichinyatsocheka

	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFR..			

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL..			


	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S..-KTGFL..			

Product Pictures	Tsanangudzo	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

Inventory slot width 0.3-3.2mm
Kusarudza kuderedza zvakadzika 0.8-4 mm
Zvose zvinogona kuitika
ichinyatsocheka

	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL..			

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------




	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR..			








	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S..-KTGFR..			

External Cylindrical / Inner Hole Kugadzira Turning Tool

External Cylindrical/Inner Hole Grooving Turning Tool

MaiFix®

Product Pictures	Tsanangudzo	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Inventory slot width 1.0-4.8mm Kusarudza kuderedza zvakadzika 2.0-5.0 mm Zvose zvinogona kuitika ichinyatsocheka			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	- - -	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	- -	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	- - -	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	- -	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Inventory slot width 1.0-4.8mm Kusarudza kuderedza zvakadzika 2.0-5.0 mm Zvose zvinogona kuitika ichinyatsocheka			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	- - -	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	- -	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	- - -	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	- -	10.7 14.3


Product Pictures	Tsanangudzo	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
Grooving Machining 	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	- - -	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
Grooving Machining 	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	- - - -	11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
Grooving Machining 	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	- - -	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
Grooving Machining 	SIGER2020D-EH SIGER2525D-EH	- -	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	- - -	8.6 8.6 9.6
Grooving Machining 	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
Grooving Machining 	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	- - -	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
Grooving Machining 	SNGR12M09 SNGR16Q09 SNGR20R09	- - -	9.0 11.0 13.1




Pamusoro Pose Inosanganisa Kubhadrara, Mutero Uye Mari.



Domestic USD Dollar Transaction Mutengo MuChina.

Kana Une Mimwe Mibvunzo, Ndapota Email: eva@mzgtool.cn



<http://www.mzg.tw>



Product Pictures	Tsanangudzo	Width	USD
	MGMN150 CBN1	1.5	6.9
	MGMN200 CBN1	2.0	6.9
	MGMN250 CBN1	2.5	6.9
	MGMN300 CBN1	3.0	6.9
	MGMN400 CBN1	4.0	6.9
	MGMN150 PCD1	1.5	6.9
	MGMN200 PCD1	2.0	6.9
	MGMN250 PCD1	2.5	6.9
	MGMN300 PCD1	3.0	6.9
	MGMN400 PCD1	4.0	6.9
	MGGN300 ZP15	3.0	1.6
	MGGN400 ZP15	4.0	1.7
	MGGN200-Q ZP15	2.0	1.7
	MGGN300-Q ZP15	3.0	1.7
	MGGN200 ZK01	2.0	1.7
	MGGN300 ZK01	3.0	1.9
	MGGN400 ZK01	4.0	2.3
	MGGN150 ZP30	1.5	1.7
	MGGN200 ZP30	2.0	1.7
	MGGN250 ZP30	2.5	1.7
	MGGN300 ZP30	3.0	1.7
	MGGN400 ZP30	4.0	2.0
	MGGN500 ZP30	5.0	2.7
	MGGN150R-8 ZP30	1.5	1.7
	MGGN200R-8 ZP30	2.0	1.7
	MGGN250R-8 ZP30	2.5	1.9
	MGGN300R-8 ZP30	3.0	2.0
	MGGN400R-8 ZP30	4.0	2.4
	MGGN500R-8 ZP30	5.0	3.1
	MGGN150L-8 ZP30	1.5	1.7
	MGGN200L-8 ZP30	2.0	1.7
	MGGN250L-8 ZP30	2.5	1.9
	MGGN300L-8 ZP30	3.0	2.0
	MGGN400L-8 ZP30	4.0	2.4
	MGMN150-G ZK01	1.5	1.7
	MGMN200-G ZK01	2.0	1.7
	MGMN200-M ZK01	2.0	1.7
	MGMN300-M ZK01	3.0	1.7
	MGMN400-M ZK01	4.0	2.0
	MGMN200-G ZN60	2.0	1.4
	MGMN300-M ZN60	3.0	1.7
	MGMN400-M ZN60	4.0	2.0
	MGMN500-M ZN60	5.0	2.7
	MGMN200-T ZP30	2.0	1.6
	MGMN300-T ZP30	3.0	1.6
	MGMN400-T ZP30	4.0	2.0
	MGMN300-H ZP30	3.0	1.6
	MGMN200-G ZP20	2.0	1.6
	MGMN250-G ZP20	2.5	1.6
	MGMN250-M ZP20	2.5	1.6
	MGMN300-M ZP20	3.0	1.6
	MGMN400-M ZP20	4.0	2.0
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7





Product Pictures	Tsanangudzo	Width	USD
	MRMN200-G ZP30	R1.0	1.6
	MRMN200-M ZP30	R1.0	1.6
	MRMN300-M ZP30	R1.5	1.6
	MRMN400-M ZP30	R2.0	2.0
	MRMN400 CBN1	R2.0	6.9
	MGEHR1010-1.5	1.5	9.0
	MGEHR1010-2	2.0	9.0
	MGEHR1212-1.5	1.5	9.0
	MGEHR1212-2	2.0	9.0
	MGEHR1212-3	3.0	9.0
	MGEHR1616-1.5	1.5	6.7
	MGEHR1616-2	2.0	6.7
	MGEHR1616-2.5	2.5	6.7
	MGEHR1616-3	3.0	6.7
	MGEHR1616-4	4.0	6.7
	MGEHR2020-1.5	1.5	6.7
	MGEHR2020-2	2.0	6.7
	MGEHR2020-2.5	2.5	6.7
	MGEHR2020-3	3.0	6.7
	MGEHR2020-4	4.0	6.7
	MGEHR2020-5	5.0	6.7
	MGEHR2020-6	6.0	8.3
	MGEHR2525-1.5	1.5	9.0
	MGEHR2525-2	2.0	9.0
	MGEHR2525-2.5	2.5	9.0
	MGEHR2525-3	3.0	9.0
	MGEHR2525-4	4.0	9.0
	MGEHR2525-5	5.0	9.0
	MGEHR2525-6	6.0	10.7
	MGEHR3232-2	2.0	16.4
	MGEHR3232-3	3.0	16.4
	MGEHR3232-4	4.0	16.4
	MGEHR3232-5	5.0	16.4
	MGEHR3232-6	6.0	17.9
	MGEHR1010-1.5T12	1.5	10.7
	MGEHR1010-2T12	2.0	10.7
	MGEHR1212-1.5T12	1.5	9.6
	MGEHR1212-2T12	2.0	9.6
	MGEHR1616-1.5T13	1.5	9.0
	MGEHR1616-2T16	2.0	9.0
	MGEHR1616-2.5T18	2.5	9.0
	MGEHR1616-3T12	3.0	9.0
	MGEHR1616-3T20	3.0	9.0
	MGEHR1616-4T20	4.0	9.0
	MGEHR2020-1.5T13	1.5	9.6
	MGEHR2020-2T16	2.0	9.6
	MGEHR2020-3T20	3.0	9.6
	MGEHR2020-4T20	4.0	9.6
	MGEHR2525-3T20	3.0	11.0
	MGEHR2525-4T20	4.0	11.0
	MGEHL1010-1.5	1.5	9.0
	MGEHL1010-2	2.0	9.0
	MGEHL1212-1.5	1.5	9.0
	MGEHL1212-2	2.0	9.0
	MGEHL1616-1.5	1.5	6.7
	MGEHL1616-2	2.0	6.7
	MGEHL1616-2.5	2.5	6.7
	MGEHL1616-3	3.0	6.7
	MGEHL1616-4	4.0	6.7
	MGEHL2020-1.5	1.5	6.7
	MGEHL2020-2	2.0	6.7
	MGEHL2020-2.5	2.5	6.7
	MGEHL2020-3	3.0	6.7
	MGEHL2020-4	4.0	6.7
	MGEHL2020-5	5.0	6.7
	MGEHL2525-2	2.0	9.0
	MGEHL2525-2.5	2.5	9.0
	MGEHL2525-3	3.0	9.0
	MGEHL2525-4	4.0	9.0
	MGEHL2525-5	5.0	9.0
	MGEHL2525-6	6.0	10.7
	MGEHL3232-3	3.0	16.4
	MGEHL3232-4	4.0	16.4
	MGEHL3232-5	5.0	16.4
	MGEHL3232-6	6.0	17.9






Product Pictures	Tsanangudzo	Width	USD
 Machining of Circular Kuburikidza Pakupedzisira	MGHH320R-35/48 MGHH320R-48/66 MGHH320R-64/100 MGHH320R-98/160 MGHH320R-160/400 MGHH325R-35/48 MGHH325R-48/60 MGHH325R-60/75 MGHH325R-64/100 MGHH325R-100/140 MGHH325R-160/400 MGHH325R-200/800 MGHH420R-48/60 MGHH420R-60/75 MGHH420R-64/100 MGHH420R-98/160 MGHH420R-160/400 MGHH425R-48/66 MGHH425R-64/100 MGHH425R-100/140 MGHH425R-160/400 MGHH425R-200/800	3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0	19.0 19.0 19.0 19.0 19.0 28.6 28.6 28.6 28.6 28.6 28.6 28.6 19.0 19.0 19.0 19.0 19.0 28.6 28.6 28.6 28.6 28.6 28.6
	Spring Steel		
 Machining of Circular Kuburikidza Pakupedzisira	MGHH320R13-30/50 MGHH320R15-50/80 MGHH320R17-80/160 MGHH320R18-160/400 MGHH325R18-160/400 MGHH420R15-30/50 MGHH420R18-50/80 MGHH420R20-80/160 MGHH425R15-30/50 MGHH425R18-50/80 MGHH425R20-80/160 MGHH425R20-160-400	3.0 3.0 3.0 3.0 3.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0	21.9 21.9 21.9 21.9 23.9 21.9 21.9 21.9 23.9 23.9 23.9 23.9
	Spring Steel		
 Machining of Circular Kuburikidza Pakupedzisira	MFH216R08-20/140 MFH320R10-25/140 MFH325R10-25/140 MFH420R12-25/140 MFH425R08-25/140 MFH425R10-25/140	2.0 3.0 3.0 4.0 4.0 4.0	16.7 21.4 24.6 21.4 24.6 24.6
	Spring Steel		
 Cylindrical Grooving	MGEVR1616-2 MGEVR1616-2.5 MGEVR1616-3 MGEVR1616-4 MGEVR2020-2 MGEVR2020-2.5 MGEVR2020-3 MGEVR2020-4 MGEVR2525-3	2.0 2.5 3.0 4.0 2.0 2.5 3.0 4.0 3.0	8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 11.0
	Spring Steel		
 Cylindrical Grooving	MGEVL1616-2 MGEVL1616-2.5 MGEVL1616-3 MGEVL1616-4 MGEVL2020-2 MGEVL2020-2.5 MGEVL2020-3 MGEVL2020-4 MGEVL2525-3	2.0 2.5 3.0 4.0 2.0 2.5 3.0 4.0 3.0	8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 11.0
	Spring Steel		


Product Pictures	Tsanangudzo	Width	USD
 Machining of Inner Hole Grooving	MGIVR2016-1.5 MGIVR2016-2 MGIVR2016-2.5 MGIVR2016-3 MGIVR2520-1.5 MGIVR2520-2 MGIVR2520-2.5 MGIVR2520-3 MGIVR2520-4 MGIVR3125-1.5 MGIVR2925-2 MGIVR3125-3 MGIVR3125-4 MGIVR3125-5 MGIVR3732-3 MGIVR3732-4 MGIVR3732-5 MGIVR3732-6	1.5 2.0 2.5 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 3.0 4.0 5.0 3.0 4.0 5.0 6.0	9.3 9.3 9.3 9.3 11.0 11.0 11.0 11.0 11.0 13.1 13.1 13.1 13.1 13.1 26.1 26.1 26.1 26.1
	Spring Steel		
 Machining of Inner Hole Grooving	MGIVR2520-3T8 MGIVR2520-4T8	3.0 4.0	15.4 15.4
	Spring Steel		
 Machining of Inner Hole Grooving	MGIVL2016-1.5 MGIVL2016-2 MGIVL2016-2.5 MGIVL2016-3 MGIVL2316-3 MGIVL2520-1.5 MGIVL2520-2 MGIVL2520-2.5 MGIVL2520-3 MGIVL2520-4 MGIVL2925-2 MGIVL3125-3 MGIVL3125-4 MGIVL3125-5 MGIVL3732-3 MGIVL3732-4 MGIVL3732-5	1.5 2.0 2.5 3.0 3.0 1.5 2.0 2.5 3.0 4.0 2.0 3.0 4.0 5.0 3.0 4.0 5.0	9.3 9.3 9.3 9.3 9.3 11.0 11.0 11.0 11.0 11.0 13.1 13.1 13.1 13.1 26.1 26.1 26.1
	Spring Steel		


Product Pictures	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
	4040R	21.9
S Tora Cylindrical Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
M Tora Cylindrical Turning Tool		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
W Tora Cylindrical Turning Tool		
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
D Tora Cylindrical Turning Tool		
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
S Tora Inner Hole Lathe Tool		
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
H Tora Inner Hole Lathe Tool		
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
C Tora Inner Hole Lathe Tool		
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
S..M.. Tora Inner Hole Lathe Tool		

Product Pictures	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
ZQ.. Tora Cut-off Turning Tool		
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
SPB.. Tora Cut-off Turning Tool		
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
SLTBN.. Tora Cut-off Turning Tool		
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
MGEHR/L.. Tora Kureka /Kugadzira Turning Tool		
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
MGEHR/L.. Tora Kureka /Kugadzira Turning Tool		
	1616	8.6
	2020	8.6
	2525	11.0
MGEVR/L.. Tora Kugadzira Turning Tool		
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
CGWSR/L.. Tora Kureka /Kugadzira Turning Tool		
	1616	10.3
	2020	10.3
	2525	11.9
GY2M.. Tora Kureka /Kugadzira Turning Tool		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
KGMR/L.. Tora Kureka /Kugadzira Turning Tool		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
TTER/L.. Tora Kureka /Kugadzira Turning Tool		
	16	14.3
	20	16.7
	25	19.0
TTIR/L.. Type Inner Hole Kugadzira Turning Tool		

Product Pictures	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
KTGFR/L.. Tora Kugadzira Turning Tool		
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
KTGFR/L.. Tora Kugadzira Turning Tool		
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
KTGFSR/L.. Tora Kugadzira Turning Tool		
	1616	6.7
	2020	6.7
	2525	8.9
SGBR/L.. Tora Kugadzira Turning Tool		
	1616	9.0
	2020	9.0
	2525	11.9
SGBSR/L.. Tora Kugadzira Turning Tool		
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
CGBR/L.. Tora Kugadzira Turning Tool		
	1616	11.9
	2020	14.3
	2525	17.9
CGBSR/L.. Tora Kugadzira Turning Tool		
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
QE..R/L.. Tora Kureka /Kugadzira Turning Tool		
	1616	15.3
	2020	16.9
	2525	20.4
DGTR/L.. Tora Kureka /Kugadzira Turning Tool		
	1616	28.6
	2020	28.6
	2525	32.4
FGHH..R/L.. Tora Kureka /Kugadzira Turning Tool		
	1616	35.7
	2020	38.1
	2525	42.9
QF.. Tora Kureka /Kugadzira Turning Tool		
	1616	23.9
	2020	21.9
	2525	23.9
MGHH.. Tora Kureka /Kugadzira Turning Tool		

Product Pictures	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
C-Tora Shim		
	MD1103 MD1504 MD1506	0.4 1.0 1.1
D-Tora Shim		
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
S-Tora Shim		
	MT1603 MT1604 MT2204	0.3 1.1 1.1
T-Tora Shim		
	MV1603	0.6
V-Tora Shim		
	MW0603 MW0804	0.4 0.6
W-Tora Shim		
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
STM-Tora Shim		
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 Fine Teeth CTM1022 CTM1022 Fine Teeth	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7
Pini Pin Screw		
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Plum Blossom Tool Screw		

Product Pictures	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 Fine Teeth HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
M-Tora Clamp		
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
M-Tora Clamp Screw		
	WT16 WW08	0.4 0.4
W-Tora Clamp		
	WC0525E WC0625E	0.4 0.4
W-Tora Clamp Screw		
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
D-Tora Clamp		
	DL525 DL625	0.7 0.7
D-Tora Clamp Screw		
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
D-Tora Shim Screw		
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
L-Tora Inner Hexagon Spanner		
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
T-Tora Inner Hexagon Spanner		
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
Flag-Shaped Plum Wrench		
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
Flag-Shaped Plum Wrench		
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0
T-Aina Plum Wrench		

Product Pictures	Tsanangudzo	R	USD
	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
	APKT1604-AL ZK01	0.2	1.9
	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7


Kuvhara Dino Ronga Rakarurama-Angle End Milling Cutterambidzwa Kwakarurama-Angle End Milling Cutter Toolholder

Locking Tooth Type Right-Angle End Milling Cutter

Discarded Right-Angle End Milling Cutter Toolholder



Tsanangudzo D x T x M	Mutengo USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9



Tsanangudzo D x d x T	Mutengo USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminium Right-Angle End Milling Cutter

AL-BAP Aluminum Right-Angle End Milling Cutter




Tsanangudzo D x d x T	Mutengo USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Tsanangudzo d x D x L	Mutengo USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Machine-Clamped Round Nose Milling Cutter

Machine-Clamped Round Nose Milling Cutter

MaiFix®

Product Pictures	Tsanangudzo	R	Mutengo	Kuvhara Jino Rudzi Rwakapeteredza Nzefu Kuguma Kufika Mubvondo Kupera Nose Mwenje End Milling Cutter Toolholder
	RDMW1204MOT-PM ZP30 RDMW1605MOT-PM ZP30	R6 R8	1.7 2.4	Locking Tooth Type Round Nose End Milling Cutter
Kutungirirwa muna General Material				Discarded Round Nose End Milling Cutter Toolholder
	RPGT1003-AL ZK01	R5	1.9	
Medium Kuperdzisa kwe Copper and Aluminum				
	RPMW1003MO ZN60 RPMW1003 ZN60 Non Chamfering RPMT1204MO ZN60	R5 R5 R6	1.6 1.3 1.9	
Cermet Medium And Fine Steel Zvikamu Zvine Zvakana Kugumisa				
	RPMT08T2-JS ZP25 RPMT10T3-JS ZP25	R4 R5	1.1 1.4	
Kutungirirwa muna General Material				
	RPMT1204MO ZM90	R6	2.0	
High Hardness Processing kuH HRC 62				
	RPMT1204MO ZP30	R6	1.7	
Kutungirirwa muna General Material				
	RPMT1204MO ZP60	R6	1.7	
Kutungirirwa muna General Material				
	RPMT1204-XM ZP25	R6	1.3	
Kutungirirwa muna General Material				
	RPMW1003MO ZM90	R5	1.7	
High Hardness Processing kuH HRC 62				
	RPMW1003MO ZP20	R5	1.3	
Kutungirirwa muna General Material				
	RPMW1003MO ZP30	R5	1.3	
Kutungirirwa muna General Material				
	RPMW1003MO ZP60	R5	1.3	
Kutungirirwa muna General Material				
	RPMW1003-XM ZP25	R5	1.3	
Kutungirirwa muna General Material				

Tsanangudzo	Mutengo
DxTxM	USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9












EMR Steel Round Nose End Milling Cutter

EMR Steel Round Nose End Milling Cutter

Tsanangudzo	Mutengo
Dx dx T	USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Tsanangudzo Are RP.. Inserts, RC.. / RD.. Kuisa uye kubata, tapota bvunzai

The Above Tsanangudzo Are RP.. Inserts, RC.. / RD.. Inserts and handle, please inquire!

Product Pictures	Tsanangudzo	USD	Product Pictures	Tsanangudzo	USD	Product Pictures	Tsanangudzo	USD	Product Pictures	Tsanangudzo	USD
	Kupera kweChina Iron uye Zvakaoma Zvinhu SEHT1204AFFN CBN1	7. 1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12. 5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7. 4 8. 3 8. 3 9. 9 11. 9 20. 3 31. 1 40. 3		LNMU0303ZER-MJ			800-08A	
	Kupera kwe Copper and Aluminum SEHT1204AFFN PCD1	7. 1		Profile Fine Milling of General Material			PNMU0905GNEN-MJ			800-08T308M-C-G	
	Medium Kupedzisa kwe Copper and Aluminum SEHT1204AFFN ZK01	1. 7		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17. 1 17. 1 20. 4 23. 9 32. 4 51. 4		PNMU0905XNER-GM			800-08T308M-I-G	
	Rough Processing of General Material SECA1204AFTN ZP30	3. 1		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17. 1 18. 6 23. 9 32. 4 41. 0		SNMU130508EN-GM			800-09T308H-P-G	
	Pakati pekupedzisa Machining we General Material SEHT1204AFSN ZM90	3. 1		Kuvhara Ino Rudzi Rwe Spherical End Milling Cutter Locking Tooth Type Spherical End Milling Cutter			WNMU080608EN-SM			R390-11T308-PM	
	Pakati pekupedzisa Machining we General Material SEKT1204AFTN ZM90	3. 1					3PKT100408R-M 3PKT150508R-M 3PKT190608R-M			SCMT09T308-MM	
KM Steel 45° Kutarisa Milling Cutter KM Steel 45° Face Milling Cutter			Tsanangudzo DxD				XJMG1204			S-R215. 44-15T364M	
			Mutengo USD				HNGX0906-FF			DGN3102C	
							WNMX060312ZNN-MM WNMX09T316ZNN-MM			GRIP3003Y GRIP4004Y	
							6NGU060408R-M 6NGU090508R-M			LNKX1506-G	
							CNHX100508T CNHX131108T			WXCU080612T	
							AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507	
							BLMP0603R-M			S229. 0300. 32	
							BLMP0904R-ML			SOEX090408-13	
							BLMP1205R-M			HNPJ130720ANSN-HD	
							BLMP1306R-M			SPIRH5-LT-L	
							TNGX2207PNTN			SPIRH5-LT-D	
							ZNHU080-08			APMT1003-NN	
							SNMX1205XTN			SEKN1203AFTN-NN	
							SOMT050204-DP SOMT060204-DP SOMT070306-DP SOMT08T306-DP SOMT09T308-DP SOMT11T308-DP			SEKR1203AFTN-NN	
							AXMT123508PEERG			TPUN160308-NN	
							RPHX1204M6EN-M31			APKT150412-PM	
							XNEX080608-MD15			SPMT120408-PM	
							XOMX180608TR-M14			ONHU060408-PM ONHU08T508-PM	
										KNX-Q7-3. 5	

Isa Chete Quick Drill Insert Type Quick Drill

MaiFix®

Kuvhara Dino Ronga Rakarurama-Angle End Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Tsanangudzo DxTxM	Muteng USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Kuvhara Ino Rudzi Rwe Spherical End Milling Cutter
Locking Tooth Type Spherical End Milling Cutter



Tsanangudzo DxRxM	Muteng USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4


Kuvhara Dino Ronga Rakarurama-Angle End Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Tsanangudzo DxTxM	Muteng USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Tungsten steel anti-vibration tool rod



Tsanangudzo d x D x L x M	Muteng USD
MFL08-08-100-M4	59.6
MFL10-10-100-M5	59.6
MFL10-10-150-M5	83.3
MFL12-12-100-M6	75.0
MFL12-12-150-M6	102.4
MFL12-12-200-M6	135.7
MFL15-15-150-M8	131.0
MFL15-15-200-M8	178.6
MFL16-16-100-M8	114.3
MFL16-16-150-M8	131.0
MFL16-16-200-M8	178.6
MFL16-16-250-M8	226.1

Kuvhara Dino Ronga Rakarurama-Angle End Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: AXMT0602..

Tsanangudzo DxTxM	Muteng USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast End Milling Cutter

Kuvhara Jino Dzose Kupera Kwokupedzisira Milling Cutter



Tsanangudzo DxTxM	Muteng USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

* Kuchengedzwa mazino rudzi rwekushandisa chikwana
Tsanangudzo dzakakwana.
Ndapota bvunza kuti Tsanangudzo isati yakanyorwa.

* Lock teeth type tool stock Specification are complete.
Please inquire for Tsanangudzo not listed.

Product Pictures	Tsanangudzo	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

WC Isa Chete Chekukurumidza Drill

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Isa Rudzi Runokurumidza Drill

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Kuwedzera WDXT.../GPMT... Tsika Yakavhara Pasi Dhairiro Zvokudya, Wafarira Kubvunza!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Pamusoro Pose Inosanganisa Kubhadrhara, Mutero Uye Mari.

Domestic USD Dollar Transaction Mutengo MuChina.

Kana Une Mimwe Mibvunzo, Ndapota Email: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Tsanangudzo	NO.	Range D	Mutengo
 Inonyatsotariwa neZviri-Edge Indexable Two-Edge Rough Boring Cutter Insert:CCMT..	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
 Nhamba Yakanaka-Tunable Precision Boring Cutter Indexable Fine-Tunable Precision Boring Cutter Fine-Tuning Accuracy 0.01mm	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0
	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7

 Nhamba Yakanaka-Tunable Precision Boring Cutter Indexable Fine-Tunable Precision Boring Cutter Fine-Tuning Accuracy 0.01mm	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9
 EWN20	EWN20	CK1	20-36	123.9
	EWN25	CK2	25-47	131.0
	EWN32	CK3	32-60	142.9
	EWN41	CK4	41-74	163.1
	EWN53	CK5	53-95	178.6
	EWN68	CK6	68-150	197.6
 EWN100	EWN100	CK6	100-203	214.3

 Boring Tool Chimbo Boring Tool Clamp Insert:TP..	EWN1-1		20-25	13.1
	CBH1-2		25-31	13.1
	CBH1-3		30-36	13.1
	CBH2-1		25-33	13.1
	CBH2-2		32-40	13.1
	CBH2-3		39-47	13.1
	CBH3-1		32-42	13.1
	CBH3-2		41-51	13.1
	CBH3-3		50-60	13.1
	CBH4-1		41-54	13.1
 Boring Tool Chimbo Boring Tool Clamp Insert:TP..	CBH4-2		50-63	13.1
	CBH4-3		61-74	13.1
	CBH5-1		53-70	13.1
	CBH5-2		65-82	13.1
	CBH5-3		78-95	13.1
	CBH6-1		68-100	13.1
			100-153	13.1
	CBH6-2		94-126	13.1
			126-179	13.1
	CBH6-3		118-150	13.1
 Boring Tool Chimbo Boring Tool Clamp Insert:TP..			150-203	13.1

 BE Boring Tool BE Boring Tool	BE09A	M5	16.7	
	BE10.5A	M5	16.7	
	BE12A	M6	16.7	
	BE14A	M6	16.7	
	BE16A	M6	16.7	
	BE18A	M10	16.7	
	BE20A	M10	16.7	
	BE22A	M10	16.7	
	BE24A	M10	16.7	
	BE26A	M10	16.7	
 BE Boring Tool BE Boring Tool	BE28A	M10	16.7	
	BE30A	M10	16.7	
	BE32A	M10	19.0	
	BE34A	M10	19.0	
	BE36A	M10	23.9	
	BE38A	M10	23.9	
	BE40A	M10	23.9	

 EC Kuchinja Sleeve EC Conversion Sleeve	EC1608	-	14.3	
	EC1610	-	14.3	
	EC1612	-	14.3	
	EC1614	-	14.3	

 Tungsten Steel Boring Bar Tungsten Steel Boring Bar	ST08-W5-100L	M5	59.6	
	ST10-W6-110L	M6	69.0	
	ST12-W6-120L	M6	88.1	
	ST12-W6-150L	M6	107.1	
	ST14-W6-160L	M6	119.0	
	ST16-W10-160L	M10	135.7	
	ST16-W10-180L	M10	150.0	

NBH2084 Boring Tool (Boring range:8-280mm)

NBH2084 Boring Tool
(Boring range: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Tsanangudzo	Range D	Mutengo
Boring Tool Chirongwa		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Isa Boring Tool

NBH2084 Boring head
R8-NBH2084-8P
NT30-NBH2084-8P
NT40-NBH2084-8P
NT50-NBH2084-8P
BT40-NBH2084-8P
BT50-NBH2084-8P
SK40-NBH2084-8P
SK50-NBH2084-8P

NBJ16 Boring Tool (Boring range:8-50mm)

NBJ16 Boring Tool
(Boring range: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Tsanangudzo	Range D	Mutengo
Boring Tool Chirongwa		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Isa Boring Tool

NBJ16 Boring head
NT40-SBJ16-55-12P
NT50-SBJ16-65-12P
BT30-SBJ16-55-12P
BT40-SBJ16-55-12P
BT50-SBJ16-65-12P
SK30-SBJ16-60-12P
SK40-SBJ16-60-12P
SK50-SBJ16-65-12P

HBOR Fine-Tuning Boring Mucheka (Zvakanaka-Kutaura Yakaururama 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Tsanangudzo	Range D	Mutengo
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head
HBOR32M (36-52) Back Boring

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head
HBOR40M (44-68) Back Boring

HBOR50 Isa Boring Tool

HBOR50BM (57-90) Boring head
HBOR50BM (57-90) Back Boring
BT30-HBOR50 (06-90) ToolHolder
BT40-HBOR50 (06-90) ToolHolder
BT50-HBOR50 (06-90) ToolHolder
BT50-HBOR50 (06-90) -14P
SK30-HBOR50 (06-90) -14P
SK40-HBOR50 (06-90) -14P
SK50-HBOR50 (06-90) ToolHolder
SK50-HBOR50 (06-90) -14P
HSK63A-HBOR50 (6-90) -14P

HBOR63 Isa Boring Tool

HBOR63BM (70-110) Boring head
HBOR63BM (110-150) Boring head
HBOR63BM (70-110) Back Boring
HBOR63BM (110-150) Back Boring
NT40-HBOR63 ToolHolder
NT40-HBOR63 (6-150) -15P
NT50-HBOR63 ToolHolder
NT50-HBOR63 (6-150) -15P
BT40-HBOR63 ToolHolder
BT40-HBOR63 (6-150) 15P
BT50-HBOR63 ToolHolder
BT50-HBOR63 (6-150) 15P
SK40-HBOR63 (6-150) 15P
SK50-HBOR63 (6-150) 15P
HSK63A-HBOR63 (6-150) 15P

Boring Accessories

Boring Accessories
BR1606-21 (WBGT0601..L)
BR1608-28 (TBGT0601..L)
BR1610-35 (TBGT0601..L)
BR1612-42 (TP..09..L)
BR1614-50 (TP..09..L)
BR1616-60 (TP..09..L)
BR1620-65 (TP..11..L)
BR1624-68 (TP..11..L)
BM5
SRTP2938 (TP..09..L)
SRTP3652 (TP..09..L)
SRTP4468 (TP..09..L)
BM8
SRTP70110 (TP..11..L)
SRTP10150 (TP..11..L)

BSA Rough Boring Cutter

BSA Rough Boring Cutter



Tsanangudzo	Mutengo
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Rough Boring Cutter


BSA Rough Boring Cutter



Tsanangudzo	Mutengo
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Rough Boring Cutter

BSB Rough Boring Cutter



Tsanangudzo	Mutengo
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Rough Boring Cutter

BSB-LBK Rough Boring Cutter



Tsanangudzo	Mutengo
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Borough Cutting Cutter Holder

Rough Boring Cutter Holder



Tsanangudzo	Mutengo
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1



Tsanangudzo	Mutengo
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1



Tsanangudzo	Mutengo
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1



Tsanangudzo	Mutengo
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1



Tsanangudzo	Mutengo
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1



Tsanangudzo	Mutengo
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder



Tsanangudzo	Mutengo
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Extension Rod

LBK Extension Rod



Tsanangudzo	Mutengo
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

LBK Conversion Sleeve

LBK Conversion Sleeve



Tsanangudzo	Mutengo
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder



Tsanangudzo	Mutengo
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Tsanangudzo	Mutengo
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Tsanangudzo	Mutengo
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Tsanangudzo	Mutengo
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder




Tsanangudzo	Mutengo
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Tsanangudzo	Mutengo
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

BT50-CK1-115	75. 0
BT50-CK1-145	82. 1
BT50-CK1-200	95. 3
BT50-CK2-105	75. 0
BT50-CK2-135	82. 1
BT50-CK2-165	78. 6
BT50-CK2-235	95. 3
BT50-CK3-110	75. 0
BT50-CK3-140	82. 1
BT50-CK3-175	78. 6
BT50-CK3-290	140. 7
BT50-CK3-300	140. 7
BT50-CK3-350	189. 3
BT50-CK4-100	75. 0
BT50-CK4-160	78. 6
BT50-CK4-205	101. 0
BT50-CK4-270	140. 7
BT50-CK4-300	140. 7
BT50-CK4-350	189. 3
BT50-CK5-90	75. 0
BT50-CK5-165	78. 6
BT50-CK5-210	101. 0
BT50-CK5-270	140. 7
BT50-CK5-300	140. 7
BT50-CK5-350	189. 3
BT50-CK6-95	75. 0
BT50-CK6-155	78. 6
BT50-CK6-215	101. 0
BT50-CK6-250	140. 7
BT50-CK6-300	140. 7
BT50-CK6-350	189. 3

ER Collet Toolholder

ER Collet Toolholder



Tsanangudzo NO. xColletxA/MxL	Mutengo USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Tsanangudzo NO. xColletxA/MxL	Mutengo USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

ER Collet Extension Toolholder

ER Collet Extension Toolholder



Tsanangudzo DxColletxA/MxL	Mutengo USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER Extension Collet

ER Extension Collet



Tsanangudzo Collet	Precision 0.01mm	Precision 0.008mm	Precision 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Tsanangudzo Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

FMB Inch Face Milling Tool Holder

FMB Inch Face Milling Tool Holder



Tsanangudzo NO. xdxL	Mutengo USD
R8-FMA25.4	17.1
R8-FMA31.75	17.1
C20-FMB25.4	17.1
NT50-FMA31.75-75	43.6
NT50-FMA38.1-75	43.6
NT50-FMA47.625-75	92.6
NT50-FMA50.8-75	55.4
BT40-FMA25.4-60	17.1
BT40-FMA25.4-100	19.7
BT40-FMA31.75-60	18.6
BT40-FMA31.75-100	19.7
BT40-FMA38.1-60	19.7
BT40-FMA38.1-100	21.1
BT50-FMA25.4-60	42.4
BT50-FMA25.4-100	42.4
BT50-FMA25.4-150	52.9
BT50-FMA25.4-200	63.6
BT50-FMA25.4-250	84.7
BT50-FMA25.4-300	111.1
BT50-FMA31.75-60	43.6
BT50-FMA31.75-100	43.6
BT50-FMA31.75-150	56.9
BT50-FMA31.75-200	67.4
BT50-FMA31.75-250	87.4
BT50-FMA31.75-300	119.0
BT50-FMA38.1-60	42.4
BT50-FMA38.1-100	45.0
BT50-FMA38.1-150	59.6
BT50-FMA47.625-75	84.7
BT50-FMA47.625-150	145.4
BT50-FMA47.625-200	198.3
BT50-FMA50.8-75	55.4
BT50-FMA50.8-100	68.9
BT50-FMA50.8-150	79.3

FMB Metric Face Milling Tool Holder

FMB Metric Face Milling Tool Holder

Tsanangudzo NO. xdxL	Mutengo USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

CNC Tool Holder CNC Tool Holder

MaiFix®

GSK High Speed And High Precision Toolholder
GSK High Speed And High Precision Toolholder



Tsanangudzo NO. xColletxL	Mutengo USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



Tsanangudzo NO. xMT...xL	Mutengo USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Powerful Collet Toolholder

C Powerful Collet Toolholder



Tsanangudzo NO. xColletxL	Mutengo USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Tool Shank Of Kuzvidzivirira Drill Chuck


Tool Shank Of Self-Tightening Drill Chuck



Tsanangudzo NO. xColletxL	Mutengo USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Kuzvidzivirira Drill Chuck1-13	19.7
Kuzvidzivirira Drill Chuck1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

SDC Dzorera-Pull Collet Toolholder

SDC Back-Pull Collet Toolholder



Tsanangudzo NO. xColletxL	Mutengo USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Torsional Tapping Protection Toolholder

Torsional Tapping Protection Toolholder



Tsanangudzo NO. xColletxL	Mutengo USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Chikamu Milling Tool Holder Saw Blade

Side Milling Tool Holder of Saw Blade



Tsanangudzo NO. xColletxL	Mutengo USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Machine Tool Spindle Test Rod

Machine Tool Spindle Test Rod



Tsanangudzo NO. xL	Mutengo USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Side Fixed Type Toolholder

SLN Side Fixed Type Toolholder



Tsanangudzo NO. xdxL	Mutengo USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3Probe	82.1

CNC Chirongwa Chekutevedzera Kusungira Bolt


CNC Tool Holder Puller Bolt



Tsanangudzo	Mutengo USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° Through Hole	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° Through Hole	3.6
BT50-60°	3.6
BT50-60° Through Hole	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

CNC Chigadziri Chengetedza Lockset

CNC Tool Holder Lockset



Tsanangudzo	Mutengo USD
NBT30	14.3

CNC Chigadziri Chengetedza Lockset


CNC Tool Holder Lockset



Tsanangudzo	Mutengo USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

CNC Chigadziri Chengetedza Lockset

CNC Tool Holder Lockset



Tsanangudzo	Mutengo USD
BT30	17.9
BT40	19.0
BT50	38.1

Z-Axis Setter

Z-Axis Setter



Tsanangudzo	Mutengo USD
Photoelectric Z-axis Setter	61.9
Dharira Z-axis Setter	66.7

CNC Edge Finder

CNC Edge Finder



Tsanangudzo	Mutengo USD
Kazhinji type	2.4
Antimagnetic type	3.6
Ceramic magnet type	10.7
Photoelectric type	13.3

Machine Tool Spindle Cleaning Rod

Machine Tool Spindle Cleaning Rod



Tsanangudzo NO.	Mutengo USD
BT30	3.9
BT40	3.9
BT50	5.4

Lathe Chuck Accessories

Lathe Chuck Accessories

MaiFix®

Tsanangudzo		1 JAWS	Mutengo	2 JAWS	Mutengo	3 JAWS	Mutengo	4 JAWS	Mutengo
Hollow Hydraulic Chuck	4 inch			SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch			SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch			SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch			SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch			SBL-210	697.6	SB-210	697.6	SBS-210	800.0
Hollow Hydraulic Chuck	12 inch			SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch			SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Makuru Aperture				2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
Hollow Hydraulic Chuck				2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
Large Aperture				2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Long Stroke						3JDB-206	988.1		
Hollow Hydraulic Chuck						3JDB-208	1121.4		
Long Stroke						3JDB-210	1258.3		
Hollow Hydraulic Chuck									
Hollow Half-Through Chigunun'una Chuck	5 inch			SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch			SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch			SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10 inch			SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Solid Hydraulic Chuck	4 inch			JNL-04	428.6	JN-04	401.1		
	5 inch			JNL-05	452.4	JN-05	409.6		
	6 inch			JNL-06	500.0	JN-06	459.6		
	8 inch			JNL-08	547.6	JN-08	511.9		
	10 inch			JNL-10	714.3	JN-10	666.7		
	12 inch			JNL-12	1119.0	JN-12	1088.1		
	15 inch			JNL-15		JN-15	2309.6		
Long Stroke Solid Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3		
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9		
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7		
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0		
Long Stroke Hollow Hydraulic Chuck	6 inch					JLS-206	892.9		
	8 inch					JLS-208	940.4		
	10 inch					JLS-210	1038.1		

Chuck T Block

Chuck T Block



Kuyera	Mutengo USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Chuck Jaw Fixing Plate

Chuck Jaw Fixing Plate



Kuyera	Mutengo USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Solid Hydraulic Rotary Cylinder

Solid Hydraulic Rotary Cylinder



Kuyera	Mutengo USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Hollow Hydraulic Rotary Cylinder

Hollow Hydraulic Rotary Cylinder



Kuyera	Mutengo USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Chuck Connecting Disc

Chuck Connecting Disc



Kuyera	Mutengo USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Mambakwedza Akaoma Kwa Hydraulic Chucks

Hard Jaw For Hydraulic Chucks



Kuyera	Mutengo USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Mufudzi Wakanyorova Yemafuta Anonzi Hydraulic Chucks

Fan Soft Jaw For Hydraulic Chucks



Kuyera	Mutengo USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

Tsanangudzo		1 JAWS	Mutengo	2 JAWS	Mutengo	3 JAWS	Mutengo	4 JAWS	Mutengo
Kubhadhara Solid Hydraulic Chuck Compensation Solid Hydraulic Chuck	6 inch	3GB-06	720.3						
	8 inch	3GB-08	839.3						
VertiCal Hollow Hydraulic Chuck Vertical Hollow Hydraulic Chuck	5 inch			JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch			JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch			JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch			JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Half-Through Vertical Chigunun'una Chuck Hollow Half-Through Vertical Chigunun'una Chuck	5 inch			SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch			SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch			SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch			SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Mutsara Wakanyorova Wema Hydraulic Chucks

Soft Jaw For Hydraulic Chucks



a°=120°			a°=120°			a°=120°			a°=120°			a°=120°		
5 Inch Tambo Yakaderera Ye Hydraulic Chucks	6 Inch Tambo Yakaderera Ye Hydraulic Chucks	8 Inch Tambo Yakaderera Ye Hydraulic Chucks	10 Inch Tambo Yakaderera Ye Hydraulic Chucks	12 Inch Tambo Yakaderera Ye Hydraulic Chucks	5 Inch Soft Jaw For Hydraulic Chucks	6 Inch Soft Jaw For Hydraulic Chucks	8 Inch Soft Jaw For Hydraulic Chucks	10 Inch Soft Jaw For Hydraulic Chucks	12 Inch Soft Jaw For Hydraulic Chucks	5 Inch Soft Jaw For Hydraulic Chucks	6 Inch Soft Jaw For Hydraulic Chucks	8 Inch Soft Jaw For Hydraulic Chucks	10 Inch Soft Jaw For Hydraulic Chucks	12 Inch Soft Jaw For Hydraulic Chucks

Kuyera	H	Mutengo USD	Kuyera	H	Mutengo USD	Kuyera	H	Mutengo USD	Kuyera	H	Mutengo USD	Kuyera	H	Mutengo USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
4 inch	23	10.3	6H130	130	56.0	8H120	120	51.1	10H120	120	59.6	a°=120° 15 Inch Soft Jaw For Hydraulic Chucks		
5 inch	30	10.3	6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
6 inch	36	11.9				8H140	140	65.4	10H150	150	80.0			
8 inch	38	13.9				8H150	150	69.0	10H170	170	102.4			
10 inch	42	16.1				8H200	200	135.7	10H180	180	109.6			
12 inch	50	27.4							10H200	200	146.4	Kuyera	H	Mutengo USD
15 inch	62	67.9										15H100	100	154.7
												15H120	120	170.3
												15H150	150	257.1

Pamusoro Pose Inosanganisa Kubhadhara, Mutero Uye Mari.

Domestic USD Dollar Transaction Mutengo MuChina.

Kana Une Mimwe Mibvunzo, Ndapota Email: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price



E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Kubva, Taura nesu

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn