

Qiimaha Qalabka Qalabka

Machine Tools Price

E-mail: eva@mzgtool.cn



Baadhitaanka, Nala soo xiriir

Scanning , Contact Us

- | | | | |
|---|---|--|---|
| P01. Mishiinka Mile
Carbide Milling Cutter |  | P16. Qalabka Cylindrical dibadda / gudaha Dareemka Qalabka Sawiridda
External Cylindrical/Inner Hole Qalabaynta Tignoolajinta3 |  |
| P02. Isku-jaridda Khariidadda Carbide
Cemented Carbide Cutter |  | P17. Qalabaynta Jarida / Jarida-Jarida
Grooving/Cut-Off Turning Tool |  |
| P03. Isku-shubid Qalab-saarid
Extrusion Screw Tap |  | P18. Dhamaadka Fudud / Dhabarka Hareeraha Qalabka Sawir-Qabsashada
End Face/Inner Hole Qalabaynta Tignoolajinta |  |
| P04. Apex Tap
Apex Tap |  | P19. Qalabka Mastareynta CNC
CNC Turning Tool |  |
| P05. Spiral Grooved Tap
Spiral Grooved Tap |  | P20. Qaybaha Qalabka Taageerada CNC
CNC Turning Tool Parts |  |
| P06. Gacanta Hulalka / Wareega Dhimashada
Hand Tap/Circular Die |  | P21. BAP Isdabare Qalabka Xagal-Xagal-Xagasho
BAP Isdabare Qalabka Xagal-Xagal-Xagasho |  |
| P07. CCMT.. CNMG.. |  | P22. Mashiinka Milling Milling Cutter
Machine-Clamped Round Nose Milling Cutter |  |
| P08. DCMT.. DNMG.. |  | P23. KM12.. SEHT.. T2139.. P3200.. |  |
| P09. SCMT.. SNMG.. |  | P24. Xakamaynta Qalabka Nooca Dhuumaha
Locking Tooth Type Cutter |  |
| P10. TPGT.. TNMG.. |  | P25. Qalabka Burinta
Boring Tool |  |
| P11. VBMT.. VNMG.. |  | P26. Hantidhowrka Dareemidda
Boring Tool Holder |  |
| P12. WNMG.. WNMG.. |  | P27. ER.. FMA/B.. |  |
| P13. Qalabka Muujinta Muujinta
Thread Turning Tool |  | P28. GSK.. ADS.. APU.. |  |
| P14. Iska-jarida / Iskudhinta / Dib-u-soo-celinta Qaybaha yaryar
Cut-Off/Grooving/Back Turning Of Small Parts |  | P29. Qalabka Kombiyuutarka ee CNC
CNC Tool Holder Accessories |  |
| P15. Qalabaynta Dib-u-soo-kabashada Dibadda
External Kala soocidda Sylindrical Turning Tool |  | P30. Lathe Chuck Accessories
Lathe Chuck Accessories |  |


Qalabaynta Xirfadlaha, Milling, Dhexdhexaadinta iyo Qaadista Qalabka Dhexdhiska.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



Dhererka L1 ee Mastaradda Mastariga ah Hayashada kala duwan waxay

The L1 Length Of Milling Cutter With Different Hardness May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter RxL1xDxL
---	-------------------------------------

1. 0x3xD4x50	R0. 5x2xD4x50
1. 5x4xD4x50	R0. 75x3xD4x50
2. 0x6xD4x50	R1. 0x4xD4x50
2. 5x8xD4x50	R1. 25x5xD4x50
3. 0x8xD3x50	R1. 5x6xD3x50
3. 0x12xD3x75	R1. 5x6xD3x75
3. 0x15xD3x100	R1. 5x6xD3x100
3. 0x8xD4x50	R1. 5x6xD4x50
3. 5x10xD4x50	R1. 75x7xD4x50
4. 0x10xD4x50	R2. 0x8xD4x50
4. 0x20xD4x75	R2. 0x8xD4x75
4. 0x25xD4x100	R2. 0x8xD4x100
5. 0x13xD5x50	R2. 5x10xD5x50
5. 0x13xD5x75	R2. 5x10xD5x75
5. 0x13xD5x100	R2. 5x10xD5x100
5. 0x13xD6x50	R2. 5x10xD6x50
6. 0x15xD6x50	R3. 0x12xD6x50
6. 0x20xD6x75	R3. 0x12xD6x75
6. 0x30xD6x100	R3. 0x12xD6x100
6. 0x30xD6x150	R3. 0x12xD6x150
8. 0x20xD8x60	R4. 0x16xD8x60
8. 0x25xD8x75	R4. 0x16xD8x75
8. 0x35xD8x100	R4. 0x16xD8x100
8. 0x40xD8x150	R4. 0x16xD8x150
10x25xD10x75	R5. 0x20xD10x75
10x40xD10x100	R5. 0x20xD10x100
10x45xD10x150	R5. 0x20xD10x150
12x30xD12x75	R6. 0x24xD12x75
12x45xD12x100	R6. 0x24xD12x100
12x50xD12x150	R6. 0x24xD12x150
14x35xD14x80	R7. 0x28xD14x80
14x40xD14x100	R7. 0x28xD14x100
14x60xD14x150	R7. 0x28xD14x150
16x40xD16x100	R8. 0x32xD16x100
16x65xD16x150	R8. 0x32xD16x150
18x40xD18x100	R9. 0x36xD18x100
18x65xD18x150	R9. 0x36xD18x150
20x40xD20x100	R10x40xD20x100
20x65xD20x150	R10x40xD20x150

55° Goobta tobanaad Goobta Qalqalinta Qalqalinta
55° Goobta tobanaad Goobta Qalqalinta Qalqalinta



Qeexitaan	RxDxL	Qiimo
D1. 1-D3. 9xD4x50		4.3
D1. 1-D5. 9xD6x50		6.9
D6. 1-D7. 9xD8x60		12.4
D8. 1-D9. 9xD10x75		20.4
D10. 1-D11. 9xD12x75		29.0
Fasax kasta oo isbarbar dhigo ee kor ku xusan R0. 0.1mm		
D1. 0-D3. 0xD4x75		6.0
D1. 0-D3. 0xD4x100		6.4
D1. 0-D4. 0xD6x50		6.4
D1. 0-D5. 0xD6x75		9.6
D1. 0-D5. 0xD6x100		11.9
Fasax kasta oo isbarbar dhigo ee kor ku xusan R0. 0.5mm		
D2x20x50		4.7
D4x15xD4x50		4.0
D6x20xD6x50		6.9
D8x30xD8x60		12.4
D8x40xD8x120		20.7
D8x200		43.6
D10x30xD10x75		20.4
D10x35xD10x75		20.4
D10x50xD10x100		26.1
D10x45xD10x120		32.4
D10x200		64.3
D12x35xD12x75		27.4
D12x50xD12x100		34.7
D12x45xD12x120		42.9
D12x200		86.9
D13x14x100		54.7
D15x16x100		66.7
D16x50xD16x100		63.1
D16x200		154.7
D20x200		222.9

Coatings waa la jaraa Qalabka waxa ka hooseeya 45HRC
Black Coatings Can Cut Steel Below 45 HRC

Coatings Coatings wuu jari karaa Qiliga Hooska 55HRC
Copper Coatings Can Cut Steel Below 55 HRC

Nano Black Coatings wuu jarayaa Qiliga hoos ku qoran 58HRC
Nano Black Coatings Can Cut Steel Below 58 HRC

Nano Copper Wajiyadu way jaraan Qiliga Hooska 60HRC
Nano Copper Coatings Can Cut Steel Below 60 HRC

Nano Blue Coatings Can Iska yaree Caleenta hoos ka 65HRC
Nano Blue Coatings Can Cut Steel Below 65 HRC



2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
3.1	3.9	4.4	5.1	7.1	7.1	7.1	7.7	7.7
3.6	4.4	5.0	5.6	8.7	8.7	8.7	8.7	8.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
1.7	2.6	2.7	3.1	4.6	6.0	6.0	5.7	5.7
2.9	3.6	4.4	5.1	6.1	7.1	7.1	7.7	7.7
3.3	4.1	5.0	5.4	7.7	7.6	7.6	8.7	8.7
3.7	4.7	5.6	6.1	7.7	8.1	8.1	10.7	10.7
5.3	6.1	7.4	8.1	9.1	11.3	11.3	13.0	13.0
6.6	7.6	8.9	9.6	11.1	13.0	13.0	15.3	15.3
3.7	4.3	4.7	5.7	8.4	8.1	8.1	10.7	10.7
3.1	4.3	4.7	5.7	8.4	8.1	8.1	10.7	10.7
4.9	5.6	7.1	7.4	8.1	11.1	11.1	13.0	13.0
6.0	7.0	8.9	9.6	11.4	13.6	13.6	15.3	15.3
12.3	14.3	18.7	19.9	23.4	27.6	27.6	26.3	26.3
5.9	7.6	10.4	8.4	10.0	13.9	13.9	15.3	15.3
8.1	9.4	11.6	12.4	15.3	17.6	17.6	20.0	20.0
9.6	11.1	14.0	15.4	19.6	21.4	21.4	25.0	25.0
19.0	22.1	29.0	25.9	32.3	35.4	35.4	41.0	41.0
9.6	12.7	16.6	15.1	16.6	21.4	21.4	27.7	27.7
14.6	16.9	21.0	20.3	21.3	30.3	30.3	31.7	31.7
28.1	32.9	41.7	39.4	41.7	56.1	56.1	54.4	54.4
14.9	17.4	22.0	21.1	23.3	33.1	33.1	37.0	37.0
19.4	22.6	28.1	27.7	28.7	40.4	40.4	47.0	47.0
34.3	40.0	50.7	49.3	52.1	72.9	72.9	77.6	77.6
25.6	29.7	32.3	34.1	34.1	49.3	49.3	61.0	61.0
27.1	31.7	34.6	38.0	38.0	52.9	52.9	61.0	61.0
49.6	57.9	64.6	68.3	68.3	95.4	95.4	100.6	100.6
35.7	38.9	51.0	53.0	53.0	74.0	74.0	78.7	78.7
63.3	73.9	86.0	91.0	91.0	129.0	129.0	127.6	127.6
43.3	50.4	59.1	65.1	65.1	89.7	89.7	96.7	96.7
74.9	86.7	101.3	101.3	101.3	148.1	148.1	153.1	153.1
52.7	57.6	73.1	75.9	75.9	106.7	106.7	115.7	115.7
86.3	100.7	126.1	126.1	126.1	168.3	168.3	196.3	196.3


55° Goobta tobanaad Goobta Qalqalinta Qalqalinta
55° Goobta tobanaad Goobta Qalqalinta Qalqalinta



Qeexitaan	RxDxL	Qiimo
R0. 6-R1. 9xD4x50		4.7
Fasax kasta oo isbarbar dhigo ee kor ku xusan R0. 1mm		
R0. 5-R1. 5xD4x75		6.9
R0. 5-R1. 5xD4x100		7.6
R0. 5-R2. 0xD6x50		7.6
R0. 5-R2. 5xD6x75		10.7
R0. 5-R2. 5xD6x100		12.6
Fasax kasta oo isbarbar dhigo ee kor ku xusan R0. 25mm		
R4x120		20.7
R4x200		43.6
R5x120		32.4
R5x200		40.3
R6x120		42.6
R6x200		86.9
R8x200		154.7
R10x200		222.9

Micro-Jaantuska Qalabka Milling-Mastariga ah ee Jarjarka ayaan gooyin karaa Qiliga Hooska 60HRC

Micro-Diameter Flat-End Milling Cutter Can Cut Steel Below 60 HRC



Coatings waa la jaraa Qalabka waxa ka hooseeya 45HRC
Black Coatings Can Cut Steel Below 45 HRC

Coatings Coatings wuu jari karaa Qiliga Hooska 55HRC
Copper Coatings Can Cut Steel Below 55 HRC

Nano Black Coatings wuu jarayaa Qiliga hoos ku qoran 58HRC
Nano Black Coatings Can Cut Steel Below 58 HRC

Nano Copper Wajiyadu way jaraan Qiliga Hooska 60HRC
Nano Copper Coatings Can Cut Steel Below 60 HRC

Nano Blue Coatings Can Iska yaree Caleenta hoos ka 65HRC
Nano Blue Coatings Can Cut Steel Below 65 HRC



2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
3.1	3.9	4.4	5.1	7.1	7.1	7.1	7.7	7.7
3.6	4.4	5.0	5.6	8.7	8.7	8.7	8.7	8.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
2.0	2.6	2.7	3.1	4.6	5.1	5.1	5.7	5.7
1.7	2.6	2.7	3.1	4.6	6.0	6.0	5.7	5.7
2.9	3.6	4.4	5.1	6.1	7.1	7.1	7.7	7.7
3.3	4.1	5.0	5.4	7.7	7.6	7.6	8.7	8.7
3.7	4.7	5.6	6.1	7.7	8.1	8.1	10.7	10.7
5.3	6.1	7.4	8.1	9.1	11.3	11.3	13.0	13.0
6.6	7.6	8.9	9.6	11.1	13.0	13.0	15.3	15.3
3.7	4.3	4.7	5.7	8.4	8.1	8.1	10.7	10.7
3.1	4.3	4.7	5.7	8.4	8.1	8.1	10.7	10.7
4.9	5.6	7.1	7.4	8.1	11.1	11.1	13.0	13.0
6.0	7.0	8.9	9.6	11.4	13.6	13.6	15.3	15.3
12.3	14.3	18.7	19.9	23.4	27.6	27.6	26.3	26.3
5.9	7.6	10.4	8.4	10.0	13.9	13.9	15.3	15.3
8.1	9.4	11.6	12.4	15.3	17.6	17.6	20.0	20.0
9.6	11.1	14.0	15.4	19.6	21.4	21.4	25.0	25.0
19.0	22.1	29.0	25.9	32.3	35.4	35.4	41.0	41.0
9.6	12.7	16.6	15.1	16.6	21.4	21.4	27.7	27.7
14.6	16.9	21.0	20.3	21.3	30.3	30.3	31.7	31.7
28.1	32.9	41.7	39.4	41.7	56.1	56.1	54.4	54.4
14.9	17.4	22.0	21.1	23.3	33.1	33.1	37.0	37.0
19.4	22.6	28.1	27.7	28.7	40.4	40.4	47.0	47.0
34.3	40.0	50.7	49.3	52.1	72.9	72.9	77.6	77.6
25.6	29.7	32.3	34.1	34.1	49.3	49.3	61.0	61.0
27.1	31.7	34.6	38.0	38.0	52.9	52.9	61.0	61.0
49.6	57.9	64.6	68.3	68.3	95.4	95.4	100.6	100.6
35.7	38.9	51.0	53.0	53.0	74.0	74.0	78.7	78.7
63.3	73.9	86.0	91.0	91.0	129.0	129.0	127.6	127.6
43.3	50.4	59.1	65.1	65.1	89.7	89.7	96.7	96.7
74.9	86.7	101.3	101.3	101.3	148.1	148.1	153.1	153.1
52.7	57.6	73.1	75.9	75.9	106.7	106.7	115.7	115.7
86.3	100.7	126.1	126.1	126.1	168.3	168.3	196.3	196.3

55° Goobta tobanaad Goobta Qalqalinta Qalqalinta
55° Goobta tobanaad Goobta Qalqalinta Qalqalinta



		
D1	L1	A
0.3	2/3/4	4.
0.4	2/3/4/5/6	4.
0.5	2/3/4/6/8	4.
0.6	2/3/4/6/8	4.
0.7	3/4/6/8/10	4.
0.8	3/4/6/8/10	4.
0.9	3/4/6/8/10	4.
1.0	6/8/10/12/15/20	3.
1.5	6/8/10/12/15/20	3.
2.0	8/10/12/15/20	3.
2.5	10/12/15/20	3.

Micro-Diameter Ball-Kala saar Mastara
Qliqa Hoose 60HRC

Micro-Diameter Ball-End Milling
Steel Below 60 HRC

yn kara

Cut
D=4mm



Coatings	Qeexitaan RxDxL
5.3	R0. 15xD4x50
5.3	R0. 2xD4x50
5.3	R0. 25xD4x50
5.3	R0. 3xD6x50
5.3	R0. 35xD6x50
5.3	R0. 4xD8x50
5.3	R0. 45xD8x50

Isku-jaridda Khariidadda Carbide Cemented Carbide Cutter

MaiFix®

Hal-Caleenta Akriil / Qoryaha Aluminiumka
Single-Edge Acrylic / Aluminium Milling Cutter



Cabbirada D1xL1xDxL	Generaalka	Naqshadaynta	AL
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

3-Mastaradda Milling Milling Cutter for Tungsten
Shandaku wuxuu yareeyaa hoosta hoosta 55 HRC
3-Edged Taper Milling Cutter For Tungsten
Shandaku wuxuu yareeyaa hoosta hoosta 55 HRC




Cabbirada D1xα°xL1xD2xDxLx3F	Qiimo USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Tungsten Soodhadaynta Mashinka Dhuxusha
Wey yareyn kartaa hoosta 55HRC
Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Cabbirada D1RxDxL	Qiimo USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	


Tungsten Steel Dovetail Groove Milling
Cutter Cut Cut Shidaalka Hooska 60 HRC
Tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Cabbirada D1xα°xL1xD2xDxLx3F	Qiimo USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Mastar Gaar ah oo loogu talagalay Tungsten
Qalabka Lafdharka Caleenta ah
Wey yareyn kartaa hoosta 55HRC

Tungsten Steel T-Groove Side Milling
Cutter wuxuu yareeyaa birta hoosta 55HRC
Tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Cabbirada D1RxDxL	Qiimo USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x1. 5HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x1. 5HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9


Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC(60°/90°/120°)



Cabbirada DxL	AL	Coatings
D1xD4x50L	4.6	5.0
D2xD4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Tungsten Steel Dhabarka Dhexdhexaadinta Dhexdhexaadinta
Isticmaal Isticmaal Labo Gabbad ah oo ah Isticmaal Dareemo iyo
Faahfaah wuxuu yareeyaa birta hoos ka qoran 58HRC

Tijaabinta Sumada Tungsten Spiral-Edged
Wey yareyn kartaa hoosta 55HRC
Spiral-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Cabbirada D1xL1xDxLxT	Qiimo USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Qalabka Tungsten Steel Straight-Edged
Wey yareyn kartaa hoosta 55HRC

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Cabbirada D1xL1xDxLxT	Qiimo USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Dhoobada Tungsten

Tungsten Steel Drills



Cabbirada	Qiimo USD
D1. 0-D1. 5	1.9
D1. 6-D2. 0	2.4
D2. 1-D2. 5	2.6
D2. 6-D3. 0	3.3
D3. 1-D3. 5	4.0
D3. 6-D4. 0	4.7
D4. 1-D4. 5	5.4
D4. 6-D5. 0	6.9
D5. 1-D5. 5	7.9
D5. 6-D6. 0	9.6
D6. 1-D6. 5	11.1
D6. 6-D7. 0	12.9
D7. 1-D7. 5	16.9
D7. 6-D8. 0	18.9
D8. 1-D8. 5	22.4
D8. 6-D9. 0	24.7
D9. 1-D9. 5	28.3
D9. 6-D10. 0	30.7
D10. 1-D10. 5	35.7
D10. 6-D11. 0	37.4
D11. 1-D11. 5	46.0
D11. 6-D12. 0	50.0


Tungsten Steel Bar

Tungsten Steel Bar



Cabbirada DxL	55° USD	60° USD
D3x100L	2.4	3.6
D4x100L	3.9	6.0
D6x100L	6.1	7.4
D8x100L	7.4	8.6
D10x100L	14.3	21.1
D12x100L	21.4	32.4
	31.1	46.9


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Cabbirada D1xL1xDxL	Qiimo USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9


Labo Madaxa Tungsten Steel Dhexdhexaad
Isticmaal Isticmaal Labo Gabbad ah oo ah Isticmaal Dareemo iyo
Faahfaah wuxuu yareeyaa birta hoos ka qoran 58HRC

Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Cabbirada DxL	AL	Coatings
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tungsten Steel Fixed-point Drill
Dual Use Of Fixed Point And Chamfer Can
Cut Steel Below 58 HRC



Cabbirada DxL	AL	Coatings
D1xD4x50L	3.3	3.9
D1. 5xD4x50L	3.3	3.9
D2xD4x50L	3.3	3.9
D3xD4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Daarida (Yellow / Black / Copper)

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgttool.cn

<http://www.mzg.tw>

Isku-shubid Qalab-saarid

Extrusion Screw Tap



Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	Qaab	White	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	Qaab	White	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L	RH7	B	14.0	16.1
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L	RH7	B	11.1	12.6
UNC5/16-18-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Apex Tap Apex Tap



White



Tin

Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	Qaab	White	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	Qaab	White	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNE1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	Qaab	White	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Tin

Mawduuc x Pitch x Length (/ Dib-u-egidda ilkaha)	Xaqiilo	White	Tin
M4. 0x0. 7	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 4. 7 4. 7 4. 7
M4. 0x0. 7-100L		9. 3	
M4. 0x0. 7-150L		17. 1	
M4. 0x0. 7-AL	P2	4	4
M4. 0x0. 7-HT <i>Sheath</i>	1B	4. 7	6. 1
M4. 0x0. 7L <i>Dib-u-egidda ilkaha</i>	P2	4. 7	5. 7
M5. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 4 5. 4
M5. 0x0. 5L <i>Dib-u-egidda ilkaha</i>	P2	5. 7	6. 9
M5. 0x0. 8	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 5 4. 4 4. 7 4. 7
M5. 0x0. 8-100L		9. 6	
M5. 0x0. 8-150L		17. 9	
M5. 0x0. 8-AL	P2	4	4
M5. 0x0. 8-HT <i>Sheath</i>	1B	4. 7	6. 1
M5. 0x0. 8L <i>Dib-u-egidda ilkaha</i>	P2	4. 7	5. 7
M6. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 7 5. 7
M6. 0x0. 5L <i>Dib-u-egidda ilkaha</i>	P2	5. 7	6. 9
M6. 0x0. 75	P2 P3 P4	4. 7 4. 7 4. 7	5. 7 5. 7 5. 7
M6. 0x0. 75L <i>Dib-u-egidda ilkaha</i>	P2	5. 7	6. 9
M6. 0x1. 0	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5. 5 5 5
M6. 0x1. 0-100L		9. 6	
M6. 0x1. 0-150L		17. 9	
M6. 0x1. 0-AL	P2	4	4
M6. 0x1. 0-HT <i>Sheath</i>	1B	4. 7	6. 1
M6. 0x1. 0L <i>Dib-u-egidda ilkaha</i>	P2	4. 7	5. 7
M7. 0x0. 5	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M7. 0x0. 75	P2 P3 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M7. 0x0. 75L <i>Dib-u-egidda ilkaha</i>	P2	7. 9	9. 3
M7. 0x1. 0	P2 P4	6 6	7. 4 7. 4
M7. 0x1. 0L <i>Dib-u-egidda ilkaha</i>	P2	7. 4	8. 6
M8. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75L <i>Dib-u-egidda ilkaha</i>	P2	7. 9	9. 3
M8. 0x1. 0	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x1. 0L <i>Dib-u-egidda ilkaha</i>	P2	7. 9	9. 3
M8. 0x1. 25	+0. 1 P2 P3 P4	6. 7 6 6 6	7. 9 7. 4 7. 4 7. 4
M8. 0x1. 25-100L		12. 6	
M8. 0x1. 25-150L		18. 3	
M8. 0x1. 25-AL	P2		6
M8. 0x1. 25-HT <i>Sheath</i>	1B	7. 4	7. 9
M8. 0x1. 25L <i>Dib-u-egidda ilkaha</i>	P2	7. 4	8. 6
M9. 0x0. 5	P2	7. 9	9. 6
M9. 0x0. 75	P2	7. 9	9. 6
M9. 0x1. 0	P2	7. 9	9. 6
M9. 0x1. 0L <i>Dib-u-egidda ilkaha</i>	P2	10	11. 4
M9. 0x1. 25	P2	7. 9	9. 6
M10x0. 5	P2	8. 3	10
M10x0. 75	P2 P4	8. 3 8. 3	10 10
M10x0. 75L <i>Dib-u-egidda ilkaha</i>	P2	10	11. 4
M10x1. 0	P2 P4	8. 3 8. 3	10 10
M10x1. 0L <i>Dib-u-egidda ilkaha</i>	P2	10	11. 4
M10x1. 25	P2 P4	8. 3 8. 3	10 10
M10x1. 25L <i>Dib-u-egidda ilkaha</i>	P2	10	11. 4
M10x1. 5	+0. 1 P2 P3 P4	8. 3 7. 9 7. 9 7. 9	10 9. 6 9. 6 9. 6
M10x1. 5-100L		14. 6	
M10x1. 5-150L		19. 7	
M10x1. 5-AL	P2		7. 9
M10x1. 5-HT <i>Sheath</i>	1B	9. 3	10
M10x1. 5L <i>Dib-u-egidda ilkaha</i>	P2	9. 3	11
M11x0. 5	P2	11	13. 1
M11x0. 75	P2	11	13. 1
M11x1. 0	P2	11	13. 1
M11x1. 5	P2	10. 4	12

Mawduuc x Pitch x Length (/Dib-u-eegida ilkaha)	Xaqiiqo	White	Tin
UNF1/4-28	P2	6.7	7.6
UNF1/4-28-HT Sheath	P4	6.7	7.6
UNF1/4-28L Dib-u-eegida ilkaha	1B		7.4
UNEf1/4-32	P2	7.4	8.3
UNs1/4-36	P2	6.7	7.6
UNC5/16-18	P2	6.7	7.6
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16-18-100L		13.1	
UNC5/16-18-AL	P2	6.7	
UNC5/16-18-HT Sheath	1B	7.9	8.3
UNC5/16-18L Dib-u-eegida ilkaha	P2	7.4	8.6
UNF5/16-24	P2	7.4	8.8
	P4	7.4	
UNF5/16-24-HT Sheath	1B		10.0
UNF5/16-24L Dib-u-eegida ilkaha	P2	9.3	10.4
UNC3/8-16	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8-16-100L		14.7	
UNC3/8-16-AL	P2	8.3	
UNC3/8-16-HT Sheath	1B	9.6	10.4
UNC3/8-16L Dib-u-eegida ilkaha	P2	9.6	11.0
UNF3/8-24	P2	9.3	10.7
	P4	9.3	10.7
UNF3/8-24-HT Sheath	1B		12.1
UNF3/8-24L Dib-u-eegida ilkaha	P2	11.0	12.6
	P2	9.3	10.7
UNf7/16-14	P2	11.9	13.9
UNF7/16-20	P2	12.6	14.7
UNF1/2-12	P2	13.1	15.3
UNF1/2-20	P2	14.6	16.4
W1/8-40	P1	4.7	5.4
W5/32-32	P2	4.7	5.4
W3/16-24	P2	4.7	5.4
W7/32-24	P2	4.7	5.7
W1/4-20	P2	4.7	5.7
W5/16-18	P2	6.0	7.4
W3/8-16	P2	7.9	9.6
W7/16-14	P2	11.9	13.9
W1/2-12	P2	13.1	15.3
PS1/8-28 Heerka Ingiriiska		7.9	
PS1/4-14 Heerka Maraykanka		22.4	
PS1/4-18 Heerka Maraykanka		7.9	
PS1/4-19 Heerka Ingiriiska		9.3	
PS3/8-18 Heerka Maraykanka		13.1	
PS3/8-19 Heerka Ingiriiska		14.6	
PS1/2-14 Heerka Maraykanka		17.1	
PS1/2-14 Heerka Ingiriiska		19.7	
PS3/4-14 Heerka Ingiriiska		25.0	
PS1-11 Heerka Ingiriiska		41.9	
PS1-11. 1-2 American Standard		41.9	
PT1/16-28 Heerka Ingiriiska		7.9	
PT1/8-28 Heerka Ingiriiska		7.9	
PT1/4-19 Heerka Ingiriiska		10.4	
PT3/8-19 Heerka Ingiriiska		15.7	
PT1/2-14 Heerka Ingiriiska		19.7	
PT3/4-14 Heerka Ingiriiska		27.6	
PT1-11 Heerka Ingiriiska		46.0	
NPT1/8-27 Heerka Maraykanka		7.9	
NPT1/4-18 Heerka Maraykanka		10.4	
NPT3/8-18 Heerka Maraykanka		15.7	
NPT1/2-14 Heerka Maraykanka		19.7	
NPT1/4-14 Heerka Maraykanka		27.6	
NPT1-11. 1-2 American Standard		46.0	

HT Wareeg toosan

HT Straight Wire Tap



Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	White
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1






Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	Xaqiiqo	White
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Heerka Ingiriiska		6. 7
PS1/8-27 Heerka Maraykanka		6. 7
PS1/8-28 Heerka Ingiriiska		6. 7
PS1/4-14 Heerka Maraykanka		22. 4
PS1/4-18 Heerka Maraykanka		7. 9
PS1/4-19 Heerka Ingiriiska		7. 9
PS3/8-18 Heerka Maraykanka		13. 1
PS3/8-19 Heerka Ingiriiska		13. 1
PS1/2-14 Heerka Maraykanka		17. 1
PS1/2-14 Heerka Ingiriiska		17. 1
PS3/4-14 Heerka Ingiriiska		22. 4
PS1-11 Heerka Ingiriiska		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Heerka Ingiriiska		6. 7
PT1/8-28 Heerka Ingiriiska		6. 7
PT1/4-19 Heerka Ingiriiska		8. 6
PT3/8-19 Heerka Ingiriiska		14. 6
PT1/2-14 Heerka Ingiriiska		18. 3
PT3/4-14 Heerka Ingiriiska		25. 0
PT1-11 Heerka Ingiriiska		41. 9
NPT1/8-27 Heerka Maraykanka		6. 7
NPT1/4-18 Heerka Maraykanka		8. 6
NPT3/8-18 Heerka Maraykanka		14. 6
NPT1/2-14 Heerka Maraykanka		18. 3
NPT1/4-14 Heerka Maraykanka		25. 0
NPT1-11. 1-2 American Standard		41. 9



AR-D Wareegyada Lagu Dhiman AR-D Adjustable Circular Die



Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	External Diameter	White
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Dib-u-eegida ilkaha	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Dib-u-eegida ilkaha	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Dib-u-eegida ilkaha	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Dib-u-eegida ilkaha	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Dib-u-eegida ilkaha	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Dib-u-eegida ilkaha	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Dib-u-eegida ilkaha	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Dib-u-eegida ilkaha	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Dib-u-eegida ilkaha	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6

Mawduuc x Pitch x Length (/ Dib-u-eegida ilkaha)	External Diameter	White
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9

Sawirada Qalabka	Qeexitaan	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta			
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper iyo Aluminium Dhammaystiridda Meelaynta			
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
Copper iyo Aluminium dhexdhexaad ah Dhammaystiridda Meelaynta			
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
Waxyaabaha Sumaysan ee Birta ah			
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Qaybo Wanaagsan Leh			
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Qaybo Wanaagsan Leh			






Sawirada Qalabka	Qeexitaan	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta			
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper iyo Aluminium Dhammaystiridda Meelaynta			
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Dhammaad Dhexdhexaadinta Birta			
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
R-X L-X Dhaqdhaqaaq adag oo bir ah			
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
Dhammaad Dhexdhexaad Maareynta Dhabax adag			
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Copper iyo Aluminium dhexdhexaad ah Dhammaystiridda Meelaynta			
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
Dhexdhexaadinta dhexdhexaad ah ee Qashinka Birta			
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
Dhammaad Dhexdhexaadinta Qalabaynta Birta			
	CNMG120408-HS ZM30	0.8	2.6
Waxyaabaha Sumaysan ee Birta ah			
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
Waxyaabaha Sumaysan ee Birta ah			
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
Waxyaabaha Sumaysan ee Birta ah			
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			


Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.



Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.








Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta			
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper iyo Aluminium Dhammaystiridda Meelaynta			
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
Copper iyo Aluminium dhexdhexaad ah Dhammaystiridda Meelaynta			
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
Waxyaabaha Sumaysan ee Birta ah			
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
Waxyaabaha Sumaysan ee Birta ah			
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Qaybo Wanaagsan Leh			
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Qaybo Wanaagsan Leh			

Sawirada Qalabka	Qeexitaan	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta			
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
Copper iyo Aluminium Dhammaystiridda Meelaynta			
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
Copper iyo Aluminium dhexdhexaad ah Dhammaystiridda Meelaynta			
	DNMG110404-FG ZN60	0.4	2.6
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh			
	DNMG150404L-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Qaybo Wanaagsan Leh			
	DNMG150404R-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Qaybo Wanaagsan Leh			

Sawirada Qalabka	Qeexitaan	R	USD
	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
	SNMG120408L-S ZC25	0.8	2.6
	SNMG120408L-S ZC35	0.8	2.6
	SNMG120408R-S ZC25	0.8	2.6
	SNMG120408R-S ZC35	0.8	2.6
	SNMG120408-TM ZC25	0.8	2.6
	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
	SNMG120408-MA ZM30	0.8	2.6
	SNMG120404-MS ZM30	0.4	2.6
	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
	SCMT09T304-MT ZN60	0.4	1.9
	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9



Sawirada Qalabka	Qeexitaan	R	USD
	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3







Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	R	USD
 Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Copper iyo Aluminium Dhammaystiridda Meelaynta	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ Dhammaad Dhexdhexaadinta Birta	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25	0.4 0.8	2.3 2.3
 HQ Dhammaad Dhexdhexaadinta Birta	TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8	2.3 2.3
 R-S Dhaqdhaqaaq adag oo bir ah	TNMG160404L-S ZC25 TNMG160408L-S ZC25	0.4 0.8	2.3 2.3
 L-S Dhaqdhaqaaq adag oo bir ah	TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8	2.3 2.3
 R-S Dhaqdhaqaaq adag oo adag	TNMG160404L-S ZC35 TNMG160408L-S ZC35	0.4 0.8	2.3 2.3
 L-S Dhaqdhaqaaq adag oo adag	TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8	2.3 2.3
 Dhammaad Dhexdhexaadinta Birta	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Dhammaad Dhexdhexaad Maareynta Dhabab adag	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Copper iyo Aluminium dhexdhexaad ah Dhammaystiridda Meelaynta	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough La shaqaynta Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50	0.4 0.8	2.3 2.3
 TNMG Dhammaad Dhexdhexaad La shaqaynta Cast Iron	TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8	2.3 2.3
 HA Waxyaabaha Sumaysan ee Birta ah	TNMG160404-HA ZM30 TNMG160408-HA ZM30	0.4 0.8	2.3 2.3
 MA Waxyaabaha Sumaysan ee Birta ah	TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8	2.3 2.3
 Waxyaabaha Sumaysan ee Birta ah	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Waxyaabaha Sumaysan ee Birta ah	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3

Sawirada Qalabka	Qeexitaan	R	USD
 R-C Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404L-C ZN60 TNMG160408L-C ZN60	0.4 0.8	1.9 1.9
 L-C Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8	1.9 1.9
 R-S Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404L-S ZN60 TNMG160408L-S ZN60	0.4 0.8	1.9 1.9
 L-S Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8	1.9 1.9
 R-VF Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60	0.4 0.8	1.9 1.9
 L-VF Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8	1.9 1.9
 R-FS Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60	0.4 0.8	1.9 1.9
 L-FS Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8	1.9 1.9
 Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P Cermet Fine Steel Qaybo Wanaagsan Leh	TNMG160402L-P ZN90 TNMG160404L-P ZN90	0.2 0.4	3.6 3.6
 L-P Cermet Fine Steel Qaybo Wanaagsan Leh	TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4	3.6 3.6
 R-S Cermet Fine Steel Qaybo Wanaagsan Leh	TNMG160402L-S ZN90 TNMG160404L-S ZN90	0.2 0.4	3.6 3.6
 L-S Cermet Fine Steel Qaybo Wanaagsan Leh	TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4	3.6 3.6

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	R	USD
	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VBGT160412 PCD1	1.2	6.9
	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7






Sawirada Qalabka	Qeexitaan	R	USD
	VNMG160404 CBN1	0.4	6.9
	VNMG160408 CBN1	0.8	6.9
	VNMG160402 PCD1	0.2	6.9
	VNMG160404 PCD1	0.4	6.9
	VNMG160408 PCD1	0.8	6.9
	VNMG160404-TM ZC25	0.4	2.7
	VNMG160408-TM ZC25	0.8	2.7
	VNMG160404-TM ZC35	0.4	2.7
	VNMG160408-TM ZC35	0.8	2.7
	VNMG160404-AL ZK01	0.4	2.3
	VNMG160408-AL ZK01	0.8	2.3
	VNMG160404 ZM30	0.4	2.7
	VNMG160408 ZM30	0.8	2.7
	VNMG160404-HS ZM30	0.4	2.7
	VNMG160408-HS ZM30	0.8	2.7
	VNMG160404-MT ZN60	0.4	2.3
	VNMG160408-MT ZN60	0.8	2.3


Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.





Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	R	USD
	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6

Sawirada Qalabka	Qeexitaan	R	USD
	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3

Sawirada Qalabka	Qeexitaan	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
PCD1 Copper iyo Aluminium Dhammaystiridda Meelaynta 	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	60° Dibadda Metric Kala Shaqaynta		
B-SEL SER 	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	Hawlaha Dibadda ee Dibadda		
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
PCD1 Copper iyo Aluminium Dhammaystiridda Meelaynta 	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	60° godka gudaha gudaha Kala Shaqaynta		
TKFT.. TTP.. 	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	Gudaha gudaha Kala Shaqaynta		
TKFT.. TTP.. 	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
TKFT.. TTP.. 	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TKFT6001 ZP15	0.5-3.0	5.9





Sawirada Qalabka	Qeexitaan	TPI	USD
ZP10 General Machining 	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
	30° Qaababka Trapezoidal Gudbinta DIN103 Hawlaha Dibadda ee Dibadda		
PCD1 Copper iyo Aluminium Dhammaystiridda Meelaynta 	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
	30° Qaababka Trapezoidal Gudbinta DIN103 Hawlaha Dhex-dhexaadinta Gudaha ee gudaha		
ZP10 General Machining 	16ER 11W ZP10	1 1/16 11Tooth	2.0
	16ER 14W ZP10	1 1/16 14Tooth	2.0
	16ER 19W ZP10	1 1/16 19Tooth	2.0
	16ER 24W ZP10	1 1/16 24Tooth	2.0
	16ER 8W ZP10	1 1/8 8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
	55° Inch Dibadda Kala Shaqaynta		
ZP10 General Machining 	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR 11W ZP10	1 1/16 11Tooth	2.0
	16IR 12W ZC01	1 1/16 12Tooth	2.0
	16IR 14W ZP10	1 1/16 14Tooth	2.0
	16IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	55° Inch gudaha gudaha Kala Shaqaynta		
PCD1 Copper iyo Aluminium Dhammaystiridda Meelaynta 	16ER 12UN ZP10	1 1/16 12Tooth	2.0
	16ER 14UN ZP10	1 1/16 14Tooth	2.0
	16ER 16UN ZP10	1 1/16 16Tooth	2.0
	16ER 18UN ZP10	1 1/16 18Tooth	2.0
	16ER 20UN ZP10	1 1/16 20Tooth	2.0
	60° Dibadda Mareykanka Kala Shaqaynta		
ZP10 General Machining 	16IR 12UN ZP10	1 1/16 12Tooth	2.0
	16IR 14UN ZP10	1 1/16 14Tooth	2.0
	16IR 16UN ZP10	1 1/16 16Tooth	2.0
	16IR 18UN ZP10	1 1/16 18Tooth	2.0
	16IR 20UN ZP10	1 1/16 20Tooth	2.0
	60° Hindida gudaha ee Maraykanka Kala Shaqaynta		
ZP10 General Machining 	16ER 11BSPT ZP10	1 1/16 11Tooth	2.0
	16ER 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 19BSPT ZP10	1 1/16 19Tooth	2.0
	16ER 28BSPT ZP10	1 1/16 28Tooth	2.0
	BSPT Heerka Ingiriiska Taper Tube Mawduuca Mashiinka Dibadda Dibadda		
ZP10 General Machining 	16IR 11BSPT ZP10	1 1/16 11Tooth	2.0
	16IR 14BSPT ZP10	1 1/16 14Tooth	2.0
	BSPT Heerka Ingiriiska Taper Mawduuca tubada gudaha Kala-shaqaynta Dhakusha		
ZP10 General Machining 	16ER 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16ER 14NPT ZP10	1 1/16 14Tooth	2.0
	16ER 18NPT ZP10	1 1/16 18Tooth	2.0
	NPT Sawir gacmeed Hawlaha Dibadda ee Dibadda		
ZP10 General Machining 	16IR 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16IR 14NPT ZP10	1 1/16 14Tooth	2.0
	Mashruuca Dareemaha NPT Kala Shaqaynta		



Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
Wareegga xajmiga ee liiska 0.5-3 mm iyo qoto dheer 1-2.2 mm Maaddada guud waa la gooyaa			
	SER1616H16	-	7.1
	SER2020K16	-	7.1
	SER2525M16	-	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
	T16N180 ZP15	1.8	3.0
	T16N200 ZP15	2.0	3.0
	T16N230 ZP15	2.3	3.0
	T16N250 ZP15	2.5	3.0
	T16N300 ZP15	3.0	3.0
Wareegga xajmiga ee liiska 0.5-3 mm iyo qoto dheer 1-2.2 mm Maaddada guud waa la gooyaa			
	SNR0010K11	-	5.1
	SNR0012M11	-	5.4
	SNR0013N16	-	6.1
	SNR0014N16	-	6.7
	SNR0016Q16	-	6.7
	SNR0020R16	-	7.1
	SNR0025S16	-	11.7
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	-	10.7
	CTPSL12	-	11.9
	CTPASL10	-	10.7
	CTPASL12	-	11.9
	CTPASL16	-	14.3
	CTPR08	-	11.9
	CTPR10	-	9.4
	CTPR12	-	9.4
	CTPR16	-	9.4
	CTPR20	-	10.7
	CTPAR10	-	9.4
	CTPAR12	-	9.4
	CTPAR16	-	9.4
	CTPAR20	-	10.7
	CTPAR25	-	14.3
	TTB6001 ZP15	-	5.9
	TBPR10	-	9.4
	TBPR12	-	9.4
	TBPAR10	-	9.4
	TBPAR12	-	9.4
	TBPAR16	-	9.4
	TBPR10	-	9.4
	TBPR12	-	9.4


Sawirada Qalabka	Qeexitaan	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Qaybaha yar yar ee xoqista /Hoos-u-Celinta Shaqada			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
Qaybaha yaryar ee Hoos u Dhiigista Shaqada			
	TKFB6001 ZP15	-	5.9
	TKKFSL1010JX12	-	11.9
	TKKFSL1212JX12	-	11.9
	TKKFSL1212JX16	-	11.9
	TKKFSL1010JX12	-	11.9
	TKKFSL1010JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4
	TKKFSL1212JX12	-	9.4

Sawirada Qalabka	Qeexitaan	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Wareegga xajmiga ee liiska 0.3-3.2mm
Qoto dheeraynta xakamaynta 0.8-4 mm
Waxyaalaha guud ee guud
ha noqdaan kuwo la gooyo

	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFR..			

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL..			


	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S..-KTGFL..			

Sawirada Qalabka	Qeexitaan	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

Wareegga xajmiga ee liiska 0.3-3.2mm
Qoto dheeraynta xakamaynta 0.8-4 mm
Waxyaalaha guud ee guud
ha noqdaan kuwo la gooyo

	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL..			

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------




	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR..			




	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S..-KTGFR..			

Qalabka Cylindrical dibadda / gudaha Dareemka Qalabka Sawiridda

External Cylindrical/Gudaha Dheecaan gudaha Turning Tool



Sawirada Qalabka	Qeexitaan	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Wareegga xajmiga ee liiska 1.0-4.8mm Qoto dheeraynta xakamaynta 2.0-5.0 mm Waxyaalaha guud ee guud ha noqdaan kuwo la gooyo			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Wareegga xajmiga ee liiska 1.0-4.8mm Qoto dheeraynta xakamaynta 2.0-5.0 mm Waxyaalaha guud ee guud ha noqdaan kuwo la gooyo			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3

Sawirada Qalabka	Qeexitaan	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH Qoryaha Casriga ah SIGER0808A-EHT	— — —	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH Qoryaha Casriga ah SIGER1010B-EHT SIGER1210B-EHT	— — — —	11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH Qoryaha Casriga ah SIGER1412C-EH	— — —	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Qoryaha Casriga ah SNGR10K07	— — —	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 Qoryaha Casriga ah SNGR10K08	— — —	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	— — —	9.0 11.0 13.1

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	Width	USD
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta	MGMN150 CBN1 MGMN200 CBN1 MGMN250 CBN1 MGMN300 CBN1 MGMN400 CBN1 MGMN500 CBN1	1.5 2.0 2.5 3.0 4.0 5.0	6.9 6.9 6.9 6.9 6.9 6.9
Copper iyo Aluminium Dhammaystiridda Meelanta	MGMN150 PCD1 MGMN200 PCD1 MGMN250 PCD1 MGMN300 PCD1 MGMN400 PCD1	1.5 2.0 2.5 3.0 4.0	6.9 6.9 6.9 6.9 6.9
Kala-saaridda / Kala-saaridda Hoos-u-Celinta	MGGN300 ZP15 MGGN400 ZP15	3.0 4.0	1.6 1.7
8° Taper Hoos-u-Celinta Shaqada	MGGN200-Q ZP15 MGGN300-Q ZP15	2.0 3.0	1.7 1.7
Copper or Aluminium Kala-saaridda / Kala-saaridda Hoos-u-Celinta	MGGN200 ZK01 MGGN300 ZK01 MGGN400 ZK01	2.0 3.0 4.0	1.7 1.9 2.3
Kala-saaridda / Kala-saaridda Hoos-u-Celinta	MGGN150 ZP30 MGGN200 ZP30 MGGN250 ZP30 MGGN300 ZP30 MGGN400 ZP30 MGGN500 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.7 1.7 2.0 2.7
8° Taper Hoos-u-Celinta Shaqada	MGGN150R-8 ZP30 MGGN200R-8 ZP30 MGGN250R-8 ZP30 MGGN300R-8 ZP30 MGGN400R-8 ZP30 MGGN500R-8 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.9 2.0 2.4 3.1
8° Taper Hoos-u-Celinta Shaqada	MGGN150L-8 ZP30 MGGN200L-8 ZP30 MGGN250L-8 ZP30 MGGN300L-8 ZP30 MGGN400L-8 ZP30	1.5 2.0 2.5 3.0 4.0	1.7 1.7 1.9 2.0 2.4
-G -M Copper or Aluminium Kala-saaridda / Kala-saaridda Hoos-u-Celinta	MGMN150-G ZK01 MGMN200-G ZK01 MGMN200-M ZK01 MGMN300-M ZK01 MGMN400-M ZK01	1.5 2.0 2.0 3.0 4.0	1.7 1.7 1.7 1.7 2.0
Heerka Dhexdhexaad iyo Fiican Qaybaha birta waxay leeyihiin Fiican	MGMN200-G ZN60 MGMN300-M ZN60 MGMN400-M ZN60 MGMN500-M ZN60	2.0 3.0 4.0 5.0	1.4 1.7 2.0 2.7
-H -T Bir daxal laheyn Kala-saaridda / Kala-saaridda Hoos-u-Celinta	MGMN200-T ZP30 MGMN300-T ZP30 MGMN400-T ZP30 MGMN300-H ZP30	2.0 3.0 4.0 3.0	1.6 1.6 2.0 1.6
-G -M Kaluumeysiga birta /Hoos-u-Celinta Shaqada	MGMN200-G ZP20 MGMN250-G ZP20 MGMN250-M ZP20 MGMN300-M ZP20 MGMN400-M ZP20	2.0 2.5 2.5 3.0 4.0	1.6 1.6 1.6 1.6 2.0
-G -M Birta adag ee adag /Hoos-u-Celinta Shaqada	MGMN150-G ZP30 MGMN200-M ZP30 MGMN200-G ZP30 MGMN250-M ZP30 MGMN250-G ZP30 MGMN300-M ZP30 MGMN400-M ZP30 MGMN500-M ZP30	1.5 2.0 2.0 2.5 2.5 3.0 4.0 5.0	1.6 1.6 1.6 1.6 1.6 1.6 2.0 2.7






























Sawirada Qalabka	Qeexitaan	Width	USD
-G -M Dhammaystiridda Goobidda Qoondaynta Qaybaha Dhabarka	MRMN200-G ZP30 MRMN200-M ZP30 MRMN300-M ZP30 MRMN400-M ZP30	R1.0 R1.0 R1.5 R2.0	1.6 1.6 1.6 2.0
Dheji birta iyo adag Alaabada Dhammaystiridda Maareynta	MRMN400 CBN1	R2.0	6.9
Iskeelinta Syindrical / Cut-Off	MGEHR1010-1.5 MGEHR1010-2 MGEHR1212-1.5 MGEHR1212-2 MGEHR1212-3 MGEHR1616-1.5 MGEHR1616-2 MGEHR1616-2.5 MGEHR1616-3 MGEHR1616-4 MGEHR2020-1.5 MGEHR2020-2 MGEHR2020-2.5 MGEHR2020-3 MGEHR2020-4 MGEHR2020-5 MGEHR2020-6 MGEHR2525-1.5 MGEHR2525-2 MGEHR2525-2.5 MGEHR2525-3 MGEHR2525-4 MGEHR2525-5 MGEHR2525-6 MGEHR3232-2 MGEHR3232-3 MGEHR3232-4 MGEHR3232-5 MGEHR3232-6	1.5 2.0 1.5 2.0 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 2.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 8.3 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 16.4 17.9
Qoryaha Casriga ah	MGEHR1010-1.5T12 MGEHR1010-2T12 MGEHR1212-1.5T12 MGEHR1212-2T12 MGEHR1616-1.5T13 MGEHR1616-2T16 MGEHR1616-2.5T18 MGEHR1616-3T12 MGEHR1616-3T20 MGEHR1616-4T20 MGEHR2020-1.5T13 MGEHR2020-2T16 MGEHR2020-3T20 MGEHR2020-4T20 MGEHR2525-3T20 MGEHR2525-4T20	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 3.0 4.0 1.5 2.0 3.0 4.0 3.0 4.0	10.7 10.7 9.6 9.6 9.0 9.0 9.0 9.0 9.0 9.0 9.6 9.6 9.6 9.6 11.0 11.0
Iskeelinta Syindrical / Cut-Off	MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 17.9
Iskeelinta Syindrical / Cut-Off	MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 17.9

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.



Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Qeexitaan	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
Qoryaha Casriga ah			
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
Qoryaha Casriga ah			
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
Kala soocidda Sylindrical			
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
Kala soocidda Sylindrical			
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0

Sawirada Qalabka	Qeexitaan	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
Qoryaha Casriga ah			
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
Qoryaha Casriga ah			
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1







Sawirada Qalabka	Size	USD	Sawirada Qalabka	Size	USD	Sawirada Qalabka	Size	USD
	1010E 1212F 1616H 2020K 2525M 3232P 4040R	5.4 5.3 5.4 6.0 8.3 14.7 21.9		1616H 2020K 2525M 3232P	6.4 6.4 8.9 16.4		1010 1212 1616 2020 2525	6.7 6.7 6.7 6.7 9.0
S Nooca Qalabka Cylindrical Turning Tool			ZO.. Nooca Qalabka Jajabka Jarida			KTGFR/L.. Nooca Qalabka Sawiridda		
	1616H 2020K 2525M 3232P 4040R	6.7 6.7 8.6 14.7 29.0		SPB226 SPB326 SPB426 SPB232 SPB332 SPB432	11.9 11.9 11.9 14.3 14.3 14.3	KTGFR/L.. Nooca Qalabka Sawiridda	1010 1212 1616 2020 2525	11.9 11.9 11.9 13.1 15.4
M Nooca Qalabka Cylindrical Turning Tool			SPB.. Nooca Qalabka Jajabka Jarida			TGF..		
	1616H 2020K 2525M 3232P 4040R	6.7 6.7 8.6 16.4 32.4	SLTBN..	1616 2020 2525 3232	22.6 22.6 22.6 29.7	Qoryaha Casriga ah	1010 1212 1616 2020 2525	7.1 7.1 7.1 7.1 9.3
W Nooca Qalabka Cylindrical Turning Tool						TGF..		
	1616H 2020K 2525M 3232P 4040R	9.3 9.3 11.0 14.6 36.0	MGHR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1010 1212 1616 2020 2525 3232	7.1 7.1 6.4 6.4 8.9 16.4	KTGFSR/L.. Nooca Qalabka Sawiridda	1616 2020 2525	6.7 6.7 8.9
D Nooca Qalabka Cylindrical Turning Tool			MGMN..			GBA..		
	S06K S07K S08K S10K S12M S14N S16Q S18Q S20R S25S S32T S40U	5.4 4.6 4.6 4.6 5.0 5.4 5.7 6.4 6.4 9.7 14.6 25.4	MGHR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1010 1212 1616 2020 2525	9.6 9.6 8.9 9.6 11.0	SGBR/L.. Nooca Qalabka Sawiridda	1616 2020 2525	9.0 9.0 11.9
S Nooca Daariiqda Dhuumaha Nidaamka Dhaadheer			MGMN..			GBA..		
			Qoryaha Casriga ah	1616 2020 2525	8.6 8.6 11.0	SGBSR/L.. Nooca Qalabka Sawiridda	1616 2020 2525 3232	9.3 13.1 16.4 21.9
	S07 S08 S10 S12 S16 S20	5.4 5.4 5.4 6.9 8.6 9.7	MGHR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	16 20 25 32 40	9.3 11.0 13.1 25.7 54.3	GBA..	1616 2020 2525	11.9 14.3 17.9
Qoryaha Casriga ah			MGIVR/L.. Type Inner Hole Qalabaynta Tignoolajinta	20	15.4	CGBSR/L.. Nooca Qalabka Sawiridda		
	S06 S07 S08 S10 S12 S14 S16 S18 S20 S25	14.6 14.6 14.6 16.4 18.1 20.0 21.7 34.6 43.6 65.0	CGWSR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1616H 2020K	9.6 10.7	QE..R/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1616H 2020K 2525M 3232P	9.3 11.0 12.6 20.0
H Nooca Daariiqda Dhuumaha Nidaamka Dhaadheer			WGE..			ZT..		
			GY2M..	1616 2020 2525	10.3 10.3 11.9	DGTR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1616 2020 2525	15.3 16.9 20.4
Birta Xawaaraha Sare			GYHR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta			DGN..		
	C04G C05G C06J C07K C08K C10K C12M C14N C16Q C18Q C20R C25S C32T	19.0 19.0 19.0 19.0 22.6 26.1 33.3 52.4 69.0 81.0 95.3 204.7 452.4	KGMR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1010 1212 1616 2020 2525 3232	10.3 10.3 9.3 11.0 12.9 20.0	FGHH..R/L..	1616 2020 2525	28.6 28.6 32.4
C Nooca Daariiqda Dhuumaha Nidaamka Dhaadheer			GMN.. GMG..			FMN..		
			TTIR/L.. Nooca Iska-jarida /Qalabaynta Tignoolajinta	1010 1212 1616 2020 2525 3232	10.3 10.3 9.3 11.0 12.9 20.0	QF..	1616 2020 2525	35.7 38.1 42.9
Cemented Carbide			TDC.. TDJ..			ZT..		
	S16Q S20R S25S S32T S40T/U S50V	8.3 8.6 11.0 16.4 28.9 72.1	TTIR/L.. Type Inner Hole Qalabaynta Tignoolajinta	16 20 25	14.3 16.7 19.0	MGHH..	1616 2020 2525	23.9 21.9 23.9
S..M.. Nooca Daariiqda Dhuumaha Nidaamka Dhaadheer			TDC.. TDJ..			Qoryaha Casriga ah		

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Sawirada Qalabka	Size	USD	Sawirada Qalabka	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6		HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 Fine Teeth HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
	MD1103 MD1504 MD1506	0.4 1.0 1.1		ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6		WT16 WW08	0.4 0.4
	MT1603 MT1604 MT2204	0.3 1.1 1.1		WC0525E WC0625E	0.4 0.4
	MV1603	0.6		DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
	MW0603 MW0804	0.4 0.6		DL525 DL625	0.7 0.7
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0		DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 Fine Teeth CTM1022 CTM1022 Fine Teeth	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7		L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1		TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
				T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
				T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
				TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0

Qalabaynta Qalabka Boodhka ah

T-nooca loo yaqaan "Plum Wrench"


Sawirada Qalabka	Qeexitaan	R	USD
 Dhamaan Qalabka Birta iyo Dhallaanka leh	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Dhamaan Qalabka Birta iyo Dhallaanka leh	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Dhamaan Copper and Aluminum	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Dhamaan Copper and Aluminum	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Dhammaadka Dhexdhexaadinta Copper and Aluminum	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
 Dhamaan Copper and Aluminum	APKT1604-AL ZK01	0.2	1.9
 Heer Dhexdhexaad ah iyo Dhab Tube Gaybo Wanaagsan Leh	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
 Dhammaystirka Dhexdhexaadinta	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
 Maareynta Dhexdhexaadin dhexdhexaad ah	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
 Wax ka qabashada Qalabka Guud	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
 Horumarka Sare ee HRC 62°	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
 Wax ka qabashada Qalabka Guud	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
 Wax ka qabashada Qalabka Guud	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
 Wax ka qabashada Qalabka Guud	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Qalabka Ilaalinta Nooca Dhaqdhaqaaqa Dhaqdhaqaaqa Dhaqdhaqaaqa Dhex-galka
Locking Tooth Type Right-Angle End Milling Cutter




Qeexitaan D x T x M	Qiimo USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9

BAP Steel Right-Angle
Kala saar Masterada Milling
BAP Steel Right-Angle
End Milling Cutter



Qeexitaan D x d x T	Qiimo USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminium Qalabka Dhuxul-xagal-xagal-xoqa ah
AL-BAP Aluminum Right-Angle End Milling Cutter



Qeexitaan D x d x T	Qiimo USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Gaadiidka Qalabka Xagal-xagal-xagal-xagal-furan
Discarded Right-Angle End Milling Cutter Toolholder



Qeexitaan d x D x L	Qiimo USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Mashiinka Milling Milling Cutter Machine-Clamped Round Nose Milling Cutter

MaiFix®

Sawirada Qalabka	Qeexitaan	R	Qiimo
	RDMW1204MOT-PM ZP30	R6	1.7
Wax ka qabashada Qalabka Guud	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Dhammaadka Dhexdhexaadinta Copper and Aluminum	RPMW1003MO ZN60	R5	1.6
	RPMW1003 ZN60 Non Chamfering	R5	1.3
Heer Dhexdhexaad ah iyo Dhab Tube Qaybo Wanaagsan Leh	RPMT1204MO ZN60	R6	1.9
	RPMT08T2-JS ZP25	R4	1.1
Wax ka qabashada Qalabka Guud	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
Horumarka Sare ee HRC 62 °	RPMT1204MO ZP30	R6	1.7
Wax ka qabashada Qalabka Guud	RPMT1204MO ZP60	R6	1.7
Wax ka qabashada Qalabka Guud	RPMT1204-XM ZP25	R6	1.3
Wax ka qabashada Qalabka Guud	RPMW1003MO ZM90	R5	1.7
Horumarka Sare ee HRC 62 °	RPMW1003MO ZP20	R5	1.3
Wax ka qabashada Qalabka Guud	RPMW1003MO ZP30	R5	1.3
Wax ka qabashada Qalabka Guud	RPMW1003MO ZP60	R5	1.3
Wax ka qabashada Qalabka Guud	RPMW1003-XM ZP25	R5	1.3

Qalabka Dhuxusha ee Nidaada Dhex-geliya Mashiinka Dhuxusha
Locking Tooth Type Round Nose End Milling Cutter




Isku-darka Meelaha Dhaafka ah ee Dhuxul-darraadaha ah
Discarded Round Nose End Milling Cutter Toolholder



Qeexitaan D x T x M	Qiimo USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

EMR Dhabarka Sameeyaha Dhabarka ah ee Dhuxusha Mile
EMR Steel Round Nose End Milling Cutter



Qeexitaan D x d x T	Qiimo USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Qeexitaan Are RP.. Inserts,
RC.. / RD.. Qalabixinta iyo gacanta, fadlan weydii!

The Above Qeexitaan Are RP.. Inserts,
RC.. / RD.. Inserts and handle, please inquire!

Qeexitaan D x D x L x T	Qiimo USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1


Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.
Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.
Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

MaiFix® Qalabka Mastar-Qalabka Mastar-xagasha ah Machine-Clamped Milling Cutter

Product Pictures	Qeexitaan	USD	Product Pictures	Qeexitaan	USD	Product Pictures	Qeexitaan	USD	Product Pictures	Qeexitaan	USD
	Dhammaan Dalladda Birta iyo Qalabka adag	7.1		P3200-R4 ZP10	7.4		LNMU0303ZER-MJ			800-08A	
	Dhamaan Copper and Aluminum	7.1		P3200-R5 ZP10	8.3		PNMU0905GNEN-MJ			800-08T308M-C-G	
	Dhammaadka Dhexdhexaadinta Copper and Aluminum	1.7		P3200-R6 ZP10	8.3		PNMU0905XNER-GM			800-08T308M-I-G	
	Kala-shaqeyn adag Qalabka guud	3.1		P3200-R8 ZP10	9.9		SNMU130508EN-GM			800-09T308H-P-G	
	Dhammaystirka Dhexdhexaadinta ee Qalabka Guud	3.1		P3200-R10 ZP10	11.9		WNMU080608EN-SM			R390-11T308-PM	
	Dhammaystirka Dhexdhexaadinta ee Qalabka Guud	3.1		P3200-R12.5 ZP10	20.3		3PKT100408R-M			SCMT09T308-MM	
				P3200-R15 ZP10	31.1		3PKT150508R-M			S-R215.44-15T364M	
				P3200-R16 ZP10	40.3		3PKT190608R-M			DGN3102C	
				Cutting Below HRC55			XJMG1204			HNGX0906-FF	
				ZPFG100 ZM55	17.1		WNMX060312ZNN-MM			WNMX09T316ZNN-MM	
				ZPFG120 ZM55	17.1		6NGU060408R-M			6NGU090508R-M	
				ZPFG160 ZM55	20.4		CNHX100508T			CNHX131108T	
				ZPFG200 ZM55	23.9		AXMT060208R-EM			BLMP0603R-M	
				ZPFG250 ZM55	32.4		BLMP0904R-ML			BLMP0904R-ML	
				ZPFG300 ZM55	51.4		BLMP1205R-M			BLMP1205R-M	
				Cutting Below HRC55			BLMP1306R-M			BLMP1306R-M	
				BNM120 ZM55	17.1		TNGX2207PNTN			TNGX2207PNTN	
				BNM160 ZM55	18.6		ZNHU080-08			ZNHU080-08	
				BNM200 ZM55	23.9		SNMX1205XTN			SNMX1205XTN	
				BNM250 ZM55	32.4		SOMT050204-DP			SOMT060204-DP	
				BNM300 ZM55	41.0		SOMT070306-DP			SOMT08T306-DP	
							SOMT09T308-DP			SOMT11T308-DP	
							AXMT123508PEERG			APKT150412-PM	
							RPHX1204M6EN-M31			SPMT120408-PM	
							XNEX080608-MD15			ONHU060408-PM	
							XOMX180608TR-M14			ONHU08T508-PM	
										KNX-Q7-3.5	

KM Tijaabada 45° Mastaroolka Mastaradka
KM Steel 45° Face Milling Cutter



Qeexitaan DxdxT	Qiimo USD
KM12-50-22-4T	11.9
KM12-63-22-4T	15.3
KM12-80-27-5T	25.4
KM12-100-32-5T	35.7
KM12-125-40-6T	51.0
KM12-160-40-6T	61.1
KM12-200-40-8T	136.0
KM12-250-40-10T	204.0
KM12 300-60-12T	255.0
KM12-50-25.4-4T	13.6
KM12-63-25.4-4T	16.9
KM12-80-25.4-5T	28.9
KM12-100-31.75-5T	39.0

KM Aluminum 45° Face Milling Cutter
KM Aluminum 45° Face Milling Cutter



Qeexitaan DxdxT	Qiimo USD
AL-KM12-50-22-4T	16.9
AL-KM12-63-22-4T	22.1
AL-KM12-80-22-5T	30.7
AL-KM12-100-22-5T	54.6
AL-KM12-125-27-6T	85.0
AL-KM12-160-27-6T	95.3
AL-KM12-200-27-8T	204.0
AL-KM12-250-32-10T	272.1
AL-KM12 300-32-12T	340.3
AL-KM12-50-25.4-4T	19.0
AL-KM12-63-25.4-4T	23.1
AL-KM12-80-25.4-5T	32.4
AL-KM12-100-31.75-5T	54.6

Dhexdinta ilaha Nooca Dhex-galka Mile-Dhexdhexaadka
Locking Tooth Type Spherical End Milling Cutter



Qeexitaan DxM	Qiimo USD
T2139M-5R-M5	31.0
T2139M-6R-M6	31.0
T2139M-8R-M8	33.3
T2139M-10R-M10	35.7
T2139M-12.5R-M12	38.1
T2139M-15R-M16	40.4

Qalabka Dhamaystiran ee Dhamaystirka Milling
Discarded Spherical End Milling Toolholder



Qeexitaan dxDxLxT	Qiimo USD
T2139 C10-4R-100-1T	8.9
T2139 C12-4R-130-1T	8.9
T2139 C16-4R-150-1T	10.7
T2139 C10-5R-120-1T	8.9
T2139 C12-5R-150-1T	8.9
T2139 C16-5R-150-1T	10.7
T2139 C12-6R-130-1T	8.9
T2139 C12-6R-150-1T	8.9
T2139 C16-6R-150-1T	10.7
T2139 C16-6R-200-1T	12.6
T2139 C16-8R-150-1T	10.0
T2139 C16-8R-200-1T	11.9
T2139 C20-8R-200-1T	16.7
T2139 C25-8R-250-1T	19.7
T2139 C20-10R-150-1T	13.9
T2139 C20-10R-200-1T	16.0
T2139 C25-10R-250-1T	19.7
T2139 C32-10R-300-1T	22.1
T2139 C25-12.5R-150-1T	16.7
T2139 C25-12.5R-200-1T	19.6
T2139 C25-12.5R-250-1T	22.1
T2139 C25-12.5R-300-1T	25.0
T2139 C32-12.5R-300-1T	27.9
T2139 C32-15R-150-1T	18.3
T2139 C32-15R-200-1T	21.0
T2139 C32-15R-250-1T	23.9
T2139 C32-15R-300-1T	26.7
T2139 C32-16R-150-1T	30.4
T2139 C32-16R-200-1T	18.3
T2139 C32-16R-250-1T	21.0
T2139 C32-16R-300-1T	23.9
T2139 C32-16R-350-1T	26.7
T2139 C32-16R-350-1T	30.4
Insert: ZPFG...	
ABPF C16-8R-150	23.9
ABPF C16-8R-200	29.7
ABPF C20-10R-150	31.7
ABPF C20-10R-200	37.6
ABPF C25-12.5R-150	39.7
ABPF C25-12.5R-200	49.6
ABPF C25-12.5R-250	55.4
ABPF C32-15R-150	45.7
ABPF C32-15R-200	51.7
ABPF C32-15R-250	59.6
ABPF C32-15R-300	79.3
Insert: BNM...	
BNML C12-6R-130-1T	11.9
BNML C12-6R-150-1T	11.9
BNML C16-8R-150-1T	15.0
BNML C16-8R-200-1T	17.9
BNML C20-10R-150-1T	21.0
BNML C20-10R-200-1T	23.9
BNML C25-10R-250-1T	29.7
BNML C25-12.5R-150-1T	25.0
BNML C25-12.5R-200-1T	29.7
BNML C25-12.5R-250-1T	33.3

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Locking Tooth Type Right-Angle End Milling Cutter




Insert: R390-11T3.

Qalabka Ilaalinta Nooca Dhaqdhaqaaqa Dhaqdhaqaaqa Dhaqdhaqaaqa Dhex-galka



Insert: JDMT0702..

Qalabka Ilaalinta Nooca Dhaqdhaqaaqa Dhaqdhaqaaqa Dhaqdhaqaaqa Dhex-galka



Insert: AXMT0602.

Locking Tooth Type Fast Kala saar Mastarada Milling

Xidid Qalabka Dheecaanka Si Dhaqso ah ugu Dhaqaajiya Mastaradda



* Qalabka nalka noocyada calaashka ah Ku xir xaimiga

* Lock teeth type tool stock Specification are complete.
Please inquire for Qeexitaan not listed.

Qaabka Afka WC ee Nooca Dhaqsiiqa ah

WC Insert Type Quick Drill



SP Geli Nooca Xirfadaha Dhaqso ah

SP Insert Type Quick Drill



Plus WDXT ../ GPMT ... Nooca Hantida Badeecada Lagu Dhaqso Badan, Ku Soo Dhawow Inaad Ku Jawaabto!

Plus WDXT../GPMT... Type Stock Quick Drill Commodity. Welcome To Inquire!

Sawirada Qalabka	Qeexitaan	NO.	Range D	Qiimo
Lahaansho Laba-gees ah Qafiifinta Qafiifinta Indexable Two-Edge Rough Boring Cutter 	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
Insert:CCMT..	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0

Muujin leh Dhexdhexaadin Fican Maqnaanshaha Cuntada Indexable Fine-Tunable Xaqiiqo Boring Cutter 	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7
	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9
	EWN20	CK1	20-36	123.9
	EWN25	CK2	25-47	131.0
	EWN32	CK3	32-60	142.9
	EWN41	CK4	41-74	163.1
	EWN53	CK5	53-95	178.6
	EWN68	CK6	68-150	197.6
	EWN100	CK6	100-203	214.3

Qalabka Qalabka Cabbitaanka Qalabka Burinta Clamp 	EWN1-1		20-25	13.1
	CBH1-2		25-31	13.1
	CBH1-3		30-36	13.1
	CBH2-1		25-33	13.1
	CBH2-2		32-40	13.1
	CBH2-3		39-47	13.1
	CBH3-1		32-42	13.1
	CBH3-2		41-51	13.1
	CBH3-3		50-60	13.1
	CBH4-1		41-54	13.1
	CBH4-2		50-63	13.1
	CBH4-3		61-74	13.1
	CBH5-1		53-70	13.1
	CBH5-2		65-82	13.1
	CBH5-3		78-95	13.1
	CBH6-1		68-100	13.1
			100-153	13.1
	CBH6-2		94-126	13.1
			126-179	13.1
	CBH6-3		118-150	13.1
			150-203	13.1

Qalab-saaridda qalabka BE Boring Tool 	BE09A	M5	16.7	
	BE10. 5A	M5	16.7	
	BE12A	M6	16.7	
	BE14A	M6	16.7	
	BE16A	M6	16.7	
	BE18A	M10	16.7	
	BE20A	M10	16.7	
	BE22A	M10	16.7	
	BE24A	M10	16.7	
	BE26A	M10	16.7	
	BE28A	M10	16.7	
	BE30A	M10	16.7	
	BE32A	M10	19.0	
	BE34A	M10	19.0	
	BE36A	M10	23.9	
	BE38A	M10	23.9	
	BE40A	M10	23.9	

Xakamaynta Qalabixinta EC EC Conversion Sleeve 	EC1608	-	14.3	
	EC1610	-	14.3	
	EC1612	-	14.3	
	EC1614	-	14.3	
Tungsten Steel Burin Bar Tungsten Steel Boring Bar 	ST08-W5-100L	M5	59.6	
	ST10-W6-110L	M6	69.0	
	ST12-W6-120L	M6	88.1	
	ST12-W6-150L	M6	107.1	
	ST14-W6-160L	M6	119.0	
	ST16-W10-160L	M10	135.7	
	ST16-W10-180L	M10	150.0	

NBH2084 Qalabka Burinta (Isku darka kala duwan:8-280mm) 			
NBH2084 Boring Tool (Boring range: 8-280mm) Fine-Tuning Accuracy 0.01mm			
Qeexitaan	Range D	Qiimo	

Hantidhowrka Dareemidda			
SBJ2008-32	8-11	8.6	
SBJ2010-40	10-13	8.6	
SBJ2012-53	12-17	8.6	
SBJ2016-68	16-21	8.6	
SBJ2016-102	16-21	20.4	
SBJ2020-83	20-130	8.6	
SBJ2020-125	20-130	20.4	
SBJ2020-150	20-130	23.9	
SBJ2020-200	20-130	28.6	
SBJ2025-96	25-135	8.6	
SBJ2025-144	25-135	20.4	
SBJ2025-150	25-135	23.9	
SBJ2025-200	25-135	28.6	
SBJ2030-115	30-140	8.6	
SBJ2030-173	30-140	23.9	
SBJ2030-200	30-140	28.6	
SBJ2020-L	120-280	8.6	
SBJ2020-150L	120-400	23.9	

Qalabka Qalabka Burin NBH2084 Boring head R8-NBH2084-8P			
NT30-NBH2084-8P	8-280	233.3	
NT40-NBH2084-8P	8-280	233.3	
NT50-NBH2084-8P	8-280	309.6	
BT40-NBH2084-8P	8-280	233.3	
BT50-NBH2084-8P	8-280	273.9	
SK40-NBH2084-8P	8-280	278.6	
SK50-NBH2084-8P	8-280	309.6	

NBJ16 Qalabka Dambiyada (Isku darka kala duwan:8-50mm) 			
NBJ16 Boring Tool (Boring range: 8-50mm) Fine-Tuning Accuracy 0.01mm			
Qeexitaan	Range D	Qiimo	

Hantidhowrka Dareemidda			
SBJ1606-24	6-9	8.6	
SBJ1608-32	8-11	8.6	
SBJ1610-40	10-13	8.6	
SBJ1612-53	12-15	8.6	
SBJ1614-60	14-17	8.6	
SBJ1616-68	16-21	8.6	
SBJ1620-83	20-26	8.6	
SBJ1620-150L	20-26	23.9	
SBJ1620-200L	20-26	28.6	
SBJ1625-90	25-31	8.6	
SBJ1625-150L	25-31	23.9	
SBJ1625-200L	25-31	28.6	
SBJ1630-90	30-36	8.6	
SBJ1630-150L	30-36	23.9	
SBJ1630-200L	30-36	28.6	
SBJ1635-90	35-41	8.6	
SBJ1635-150L	35-41	23.9	
SBJ1635-200L	35-41	28.6	
SBJ1640-90	40-46	8.6	
SBJ1640-150L	40-46	23.9	
SBJ1640-200L	40-46	28.6	
SBJ1645-90	45-51	8.6	
SBJ1645-150L	45-51	23.9	
SBJ1645-200L	45-51	28.6	

Qalabka Qalabka Burin			
NBJ16 Boring head			
NT40-SBJ16-55-12P	8-50	138.1	
NT50-SBJ16-65-12P	8-50	233.3	
BT30-SBJ16-55-12P	8-50	233.3	
BT40-SBJ16-55-12P	8-50	309.6	
BT50-SBJ16-65-12P	8-50	233.3	
SK30-SBJ16-60-12P	8-50	273.9	
SK40-SBJ16-60-12P	8-50	278.6	
SK50-SBJ16-65-12P	8-50	309.6	

HBOR Muuqaal Dhiig-Joog ah Cutter (Hubin sax ah) 0.002mm 			
HBOR Fine-Tuning Boring Cutter (Fine-Tuning Accuracy 0.002mm)			
Qeexitaan	Range D	Qiimo	

HBOR25 Boring Cutter			
HBOR25M (29-38) Boring head	29-38	666.7	
HBOR25M (29-38) Back Boring	29-38	666.7	
BT30-HBOR25P ToolHolder		857.1	
BT40-HBOR25P ToolHolder		857.1	
SK30-HBOR25P ToolHolder		857.1	
SK40-HBOR25P ToolHolder		857.1	
HSK63A-HBOR25P ToolHolder		976.1	
CA0602-09T Carbide Boring	2-3.2	59.6	
CA0603-16T Carbide Boring	3-4.2	59.6	
CA0604-22T Carbide Boring	4-5.2	59.6	
CA0605-27T Carbide Boring	5-6.2	59.6	
CA0606-32T Carbide Boring	6-7.2	59.6	
CB06050-21 (CC03)	5-6	123.9	
CB06055-26 (CC03)	5.5-6.5	123.9	
CB06060-26 (CC03)	6-7	123.9	
CB06065-31 (CC03)	6.5-7.5	123.9	
CB06070-31 (CC04)	7-8	123.9	

HBOR32 Boring Cutter			
HBOR32M (36-52) Boring head	36-52	800	
HBOR32M (36-52) Back Boring	36-52	800	

HBOR40 Boring Cutter			
HBOR40M (44-68) Boring head	44-68	833.3	
HBOR40M (44-68) Back Boring	44-68	833.3	

HBOR50 Qalabka Qalabka Burin			
HBOR50BM (57-90) Boring head	57-90	742.9	
HBOR50BM (57-90) Back Boring	57-90	742.9	
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1	
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1	
BT50-HBOR50 (06-90) ToolHolder	6-90	1190.4	
BT50-HBOR50 (06-90) -14P	6-90	857.1	
BT50-HBOR50 (06-90) -14P	6-90	1190.4	
BT50-HBOR50 (06-90) -14P	6-90	904.7	
BT50-HBOR50 (06-90) -14P	6-90	1273.9	
SK30-HBOR50 (06-90) -14P	6-90	1273.9	
SK40-HBOR50 (06-90) -14P	6-90	1273.9	
SK50-HBOR50 (06-90) -14P	6-90	904.7	
SK50-HBOR50 (06-90) -14P	6-90	1273.9	
SK50-HBOR50 (06-90) -14P	6-90	1309.6	

HBOR63 Qalabka Qalabka Burin			
HBOR63BM (70-110) Boring head	70-110	804.7	
HBOR63BM (110-150) Boring head	110-150	804.7	
HBOR63BM (70-110) Back Boring	70-110	804.7	
HBOR63BM (110-150) Back Boring	110-150	804.7	
NT40-HBOR63 ToolHolder	6-150	1071.4	
NT40-HBOR63 (6-150) -15P	6-150	1381	
NT50-HBOR63 ToolHolder	6-150	1119	
NT50-HBOR63 (6-150) -15P	6-150	1428.6	
BT40-HBOR63 ToolHolder	6-150	1071.4	
BT40-HBOR63 (6-150) 15P	6-150	1381	
BT50-HBOR63 ToolHolder	6-150	1119	
BT50-HBOR63 (6-150) 15P	6-150	1428.6	
SK40-HBOR63 (6-150) 15P	6-150	1381	
SK50-HBOR63 (6-150) 15P	6-150	1428.6	
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4	

Boring Accessories Boring Accessories			
BR1606-21 (WBGT0601. . L)	6-9	23.9	
BR1608-28 (TBGT0601. . L)	8-11	23.9	
BR1610-35 (TBGT0601. . L)	10-13	23.9	
BR1612-42 (TP. . 09. . L)	12-15	23.9	
BR1614-50 (TP. . 09. . L)	14-17	23.9	
BR1616-60 (TP. . 09. . L)	16-20	23.9	
BR1620-65 (TP. . 11. . L)	20-24	23.9	
BR1624-68 (TP. . 11. . L)	24-28	23.9	
BM5		35.7	
SRTP2938 (TP. . 09. . L)	28-38	35.7	
SRTP3652 (TP. . 09. . L)	36-52	35.7	
SRTP4468 (TP. . 09. . L)	44-68	41.7	
BM8		9.6	
SRTP70110 (TP. . 11. . L)	70-110	47.6	
SRTP110150 (TP. . 11. . L)	110-150	47.6	

BSA Qafiifinta Qafiifinta

BSA Rough Boring Cutter

Qeexitaan	Qiimo
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Qafiifinta Qafiifinta

BSA Rough Boring Cutter

Qeexitaan	Qiimo
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Qafiifinta Qafiifinta

BSB Rough Boring Cutter

Qeexitaan	Qiimo
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Qafiifinta Qafiifinta

BSB-LBK Rough Boring Cutter

Qeexitaan	Qiimo
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Qafiifinta Qafiifinta Holder

Rough Boring Cutter Holder

Qeexitaan	Qiimo
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Qeexitaan	Qiimo
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Qeexitaan	Qiimo
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Qeexitaan	Qiimo
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Qeexitaan	Qiimo
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Qeexitaan	Qiimo
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Toolholder

BST / NBH Toolholder

Qeexitaan	Qiimo
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Extension Rod

LBK Extension Rod

Qeexitaan	Qiimo
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

LBK Beddelidida Qalabka

LBK Conversion Sleeve

Qeexitaan	Qiimo
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

Qeexitaan	Qiimo
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Qeexitaan	Qiimo
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Qeexitaan	Qiimo
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Qeexitaan	Qiimo
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder

Qeexitaan	Qiimo
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Qeexitaan	Qiimo
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Qeexitaan	Qiimo
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3


CK Extension Rod

CK Extension Rod

Qeexitaan	Qiimo
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9</

ER Collet Toolholder

ER Collet Toolholder



Qeexitaan NO. xColletxA/MxL	Qiimo USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	18.6
BT30-ER20-70	19.7
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Qeexitaan NO. xColletxA/MxL	Qiimo USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

ER Collet Fududeeyaha Fududeeyaha

ER Collet Extension Toolholder



Qeexitaan DxColletxA/MxL	Qiimo USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER Fidinta Qalitaanka

ER Extension Collet



Qeexitaan Collet	Xaqiiqo 0.01mm	Xaqiiqo 0.008mm	Xaqiiqo 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Qeexitaan Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

Hantidhawrka FMB Inch Face Milling Tool

FMB Inch Face Milling Tool Holder



Qeexitaan NO. xdxL	Qiimo USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

Dhaqdhaqaaqa Xawilaadda ee FMB Metrics

FMB Metric Face Milling Tool Holder

Qeexitaan NO. xdxL	Qiimo USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Hantidhowrka CNC CNC Tool Holder

MaiFix®

GSK Xawaaraha Sare iyo
Qalabka Cadaaladda Sare
GSK High Speed And
High Xaqiigo Toolholder



Qeexitaan NO. xColletxL	Qiimo USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Walxaha Qalabka Mareerka
MTA/B Morse Taper Toolholder



Qeexitaan NO. xMT...xL	Qiimo USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Qalabka Qaashada Collective

C Powerful Collet Toolholder



Qeexitaan NO. xColletxL	Qiimo USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Qalabka Shank Of
Nidaamka Dareemida Iskuleysiga


Tool Shank Of
Self-Tightening
Drill Chuck



Qeexitaan NO. xColletxL	Qiimo USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Nidaamka Dareemida Iskuleysiga	13.7
Nidaamka Dareemida Iskuleysiga	13.7
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

Qalabka Dib-u-Celinta Qalabka Dib-u-Celinta ee SDCSLN Qalabka Nidaamada Gaarka ah

SDC Back-Pull Collet Toolholder



Qeexitaan NO. xColletxL	Qiimo USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Qalabka Ilaalinta Mashiinka Dharka

Torsional Tapping Protection Toolholder



Qeexitaan NO. xColletxL	Qiimo USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Sidee qalabka loo yaqaan 'Milling Tool Saw' ee Sawir Sawir
Side Milling Tool Holder of Saw Blade




Qeexitaan NO. xColletxL	Qiimo USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Qalabka Qalabka Qalabka Mashiinka Isticmaalaya
Machine Tool Spindle Test Rod



Qeexitaan NO. xL	Qiimo USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Side Fixed Type Toolholder



Qeexitaan NO. xdxL	Qiimo USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Qiimaha Dheerka ah wuxuu ka reebaa Bixinta, Canshuurta iyo Khidmadda.

Qiimaha Dakhliga Qiimaha Doolarka Maraykanka ee Shiinaha.

Haddii aad hayso su'aalo, Fadlan Email: eva@mzgtool.cn

<http://www.mzg.tw>

Hantidhowrka CNC ee Puller Bolt

CNC Tool Holder Puller Bolt


45°/60°/90°



BT DIN69872 ISO JIS MAZAK

Qalabka Gawaarida ee Kombiyuutarka

CNC Tool Holder Lockset



Qalabka Gawaarida ee Kombiyuutarka

CNC Tool Holder Lockset



Qalabka Gawaarida ee Kombiyuutarka

CNC Tool Holder Lockset



Qeexitaan	Qiimo USD	Qeexitaan	Qiimo USD	Qeexitaan	Qiimo USD	Qeexitaan	Qiimo USD
BT30-45°	1.4	NBT30	14.3	ISO20	59.6	BT30 BT40 BT50	17.9
BT30-60°	1.4			ISO25	59.6		19.0
BT30-90°	1.9			HSK25	59.6		38.1
BT40-45°	1.4			HSK32	59.6		
BT40-45° Gaadiidka Hole	1.9			HSK40	71.4		
BT40-60°	1.9			HSK50	71.4		
BT40-90°	1.9			HSK63	83.3		
BT50-45°	3.1			HSK100	119.0		
BT50-45° Gaadiidka Hole	3.6						
BT50-60°	3.6						
BT50-60° Gaadiidka Hole	3.9						
BT50-90°	3.6						
DIN69872-30	3.6						
DIN69872-40	3.6						
DIN69872-50	6.0						
ISO7388-30	4.6						
ISO7388-40	4.6						
ISO7388-50	6.0						
JIS6339-30	3.6						
JIS6339-40	3.6						
JIS6339-50	6.0						
MAZAK-BT40	3.6						
MAZAK-BT50	6.0						

Z-Axis Setter

Z-Axis Setter



Photoelectric

Dial

Dial



Dial

CNC Edge Finder

CNC Edge Finder



Caadiga Antimagnetic Ceramic Photoelectric

Qalabka Nadiifinta Qalabka Nadiifinta Qalabka

Machine Tool Spindle Cleaning Rod



Qeexitaan	Qiimo USD	Qeexitaan	Qiimo USD	Qeexitaan NO.	Qiimo USD
Photoelectric Z-axis Setter	61.9	Caadiga type	2.4	BT30	3.9
Dial Z-axis Setter	66.7	Antimagnetic type	3.6	BT40	3.9
		Meelaha Dhererka ah type	10.7	BT50	5.4
		Photoelectric type	13.3		

Z-Axis Setter

Z-Axis Setter



Photoelectric Dial

CNC Edge Finder

CNC Edge Finder



Caadiga Antimagnetic Ceramic Photoelectric

Qalabka Nadiifinta Qalabka Nadiifinta Qalabka

Machine Tool Spindle Cleaning Rod



									
Qeexitaan		1 JAWS	Qiimo	2 JAWS	Qiimo	3 JAWS	Qiimo	4 JAWS	Qiimo
Chuck Hollow Chuck	4 inch			SBL-204	435.3	SB-204	435.3	SBS-204	—
	5 inch			SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch			SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch			SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10inch			SBL-210	697.6	SB-210	697.6	SBS-210	800.0
	12inch			SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
Hollow Hydraulic Chuck	15inch			SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Dhexdhexaad Ba'an Chuck Hollow Chuck Large Aperture Hollow Hydraulic Chuck	6 inch			2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	8 inch			2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
	10inch			2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Dhibaato dheer Chuck Hollow Chuck Long Stroke Hollow Hydraulic Chuck	6 inch					3JDB-206	988.1		
	8 inch					3JDB-208	1121.4		
	10inch					3JDB-210	1258.3		
Hollow Half-Through Chuck Pneumatic Hollow Half-Through Pneumatic Chuck	5 inch			SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch			SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch			SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10inch			SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Chuck-ka xooggan ee adag Solid Hydraulic Chuck	4 inch			JNL-04	428.6	JN-04	401.1		
	5 inch			JNL-05	452.4	JN-05	409.6		
	6 inch			JNL-06	500.0	JN-06	459.6		
	8 inch			JNL-08	547.6	JN-08	511.9		
	10inch			JNL-10	714.3	JN-10	666.7		
	12inch			JNL-12	1119.0	JN-12	1088.1		
	15inch			JNL-15		JN-15	2309.6		
Dhibaato dheer Chuck-ka xooggan ee adag Long Stroke Solid Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3		
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9		
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7		
	10inch	1L-10	833.3	2L-10	750.0	3L-10	881.0		
Dhibaato dheer Chuck Hollow Chuck Long Stroke Hollow Hydraulic Chuck	6 inch					JLS-206	892.9		
	8 inch					JLS-208	940.4		
	10inch					JLS-210	1038.1		

Chuck T Block

Chuck T Block



Cabbirada	Qiimo USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Chuck Jaw Saaridda Saxanka


Chuck Jaw Fixing Plate



Cabbirada	Qiimo USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Silsilad Dhexdhexaad ah oo Gaar ah

Solid Hydraulic Rotary Cylinder



Cabbirada	Qiimo USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Silsiladda Hoolka Hollow ee Baaskiika

Hollow Hydraulic Rotary Cylinder



Cabbirada	Qiimo USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Isku xirka Disc

Chuck Connecting Disc



Cabbirada	Qiimo USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Jawir adag oo loogu talagalay Chucks

Hard Jaw For Hydraulic Chucks



Cabbirada	Qiimo USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Fanaan Jilicsan oo loogu talagalay Chucks

Fan Soft Jaw For Hydraulic Chucks




Cabbirada	Qiimo USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

											
Qeexitaan		1 JAWS	Qiimo	2 JAWS	Qiimo	3 JAWS	Qiimo	4 JAWS	Qiimo		
Magdhawga Chuck-ka xooggan ee adag Compensation Solid Hydraulic Chuck	6 inch	3GB-06	720.3								
	8 inch	3GB-08	839.3								
VertiCal Chuck Hollow Chuck Vertical Hollow Hydraulic Chuck	5 inch			JYL-05	738.1	JY-05	714.3	JYS-05	833.3		
	6 inch			JYL-06	785.7	JY-06	761.9	JYS-06	904.7		
	8 inch			JYL-08	928.6	JY-08	904.7	JYS-08	976.1		
	10 inch			JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1		
Hollow Half-Through Chuck Pneumatic Vertical Hollow Half-Through Vertical Chuck Pneumatic	5 inch			SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7		
	6 inch			SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1		
	8 inch			SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4		
	10 inch			SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4		

Jilicsan oo loogu talagalay Chucks

Soft Jaw For Hydraulic Chucks



a°=120°	a°=120°	a°=120°	a°=120°	a°=120°
5 Jajab Jilicsan ee loogu talagalay Chucks	6 Jajab Jilicsan ee loogu talagalay Chucks	8 Jajab Jilicsan ee loogu talagalay Chucks	10 Jajab Jilicsan ee loogu talagalay Chucks	12 Jajab Jilicsan ee loogu talagalay Chucks
5 Inch Soft Jaw For Hydraulic Chucks	6 Inch Soft Jaw For Hydraulic Chucks	8 Inch Soft Jaw For Hydraulic Chucks	10 Inch Soft Jaw For Hydraulic Chucks	12 Inch Soft Jaw For Hydraulic Chucks

Cabbirada	H	Qiimo USD	Cabbirada	H	Qiimo USD	Cabbirada	H	Qiimo USD	Cabbirada	H	Qiimo USD	Cabbirada	H	Qiimo USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

a°=120°

15 Jajab Jilicsan ee loogu talagalay Chucks

Cabbirada	H	Qiimo USD
15H100	100	154.7
15H120	120	170.3
15H150	150	257.1

Machine Tools Price



E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Baadhitaanka, Nala soo xiriir

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn