

Machine Tools Ixabiso

Machine Tools Price

E-mail: eva@mzgtool.cn



WeChat



Twitter



Linkedin



Facebook

Ukukhangela, Xha ga mshelana nathi

Scanning , Contact Us

P01. I-Cutbill Milling Cutter
Carbide Milling Cutter



P02. I-Cemented Carbide Cutter
Cemented Carbide Cutter



P03. I-Extrusion Screw Tap
Extrusion Screw Tap



P04. Ithempu ye-Apex
Apex Tap



P05. Iqhosha leMimoya eHlangayo
Spiral Grooved Tap



P06. Ithebhu yesandla / iSetyhula Die
Hand Tap/Circular Die



P07. CCMT.. CNMG..



P08. DCMT.. DNMG..



P09. SCMT.. SNMG..



P10. TPGT.. TNMG..



P11. VBMT.. VNMG..



P12. WNMG.. WNMG..



P13. Isixhobo sokuThuthukisa
Thread Turning Tool



P14. Ukunquma / Ukukhupha / Ukubuyela emva kweNcinci ezincinci
Cut-Off/Grooving/Back Turning Of Small Parts



P15. Isixhobo sokuThuthuka esiKhuselekileyo sangaphandle
External I-Cylindrical Grooving Turning Tool



P16. I-External Cylindrical / Inner Hole I-Grooving Turning Tool
External Cylindrical/Inner Hole I-Grooving Turning Tool



P17. Grooving / Cut-Off Turning Tool
Grooving/Cut-Off Turning Tool



P18. Ukuqhawula ubuso / Inner Hole I-Grooving Turning Tool
End Face/Inner Hole I-Grooving Turning Tool



P19. I-CNC Turning Tool
CNC Turning Tool



P20. I-I-CNC Turning Tool Parts
CNC Turning Tool Parts



P21. I-BAP I-Cutle Milling Cutter
I-BAP I-Cutle Milling Cutter




P22. Umqwengqo wokuCoca ngeMpahla yokuCoca
Machine-Clamped Round Nose Milling Cutter



P23. KM12.. SEHT.. T2139.. P3200..



P24. Uluhlu lwezinyo Uhlubo lweCandelo
Locking Tooth Type Cutter



P25. Isixhobo seBoring
Boring Tool



P26. Isixhobo soBhudo
Boring Tool Holder



P27. ER.. FMA/B..



P28. GSK.. ADS.. APU..



P29. Izixhobo zeNCC zokuThengisa izixhobo
CNC Tool Holder Accessories



P30. Izixhobo zeLathe Chuck
Lathe Chuck Accessories



Inkqubo yokuThuthukiswa kweNgcali, ukuCoca, ukuCubungela kunye neBoring Hole Ukucwangciswa kweThuluzi.


Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®

I-Cutbill Milling Cutter Carbide Milling Cutter



Ubunzima beL1 Ubude be-Cutter ye-Milling Ngobunzima obuhlukile.

The L1 Length Of Milling Cutter With Different Hardness May Be Different.

Right-Angle Milling Cutter	Ball End Milling Cutter
$D1 \times L1 \times D \times L$	$R \times L1 \times D \times L$

1. 0x3xD4x50	R0. 5x2xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
1. 5x4xD4x50	R0. 75x3xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
2. 0x6xD4x50	R1. 0x4xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
2. 5x8xD4x50	R1. 25x5xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
3. 0x8xD3x50	R1. 5x6xD3x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
3. 0x12xD3x75	R1. 5x6xD3x75	3.1	3.9			4.4	5.1			7.1								7.7	7.7	
3. 0x15xD3x100	R1. 5x6xD3x100	3.6	4.4			5.0	5.6			8.7								8.7	8.7	
3. 0x8xD4x50	R1. 5x6xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
3. 5x10xD4x50	R1. 75x7xD4x50	2.0	2.6			2.7	3.1			4.6				5.1		5.1		5.7	5.7	
4. 0x10xD4x50	R2. 0x8xD4x50	1.7	2.6	3.4		2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	6.1	5.1	6.1	5.7	5.7	7.6
4. 0x20xD4x75	R2. 0x8xD4x75	2.9	3.6	5.0		4.4	5.1	6.1		7.1	7.9			6.6	8.1	6.7	8.1	7.7	7.7	8.7
4. 0x25xD4x100	R2. 0x8xD4x100	3.3	4.1	6.4		5.0	5.4	7.7		7.6	9.0			7.8	9.1	7.9	9.1	8.7	8.7	10.0
5. 0x13xD5x50	R2. 5x10xD5x50	3.7	4.7	6.9		4.7	5.6	7.7		8.1	9.3			9.5	11.6	9.6	11.6	10.7	10.7	12.3
5. 0x13xD5x75	R2. 5x10xD5x75	5.3	6.1	7.7		7.4	8.1	9.1		11.3	13.5							13.0	13.0	14.7
5. 0x13xD5x100	R2. 5x10xD5x100	6.6	7.6	11.0		8.9	9.6	11.1		13.0	15.7							15.3	15.3	17.1
5. 0x13xD6x50	R2. 5x10xD6x50	3.7	4.3	6.4		4.7	5.7	8.4		8.1	9.3			9.5	11.6	9.6	11.6	10.7	10.7	12.3
6. 0x15xD6x50	R3. 0x12xD6x50	3.1	4.3	6.4		4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	9.6	11.6	10.7	10.7	12.3
6. 0x20xD6x75	R3. 0x12xD6x75	4.9	5.6	7.1		7.4	8.1	10.0		11.1	12.4			11.4	13.6	11.4	13.6	13.0	13.0	14.7
6. 0x30xD6x100	R3. 0x12xD6x100	6.0	7.0	10.3		8.9	9.6	11.4		13.6	15.0			13.4	16.3	13.4	16.3	15.3	15.3	17.2
6. 0x30xD6x150	R3. 0x12xD6x150	12.3	14.3	18.7		18.7	19.9	23.4		27.6				26.5		26.6		26.3	26.3	29.7
8. 0x20xD8x60	R4. 0x16xD8x60	5.9	7.6	10.4		8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	15.3	18.4	17.6	17.6	20.3
8. 0x25xD8x75	R4. 0x16xD8x75	8.1	9.4	11.6		11.0	12.4	15.3		17.6	19.3			17.7	21.1	17.7	21.1	20.0	20.0	22.6
8. 0x35xD8x100	R4. 0x16xD8x100	9.6	11.1	14.0		14.0	15.4	19.6		21.4	23.8			22.1	26.6	22.1	26.6	25.0	25.0	28.7
8. 0x40xD8x150	R4. 0x16xD8x150	19.0	22.1	29.0		25.9	27.3	32.3		35.4				37.1		37.1		41.0	41.0	45.0
10x25xD10x75	R5. 0x20xD10x75	9.6	12.7	16.6		15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	24.7	30.3	27.7	27.7	32.0
10x40xD10x100	R5. 0x20xD10x100	14.6	16.9	21.0		20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.3	37.4	31.7	31.7	37.3
10x45xD10x150	R5. 0x20xD10x150	28.1	32.9	41.7		39.4	41.7	48.3		56.1				54.4		54.4		54.7	54.7	63.6
12x30xD12x75	R6. 0x24xD12x75	14.9	17.4	22.0		21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	32.7	39.4	37.0	37.0	42.0
12x45xD12x100	R6. 0x24xD12x100	19.4	22.6	28.1		27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	43.6	47.3	47.0	47.0	53.0
12x50xD12x150	R6. 0x24xD12x150	34.3	40.0	50.7		49.3	52.1	60.3		72.9				70.7		70.7		77.6	77.6	85.6
14x35xD14x80	R7. 0x28xD14x80	25.6	29.7			32.3	34.1		49.3			54.3	58							
14x40xD14x100	R7. 0x28xD14x100	27.1	31.7			34.6	38.0			52.9				54.4		54.4		61.0	61.0	70.6
14x60xD14x150	R7. 0x28xD14x150	49.6	57.9			64.6	68.3			95.4				91.2		91.1		100.6	100.6	
16x40xD16x100	R8. 0x32xD16x100	35.7	38.9			51.0	53.0		63.6			67.4	73	72.8		72.9		78.7	78.7	91.3
16x65xD16x150	R8. 0x32xD16x150	63.3	73.9			86.0	91.0			129.0				116.3		116.3		127.6	127.6	143.0
18x40xD18x100	R9. 0x36xD18x100	43.3	50.4			59.1	65.1			89.7		82.3	87.9	88.4		88.4		96.7	96.7	111.3
18x65xD18x150	R9. 0x36xD18x150	74.9	86.7			101.3	101.3			148.1				153.1		153.1				
20x40xD20x100	R10x40xD20x100	52.7	57.6			73.1	75.9		95.3	106.7		93.5	102.9	105.5		105.4		115.7	115.7	133.7
20x65xD20x150	R10x40xD20x150	86.3	100.7			126.1	126.1			168.3				180.3		180.3		196.3	196.3	220.7

5511 Decimal Point sensitive Standard End End Cutter Milling

55 * 1 Decimal Point engraving, Standard Ball Mill, Cima Milling Cutter

[illegible]

Umxube omncinci omfutshane we-Long Neck
Unokusika Isensi phantsi kwe-60HRC

Onokusika Isensi phantsi kwe-60HRC

Small Diameter Long Neck Flat-End Milling Cutter
Can Cut Steel Below 60 HRC




D1	L1	AL	zambatho
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

I-Cut-Meter Cutter Milling Cutt

I-Steel Ngezantsi kwe-60HRC
Micro-Diameter Ball-End Milling Cutter Can Cut

Steel Below 60 HRC



Ukucaciswa R D'L	AL	Izambatho
R0. 15x04x50	5.3	5.4
R0. 2x04x50	5.3	5.4
R0. 25x04x50	5.3	5.4
R0. 3x06x50	5.3	5.4
R0. 35x06x50	5.3	5.4
R0. 4x08x50	5.3	5.4
R0. 45x08x50	5.3	5.4

[illegible]

I-Cut Neck Ball-End-Cut Cutter

Unokusika Isensi phantsi kwe-60HRC
Small Diameter Long Neck Ball-End Milling Cutter
Can Cut Steel Below 60 HRC




D1	L1	AL	Izambatho
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	10/12/15/20	4.6	5.3

Umonko amancinci uNeek Neek Bored Neek Flat Ekunobeleni luzeMkumbi uzeMEE

Umxube omncinci weNeck Neck Round Nose Flat Ekupheleni kweNkunkuma yeMilling

Small Diameter Long Neck Round Nose Flat End Milling Cutter

A diagram of a beam element. A vertical arrow pointing downwards is labeled P . A red arrow pointing upwards is labeled R .



D1.5R0.1	6/8/10/12	10.3
D1.5R0.2	6/8/10/12	10.3
D2R0.1	8/10/12/16	10.3
D2R0.2	8/10/12/16	10.3
D3R0.2	12/16/20	19.3
D3R0.5	12/16/20	19.3
D3R0.5	26/30	24.6
D4R0.2	16/20	19.3
D4R0.5	16/20	19.3
D4R0.5	26/30	24.6

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imevile: eva@mzgtool.cn

<http://www.mzq.tw>

I-Cemented Carbide Cutter Cemented Carbide Cutter

MaiFix®

I-Acry-Edge Cutting Cutter

Single-Edge Acrylic / Aluminium Milling Cutter



Ubukhulu D1xL1xDxL	General	Ukuphos	AL Ukuphos
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

I-Spiral-Edged Tungsten Steel Reamer
Unokusika Isenshi phantsi kwe-55HRC
Spiral-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Ubukhulu D1xL1xDxL	Ixabiso USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

I-Straight-Edged Tungsten Steel Reamer
Unokusika Isenshi phantsi kwe-55HRC

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Ubukhulu D1xL1xDxL	Ixabiso USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

I-Cutter Milling Cutter ye-3-Edged Cutter Milling For Tungsten
I-Steel Inokusika Isenshi phantsi kwe-55 HRC

3-Edged Taper Milling Cutter For Tungsten
Steel Can Cut Steel Below 55 HRC




Ubukhulu D1xα°xL1xD2xDxLx3F	Ixabiso USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9LxD4x4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

I-Tungsten I-Inner R I-Cutter ye-Milling
Unokusika Isenshi phantsi kwe-55HRC
Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Ubukhulu D1RxDxL	Ixabiso USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	


I-Tungsten I-Dovetail ye-Groove Milling
I-Cutter ingaqhawula i-Steel ngaphantsi kwe-60HRC
Tungsten Steel Dovetail Groove Milling Cutter
Can Cut Steel Below 60 HRC



Ubukhulu D1xα°xL1xD2xDxLx3F	Ixabiso USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

I-Cutting Special Milling yeTungsten
Isitayikela yeConferensi yeCafé elisatshulwa
Unokusika Isenshi phantsi kwe-55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Ubukhulu D1xL1xDxL	Ixabiso USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Intloko yeTungsten yeNtloko yeTyst Fixed point
Ukusetyenziswa kweDual Use Of Fixed Point kunye
I-Chamfer ingayenza i-Steel Ngaphantsi kwe-58HRC

Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Ubukhulu DxL	AL	Izambatho
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

I-Tungsten Steel T-Groove Side Milling
I-Cutter ingaqhawula ixabiso phantsi kwe-55HRC
Tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Ubukhulu D1RxDxL	Ixabiso USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x1. 5HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x1. 5HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x1. 5HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x1. 5HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x1. 5HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

Tungsten I-Steel Straight Groove
I-Cutter Cutter ingadika i-Steel
Ngezantsi kwe-58HRC (60° / 90° / 120°)


Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC(60°/90°/120°)



Ubukhulu DxL	AL	Izambatho
D1x4x50L	4.6	5.0
D2x4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

I-Tungsten I-Steel Fixed-point Drill Dual
Sebenzisa i-Fixed Point Keywe i-Chamfer ingaCanda
i-Steel Ngezantsi kwe-58HRC

Tungsten Steel Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Ubukhulu DxL	AL	Izambatho
D1x4x50L	3.3	3.9
D1. 5x4x50L	3.3	3.9
D2x4x50L	3.3	3.9
D3x4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Ukugubungela (iYellow / Black / Copper)

Ubukhulu DxL	AL	Izambatho
D1x4x50L	3.3	3.9
D1. 5x4x50L	3.3	3.9
D2x4x50L	3.3	3.9
D3x4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzgtool.cn>

I-Extrusion Screw Tap

Extrusion Screw Tap



Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L lintshukumo zokujika	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L lintshukumo zokujika	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L lintshukumo zokujika	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L lintshukumo zokujika	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L lintshukumo zokujika	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L lintshukumo zokujika	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
M5. 0x0. 8	RH6	P	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L lintshukumo zokujika	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L lintshukumo zokujika	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L lintshukumo zokujika	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L lintshukumo zokujika	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L lintshukumo zokujika	RH7	B	14.0	16.1

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L lintshukumo zokujika	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L lintshukumo zokujika	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L lintshukumo zokujika	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L lintshukumo zokujika	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L lintshukumo zokujika	RH7	B	11.1	12.6
UNC5/16-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L lintshukumo zokujika	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Ithempu ye-Apex Apex Tap

MaiFix®

Ithempu ye-Apex Apex Tap



Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P4		7. 9	9. 6
			7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNEF1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	Uhlobo	mhlophe	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Iqhosha leMimoya eHlangayo Spiral Grooved Tap




Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe	Tin
M1. 0x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 2x0. 25	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 4x0. 2	P1	6.7	7.4
M1. 4x0. 3	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 5x0. 3	P1	6.7	7.4
M1. 6x0. 2	P1	6.7	7.4
M1. 6x0. 35	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 6x0. 35-HT ISheath	1B	6.9	6.9
M1. 7x0. 2	P1	6.7	7.4
M1. 7x0. 35	P1	5.3	6.0
	P2	5.3	6.0
	P3	5.3	6.0
	P4	5.3	6.0
M1. 8x0. 2	P1	6.7	7.4
M1. 8x0. 35	P1	5.7	6.7
M2. 0x0. 25	P1	6.7	7.4
M2. 0x0. 4	P1	5.3	6.0
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M2. 0x0. 4-100L	P1	9.3	
M2. 0x0. 4-AL	P1	4.7	4.7
M2. 0x0. 4-HT ISheath	1B	5.4	6.7
M2. 0x0. 4L lintshukumo zokujika	P1	5.7	6.7
M2. 2x0. 25	P1	6.7	7.4
M2. 2x0. 45	P1	4.7	5.4
M2. 3x0. 4	P1	4.7	5.4
M2. 3x0. 4L lintshukumo zokujika	P1	5.7	6.7
M2. 5x0. 35	P1	6.7	7.4
M2. 5x0. 45	P1	5.3	6.0
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M2. 5x0. 45-100L	P1	9.3	
M2. 5x0. 45-AL	P1	4.7	4.7
M2. 5x0. 45-HT ISheath	1B	5.4	6.7
M2. 5x0. 45L lintshukumo zokujika	P1	5.7	6.7
M2. 6x0. 35	P1	6.7	7.4
M2. 6x0. 45	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M2. 6x0. 45-100L	P1	9.3	
M2. 6x0. 45L lintshukumo zokujika	P1	5.7	6.7
M3. 0x0. 35	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M3. 0x0. 35L lintshukumo zokujika	P2	5.7	6.7
M3. 0x0. 5	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M3. 0x0. 5-100L	P1	9.3	
M3. 0x0. 5-150L	P1	17.1	
M3. 0x0. 5-AL	P2	4.7	4.0
M3. 0x0. 5-HT ISheath	1B	4.7	6.1
M3. 0x0. 5L lintshukumo zokujika	P2	4.7	5.4
M3. 5x0. 6-100L	P1	9.3	
M4. 0x0. 35	P2	4.7	5.4
M4. 0x0. 5	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M4. 0x0. 5L lintshukumo zokujika	P2	5.7	6.7

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe	Tin
M4. 0x0. 7	+0.1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M4. 0x0. 7-100L	P2	9.3	
M4. 0x0. 7-150L	P2	17.1	
M4. 0x0. 7-AL	P2	4.7	4.0
M4. 0x0. 7-HT ISheath	1B	4.7	6.1
M4. 0x0. 7L lintshukumo zokujika	P2	4.7	5.7
M5. 0x0. 5	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M5. 0x0. 5L lintshukumo zokujika	P2	5.7	6.9
M5. 0x0. 8	+0.1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M5. 0x0. 8-100L	P2	9.6	
M5. 0x0. 8-150L	P2	17.9	
M5. 0x0. 8-AL	P2	4.7	4.0
M5. 0x0. 8-HT ISheath	1B	4.7	6.1
M5. 0x0. 8L lintshukumo zokujika	P2	4.7	5.7
M6. 0x0. 5	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
M6. 0x0. 5L lintshukumo zokujika	P2	5.7	6.9
M6. 0x0. 75	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
M6. 0x0. 75L lintshukumo zokujika	P2	5.7	6.9
M6. 0x1. 0	+0.1	4.7	5.7
	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
M6. 0x1. 0-100L	P2	9.6	
M6. 0x1. 0-150L	P2	17.9	
M6. 0x1. 0-AL	P2	4.7	4.0
M6. 0x1. 0-HT ISheath	1B	4.7	6.1
M6. 0x1. 0L lintshukumo zokujika	P2	4.7	5.7
M7. 0x0. 5	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M7. 0x0. 75	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M7. 0x0. 75L lintshukumo zokujika	P2	7.9	9.3
M7. 0x1. 0	P2	6.7	7.4
	P3	6.7	7.4
	P4	6.7	7.4
M7. 0x1. 0L lintshukumo zokujika	P2	7.4	8.6
M8. 0x0. 5	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M8. 0x0. 75	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M8. 0x0. 75L lintshukumo zokujika	P2	7.9	9.3
M8. 0x1. 0	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M8. 0x1. 0L lintshukumo zokujika	P2	7.9	9.3
M8. 0x1. 25	+0.1	6.7	7.9
	P2	6.7	7.9
	P3	6.7	7.9
	P4	6.7	7.9
M8. 0x1. 25L lintshukumo zokujika	P2	7.9	9.3
M9. 0x0. 5	P2	7.9	9.6
M9. 0x0. 75	P2	7.9	9.6
M9. 0x1. 0	P2	7.9	9.6
M9. 0x1. 0L lintshukumo zokujika	P2	10	11.4
M9. 0x1. 25	P2	7.9	9.6
M10x0. 5	P2	8.3	10
M10x0. 75	P2	8.3	10
	P3	8.3	10
	P4	8.3	10
M10x0. 75L lintshukumo zokujika	P2	10	11.4
M10x1. 0	P2	8.3	10
	P3	8.3	10
	P4	8.3	10
M10x1. 0L lintshukumo zokujika	P2	10	11.4
M10x1. 25	P2	8.3	10
	P3	8.3	10
	P4	8.3	10
M10x1. 25L lintshukumo zokujika	P2	10	11.4
M10x1. 5	+0.1	8.3	10
	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
M10x1. 5-100L	P2	14.6	
M10x1. 5-150L	P2	19.7	
M10x1. 5-AL	P2	7.9	7.9
M10x1. 5-HT ISheath	1B	9.3	10
M10x1. 5L lintshukumo zokujika	P2	9.6	11
M11x0. 5	P2	11	13.1
M11x0. 75	P2	11	13.1
M11x1. 0	P2	11	13.1
M11x1. 5	P2	10.4	12.6

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe	Tin
M12x0. 5	P2	11.0	13.1
M12x0. 75	P2	11.0	13.1
M12x1. 0	P2	11.0	13.1
	P3	11.0	13.1
	P4	11.0	13.1
M12x1. 0L lintshukumo zokujika	P2	12.6	14.7
M12x1. 25	P2	11.0	13.1
	P3	11.0	13.1
	P4	11.0	13.1
M12x1. 25L lintshukumo zokujika	P2	12.6	14.7
M12x1. 5	P2	11.0	13.1
	P3	11.0	13.1
	P4	11.0	13.1
M12x1. 5L lintshukumo zokujika	P2	12.6	14.7
M12x1. 75	+0.1	11.0	13.1
	P2	10.4	12.6
	P3	10.4	12.6
	P4	10.4	12.6
M12x1. 75-100L	P2	18.9	
M12x1. 75-150L	P2	22.4	
M12x1. 75-AL	P2	10.4	10.4
M12x1. 75-HT ISheath	1B	11.9	12.6
M12x1. 75L lintshukumo zokujika	P2	12.1	14.7
M14x1. 0	P2	17.1	19.7
M14x1. 25	P2	17.1	19.7
M14x1. 5	P2	17.1	19.7
M14x2. 0	P2	15.7	18.3
M16x1. 0	P2	19.7	22.9
M16x1. 25	P2	19.7	22.9
M16x1. 5	P2	19.7	22.9
M16x2. 0	P2	18.3	21.4
UNC0-80	P1	5.3	6
UNC1-64	P1	5.3	6
UNF1-72	P1	6.7	7.4
UNC2-56	P1	5.3	6
	P2	5.3	6
	P3	5.3	6
	P4	5.3	6
UNC2-56-100L	P1	6.1	6.9
UNC2-56-HT ISheath	1B	6.1	6.9
UNF2-64	P1	6.7	7.4
UNC3-48	P1	5.3	6
UNF3-56	P1	6.7	7.4
UNC4-40	P1	4.7	5.4
	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC4-40-100L	P1	9.6	
UNC4-40-AL	P2	4.7	
UNC4-40-HT ISheath	1B	5.4	6.7
UNF4-48	P1	6.7	7.4
UNC5-40	P2	4.7	5.4
UNC5-40-100L	P2	9.6	
UNF5-44	P2	6.7	7.4
UNC6-32	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC6-32-100L	P2	9.6	
UNC6-32-AL	P2	4.7	
UNC6-32-HT ISheath	1B	5.4	6.7
UNC6-32L lintshukumo zokujika	P2	5.7	6.7
UNF6-40	P2	6.7	7.4
UNC8-32	P2	4.7	5.4
	P3	4.7	5.4
	P4	4.7	5.4
UNC8-32-100L	P2	9.6	
UNC8-32-AL	P2	4.7	
UNC8-32-HT ISheath	1B	5.4	6.7
UNC8-32L lintshukumo zokujika	P2	5.7	6.7
UNF8-36	P2	6.7	7.4
UNC10-24	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC10-24-100L	P2	9.6	
UNC10-24-AL	P2	4.7	
UNC10-24-HT ISheath	1B	5.4	6.7
UNC10-24L lintshukumo zokujika	P2	5.7	6.9
UNF10-32	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNF10-32-100L	P2	9.6	
UNF10-32-HT ISheath	1B	7.4	7.4
UNF10-32L lintshukumo zokujika	P2	7.4	8.3
UNC12-24	P2	4.7	5.7
UNF12-28	P2	6.7	7.6
UNEF12-32	P2	6.7	7.6
UNS12-36	P2	6.7	7.6
UNC1/4-20	P2	4.7	5.7
	P3	4.7	5.7
	P4	4.7	5.7
UNC1/4-20-100L	P2	9.6	
UNC1/4-20-AL	P2	4.7	
UNC1/4-20-HT ISheath	1B	5.4	6.7
UNC1/4-20L lintshukumo zokujika	P2	5.7	6.9

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe	Tin
UNF1/4-28	P2	6.7	7.6
	P4	6.7	7.6
	1B		7.4
UNF1/4-28-HT	ISheath		
UNF1/4-28L	Lintshukumo zokujika	P2	7.4
UNEF1/4-32		P2	6.7
UNS1/4-36		P2	6.7
UNC5/16-18	P2	6.0	7.4
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16-18-100L		13.1	
UNC5/16-18-AL		P2	6.7
UNC5/16-18-HT	ISheath	1B	7.9
UNC5/16-18L	Lintshukumo zokujika	P2	7.4
UNF5/16-24		P2	7.4
	P4	7.4	8.6
UNF5/16-24-HT	ISheath	1B	
UNF5/16-24L	Lintshukumo zokujika	P2	9.3
UNC3/8-16		P2	7.9
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8-16-100L		14.7	
UNC3/8-16-AL		P2	8.3
UNC3/8-16-HT	ISheath	1B	9.6
UNC3/8-16L	Lintshukumo zokujika	P2	9.6
UNF3/8-24		P2	9.3
	P4	9.3	10.7
UNF3/8-24-HT	ISheath	1B	
UNF3/8-24L	Lintshukumo zokujika	P2	11.0
UNC3/8-32		P2	9.3
UNF7/16-14		P2	11.9
UNF7/16-20		P2	12.6
UNC1/2-12		P2	13.1
UNF1/2-20		P2	14.6
W1/8-40		P1	4.7
W5/32-32		P2	4.7
W3/16-24		P2	4.7
W7/32-24		P2	4.7
W1/4-20		P2	4.7
W5/16-18		P2	6.0
W3/8-16		P2	7.9
W7/16-14		P2	11.9
W1/2-12		P2	13.1
PS1/8-28	KwiBritish Standard		7.9
PS1/4-14	Standard American		22.4
PS1/4-18	Standard American		7.9
PS1/4-19	KwiBritish Standard		9.3
PS3/8-18	Standard American		13.1
PS3/8-19	KwiBritish Standard		14.6
PS1/2-14	Standard American		17.1
PS1/2-14	KwiBritish Standard		19.7
PS3/4-14	KwiBritish Standard		25.0
PS1-11	KwiBritish Standard		41.9
PS1-11.1-2	KwiBritish Standard		41.9
PT1/16-28	KwiBritish Standard		7.9
PT1/8-28	KwiBritish Standard		7.9
PT1/4-19	KwiBritish Standard		10.4
PT3/8-19	KwiBritish Standard		15.7
PT1/2-14	KwiBritish Standard		19.7
PT3/4-14	KwiBritish Standard		27.6
PT1-11	KwiBritish Standard		46.0
NPT1/8-27	Standard American		7.9
NPT1/4-18	Standard American		10.4
NPT3/8-18	Standard American		15.7
NPT1/2-14	Standard American		19.7
NPT1/4-14	Standard American		27.6
NPT1-11.1-2	Standard American		46.0

I-HT Ikhomputha Yomnxeba HT Straight Wire Tap



Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	Ukuchaneka	mhlophe
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNC4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 7
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 KwiBritish Standard		6. 7
PS1/8-27 Standard American		6. 7
PS1/8-28 KwiBritish Standard		6. 7
PS1/4-14 Standard American		22. 4
PS1/4-18 Standard American		7. 9
PS1/4-19 KwiBritish Standard		7. 9
PS3/8-18 Standard American		13. 1
PS3/8-19 KwiBritish Standard		13. 1
PS1/2-14 Standard American		17. 1
PS1/2-14 KwiBritish Standard		17. 1
PS3/4-14 KwiBritish Standard		22. 4
PS1-11 KwiBritish Standard		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 KwiBritish Standard		6. 7
PT1/8-28 KwiBritish Standard		6. 7
PT1/4-19 KwiBritish Standard		8. 6
PT3/8-19 KwiBritish Standard		14. 6
PT1/2-14 KwiBritish Standard		18. 3
PT3/4-14 KwiBritish Standard		25. 0
PT1-11 KwiBritish Standard		41. 9
NPT1/8-27 Standard American		6. 7
NPT1/4-18 Standard American		8. 6
NPT3/8-18 Standard American		14. 6
NPT1/2-14 Standard American		18. 3
NPT1/4-14 Standard American		25. 0
NPT1-11. 1-2 American Standard		41. 9

I-AR-D iCetycular Die AR-D Adjustable Circular Die



Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	External Diameter	mhlophe
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L lintshukumo zokujika	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L lintshukumo zokujika	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L lintshukumo zokujika	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L lintshukumo zokujika	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L lintshukumo zokujika	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L lintshukumo zokujika	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L lintshukumo zokujika	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L lintshukumo zokujika	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L lintshukumo zokujika	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6






Xhawula x I-Pitch x Ubude (/ lintshukumo zokujika)	External Diameter	mhlophe
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	CCGT060202 CBN1	0.2	6.9
	CCGT060204 CBN1	0.4	6.9
	CCGT060208 CBN1	0.8	6.9
	CCGT09T302 CBN1	0.2	6.9
	CCGT09T304 CBN1	0.4	6.9
	CCGT09T308 CBN1	0.8	6.9
	CCGT120402 CBN1	0.2	6.9
 I-Copper ne-Aluminium Ukugqiba iMishini	CCGT120404 CBN1	0.4	6.9
	CCGT120408 CBN1	0.8	6.9
	CCGT060202 PCD1	0.2	6.9
	CCGT060204 PCD1	0.4	6.9
	CCGT09T302 PCD1	0.2	6.9
	CCGT09T304 PCD1	0.4	6.9
	CCGT09T308 PCD1	0.8	6.9
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	CCGT120402 PCD1	0.2	6.9
	CCGT120404 PCD1	0.4	6.9
	CCGT120408 PCD1	0.8	6.9
	CCGT060202-AL ZK01	0.2	1.1
	CCGT060204-AL ZK01	0.4	1.1
	CCGT060208-AL ZK01	0.8	1.1
	CCGT09T302-AL ZK01	0.2	1.4
 Usebenziso lweeNsimbi ezingenasici	CCGT09T304-AL ZK01	0.4	1.4
	CCGT09T308-AL ZK01	0.8	1.4
	CCGT120402-AL ZK01	0.2	2.3
	CCGT120404-AL ZK01	0.4	2.3
	CCGT120408-AL ZK01	0.8	2.3
	CCMT060204 ZM30	0.4	1.6
	CCMT060208 ZM30	0.8	1.6
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	CCMT09T304 ZM30	0.4	1.7
	CCMT09T308 ZM30	0.8	1.7
	CCMT120404 ZM30	0.4	2.4
	CCMT120408 ZM30	0.8	2.4
	CCMT060204-FG ZN60	0.4	1.7
	CCMT09T304-FG ZN60	0.4	1.9
	CCMT09T308-FG ZN60	0.8	1.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	CCMT060202-HQ ZN60	0.2	1.7
	CCMT060204-HQ ZN60	0.4	1.7
	CCMT09T302-HQ ZN60	0.2	1.9
	CCMT09T304-HQ ZN60	0.4	1.9
	CCMT060204-MT ZN60	0.4	1.7
	CCMT09T304-MT ZN60	0.8	1.9
	CCMT09T308-MT ZN60	0.8	1.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	CCMT060204-EL ZN90	0.4	1.7
	CCMT09T304-EL ZN90	0.8	1.9
	CCMT09T308-EL ZN90	0.8	1.9
	CCGT060202EL-U ZN90	0.2	4.0
	CCGT060204EL-U ZN90	0.4	4.0
	CCGT09T302EL-U ZN90	0.2	4.0
	CCGT09T304EL-U ZN90	0.4	4.0
 Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0
	CCGT09T302ER-U ZN90	0.2	4.0
	CCGT09T304ER-U ZN90	0.4	4.0
	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0
	CCGT09T302ER-U ZN90	0.2	4.0
 Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle	CCGT09T304ER-U ZN90	0.4	4.0
	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0
	CCGT09T302ER-U ZN90	0.2	4.0
	CCGT09T304ER-U ZN90	0.4	4.0
	CCGT060202ER-U ZN90	0.2	4.0
	CCGT060204ER-U ZN90	0.4	4.0






Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	CNMG120402 CBN1	0.2	6.9
	CNMG120404 CBN1	0.4	6.9
	CNMG120408 CBN1	0.8	6.9
	CNMG120402 PCD1	0.2	6.9
 I-Copper ne-Aluminium Ukugqiba iMishini	CNMG120404 PCD1	0.4	6.9
	CNMG120408 PCD1	0.8	6.9
	CNMG120402 PCD1	0.2	6.9
	CNMG120404 PCD1	0.4	6.9
 I-Uhlobo olugqibeleleyo lweMishini of Steel	CNMG120408-TC ZC25	0.4	2.6
	CNMG120404-TC ZC25	0.8	2.6
	CNMG120412-TC ZC25	1.2	2.6
	CNMG120408R-X ZC25	0.8	2.6
 R-X L-X Ukucubungula kobuNsimbi	CNMG120408L-X ZC25	0.8	2.6
	CNMG120404-TC ZC35	0.4	2.6
	CNMG120408-TC ZC35	0.8	2.6
	CNMG120404-HA ZK01	0.4	2.0
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	CNMG120408-HA ZK01	0.8	2.0
	CNMA120404 ZK50	0.4	2.6
	CNMA120408 ZK50	0.8	2.6
	CNMG120404 ZK50	0.4	2.6
 Ubunzima bokuMashishini beConcer Cast	CNMG120408 ZK50	0.8	2.6
	CNMG120404 ZK50	0.4	2.6
	CNMG120408 ZK50	0.8	2.6
	CNMG120404 ZK50	0.4	2.6
 UkuPhakamisa okuPhezulu kokuPhepha kweNsimbi yeCon	CNMG120408-HS ZM30	0.8	2.6
	CNMG120404-MA ZM30	0.4	2.6
	CNMG120408-MA ZM30	0.8	2.6
	CNMG120404-MS ZM30	0.4	2.6
 Usebenziso lweeNsimbi ezingenasici	CNMG120408-MS ZM30	0.8	2.6
	CNMG120404-HQ ZN60	0.4	2.3
	CNMG120408-HQ ZN60	0.8	2.3
	CNMG120404-TS ZN60	0.4	2.3
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	CNMG120408-TS ZN60	0.8	2.3
	CNMG120404-TS ZN60	0.4	2.3
	CNMG120408-TS ZN60	0.8	2.3
	CNMG120404-TS ZN60	0.4	2.3


Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba IMishini			
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
I-Copper ne-Aluminium Ukugqiba IMishini			
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
I-Copper ne-Aluminium ephakathi Ukugqiba IMishini			
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
Usebenziso lweeNsimbi ezingenasici			
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
Usebenziso lweeNsimbi ezingenasici			
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle			
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle			
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle			
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle			

Imifanekiso Imveliso	Ukucaciswa	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba IMishini			
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
I-Copper ne-Aluminium Ukugqiba IMishini			
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
I-Copper ne-Aluminium ephakathi Ukugqiba IMishini			
	DNMG110404-FG ZN60	0.4	2.6
I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle			
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle			
	DNMG150404L-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Iimpawu Ziye Ziqqibe kakuhle			
	DNMG150404R-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Iimpawu Ziye Ziqqibe kakuhle			




Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.





Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn










<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
 ICopper neAluminium Ukugqiba iMishini	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
 Ukucubungula kobuNsimbi	SNMG120408L-S ZC25	0.8	2.6
 Ukucubungula Okunzima Kwesimbi	SNMG120408L-S ZC35	0.8	2.6
 Ukucubungula kobuNsimbi	SNMG120408R-S ZC25	0.8	2.6
 Ukucubungula Okunzima Kwesimbi	SNMG120408R-S ZC35	0.8	2.6
 I-Uhlobo olugqibeleleyo lweMishini of Steel	SNMG120408-TM ZC25	0.8	2.6
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
 Usebenziso lweeNsimbi ezingenasici	SNMG120408-MA ZM30	0.8	2.6
 Usebenziso lweeNsimbi ezingenasici	SNMG120404-MS ZM30	0.4	2.6
 Usebenziso lweeNsimbi ezingenasici	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	SCMT09T304-MT ZN60	0.4	1.9
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9


Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 ICopper neAluminium Ukugqiba iMishini	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
 Usebenziso lweeNsimbi ezingenasici	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3


Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.
Intengo yasekhaya yaseDolali yeDola yaseTshayina.
Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 ICopper neAluminium Ukugqiba iMishini	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ  HQ I-Uhlobo olugqibeleleyo lweMishini of Steel	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25 TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S  L-S Ukucubungula kobuNsimbi	TNMG160404L-S ZC25 TNMG160408L-S ZC25 TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S  L-S Ukucubungula Okunzima Kwesimbi	TNMG160404L-S ZC35 TNMG160408L-S ZC35 TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 I-Uhlobo olugqibeleleyo lweMishini of Steel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Eliphakathi Ukufakelwa kwe-Steel Hard	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough Ukupakisha Cast Iron  TNMG Ukupakisha Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50 TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 HA  MA Usebenziso lweeNsimbi ezingenasici	TNMG160404-HA ZM30 TNMG160408-HA ZM30 TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Usebenziso lweeNsimbi ezingenasici	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Usebenziso lweeNsimbi ezingenasici	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3

Imifanekiso Imveliso	Ukucaciswa	R	USD
 R-C  L-C I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404L-C ZN60 TNMG160408L-C ZN60 TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-S  L-S I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404L-S ZN60 TNMG160408L-S ZN60 TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-VF  L-VF I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60 TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-FS  L-FS I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60 TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P  L-P Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle	TNMG160402L-P ZN90 TNMG160404L-P ZN90 TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6
 R-S  L-S Cermet Fine Steel Iimpawu Ziye Ziqqibe kakuhle	TNMG160402L-S ZN90 TNMG160404L-S ZN90 TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.
Intengo yasekhaya yaseDolali yeDola yaseTshayina.
Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

Imifanekiso Imveliso	Ukucaciswa	R	USD
	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT160404-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7
	VBMT160404-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6







Imifanekiso Imveliso	Ukucaciswa	R	USD
	VNMG160404 CBN1	0.4	6.9
	VNMG160408 CBN1	0.8	6.9
	VNMG160402 PCD1	0.2	6.9
	VNMG160404 PCD1	0.4	6.9
	VNMG160408 PCD1	0.8	6.9
	VNMG160404-TM ZC25	0.4	2.7
	VNMG160408-TM ZC25	0.8	2.7
	VNMG160404-TM ZC35	0.4	2.7
	VNMG160408-TM ZC35	0.8	2.7
	VNMG160404-AL ZK01	0.4	2.3
	VNMG160408-AL ZK01	0.8	2.3
	VNMG160404 ZM30	0.4	2.7
	VNMG160408 ZM30	0.8	2.7
	VNMG160404-HS ZM30	0.4	2.7
	VNMG160408-HS ZM30	0.8	2.7
	VNMG160404-MT ZN60	0.4	2.3
	VNMG160408-MT ZN60	0.8	2.3
	VNMG160404-HQ ZN60	0.4	2.7
	VNMG160408-HQ ZN60	0.8	2.7
	VNMG160404-MT ZN60	0.4	2.3



Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Yenzisa isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	WNNMG080404 CBN1 WNNMG080408 CBN1 WNNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
 ICopper neAluminium Ukugqiba iMishini	WNNMA080402 PCD1 WNNMA080404 PCD1 WNNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 I-Uhlobo olugqibeleleyo lweMishini of Steel	WNNMG080404-CQ ZC25 WNNMG080408-CQ ZC25 WNNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 I-Uhlobo olugqibeleleyo lweMishini of Steel	WNNMG080404-HQ ZC25 WNNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
 R-S L-S Ukucubungula kobuNsimbi	WNNMG080404L-S ZC25 WNNMG080408L-S ZC25 WNNMG080404R-S ZC25 WNNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 R-S L-S Ukucubungula Okunzima Kwesimbi	WNNMG080404L-S ZC35 WNNMG080408L-S ZC35 WNNMG080404R-S ZC35 WNNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 TM ZC25 TM ZC35 I-Uhlobo olugqibeleleyo lweMishini of Steel	WNNMG080404-TM ZC25 WNNMG080408-TM ZC25 WNNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 I-Uhlobo olugqibeleleyo lweMishini of Steel	WNNMG080408-CM ZC25 WNNMG080412-CM ZC25	0.8 1.2	2.6 2.6
 I-Copper ne-Aluminium ephakathi Ukugqiba iMishini	WNNMG080402-HA ZK01 WNNMG080404-HA ZK01 WNNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
 Usebenziso lweeNsimbi ezingenasici	WNNMG080404-HA ZM30 WNNMG080408-HA ZM30	0.4 0.8	2.6 2.6
 Ubunzima bokuMashishini beConcer Cast	WNNMA080404 ZK50 WNNMA080408 ZK50	0.4 0.8	2.6 2.6
 UkuPhakamisa okuPhezulu kokuPhepha kweNsimbi yeCon	WNNMG080404 ZK50 WNNMG080408 ZK50	0.4 0.8	2.6 2.6

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Usebenziso lweeNsimbi ezingenasici	WNNMG080404-MA ZM30 WNNMG080408-MA ZM30	0.4 0.8	2.6 2.6
 Usebenziso lweeNsimbi ezingenasici	WNNMG080404-MQ ZM30 WNNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
 Usebenziso lweeNsimbi ezingenasici	WNNMG080404-MS ZM30 WNNMG080408-MS ZM30	0.4 0.8	2.6 2.6
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	WNNMG080404-HS ZN60 WNNMG080408-HS ZN60	0.4 0.8	2.3 2.3
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	WNNMG080404-HQ ZN60 WNNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
 R-S L-S Cermet Medium And Rough Steel Iimpawu Ziye Ziqqibe kakuhle	WNNMG080404L-X ZN60 WNNMG080408L-X ZN60 WNNMG080404R-X ZN60 WNNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	WNNMG080404-MT ZN60 WNNMG080408-MT ZN60	0.4 0.8	2.3 2.3
 I-Cermet Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	WNNMG080404-TS ZN60 WNNMG080408-TS ZN60	0.4 0.8	2.3 2.3

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
PCD1 ICopper neAluminium Ukugqiba iMishini  60° ietrikihi zangaphandle Inkqubo yokuCoca	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
 B-SEL SER Uqwalaselo lwangaphandle	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
PCD1 ICopper neAluminium Ukugqiba iMishini  60° I-Metric Hole Inkqubo yokuCoca	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
 TKFT.. TTP.. Ukucwangciswa kwe 60 Metric Xhawula iincinci ezincinane	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
 TKFT.. TTP.. Ukucwangciswa kwe 60 Metric Xhawula iincinci ezincinane	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	TTPR12	—	9.3
	TTPR16	—	11.7



Imifanekiso Imveliso	Ukucaciswa	TPI	USD
 30° Trapezoidal Threads for DIN103 Ukuthunyelwa Uqwalaselo lwangaphandle	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
	16ER 11W ZP10	1 1/16 11Tooth	2.0
	16ER 14W ZP10	1 1/16 14Tooth	2.0
	16ER 19W ZP10	1 1/16 19Tooth	2.0
	16ER 24W ZP10	1 1/16 24Tooth	2.0
	16ER 8W ZP10	1 1/8 8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
	06IR A55 ZP10	0.5-1.25	4.7
ZP10 General Machining  PCD1 ICopper neAluminium Ukugqiba iMishini  55° intshi yangaphandle Inkqubo yokuCoca	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR 11W ZP10	1 1/16 11Tooth	2.0
	16IR 12W ZC01	1 1/16 12Tooth	2.0
	16IR 14W ZP10	1 1/16 14Tooth	2.0
	16IR 19W ZP10	1 1/16 19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	16ER 12UN ZP10	1 1/16 12Tooth	2.0
	16ER 14UN ZP10	1 1/16 14Tooth	2.0
	16ER 16UN ZP10	1 1/16 16Tooth	2.0
	16ER 18UN ZP10	1 1/16 18Tooth	2.0
	16ER 20UN ZP10	1 1/16 20Tooth	2.0
 60° yaseMelika yangaphandle Inkqubo yokuCoca	16IR 12UN ZP10	1 1/16 12Tooth	2.0
	16IR 14UN ZP10	1 1/16 14Tooth	2.0
	16IR 16UN ZP10	1 1/16 16Tooth	2.0
	16IR 18UN ZP10	1 1/16 18Tooth	2.0
	16IR 20UN ZP10	1 1/16 20Tooth	2.0
	16ER 11BSPT ZP10	1 1/16 11Tooth	2.0
	16ER 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 19BSPT ZP10	1 1/16 19Tooth	2.0
	16ER 28BSPT ZP10	1 1/16 28Tooth	2.0
	16IR 11BSPT ZP10	1 1/16 11Tooth	2.0
	16IR 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16ER 14NPT ZP10	1 1/16 14Tooth	2.0
	16ER 18NPT ZP10	1 1/16 18Tooth	2.0
	16IR 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16IR 14NPT ZP10	1 1/16 14Tooth	2.0
 NPT Pipe Thread Uqwalaselo lwangaphandle	16ER 11BSPT ZP10	1 1/16 11Tooth	2.0
	16IR 14BSPT ZP10	1 1/16 14Tooth	2.0
	16ER 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16ER 14NPT ZP10	1 1/16 14Tooth	2.0
	16ER 18NPT ZP10	1 1/16 18Tooth	2.0
	16IR 11.5NPT ZP10	1 1/16 11.5Tooth	2.0
	16IR 14NPT ZP10	1 1/16 14Tooth	2.0



Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
Ukubanzi bendawo yokuthenga 0.5-3 mm no bunzulu 1-2.2 mm Izinto eziqhelekileyo zinganyulwa			
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
	T16N180 ZP15	1.8	3.0
	T16N200 ZP15	2.0	3.0
	T16N230 ZP15	2.3	3.0
	T16N250 ZP15	2.5	3.0
	T16N300 ZP15	3.0	3.0
Ukubanzi bendawo yokuthenga 0.5-3 mm no bunzulu 1-2.2 mm Izinto eziqhelekileyo zinganyulwa			
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	—	10.7
	CTPSL12	—	11.9
	CTPASL10	—	10.7
	CTPASL12	—	11.9
	CTPASL16	—	14.3
	CTPR08	—	11.9
	CTPR10	—	9.4
	CTPR12	—	9.4
	CTPR16	—	9.4
	CTPR20	—	10.7
	CTPAR10	—	9.4
	CTPAR12	—	9.4
	CTPAR16	—	9.4
	CTPAR20	—	10.7
	CTPAR25	—	14.3
	TTB6001 ZP15	—	5.9
	TBPR10	—	9.4
	TBPR12	—	9.4
	TBPAR10	—	9.4
	TBPAR12	—	9.4
	TBPAR16	—	9.4
Ukubuyela kweTshintsho lweeNcinci ezincinci			

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Small Parts Grooving /UkuCima ukuCima			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
UkuPhathwa kweNcinci zokuNciphisa			
	TKFB6001 ZP15	—	5.9
	TKKFSL1010JX12	—	11.9
	TKKFSL1212JX12	—	11.9
	TKKFSL1212JX16	—	11.9
	TKKFSL..	—	—
	TKKFSL..	—	—
	TKKFR0810JX12	—	11.9
	TKKFR1010JX12	—	9.4
	TKKFR1212JX12	—	9.4
	TKKFR1616JX12	—	9.4
	TKKFR1010JX16	—	9.4
	TKKFR1212JX16	—	9.4
	TKKFR1616K16	—	9.4
	TKKFR2020JX16	—	10.7
	TKKFR..	—	—
	TKKFR..	—	—
	TKKFR..	—	—
	TKKFR..	—	—
	FVC1604R150 ZP15	1.5	4.3
	FVC1604R200 ZP15	2.0	4.3
	FV1604R300 ZP15	3.0	4.3
	SVQCR2020K16-NJ	—	11.9
	SVQCR..	—	—
	SVQCR..	—	—
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	SGIVFR16Q16	—	14.3
	SGIVFR20Q16	—	14.3
	SGIVFR25R16	—	16.7
	SGIVFR..	—	—
Qhawula i-Face Face Grooving Machining			

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.


Intengo yasekhaya yaseDolali yeDola yaseTshayina.


Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Usubanzi bendawo yokuthenga 0.3-3.2mm
Ukucwina okukhethiweyo 0.8-4 mm
Izinto eziqhelekileyo zinako kutyunjwa

	KTGR1010H16 KTGR1212H16 KTGR1616H16 KTGR2020K16 KTGR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGR...			

	KTGR1010H16F KTGR1212H16F KTGR1616H16F KTGR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL...			


	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S...-KTGFL...			

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

Usubanzi bendawo yokuthenga 0.3-3.2mm
Ukucwina okukhethiweyo 0.8-4 mm
Izinto eziqhelekileyo zinako kutyunjwa

	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL...			

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------





	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR...			






	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S...-KTGFR...			

I-External Cylindrical / Inner Hole I-Grooving Turning Tool

External Cylindrical/Inner Hole Grooving Turning Tool

MaiFix®

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Ukubanzi bendawo yokuthenga 1.0-4.8mm Ukucwina okukhethiweyo 2.0-5.0 mm Izinto eziqhelekileyo zinako kutyunjwa			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Ukubanzi bendawo yokuthenga 1.0-4.8mm Ukucwina okukhethiweyo 2.0-5.0 mm Izinto eziqhelekileyo zinako kutyunjwa			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3

Imifanekiso Imveliso	Ukucaciswa	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
Grooving Machining 	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	— — —	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
Grooving Machining 	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	— — — — —	11.9 11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
Grooving Machining 	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	— — —	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
Grooving Machining 	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	— — —	8.6 8.6 9.6
Grooving Machining 	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
Grooving Machining 	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	— — —	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
Grooving Machining 	SNGR12M09 SNGR16Q09 SNGR20R09	— — —	9.0 11.0 13.1

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	Width	USD
Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	MGMN150 CBN1 MGMN200 CBN1 MGMN250 CBN1 MGMN300 CBN1 MGMN400 CBN1 MGMN500 CBN1	1.5 2.0 2.5 3.0 4.0 5.0	6.9 6.9 6.9 6.9 6.9 6.9
ICopper neAluminium Ukugqiba iMishini	MGMN150 PCD1 MGMN200 PCD1 MGMN250 PCD1 MGMN300 PCD1 MGMN400 PCD1	1.5 2.0 2.5 3.0 4.0	6.9 6.9 6.9 6.9 6.9
Grooving / UkuCima ukuCima	MGGN300 ZP15 MGGN400 ZP15	3.0 4.0	1.6 1.7
8° Taper UkuCima ukuCima	MGGN200-Q ZP15 MGGN300-Q ZP15	2.0 3.0	1.7 1.7
Copper or Aluminium Grooving / UkuCima ukuCima	MGGN200 ZK01 MGGN300 ZK01 MGGN400 ZK01	2.0 3.0 4.0	1.7 1.9 2.3
Grooving / UkuCima ukuCima	MGGN150 ZP30 MGGN200 ZP30 MGGN250 ZP30 MGGN300 ZP30 MGGN400 ZP30 MGGN500 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.7 1.7 2.0 2.7
8° Taper UkuCima ukuCima	MGGN150R-8 ZP30 MGGN200R-8 ZP30 MGGN250R-8 ZP30 MGGN300R-8 ZP30 MGGN400R-8 ZP30 MGGN500R-8 ZP30	1.5 2.0 2.5 3.0 4.0 5.0	1.7 1.7 1.9 2.0 2.4 3.1
8° Taper UkuCima ukuCima	MGGN150L-8 ZP30 MGGN200L-8 ZP30 MGGN250L-8 ZP30 MGGN300L-8 ZP30 MGGN400L-8 ZP30	1.5 2.0 2.5 3.0 4.0	1.7 1.7 1.9 2.0 2.4
-G -M Copper or Aluminium Grooving / UkuCima ukuCima	MGMN150-G ZK01 MGMN200-G ZK01 MGMN200-M ZK01 MGMN300-M ZK01 MGMN400-M ZK01	1.5 2.0 2.0 3.0 4.0	1.7 1.7 1.7 1.7 2.0
Cermet Medium kwaye iCocekile iNsimbi zeNsimbi ziye zagqiba kakuhle	MGMN200-G ZN60 MGMN300-M ZN60 MGMN400-M ZN60 MGMN500-M ZN60	2.0 3.0 4.0 5.0	1.4 1.7 2.0 2.7
-H -T Yenziwe ngentsimbi eshayinayo Grooving / UkuCima ukuCima	MGMN200-T ZP30 MGMN300-T ZP30 MGMN400-T ZP30 MGMN300-H ZP30	2.0 3.0 4.0 3.0	1.6 1.6 2.0 1.6
-G -M Steel Grooving /UkuCima ukuCima	MGMN200-G ZP20 MGMN250-G ZP20 MGMN250-M ZP20 MGMN300-M ZP20 MGMN400-M ZP20	2.0 2.5 2.5 3.0 4.0	1.6 1.6 1.6 1.6 2.0
-G -M I-Hard steel Grooving /UkuCima ukuCima	MGMN150-G ZP30 MGMN200-M ZP30 MGMN200-G ZP30 MGMN250-M ZP30 MGMN250-G ZP30 MGMN300-M ZP30 MGMN400-M ZP30 MGMN500-M ZP30	1.5 2.0 2.0 2.5 2.5 3.0 4.0 5.0	1.6 1.6 1.6 1.6 1.6 1.6 2.0 2.7






Imifanekiso Imveliso	Ukucaciswa	Width	USD
-G -M Ukugqiba eGrooving Ukusetyenziswa kweNsimbi zeNsimbi	MRMN200-G ZP30 MRMN200-M ZP30 MRMN300-M ZP30 MRMN400-M ZP30	R1.0 R1.0 R1.5 R2.0	1.6 1.6 1.6 2.0
Yenza isinyithi kwaye ikhuni Izinto ezigqityiweyo zokugqiba iMishini	MRMN400 CBN1	R2.0	6.9
I-Grooving Grooving / Cut-Off	MGEHR1010-1.5 MGEHR1010-2 MGEHR1212-1.5 MGEHR1212-2 MGEHR1212-3 MGEHR1616-1.5 MGEHR1616-2 MGEHR1616-2.5 MGEHR1616-3 MGEHR1616-4 MGEHR2020-1.5 MGEHR2020-2 MGEHR2020-2.5 MGEHR2020-3 MGEHR2020-4 MGEHR2020-5 MGEHR2020-6 MGEHR2525-1.5 MGEHR2525-2 MGEHR2525-2.5 MGEHR2525-3 MGEHR2525-4 MGEHR2525-5 MGEHR2525-6 MGEHR3232-2 MGEHR3232-3 MGEHR3232-4 MGEHR3232-5 MGEHR3232-6	1.5 2.0 1.5 2.0 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 2.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 8.3 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 16.4 17.9
Spring Steel	MGEHR1010-1.5T12 MGEHR1010-2T12 MGEHR1212-1.5T12 MGEHR1212-2T12 MGEHR1616-1.5T13 MGEHR1616-2T16 MGEHR1616-2.5T18 MGEHR1616-3T12 MGEHR1616-3T20 MGEHR1616-4T20 MGEHR2020-1.5T13 MGEHR2020-2T16 MGEHR2020-3T20 MGEHR2020-4T20 MGEHR2525-3T20 MGEHR2525-4T20	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 3.0 4.0 1.5 2.0 3.0 4.0 3.0 4.0	10.7 10.7 9.6 9.6 9.0 9.0 9.0 9.0 9.0 9.0 9.6 9.6 9.6 9.6 11.0 11.0
I-Grooving Grooving / Cut-Off	MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6	1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 17.9
I-Grooving Grooving / Cut-Off			

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.



Intengo yasekhaya yaseDolali yeDola yaseTshayina.






Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn






<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	Width	USD
  Ukwenziwa kweSetyhula Grooving on End Face	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
  Ukwenziwa kweSetyhula Grooving on End Face	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
  Ukwenziwa kweSetyhula Grooving on End Face	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
 I-Cylindrical Grooving	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
 I-Cylindrical Grooving	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0

Imifanekiso Imveliso	Ukucaciswa	Width	USD
 Ukupakisha Inner Hole Grooving	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
 Ukupakisha Inner Hole Grooving	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
 Ukupakisha Inner Hole Grooving	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1

Imifanekiso Imveliso	Size	USD
 S Uhlobo lwe-Turning Tool Turning	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
 M Uhlobo lwe-Turning Tool Turning	4040R	21.9
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
 W Uhlobo lwe-Turning Tool Turning	4040R	29.0
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
 D Uhlobo lwe-Turning Tool Turning	4040R	32.4
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
 S Thayipha i-Inner Hole Lathe Tool	4040R	36.0
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
 S Thayipha i-Inner Hole Lathe Tool	Spring Steel	
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
 H Thayipha i-Inner Hole Lathe Tool	Spring Steel	
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
 C Thayipha i-Inner Hole Lathe Tool	S25	65.0
	High Speed Steel	
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
 S.M. Thayipha i-Inner Hole Lathe Tool	C25S	204.7
	C32T	452.4
	Cemented Carbide	
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1

Imifanekiso Imveliso	Size	USD
 SP.. Thayipha ukuCima iThuluzi loTshintsho	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
 SPB.. Thayipha ukuCima iThuluzi loTshintsho	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
 SLTBN.. Thayipha ukuCima iThuluzi loTshintsho	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
 MGEHR/L.. Uhlobo lokuCima iI-Grooving Turning Tool	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
 MGEHR/L.. Uhlobo lokuCima iI-Grooving Turning Tool	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
 MGMN.. Thayipha ukuCima iThuluzi loTshintsho	1616	8.6
	2020	8.6
	2525	11.0
 MGEVR/L.. Uhlobo lokuCima iI-Grooving Turning Tool	Spring Steel	
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
 CGWSR/L.. Uhlobo lokuCima iI-Grooving Turning Tool	Spring Steel	
	20	15.4
	1616H	9.6
 WGE.. Thayipha ukuCima iThuluzi loTshintsho	2020K	10.7
 GY2M.. Thayipha ukuCima iThuluzi loTshintsho	1616	10.3
	2020	10.3
	2525	11.9
 GYHR/L.. Uhlobo lokuCima iI-Grooving Turning Tool	1616	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
 TTER/L.. Uhlobo lokuCima iI-Grooving Turning Tool	3232	20.0
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
 TDC.. Thayipha ukuCima iThuluzi loTshintsho	2525	12.9
	3232	20.0
 TTIR/L.. Type Inner Hole i-Grooving Turning Tool	TDC..	
	TDJ..	
	16	14.3
	20	16.7
 TDC.. Thayipha ukuCima iThuluzi loTshintsho	25	19.0
	TDJ..	






Imifanekiso Imveliso	Size	USD
 KTGFR/L.. Uhlobo lwe-I-Grooving Turning Tool	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
 KTGFR/L.. Uhlobo lwe-I-Grooving Turning Tool	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
 TGF.. Thayipha ukuCima iThuluzi loTshintsho	Spring Steel	
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
 KTGFSR/L.. Uhlobo lwe-I-Grooving Turning Tool	2525	9.3
	1616	6.7
	2020	6.7
	2525	8.9
 GBA.. Thayipha ukuCima iThuluzi loTshintsho	1616	9.0
	2020	9.0
	2525	11.9
 SGBSR/L.. Uhlobo lwe-I-Grooving Turning Tool	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
 GBA.. Thayipha ukuCima iThuluzi loTshintsho	CGBR/L.. Uhlobo lwe-I-Grooving Turning Tool	
	1616	11.9
	2020	14.3
	2525	17.9
 CGBSR/L.. Uhlobo lwe-I-Grooving Turning Tool	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
 ZT.. Thayipha ukuCima iThuluzi loTshintsho	1616	15.3
	2020	16.9
	2525	20.4
 DGN.. Thayipha ukuCima iThuluzi loTshintsho	FGHH..R/L..	
	1616	28.6
	2020	28.6
	2525	32.4
 FMN.. Thayipha ukuCima iThuluzi loTshintsho	Umbala Emnyama nemhlophe	
	Qeda FaCe Grooving Machining	
	QF..	
	1616	35.7
 ZT.. Thayipha ukuCima iThuluzi loTshintsho	2020	38.1
	2525	42.9
 MGHH.. Thayipha ukuCima iThuluzi loTshintsho	Qeda FaCe Grooving Machining	
	1616	23.9
	2020	21.9
	2525	23.9
 MGMN.. Thayipha ukuCima iThuluzi loTshintsho	Spring Steel	
	Qeda FaCe Grooving Machining	

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>


Imifanekiso Imveliso	Size	USD	Imifanekiso Imveliso	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6		HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 Fine Teeth HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
	MD1103 MD1504 MD1506	0.4 1.0 1.1		ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6		WT16 WW08	0.4 0.4
	MT1603 MT1604 MT2204	0.3 1.1 1.1		WC0525E WC0625E	0.4 0.4
	MV1603	0.6		DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
	MW0603 MW0804	0.4 0.6		DL525 DL625	0.7 0.7
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0		DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 Fine Teeth CTM1022 CTM1022 Fine Teeth	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.7		L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1		TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
				T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
				T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
				TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn


<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	R	USD
 Ukugqiba Isitya seNsimbi kunye nezinto ezinzima	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Ukugqiba Isitya seNsimbi kunye nezinto ezinzima	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Ukugqiba Copper and Aluminum	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Ukugqiba Copper and Aluminum	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Ekupheleni kokugqibela Copper and Aluminum	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
 Ukugqiba Copper and Aluminum	APKT1604-AL ZK01	0.2	1.9
 I-Cerm et Medium neNsimbi Enhle Iimpawu Ziye Ziqqibe kakuhle	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
 Uhlobo olugqibeleleyo lweM shini	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
 Uluhlu oluPhakathi	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
 Ukucwangciswa kwiziko eziphezulu	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
 UkuPhathwa Kokuqina Kakhulu ku-HRC 62°	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
 Ukucwangciswa kwiziko eziphezulu	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
 Ukucwangciswa kwiziko eziphezulu	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
 Ukucwangciswa kwiziko eziphezulu	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Uhlobo lwezinyo lokulinda Uhlobo lwe-Angle End Ukuhawula i-Milling Cutter I-Right-Angle-Cut Milling Cutter Toolholder
Locking Tooth Type Right-Angle End Milling Cutter Discarded Right-Angle End Milling Cutter Toolholder



Ukucaciswa D x T x M	Ixabiso USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9



Ukucaciswa D x d x T	Ixabiso USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Aluminium I-Right-Angle UkuCima iMilling Cutter
AL-BAP Aluminum Right-Angle End Milling Cutter



Ukucaciswa D x d x T	Ixabiso USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Ukucaciswa d x D x L	Ixabiso USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-300-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Umqwengqo wokuCoca ngeMphahla yokuCoca Machine-Clamped Round Nose Milling Cutter

MaiFix®


Imifanekiso Imveliso	Ukucaciswa	R	Ixabiso
	RDMW1204MOT-PM ZP30	R6	1.7
Ukucwangciswa kwiZiko eziPhezulu	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Ekupheleni kokugqibela Copper and Aluminum			
	RPMW1003MO ZN60 RPMW1003 ZN60 Non Chamfering RPMT1204MO ZN60	R5 R5 R6	1.6 1.3 1.9
I-Cermet Medium neNsimbi Enhle Impawu Ziye Zigqibela kakuhle			
	RPMT08T2-JS ZP25	R4	1.1
Ukucwangciswa kwiZiko eziPhezulu	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
UkuPhathwa Kokuqina Kakhulu ku-HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Ukucwangciswa kwiZiko eziPhezulu			
	RPMT1204MO ZP60	R6	1.7
Ukucwangciswa kwiZiko eziPhezulu			
	RPMT1204-XM ZP25	R6	1.3
Ukucwangciswa kwiZiko eziPhezulu			
	RPMW1003MO ZM90	R5	1.7
UkuPhathwa Kokuqina Kakhulu ku-HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Ukucwangciswa kwiZiko eziPhezulu			
	RPMW1003MO ZP30	R5	1.3
Ukucwangciswa kwiZiko eziPhezulu			
	RPMW1003MO ZP60	R5	1.3
Ukucwangciswa kwiZiko eziPhezulu			
	RPMW1003-XM ZP25	R5	1.3
Ukucwangciswa kwiZiko eziPhezulu			

Uhlobo lwezinyo lokulinda Uhlobo lweNtsundu yokuCoca
Locking Tooth Type Round Nose End Milling Cutter



Ukucaciswa D x T x M	Ixabiso USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M16	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

I-EMR Steel Round Nose UkuCima iMilling Cutter
EMR Steel Round Nose End Milling Cutter



Ukucaciswa D x d x T	Ixabiso USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Ukucaciswa Are RP.. Inserts,
RC.. / RD.. Ukufaka nokuphatha, nceda ubuzel!

The Above Ukucaciswa Are RP.. Inserts,
RC.. / RD.. Inserts and handle, please inquire!

Ukulahla Isixhobo Sokunquma Isixhobo Sokuqhawula
Isixhobo Sokuqhawula Isixhobo Sokusila
Discarded Round Nose End Milling Cutter Toolholder



Ukucaciswa D x D x L x T	Ixabiso USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R20-250-2T	11.9
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1










Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

MaiFix® Umqwengqo weMilling-Clamped Cutting Machine-Clamped Milling Cutter

Product Pictures	Ukucaciswa	USD	Product Pictures	Ukucaciswa	USD	Product Pictures	Ukucaciswa	USD	Product Pictures	Ukucaciswa	USD
	Ukugqitywa kweNsimbi yeNdonga kunye nezinto ezinzima	7.1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12.5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7.4 8.3 8.3 9.9 11.9 20.3 31.1 40.3		LNMU0303ZER-MJ			800-08A	
	Ukugqiba Copper and Aluminum	7.1		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17.1 17.1 20.4 23.9 32.4 51.4		PNMU0905GNEN-MJ			800-08T308M-C-G	
	Ekupheleni kokugqibela Copper and Aluminum	1.7		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17.1 18.6 23.9 32.4 41.0		PNMU0905XNER-GM			800-08T308M-I-G	
	Ukucwangciswa Okubi Jikelele	3.1	Uhlobo lwezinye ezilishiweyo Uhlobo lweNyosi yokuCima i-Spherical UkuCima Milling Cutter Locking Tooth Type Spherical End Milling Cutter 				3PKT100408R-M 3PKT150508R-M 3PKT190608R-M			R390-11T308-PM	
	Uhlobo olugqibeleleyo lweMishini Jikelele	3.1					XJMG1204			S-R215.44-15T364M	
	Uhlobo olugqibeleleyo lweMishini Jikelele	3.1	Ukucaciswa D x M ixabiso USD T2139M-5R-M5 31.0 T2139M-6R-M6 31.0 T2139M-8R-M8 33.3 T2139M-10R-M10 35.7 T2139M-12.5R-M12 38.1 T2139M-15R-M16 40.4				HNGX0906-FF			DGN3102C	
I-KM Steel 45° I-Cut Cutting Cutter KM Steel 45° Face Milling Cutter 			Umnini weSixhobo seMpahla yokuLawula iSpherical Siphephelo Discarded Spherical End Milling Toolholder 				WNMX060312ZNN-MM WNMX09T316ZNN-MM			GRIP3003Y GRIP4004Y	
Ukucaciswa D x d x T ixabiso USD KM12-50-22-4T 11.9 KM12-63-22-4T 15.3 KM12-80-27-5T 25.4 KM12-100-32-5T 35.7 KM12-125-40-6T 51.0 KM12-160-40-6T 61.1 KM12-200-40-8T 136.0 KM12-250-40-10T 204.0 KM12 300-60-12T 255.0 KM12-50-25.4-4T 13.6 KM12-63-25.4-4T 16.9 KM12-80-25.4-5T 28.9 KM12-100-31.75-5T 39.0			Ukucaciswa d x D x L x T ixabiso USD T2139 C10-4R-100-1T 8.9 T2139 C12-4R-130-1T 8.9 T2139 C16-4R-150-1T 10.7 T2139 C10-5R-120-1T 8.9 T2139 C12-5R-150-1T 8.9 T2139 C16-5R-150-1T 10.7 T2139 C12-6R-130-1T 8.9 T2139 C12-6R-150-1T 8.9 T2139 C16-6R-150-1T 10.7 T2139 C16-6R-200-1T 12.6 T2139 C16-8R-150-1T 10.0 T2139 C16-8R-200-1T 11.9 T2139 C20-8R-200-1T 16.7 T2139 C25-8R-250-1T 19.7 T2139 C20-10R-150-1T 13.9 T2139 C20-10R-200-1T 16.0 T2139 C25-10R-250-1T 19.7 T2139 C32-10R-300-1T 22.1 T2139 C25-12.5R-150-1T 16.7 T2139 C25-12.5R-200-1T 19.6 T2139 C25-12.5R-250-1T 22.1 T2139 C25-12.5R-300-1T 25.0 T2139 C32-12.5R-300-1T 27.9 T2139 C32-15R-150-1T 18.3 T2139 C32-15R-200-1T 21.0 T2139 C32-15R-250-1T 23.9 T2139 C32-15R-300-1T 26.7 T2139 C32-16R-150-1T 30.4 T2139 C32-16R-200-1T 18.3 T2139 C32-16R-250-1T 21.0 T2139 C32-16R-300-1T 23.9 T2139 C32-16R-350-1T 26.7 T2139 C32-16R-350-1T 30.4				6NGU060408R-M 6NGU090508R-M			LNKX1506-G	
KM Aluminum 45° Face Milling Cutter KM Aluminum 45° Face Milling Cutter 			Insert: ZPFG ABPF C16-8R-150 23.9 ABPF C16-8R-200 29.7 ABPF C20-10R-150 31.7 ABPF C20-10R-200 37.6 ABPF C25-12.5R-150 39.7 ABPF C25-12.5R-200 49.6 ABPF C25-12.5R-250 55.4 ABPF C32-15R-150 45.7 ABPF C32-15R-200 51.7 ABPF C32-15R-250 59.6 ABPF C32-15R-300 79.3				CNHX100508T CNHX131108T			WXCU080612T	
Ukucaciswa D x d x T ixabiso USD AL-KM12-50-22-4T 16.9 AL-KM12-63-22-4T 22.1 AL-KM12-80-22-5T 30.7 AL-KM12-100-22-5T 54.6 AL-KM12-125-27-6T 85.0 AL-KM12-160-27-6T 95.3 AL-KM12-200-27-8T 204.0 AL-KM12-250-32-10T 272.1 AL-KM12 300-32-12T 340.3 AL-KM12-50-25.4-4T 19.0 AL-KM12-63-25.4-4T 23.1 AL-KM12-80-25.4-5T 32.4 AL-KM12-100-31.75-5T 54.6			Insert: BNML BNML C12-6R-130-1T 11.9 BNML C12-6R-150-1T 11.9 BNML C16-8R-150-1T 15.0 BNML C16-8R-200-1T 17.9 BNML C20-10R-150-1T 21.0 BNML C20-10R-200-1T 23.9 BNML C25-10R-250-1T 29.7 BNML C25-12.5R-150-1T 25.0 BNML C25-12.5R-200-1T 29.7 BNML C25-12.5R-250-1T 33.3				AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507	
							BLMP0603R-M			S229.0300.32	
							BLMP0904R-ML			SOEX090408-13	
							BLMP1205R-M			HNPJ130720ANSN-HD	
							BLMP1306R-M			SP1RH5-LT-L	
							TNGX2207PNTN			SP1RH5-LT-D	
							ZNHU080-08			APMT1003-NN	
							SNMX1205XTN			SEKN1203AFTN-NN	
							SOMT050204-DP SOMT060204-DP SOMT070306-DP SOMT08T306-DP SOMT09T308-DP SOMT11T308-DP			SEKR1203AFTN-NN	
							AXMT123508PEERG			TPUN160308-NN	
							RPHX1204M6EN-M31			APKT150412-PM	
							XNEX080608-MD15			SPMT120408-PM	
							XOMX180608TR-M14			ONHU060408-PM ONHU08T508-PM	
							KNX-Q7-3.5				

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgttool.cn


<http://www.mzg.tw>

Faka Ifayile yokuHlola ngokukhawuleza

Insert Type Quick Drill

MaiFix®

Uhlubo lwezinye lokulinda Uhlubo lwe-Angle End Ukughawula i-Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Ukucaciswa DxTxM	Ixabiso USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Uhlubo lwezinye ezilishiweyo Uhlubo lwe-Nyosi
yokuCima i-Spherical UkuCima i-Milling Cutter
Locking Tooth Type Spherical End Milling Cutter



Ukucaciswa DxRxM	Ixabiso USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Uhlubo lwezinye lokulinda Uhlubo lwe-Angle End Ukughawula i-Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Ukucaciswa DxTxM	Ixabiso USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Uhlubo lwezinye lokulinda Uhlubo lwe-Angle End Ukughawula i-Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Insert: AXMT0602..


Ukucaciswa DxTxM	Ixabiso USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast UkuCima i-Milling Cutter
Locking Tooth Type Right-Angle End Milling Cutter



Ukucaciswa DxTxM	Ixabiso USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

Ithuluzi le-Tungsten ye-anti-vibration tool rod
Tungsten steel anti-vibration tool rod



Ukucaciswa d x D x L x M	Ixabiso USD
MFL08-08-100-M4	59.6
MFL10-10-100-M5	59.6
MFL10-10-150-M5	83.3
MFL12-12-100-M6	75.0
MFL12-12-150-M6	102.4
MFL12-12-200-M6	135.7
MFL15-15-150-M8	131.0
MFL15-15-200-M8	178.6
MFL16-16-100-M8	114.3
MFL16-16-150-M8	131.0
MFL16-16-200-M8	178.6
MFL16-16-250-M8	226.1

Ukucaciswa d x D x L x M	Ixabiso USD
MFL19-19-150-M10	204.7
MFL19-19-200-M10	273.9
MFL19-19-250-M10	326.1
MFL20-20-100-M10	154.7
MFL20-20-150-M10	204.7
MFL20-20-200-M10	273.9
MFL20-20-250-M10	326.1
MFL20-20-300-M10	373.9

Ukucaciswa d x D x L x M	Ixabiso USD
MFL24-24-150-M12	273.9
MFL24-24-200-M12	376.1
MFL24-24-250-M12	450.0
MFL24-24-300-M12	535.7
MFL25-25-150-M12	273.9
MFL25-25-200-M12	376.1
MFL25-25-250-M12	450.0
MFL25-25-300-M12	535.7
MFL25-25-350-M12	750.0

Ukucaciswa d x D x L x M	Ixabiso USD
MFL32-32-200-M16	614.3
MFL32-32-250-M16	750.0
MFL32-32-300-M16	916.7
MFL32-32-350-M16	1159.6
MFL32-32-400-M16	1428.6

* Ukukhupha amazinye ohlubo lwesitokisi sesitokisi Ukucaciswa kuqedile
Nceda ubuze ukuba Ingcaciso ingabhaliswa.

* Lock teeth type tool stock Specification are complete.
Please inquire for Ukucaciswa not listed.

Imifanekiso Imveliso	Ukucaciswa	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

I-WC Faka Ifayile yokuHlola ngokukhawuleza

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Faka Uhlubo oluPhezulu lokuTshayela

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

I-WDXT ../GPMT ... Thayipha i-Stock Quick Drill impahla, Siyakwamkela Ukubuzal!

Plus WDXT../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Imifanekiso Imveliso	Ukucaciswa	NO.	Range D	Ixabiso
I-Edge Two-Edge I-Borough Cutter enobudaka Indexable Two-Edge Rough Boring Cutter	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
Insert:CCMT..	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0

I-Indexable Fine-Tunable I-Borc Cutter Indexable Fine-Tunable Ukuchaneka Boring Cutter	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7
	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9
	EWN20	CK1	20-36	123.9
	EWN25	CK2	25-47	131.0
	EWN32	CK3	32-60	142.9
	EWN41	CK4	41-74	163.1
	EWN53	CK5	53-95	178.6
	EWN68	CK6	68-150	197.6
	EWN100	CK6	100-203	214.3

Isixhobo seBoring Isixhobo seBoring Clamp	EWN1-1		20-25	13.1
	CBH1-2		25-31	13.1
	CBH1-3		30-36	13.1
	CBH2-1		25-33	13.1
	CBH2-2		32-40	13.1
	CBH2-3		39-47	13.1
	CBH3-1		32-42	13.1
	CBH3-2		41-51	13.1
	CBH3-3		50-60	13.1
	CBH4-1		41-54	13.1
	CBH4-2		50-63	13.1
	CBH4-3		61-74	13.1
	CBH5-1		53-70	13.1
	CBH5-2		65-82	13.1
	CBH5-3		78-95	13.1
	CBH6-1		68-100	13.1
			100-153	13.1
	CBH6-2		94-126	13.1
			126-179	13.1
	CBH6-3		118-150	13.1
			150-203	13.1

BE Tool Boring BE Boring Tool	BE09A	M5	16.7	
	BE10. 5A	M5	16.7	
	BE12A	M6	16.7	
	BE14A	M6	16.7	
	BE16A	M6	16.7	
	BE18A	M10	16.7	
	BE20A	M10	16.7	
	BE22A	M10	16.7	
	BE24A	M10	16.7	
	BE26A	M10	16.7	
	BE28A	M10	16.7	
	BE30A	M10	16.7	
	BE32A	M10	19.0	
	BE34A	M10	19.0	
	BE36A	M10	23.9	
	BE38A	M10	23.9	
	BE40A	M10	23.9	

I-EC Conversion Sleeve EC Conversion Sleeve	EC1608	-	14.3	
	EC1610	-	14.3	
	EC1612	-	14.3	
	EC1614	-	14.3	

Tungsten Steel I-Bharing Bar Tungsten Steel Boring Bar	ST08-W5-100L	M5	59.6	
	ST10-W6-110L	M6	69.0	
	ST12-W6-120L	M6	88.1	
	ST12-W6-150L	M6	107.1	
	ST14-W6-160L	M6	119.0	
	ST16-W10-160L	M10	135.7	
	ST16-W10-180L	M10	150.0	

I-NBH2084 iThuluzi lokuBharing
(Uhlobo lweBoring:8-280mm)

NBH2084 Boring Tool
(Boring range: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Ukucaciswa	Range D	Ixabiso
Isixhobo soBhudo		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Setha isixhobo sokuThawula

NBH2084 Boring head	8-280	138.1
R8-NBH2084-8P	8-280	233.3
NT30-NBH2084-8P	8-280	233.3
NT40-NBH2084-8P	8-280	233.3
NT50-NBH2084-8P	8-280	309.6
BT40-NBH2084-8P	8-280	233.3
BT50-NBH2084-8P	8-280	273.9
SK40-NBH2084-8P	8-280	278.6
SK50-NBH2084-8P	8-280	309.6

I-NBJ16 iTrating Tool
(Uhlobo lweBoring:8-50mm)

NBJ16 Boring Tool
(Boring range: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Ukucaciswa	Range D	Ixabiso
Isixhobo soBhudo		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Setha isixhobo sokuThawula

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

I-HBOR e-Fine-Tuning Boring
I-Cutter (Ukuchaneka kakuhle 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Ukucaciswa	Range D	Ixabiso
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Setha isixhobo sokuThawula

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT30-HBOR50 (06-90) -14P	6-90	1190.4
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) ToolHolder	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
SK30-HBOR50 (06-90) -14P	6-90	1273.9
SK40-HBOR50 (06-90) -14P	6-90	1273.9
SK50-HBOR50 (06-90) ToolHolder	6-90	904.7
SK50-HBOR50 (06-90) -14P	6-90	1273.9
HSK63A-HBOR50 (6-90) -14P	6-90	1309.6

HBOR63 Setha isixhobo sokuThawula

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories
Boring Accessories

BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP110150 (TP..11..L)	110-150	47.6

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

BSA I-Borough Cutter enobudaka

BSA Rough Boring Cutter

Ukucaciswa	Ixabiso
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA I-Borough Cutter enobudaka

BSA Rough Boring Cutter

Ukucaciswa	Ixabiso
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB I-Borough Cutter enobudaka

BSB Rough Boring Cutter

Ukucaciswa	Ixabiso
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK I-Borough Cutter enobudaka

BSB-LBK Rough Boring Cutter

Ukucaciswa	Ixabiso
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

I-Borough Cutter enobudaka Holder

Rough Boring Cutter Holder

Ukucaciswa	Ixabiso
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Ukucaciswa	Ixabiso
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Ukucaciswa	Ixabiso
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Ukucaciswa	Ixabiso
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Ukucaciswa	Ixabiso
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Ukucaciswa	Ixabiso
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Isixhobo

BST / NBH Toolholder

Ukucaciswa	Ixabiso
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

LBK Extension Rod

LBK Extension Rod

Ukucaciswa	Ixabiso
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

I-LBK Sleeve Sleeve

LBK Conversion Sleeve

Ukucaciswa	Ixabiso
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Isixhobo

LBK Toolholder

Ukucaciswa	Ixabiso
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Ukucaciswa	Ixabiso
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Ukucaciswa	Ixabiso
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Ukucaciswa	Ixabiso
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Isixhobo

CK Toolholder

Ukucaciswa	Ixabiso
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Ukucaciswa	Ixabiso
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Ukucaciswa	Ixabiso
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3


CK Extension Rod

CK Extension Rod

Ukucaciswa	Ixabiso
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9
CK6-6-100	44.7
CK6-6-120	59.6

ER Collet Toolholder

ER Collet Toolholder



Ukucaciswa NO. xColletxA/MxL	Ixabiso USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Ukucaciswa NO. xColletxA/MxL	Ixabiso USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

I-ER Collet Extension Toolholder

ER Collet Extension Toolholder



Ukucaciswa DxColletxA/MxL	Ixabiso USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

ER Extension Collet

ER Extension Collet



Ukucaciswa Collet	Ukuchaneke 0.01mm	Ukuchaneke 0.008mm	Ukuchaneke 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Nuts

ER Wrench / Nuts



Ukucaciswa Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

I-FMB Ithulaza lokuLawula i-Inch Face

FMB Inch Face Milling Tool Holder



Ukucaciswa NO. xdxL	Ixabiso USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

I-FMB I-Metric Face Milling Tool

FMB Metric Face Milling Tool Holder

Ukucaciswa NO. xdxL	Ixabiso USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4
R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Isixhobo seNombolo yeCCC CNC Tool Holder

MaiFix®

I-GSK High Speed kunye
IsiGqeba esiPhakamileyo sokuSebenza
GSK High Speed And
High Ukuchaneka Toolholder



Ukucaciswa NO. xColletxL	Ixabiso USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

I-MTA / B i-Morse Taper
MTA/B Morse Taper Toolholder



Ukucaciswa NO. xMT...xL	Ixabiso USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

I-C Powerful Collet Toolholder
C Powerful Collet Toolholder




Ukucaciswa NO. xColletxL	Ixabiso USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

ITyank Of Tool
I-Self-Tightening Drill Chuck



Ukucaciswa NO. xColletxL	Ixabiso USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
I-Self-Tightening Drill Chuck1-13	19.7
I-Self-Tightening Drill Chuck1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

I-SDC ye-Back-Pull Collet Toolholder
SDC Back-Pull Collet Toolholder



Ukucaciswa NO. xColletxL	Ixabiso USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Isixhobo soKhuselela isiThuthi sokuThuthuka
Torsional Tapping Protection Toolholder



Ukucaciswa NO. xColletxL	Ixabiso USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Isixhobo sokuBala iCandelo loLondolozo lweSaw Blade
Side Milling Tool Holder of Saw Blade




Ukucaciswa NO. xColletxL	Ixabiso USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Uluhlu lweMatshini yoVavanyo lweTekisi
Machine Tool Spindle Test Rod



Ukucaciswa NO. xL	Ixabiso USD
BT30	92.9
BT40	92.9
BT50	131.0

I-SLN yeCandelo eliCwangcisiweyo loNcedo lweThuluzi
SLN Side Fixed Type Toolholder



Ukucaciswa NO. xdxL	Ixabiso USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4

Ukucaciswa NO. xdxL	Ixabiso USD
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3

Ukucaciswa NO. xdxL	Ixabiso USD
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4

Ukucaciswa NO. xdxL	Ixabiso USD
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

I-CNC Isixhobo sokubamba i-Bolt Puller Bolt

CNC Tool Holder Puller Bolt


45°/60°/90°



BT DIN69872 ISO JIS MAZAK

I-CNC Isixhobo sokulondoloza i-Lockset

CNC Tool Holder Lockset




I-CNC Isixhobo sokulondoloza i-Lockset

CNC Tool Holder Lockset



I-CNC Isixhobo sokulondoloza i-Lockset

CNC Tool Holder Lockset



Ukucaciswa	Ixabiso USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° NgeHole	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° NgeHole	3.6
BT50-60°	3.6
BT50-60° NgeHole	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

Ukucaciswa	Ixabiso USD
NBT30	14.3

Ukucaciswa	Ixabiso USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

Ukucaciswa	Ixabiso USD
BT30	17.9
BT40	19.0
BT50	38.1

I-Z-Axis Setter

Z-Axis Setter



Ifowuni



Ukudayela

Ukucaciswa	Ixabiso USD
Ifowuni Z-axis Setter	61.9
Ukudayela Z-axis Setter	66.7

I-CNC Edge Finder

CNC Edge Finder



Eziqhelekileyo Antimagnetic Ceramic Ifowuni

Ukucaciswa	Ixabiso USD
Eziqhelekileyo type	2.4
Antimagnetic type	3.6
Magnet type	10.7
Ifowuni type	13.3

Isixhobo soMatshini Ukucoca iRod

Machine Tool Spindle Cleaning Rod



Ukucaciswa NO.	Ixabiso USD
BT30	3.9
BT40	3.9
BT50	5.4

Izixhobo zeLathe Chuck Lathe Chuck Accessories

MaiFix®

Ukucaciswa	1 JAWS	Ixabiso	2 JAWS	Ixabiso	3 JAWS	Ixabiso	4 JAWS	Ixabiso
Hollow Hydraulic Chuck	4 inch		SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch		SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch		SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch		SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch		SBL-210	697.6	SB-210	697.6	SBS-210	800.0
	12 inch		SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch		SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Uluhlu Olukhulu Hollow Hydraulic Chuck	6 inch		2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	8 inch		2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
	10 inch		2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Long Stroke Hollow Hydraulic Chuck	6 inch				3JDB-206	988.1		
	8 inch				3JDB-208	1121.4		
	10 inch				3JDB-210	1258.3		
I-Hollow Half-Through Chuck Pneumatic	5 inch		SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch		SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch		SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
	10 inch		SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Hydraulic Chuck	4 inch		JNL-04	428.6	JN-04	401.1		
	5 inch		JNL-05	452.4	JN-05	409.6		
	6 inch		JNL-06	500.0	JN-06	459.6		
	8 inch		JNL-08	547.6	JN-08	511.9		
	10 inch		JNL-10	714.3	JN-10	666.7		
	12 inch		JNL-12	1119.0	JN-12	1088.1		
	15 inch		JNL-15		JN-15	2309.6		
Long Stroke Hydraulic Chuck	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3	
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9	
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7	
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0	
Long Stroke Hollow Hydraulic Chuck	6 inch				JLS-206	892.9		
	8 inch				JLS-208	940.4		
	10 inch				JLS-210	1038.1		

Chuck T Block

Chuck T Block



Ubukhulu	Ixabiso USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

I-Chuck Jaw Fixing Plate

Chuck Jaw Fixing Plate



Ubukhulu	Ixabiso USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

I-Rotary Cylinder eqinile

Solid Hydraulic Rotary Cylinder



Ubukhulu	Ixabiso USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

I-Hollow Hydraulic Rotary Cylinder

Hollow Hydraulic Rotary Cylinder



Ubukhulu	Ixabiso USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Idick Connecting Disc

Chuck Connecting Disc



Ubukhulu	Ixabiso USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Umlenze Okhuni Ngamahlumelo Oxinzelelo


Hard Jaw For Hydraulic Chucks



Ubukhulu	Ixabiso USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Umnxeba oThuthukileyo owenzela i-Hydraulic Chucks

Fan Soft Jaw For Hydraulic Chucks




Ubukhulu	Ixabiso USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

Ukucaciswa	1 JAWS	Ixabiso	2 JAWS	Ixabiso	3 JAWS	Ixabiso	4 JAWS	Ixabiso
Ukuhlawulwa Hydraulic Chuck	6 inch	3GB-06	720.3					
	8 inch	3GB-08	839.3					
VertiCal Hollow Hydraulic Chuck	5 inch		JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch		JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch		JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch		JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
I-Hollow Half-Through Chuck Pneumatic Vertical	5 inch		SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch		SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch		SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch		SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Umlenze Othobekileyo Ngama-Chuck Hydraulic

Soft Jaw For Hydraulic Chucks



5 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks 6 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks 8 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks 10 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks 12 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks

5 Inch Soft Jaw For Hydraulic Chucks 6 Inch Soft Jaw For Hydraulic Chucks 8 Inch Soft Jaw For Hydraulic Chucks 10 Inch Soft Jaw For Hydraulic Chucks 12 Inch Soft Jaw For Hydraulic Chucks

Ubukhulu	H	Ixabiso USD	Ubukhulu	H	Ixabiso USD	Ubukhulu	H	Ixabiso USD	Ubukhulu	H	Ixabiso USD	Ubukhulu	H	Ixabiso USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

15 Inlithi Ekhothakeleyo Ekhothakeleyo I-Hydraulic Chucks

Ubukhulu	H	Ixabiso USD
15H100	100	154.7
15H120	120	170.3
15H150	150	257.1

Ngaphezulu kwexabiso ayikhupheli iFranti, iNtlawulo kunye neNtlawulo.

Intengo yasekhaya yaseDolali yeDola yaseTshayina.

Ukuba unemibuzo, Nceda imeyile: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price




E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Ukukhangela, Xha ga mshelana nathi

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

(Wechat/Facebook/Twitter/Whatsapp/Linkedin)

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn