

Bei ya Vyombo vya Vyombo

Machine Tools Price

E-mail: eva@mzgtool.cn



Kutafuta, Wasiliana nasi

Scanning , Contact Us

P01. Cutter ya mkokoteni wa kaboni
Carbide Milling Cutter



P16. Kinga ya nje ya ndani / ya ndani ya Kutafuta Kitabu cha Kugeuza
External Cylindrical/Inner Hole Kutafuta Kitabu cha Kugeuza3



P02. Carbide iliyoimarishwa Cutter
Cemented Carbide Cutter



P17. Chombo cha Kugeuza / Kupunguza-Kata
Grooving/Cut-Off Turning Tool



P03. Kupanua Screw Tap
Extrusion Screw Tap



P18. Endosha uso / ndani ya shimo Kutafuta Kitabu cha Kugeuza
End Face/Inner Hole Kutafuta Kitabu cha Kugeuza



P04. Bomba la bomba
Apex Tap



P19. Chombo cha Kugeuza CNC
CNC Turning Tool



P05. Gonga la Grooved Tap
Spiral Grooved Tap



P20. Vipengele vya Ufuatiliaji vya CNC
CNC Turning Tool Parts



P06. Gonga la mkono / Circular Die
Hand Tap/Circular Die



P21. BAP Cutter-Angle Cutter
BAP Cutter-Angle Cutter



P07. CCMT.. CNMG..



P22. Kamba-Mboga ya Kusafisha Mipira ya Nose
Machine-Clamped Round Nose Milling Cutter



P08. DCMT.. DNMG..




P23. KM12.. SEHT.. T2139.. P3200..



P09. SCMT.. SNMG..



P24. Kuzuia Aina ya Jino Cutter
Locking Tooth Type Cutter



P10. TPGT.. TNMG..



P25. Tool Boring
Boring Tool



P11. VBMT.. VNMG..



P26. Chombo cha Tool Boring
Boring Tool Holder



P12. WNMG.. WNMG..



P27. ER.. FMA/B..



P13. Chombo cha Kugeuza Thread
Thread Turning Tool



P28. GSK.. ADS.. APU..



P14. Kata-Off / Grooving / Nyuma Kugeuka Kwa Vipungu Vidogo
Cut-Off/Grooving/Back Turning Of Small Parts



P29. Vifaa vya Vifaa vya CNC
CNC Tool Holder Accessories



P15. Chombo cha Kugeuza Kijijini cha Grooving Nje
External Cylindrical Grooving Turning Tool



P30. Vifaa vya Lathe Chuck
Lathe Chuck Accessories




Ufuatiliaji wa kitaaluma, Kufuta, Kufungia na Kuchochea Matengenezo ya Tool Tool.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



Urefu wa L1 wa Cutter ya Kusaga Kwa Ugumu Mbalimbali Inaweza Kuwa tofauti.

The L1 Length Of Milling Cutter With Different Hardness, May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter RxL1xDxL
--	--

1. 0x3xD4x50	R0. 5x2xD4x50
1. 5x4xD4x50	R0. 75x3xD4x50
2. 0x6xD4x50	R1. 0x4xD4x50
2. 5x8xD4x50	R1. 25x5xD4x50
3. 0x8xD3x50	R1. 5x6xD3x50
3. 0x12xD3x75	R1. 5x6xD3x75
3. 0x15xD3x100	R1. 5x6xD3x100
3. 0x8xD4x50	R1. 5x6xD4x50
3. 5x10xD4x50	R1. 75x7xD4x50
4. 0x10xD4x50	R2. 0x8xD4x50
4. 0x20xD4x75	R2. 0x8xD4x75
4. 0x25xD4x100	R2. 0x8xD4x100
5. 0x13xD5x50	R2. 5x10xD5x50
5. 0x13xD5x75	R2. 5x10xD5x75
5. 0x13xD5x100	R2. 5x10xD5x100
5. 0x13xD6x50	R2. 5x10xD6x50
6. 0x15xD6x50	R3. 0x12xD6x50
6. 0x20xD6x75	R3. 0x12xD6x75
6. 0x30xD6x100	R3. 0x12xD6x100
6. 0x30xD6x150	R3. 0x12xD6x150
8. 0x20xD8x60	R4. 0x16xD8x60
8. 0x25xD8x75	R4. 0x16xD8x75
8. 0x35xD8x100	R4. 0x16xD8x100
8. 0x40xD8x150	R4. 0x16xD8x150
10x25xD10x75	R5. 0x20xD10x75
10x40xD10x100	R5. 0x20xD10x100
10x45xD10x150	R5. 0x20xD10x150
12x30xD12x75	R6. 0x24xD12x75
12x45xD12x100	R6. 0x24xD12x100
12x50xD12x150	R6. 0x24xD12x150
14x35xD14x80	R7. 0x28xD14x80
14x40xD14x100	R7. 0x28xD14x100
14x60xD14x150	R7. 0x28xD14x150
16x40xD16x100	R8. 0x32xD16x100
16x65xD16x150	R8. 0x32xD16x150
18x40xD18x100	R9. 0x36xD18x100
18x65xD18x150	R9. 0x36xD18x150
20x40xD20x100	R10x40xD20x100
20x65xD20x150	R10x40xD20x150

Mipako ya Black Inaweza Kata
Steel Chini ya 45HRC
Black Coatings Can Cut
Steel Below 45 HRC

Mipako ya Copper Inaweza Kukata
Steel Chini ya 55HRC
Copper Coatings Can Cut
Steel Below 55 HRC

Nguo za Nano za Black zinaweza kukata
Steel Chini ya 58HRC
Nano Black Coatings Can Cut
Steel Below 58 HRC

Nguo za Nano za Copper zinaweza kukata
Steel Chini ya 60HRC
Nano Copper Coatings Can Cut
Steel Below 60 HRC

Nguo za Blue Nano Inaweza
Kata Steel Chini ya 65HRC
Nano Blue Coatings Can
Cut Steel Below 65 HRC

2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
3.1	3.9		4.4	5.1		7.1							7.7	7.7
3.6	4.4		5.0	5.6		8.7							8.7	8.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
2.0	2.6		2.7	3.1		4.6			5.1		5.1		5.7	5.7
1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	6.1	5.7	5.7
2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	8.1	6.7	8.1
3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	9.1	7.9	9.1
3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	9.6	11.6
5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5						
6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7						
3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	9.6	11.6
3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	9.6	11.6
4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	11.4	13.6
6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	13.4	16.3
12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5		26.6	
5.9	7.6	10.4	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	15.3	18.4
8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	17.7	21.1
9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	22.1	26.6
19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1		37.1	
9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	24.7	30.3
14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.3	37.4
28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4		54.4	
14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	32.7	39.4
19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	43.6	47.3
34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7		70.7	
25.6	29.7		32.3	34.1		49.3			54.3	58				
27.1	31.7		34.6	38.0			52.9				54.4		54.4	
49.6	57.9		64.6	68.3			95.4				91.2		91.1	
35.7	38.9		51.0	53.0		63.6	74.0		67.4	73	72.8		72.9	
63.3	73.9		86.0	91.0			129.0				116.3		116.3	
43.3	50.4		59.1	65.1			89.7		82.3	87.9	88.4		88.4	
74.9	86.7		101.3	101.3			148.1				153.1		153.1	
52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5		105.4	
86.3	100.7		126.1	126.1			168.3				180.3		180.3	

Mchezaji wa Milling ya Mto ya Mwisho Wasio wa kawaida wa 55°

Kipande cha chini cha 55° cha chini cha mipira usio wa kawaida wa kukata mipira




Kipenyo cha Kidogo Kipande cha Mshanga Mrefu mrefu
Inaweza Kukata Steel Chini ya 60HRC

Small Diameter Long Neck Flat-End Milling Cutter
Can Cut Steel Below 60 HRC



Kipenyo cha Kidogo Chini cha Mpira-Mwisho Mchimbaji wa Milling
Inaweza Kukata Steel Chini ya 60HRC

Small Diameter Long Neck Ball-End Milling Cutter
Can Cut Steel Below 60 HRC



Ufafanuzi	RxDxL	Bei
D1. 1-D3. 9xD4x50		4.3
D4. 1-D5. 9xD6x50		6.9
D6. 1-D7. 9xD8x60		12.4
D8. 1-D9. 9xD10x75		20.4
D10. 1-D11. 9xD12x75		29.0
Kila muda wa vipimo hapo juu 0.1mm		
D1. 0-D3. 0xD4x75		6.0
D1. 0-D3. 0xD4x100		6.4
D1. 0-D4. 0xD6x50		6.4
D1. 0-D5. 0xD6x75		9.6
D1. 0-D5. 0xD6x100		11.9
Kila muda wa vipimo hapo juu 0.5mm		
D2x2x50		4.7
D4x15xD4x50		4.0
D6x20xD6x50		6.9
D8x30xD8x60		12.4
D8x40xD8x120		20.7
D8x200		43.6
D10x30xD10x75		20.4
D10x35xD10x75		20.4
D10x50xD10x100		26.1
D10x45xD10x120		32.4
D10x200		64.3
D12x35xD12x75		27.4
D12x50xD12x100		34.7
D12x45xD12x120		42.9
D12x200		86.9
D13x14xD100		54.7
D15xD16x100		66.7
D16x50xD16x100		63.1
D16x200		154.7
D20x200		222.9

Ufafanuzi	RxDxL	Bei
R0. 6-R1. 9xD4x50		4.7
Kila muda wa vipimo hapo juu R0. 1mm		
R0. 5-R1. 5xD4x75		6.9
R0. 5-R1. 5xD4x100		7.6
R0. 5-R2. 0xD6x50		7.6
R0. 5-R2. 5xD6x75		10.7
R0. 5-R2. 5xD6x100		12.6
Kila muda wa vipimo hapo juu R0. 25mm		
R4x120		20.7
R4x200		43.6
R5x120		32.4
R5x200		40.3
R6x120		42.6
R6x200		86.9
R8x200		154.7
R10x200		222.9

Micro-Diameter Flat-End Cutter Milling inaweza Kata
Steel Chini ya 60HRC

Micro-Diameter Flat-End Milling Cutter Can Cut
Steel Below 60 HRC



Ufafanuzi	D1xL	AL	Vipu
0. 3xD4x50		4.6	5.3
0. 4xD4x50		4.6	5.3
0. 5xD4x50		4.6	5.3
0. 6xD6x50		4.6	5.3
0. 7xD6x50		4.6	5.3
0. 8xD8x50		4.6	5.3
0. 9xD8x50		4.6	5.3

D1	L1	AL	Vipu
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Cutter Milling-Mwisho Kata Milling inaweza Kata
Steel Chini ya 60HRC


Micro-Diameter Ball-End Milling Cutter Can Cut
Steel Below 60 HRC



Ufafanuzi	RxDxL	AL	Vipu
R0. 15xD4x50		5.3	5.4
R0. 2xD4x50		5.3	5.4
R0. 25xD4x50		5.3	5.4
R0. 3xD6x50		5.3	5.4
R0. 35xD6x50		5.3	5.4
R0. 4xD8x50		5.3	5.4
R0. 45xD8x50		5.3	5.4

Kipenyo cha Kidogo Kipande cha Mviringo cha Nyeupe Nyembamba
Mwisho Milling Cutting

Small Diameter Long Neck Round Nose Flat End Milling Cutter



D1xR	L1	Vipu
D1R0. 1	4/6/8/10	10.3
D1R0. 2	4/6/8/10	10.3
D1. 5R0. 1	6/8/10/12	10.3
D1. 5R0. 2	6/8/10/12	10.3
D2R0. 1	8/10/12/16	10.3
D2R0. 2	8/10/12/16	10.3
D3R0. 2	12/16/20	19.3
D3R0. 5	12/16/20	19.3
D3R0. 5	26/30	24.6
D4R0. 2	16/20	19.3
D4R0. 5	16/20	19.3
D4R0. 5	26/30	24.6

Cutter Single-Edge Cutter / Aluminium Single-Edge Acrylic / Aluminium Milling Cutter



Vipimo D1xL1xDxL	General	Kubofya	AL Kubofya
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6


**Tungsten Steel Reamer iliyoikuwa imezunguka
Inaweza Kuchuma Steel Chini ya 55HRC**
Spiral-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Vipimo D1xL1xDxL	Bei USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

**Tungsten Steel Reamer iliyo sawa
Inaweza Kuchuma Steel Chini ya 55HRC**

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Vipimo D1xL1xDxL	Bei USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0


Cutter Milling Cutter Kwa Tungsten Steel Inaweza Kukata Steel Chini ya 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Steel Inaweza Kukata Steel Chini ya 55 HRC



Vipimo D1xα°xL1xD2xDxLx3F	Bei USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD2. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

**Tungsten Steel Inner R Mkataji wa Kukata
Inaweza Kuchuma Steel Chini ya 55HRC**
Tungsten Steel Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Vipimo D1RxDxL	Bei USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	

**Tungsten Steel Dovetail Groove Milling
Cutter Unaweza Kata Steel Chini 60HRC**
Tungsten Steel Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Vipimo D1xα°xL1xD2xDxL	Bei USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

**Cutter maalum ya Milling kwa Tungsten
Cone iliyoingizwa ya Steel Die Frame
Inaweza Kuchuma Steel Chini ya 55HRC**


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Vipimo D1xL1xDxL	Bei USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

**Nyenye mbiili ya Tungsten Steel Fixed-point
Kuchaza Matumizi ya Dual Point Nafasi Na
Chamfer Unaweza Kata Steel Chini ya 58HRC**


Double Head Tungsten Steel Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Vipimo DxL	AL	Vipu
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Tungsten Steel T-Groove Side Milling Cutter Unaweza Kata Steel Chini ya 55HRC

Tungsten Steel T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Vipimo D1RxDxL	Bei USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

**Tungsten Steel Straight Groove
Cutter Chamfer Unaweza Kata Steel
Chini ya 58HRC (60° / 90° / 120°)**

Tungsten Steel Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC (60° / 90° / 120°)



Vipimo DxL	AL	Vipu
D1x4x50L	4.6	5.0
D2x4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

**Tungsten Steel Fixed-uhaika Drill Dual
Tumia Point Ya Kudumu na Chamfer Unaweza Kata
Steel Chini ya 58HRC**

Tungsten Steel Fixed-point Drill. Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Vipimo DxL	AL	Vipu
D1x4x50L	3.3	3.9
D1. 5x4x50L	3.3	3.9
D2x4x50L	3.3	3.9
D3x4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Mipako (Njano / Nyeusi / Nyemba)

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzgtool.cn>

Kupanua Screw Tap

Extrusion Screw Tap



Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L Reverse Teeth	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L Reverse Teeth	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L Reverse Teeth	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L Reverse Teeth	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L Reverse Teeth	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L Reverse Teeth	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
M5. 0x0. 8	RH6	P	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L Reverse Teeth	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L Reverse Teeth	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L Reverse Teeth	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L Reverse Teeth	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L Reverse Teeth	RH7	B	14.0	16.1

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L Reverse Teeth	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L Reverse Teeth	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L Reverse Teeth	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L Reverse Teeth	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L Reverse Teeth	RH7	B	11.1	12.6
UNC5/16-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L Reverse Teeth	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Bomba la bomba Apex Tap

MaiFix®

Bomba la bomba Apex Tap



Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P4		7. 9	9. 6
			7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNE1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Sura	Nyeupe	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Gonga la Grooved Tap Spiral Grooved Tap



Nyeupe



Tin

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe	Tin
M1. 0x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 2x0. 25	P1 P2 P3 P4	5.3 5.3 5.3 5.3	6.0 6.0 6.0 6.0
M1. 4x0. 2 M1. 4x0. 3	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 5x0. 3 M1. 6x0. 2 M1. 6x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 6x0. 35-HT Bonde	1B	6.9	6.9
M1. 7x0. 2 M1. 7x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M1. 8x0. 2 M1. 8x0. 35	P1 P1 P2 P3 P4	6.7 5.3 5.3 5.3 5.3	7.4 6.0 6.0 6.0 6.0
M2. 0x0. 25 M2. 0x0. 4	P1 +0.1 P1 P2 P3 P4	6.7 5.3 4.7 4.7 4.7 4.7	7.4 6.0 5.4 5.4 5.4 5.4
M2. 0x0. 4-100L M2. 0x0. 4-AL M2. 0x0. 4-HT Bonde M2. 0x0. 4L Reverse Teeth	P1 1B P1 P1	4.7 5.4 5.7 5.7	4.7 6.7 6.7 6.7
M2. 2x0. 25 M2. 2x0. 45 M2. 3x0. 4 M2. 3x0. 4L Reverse Teeth M2. 5x0. 35 M2. 5x0. 45	P1 P1 P1 P1 +0.1 P1 P2 P3 P4	6.7 4.7 4.7 4.7 5.3 4.7 4.7 4.7 4.7	7.4 5.4 5.4 6.7 6.0 5.4 5.4 5.4 5.4
M2. 5x0. 45-100L M2. 5x0. 45-AL M2. 5x0. 45-HT Bonde M2. 5x0. 45L Reverse Teeth M2. 6x0. 35 M2. 6x0. 45	P1 P1 1B P1 P1 P2 P3 P4	4.7 4.7 5.4 5.7 4.7 4.7 4.7 4.7	4.7 4.7 6.7 6.7 7.4 5.4 5.4 5.4
M2. 6x0. 45-100L M2. 6x0. 45L Reverse Teeth M3. 0x0. 35 M3. 0x0. 5	P1 P1 P2 P3 P4 +0.1 P1 P2 P3 P4	5.7 5.7 4.7 4.7 4.7 4.7 4.7 4.7	6.7 6.7 5.4 5.4 5.4 4.7 4.7 4.7
M3. 0x0. 35L Reverse Teeth M3. 0x0. 5	P2 +0.1 P1 P2 P3 P4	5.7 4.7 4.7 4.7 4.7 4.7	5.4 4.7 4.7 4.7 4.7 4.7
M3. 0x0. 5-100L M3. 0x0. 5-150L M3. 0x0. 5-AL M3. 0x0. 5-HT Bonde M3. 0x0. 5L Reverse Teeth M3. 5x0. 6-100L	P2 P2 1B P2 P2 P2	4.7 4.7 4.7 4.7 4.7 4.7	5.4 5.4 6.1 5.4 5.4 5.4
M4. 0x0. 35 M4. 0x0. 5	P2 P2 P3 P4 P4	4.7 4.7 4.7 4.7 4.7	5.4 5.4 5.4 5.4 5.4
M4. 0x0. 5L Reverse Teeth	P2	5.7	6.7

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe	Tin
M4. 0x0. 7	+0.1 P2 P3 P4	4.7 4.7 4.7 4.7	5.4 4.7 4.7 4.7
M4. 0x0. 7-100L M4. 0x0. 7-150L M4. 0x0. 7-AL M4. 0x0. 7-HT Bonde M4. 0x0. 7L Reverse Teeth	P2 P2 1B P2	9.3 17.1 4.7 4.7 4.7	5.4 4.7 6.1 5.7 5.7
M5. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.4 5.4
M5. 0x0. 5L Reverse Teeth M5. 0x0. 8	P2 +0.1 P2 P3 P4	5.7 4.7 4.7 4.7 4.7	6.9 5.4 4.7 4.7 4.7
M5. 0x0. 8-100L M5. 0x0. 8-150L M5. 0x0. 8-AL M5. 0x0. 8-HT Bonde M5. 0x0. 8L Reverse Teeth	P2 P2 1B P2	9.6 17.9 4.7 4.7 4.7	5.4 5.4 6.1 5.7 5.7
M6. 0x0. 5	P2 P3 P4	4.7 4.7 4.7	5.4 5.7 5.7
M6. 0x0. 5L Reverse Teeth M6. 0x0. 75	P2 P2 P3 P4	5.7 4.7 4.7 4.7	6.9 5.7 5.7 5.7
M6. 0x0. 75L Reverse Teeth M6. 0x1. 0	P2 +0.1 P2 P3 P4	5.7 4.7 4.7 4.7 4.7	6.9 5.7 5.7 5.7 5.7
M6. 0x1. 0-100L M6. 0x1. 0-150L M6. 0x1. 0-AL M6. 0x1. 0-HT Bonde M6. 0x1. 0L Reverse Teeth	P2 1B P2	9.6 17.9 4.7 4.7 4.7	5.4 5.4 6.1 5.7 5.7
M7. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M7. 0x0. 75L Reverse Teeth M7. 0x1. 0	P2 P2 P4	7.9 6.7 6.7	9.3 7.4 7.4
M7. 0x1. 0L Reverse Teeth	P2	7.4	8.6
M8. 0x0. 5	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75	P2 P4	6.7 6.7	7.9 7.9
M8. 0x0. 75L Reverse Teeth M8. 0x1. 0	P2 P2 P4	7.9 6.7 6.7	9.3 7.9 7.9
M8. 0x1. 0L Reverse Teeth M8. 0x1. 25	P2 +0.1 P2 P3 P4	7.9 6.7 6.7 6.7 6.7	9.3 7.9 7.4 7.4 7.4
M8. 0x1. 25-100L M8. 0x1. 25-150L M8. 0x1. 25-AL M8. 0x1. 25-HT Bonde M8. 0x1. 25L Reverse Teeth	P2 P2 1B P2	12.6 18.3 7.4 7.4 7.4	6 6 7.9 8.6 8.6
M9. 0x0. 5 M9. 0x0. 75 M9. 0x1. 0 M9. 0x1. 0L Reverse Teeth M9. 0x1. 25	P2 P2 P2 P2 P2	7.9 7.9 7.9 10 7.9	9.6 9.6 9.6 11.4 9.6
M10x0. 5 M10x0. 75	P2 P2	8.3 8.3	10 10
M10x0. 75L Reverse Teeth M10x1. 0	P2 P2	10 8.3	11.4 10
M10x1. 0L Reverse Teeth M10x1. 25	P2 P4	10 8.3	11.4 10
M10x1. 25L Reverse Teeth M10x1. 5	P2 +0.1 P2 P3 P4	10 8.3 7.9 7.9 7.9	11.4 10 9.6 9.6 9.6
M10x1. 5-100L M10x1. 5-150L M10x1. 5-AL M10x1. 5-HT Bonde M10x1. 5L Reverse Teeth	P2 1B P2	14.6 19.7 9.3 9.6 9.6	7.9 7.9 10 11 11
M11x0. 5 M11x0. 75 M11x1. 0 M11x1. 5	P2 P2 P2 P2	11 11 11 10.4	13.1 13.1 13.1 12.6

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe	Tin
M12x0. 5 M12x0. 75 M12x1. 0	P2 P2 P2	11.0 11.0 11.0	13.1 13.1 13.1
M12x1. 0L Reverse Teeth M12x1. 25	P2 P4	12.6 11.0	14.7 13.1
M12x1. 25L Reverse Teeth M12x1. 5	P2 P2	12.6 11.0	14.7 13.1
M12x1. 5L Reverse Teeth M12x1. 75	P2 +0.1 P2 P3 P4	12.6 11.0 10.4 10.4 18.9 22.4	14.7 13.1 12.6 12.6 22.9 22.4
M12x1. 75-100L M12x1. 75-150L M12x1. 75-AL M12x1. 75-HT Bonde M12x1. 75L Reverse Teeth	P2 1B P2	11.9 12.1 11.9 12.1 12.1	12.6 12.6 12.6 12.6 12.6
M14x1. 0 M14x1. 25 M14x1. 5 M14x2. 0	P2 P2 P2	17.1 17.1 15.7	19.7 19.7 18.3
M16x1. 0 M16x1. 25 M16x1. 5 M16x2. 0	P2 P2 P2	19.7 19.7 19.7 18.3	22.9 22.9 22.9 21.4
UNF0-80 UNC1-64 UNF1-72 UNC2-56	P1 P1 P1 P2	5.3 5.3 6.7 5.3	6 6 7.4 6
UNC2-56-100L UNC2-56-HT Bonde UNF2-64 UNC3-48 UNF3-56 UNC4-40	P2 1B P1 P1 P1 P1	5.3 6.1 6.7 5.3 6.7 4.7	6 6.9 7.4 6 7.4 5.4
UNC4-40-100L UNC4-40-AL UNC4-40-HT Bonde UNF4-48 UNC5-40 UNC5-40-100L UNF5-44 UNC6-32	P2 1B P1 P1 P2 P2 P2 P3 P4	4.7 5.4 6.7 4.7 4.7 4.7 4.7 4.7 4.7	5.4 6.7 7.4 5.4 5.4 5.4 5.4 5.4 5.4
UNC6-32-100L UNC6-32-AL UNC6-32-HT Bonde UNC6-32L Reverse Teeth UNF6-40 UNC8-32	P2 1B P2 P2 P2 P3 P4	4.7 5.4 5.7 6.7 6.7 4.7 4.7	5.4 6.7 6.7 7.4 7.4 5.4 5.4
UNC8-32-100L UNC8-32-AL UNC8-32-HT Bonde UNC8-32L Reverse Teeth UNF8-36 UNC10-24	P2 1B P2 P2 P2 P2 P3 P4	4.7 5.4 5.7 6.7 6.7 4.7 4.7 4.7	5.4 6.7 6.7 7.4 7.4 5.7 5.7 5.7
UNC10-24-100L UNC10-24-AL UNC10-24-HT Bonde UNC10-24L Reverse Teeth UNF10-32	P2 1B P2 P2 P3 P4	4.7 5.4 5.7 4.7 4.7 4.7	5.4 6.7 6.9 5.7 5.7 5.7
UNF10-32-100L UNF10-32-HT Bonde UNF10-32L Reverse Teeth UNC12-24 UNF12-28 UNEF12-32 UNS12-36 UNC1/4-20	P2 1B P2 P2 P2 P2 P2 P2 P3 P4	7.4 8.3 4.7 4.7 6.7 6.7 6.7 4.7 4.7 4.7	7.4 8.3 5.7 7.6 7.6 7.6 5.7 5.7 5.7 5.7
UNC1/4-20-100L UNC1/4-20-AL UNC1/4-20-HT Bonde UNC1/4-20L Reverse Teeth	P2 1B P2	4.7 5.4 5.7	6.7 6.9 6.9

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe	Tin
UNF1/4-28	P2 P4	6.7 6.7	7.6 7.6
UNF1/4-28-HT Bonde UNF1/4-28L Reverse Teeth UNEF1/4-32 UNS1/4-36	1B P2 P2 P2	7.4 7.4 6.7 6.7	7.4 8.3 7.6 7.6
UNC5/16-18	P2 P3 P4	6.0 6.0 6.0	7.4 7.4 7.4
UNC5/16-18-100L UNC5/16-18-AL UNC5/16-18-HT Bonde UNC5/16-18L Reverse Teeth UNF5/16-24	P2 1B P2 P2 P4	6.7 7.9 7.4 7.4 7.4	8.3 8.3 8.6 8.6 8.6
UNF5/16-24-HT Bonde UNF5/16-24L Reverse Teeth UNC3/8-16	1B P2 P2 P3 P4	9.3 7.9 7.9 7.9 7.9	10.4 10.4 9.6 9.6 9.6
UNC3/8-16-100L UNC3/8-16-AL UNC3/8-16-HT Bonde UNC3/8-16L Reverse Teeth UNF3/8-24	P2 1B P2 P2 P4	8.3 9.6 9.6 9.6 9.3	10.4 10.4 11.0 10.7 10.7
UNF3/8-24-HT Bonde UNF3/8-24L Reverse Teeth UNS3/8-32 UNC7/16-14 UNF7/16-20	P2 P2 P2 P2	11.0 9.3 11.9 12.6	12.6 10.7 13.9 14.7
UNC1/2-12 UNF1/2-20	P2 P2	13.1 14.6	15.3 16.4
W1/8-40 W5/32-32 W3/16-24 W7/32-24 W1/4-20 W5/16-18 W3/8-16 W7/16-14 W1/2-12	P1 P2 P2 P2 P2 P2 P2 P2 P2	4.7 4.7 4.7 4.7 4.7 6.0 7.9 11.9 13.1	5.4 5.4 5.4 5.7 5.7 7.4 9.6 13.9 15.3
PS1/8-28 Standard ya Uingereza PS1/4-14 Kiwango cha Amerika PS1/4-18 Kiwango cha Amerika PS1/4-19 Standard ya Uingereza PS3/8-18 Kiwango cha Amerika PS3/8-19 Standard ya Uingereza PS1/2-14 Kiwango cha Amerika PS1/2-14 Standard ya Uingereza PS3/4-14 Standard ya Uingereza PS1-11 Standard ya Uingereza PS1-11. 1-2 American Standard	P1 P2 P2 P2 P2 P2 P2 P2 P2 P2	7.9 22.4 7.9 9.3 13.1 14.6 17.1 19.7 25.0 41.9 41.9	
PT1/16-28 Standard ya Uingereza PT1/8-28 Standard ya Uingereza PT1/4-19 Standard ya Uingereza PT3/8-19 Standard ya Uingereza PT1/2-14 Standard ya Uingereza PT3/4-14 Standard ya Uingereza PT1-11 Standard ya Uingereza	P2 P2 P2 P2 P2 P2 P2	7.9 7.9 10.4 15.7 19.7 27.6 46.0	
NPT1/8-27 Kiwango cha Amerika NPT1/4-18 Kiwango cha Amerika NPT3/8-18 Kiwango cha Amerika NPT1/2-14 Kiwango cha Amerika NPT1/4-14 Kiwango cha Amerika NPT1-11. 1-2 American Standard	P2 P2 P2 P2 P2 P2	7.9 10.4 15.7 19.7 27.6 46.0	

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Gonga la mkono / Circular Die Hand Tap/Circular Die

MaiFix®

HT Gorofa ya Nyekundu HT Straight Wire Tap



Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Thread x Pembe x Urefu (/ Reverse Teeth)	Sahihi	Nyeupe
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF6-40	P2	4. 0
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 0
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Standard ya Uingereza		6. 7
PS1/8-27 Kiwango cha Amerika		6. 7
PS1/8-28 Standard ya Uingereza		6. 7
PS1/4-14 Kiwango cha Amerika		22. 4
PS1/4-18 Kiwango cha Amerika		7. 9
PS1/4-19 Standard ya Uingereza		7. 9
PS3/8-18 Kiwango cha Amerika		13. 1
PS3/8-19 Standard ya Uingereza		13. 1
PS1/2-14 Kiwango cha Amerika		17. 1
PS1/2-14 Standard ya Uingereza		17. 1
PS3/4-14 Standard ya Uingereza		22. 4
PS1-11 Standard ya Uingereza		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Standard ya Uingereza		6. 7
PT1/8-28 Standard ya Uingereza		6. 7
PT1/4-19 Standard ya Uingereza		8. 6
PT3/8-19 Standard ya Uingereza		14. 6
PT1/2-14 Standard ya Uingereza		18. 3
PT3/4-14 Standard ya Uingereza		25. 0
PT1-11 Standard ya Uingereza		41. 9
NPT1/8-27 Kiwango cha Amerika		6. 7
NPT1/4-18 Kiwango cha Amerika		8. 6
NPT3/8-18 Kiwango cha Amerika		14. 6
NPT1/2-14 Kiwango cha Amerika		18. 3
NPT1/4-14 Kiwango cha Amerika		25. 0
NPT1-11. 1-2 American Standard		41. 9

Ari-D Mzunguko wa Mzunguko wa AR-D Adjustable Circular Die



Thread x Pembe x Urefu (/ Reverse Teeth)	External Diameter	Nyeupe
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Reverse Teeth	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Reverse Teeth	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Reverse Teeth	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Reverse Teeth	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Reverse Teeth	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Reverse Teeth	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Reverse Teeth	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Reverse Teeth	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Reverse Teeth	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6





Thread x Pembe x Urefu (/ Reverse Teeth)	External Diameter	Nyeupe
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9


Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
Copper Na Alumi Muda Kumaliza Machining			
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
Usindikaji wa Stainless Steel			
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Vipande Vipande vizuri			
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Vipande Vipande vizuri			



Picha za Bidhaa	Ufafanuzi	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Kukamilisha kati Machining ya Steel			
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
R-X L-X Usindikaji Mbaywa wa Steel			
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
Kumaliza Mwisho Machining ya Steel Hard			
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Copper Na Alumi Muda Kumaliza Machining			
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
Usambazaji Mbaywa wa Mchoro wa Cast			
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
Kukamilisha kati Machining ya Iron Cast			
	CNMG120408-HS ZM30	0.8	2.6
Usindikaji wa Stainless Steel			
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
Usindikaji wa Stainless Steel			
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
Usindikaji wa Stainless Steel			
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Medium Na Steel Fine Vipande Vipande vizuri			



Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
Copper Na Alumiini Muda Kumaliza Machining			
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
Usindikaji wa Stainless Steel			
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
Usindikaji wa Stainless Steel			
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Vipande Vipande vizuri			
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0
Cermet Fine Steel Vipande Vipande vizuri			




Picha za Bidhaa	Ufafanuzi	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
Copper Na Alumiini Muda Kumaliza Machining			
	DNMG110404-FG ZN60	0.4	2.6
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	DNMG150404L-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Vipande Vipande vizuri			
	DNMG150404R-VF ZN60	0.4	2.6
Cermet Medium And Rough Steel Vipande Vipande vizuri			






Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	SNMG120408L-S ZC25	0.8	2.6
Usindikaji Mbaywa wa Steel			
	SNMG120408L-S ZC35	0.8	2.6
Usindikaji Mbaywa wa Steel Hard			
	SNMG120408R-S ZC25	0.8	2.6
Usindikaji Mbaywa wa Steel			
	SNMG120408R-S ZC35	0.8	2.6
Usindikaji Mbaywa wa Steel Hard			
	SNMG120408-TM ZC25	0.8	2.6
Kukamilisha kati Machining ya Steel			
	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Copper Na Alumiini Muda Kumaliza Machining			
	SNMG120408-MA ZM30	0.8	2.6
Usindikaji wa Stainless Steel			
	SNMG120404-MS ZM30	0.4	2.6
Usindikaji wa Stainless Steel			
	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
Usindikaji wa Stainless Steel			
	SCMT09T304-MT ZN60	0.4	1.9
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9
Copper Na Alumiini Muda Kumaliza Machining			



Picha za Bidhaa	Ufafanuzi	R	USD
	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Piga chuma na ngumu Vifaa vya Kumaliza Machining			
	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copper Na Aluminium Kumaliza Machining			
	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
Cermet Medium Na Steel Fine Vipande Vipande vizuri			
	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
Copper Na Alumiini Muda Kumaliza Machining			
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3
Usindikaji wa Stainless Steel			






Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
 Piga chuma na ngumu Vifaa vya Kumalizia Machining	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Copper Na Alum Inium Kumaliza Machining	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 CQ Kukamilisha kati Machining ya Steel	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25 TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S Usindikaji Mbaya wa Steel	TNMG160404L-S ZC25 TNMG160408L-S ZC25 TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 R-S Usindikaji Mbaya wa Steel Hard	TNMG160404L-S ZC35 TNMG160408L-S ZC35 TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Kukamilisha kati Machining ya Steel	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
 Kumaliza Mwisho Mashingi ya Steel Hard	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
 Copper Na Alumini Muda Kumaliza Machining	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
 TNMA Medium Rough Mashingi ya Cast Iron	TNMA160404 ZK50 TNMA160408 ZK50 TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 HA Usindikaji wa Stainless Steel	TNMG160404-HA ZM30 TNMG160408-HA ZM30 TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Usindikaji wa Stainless Steel	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
 Usindikaji wa Stainless Steel	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3

Picha za Bidhaa	Ufafanuzi	R	USD
 R-C Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404L-C ZN60 TNMG160408L-C ZN60 TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-S Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404L-S ZN60 TNMG160408L-S ZN60 TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-VF Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60 TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 R-FS Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60 TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8 0.4 0.8	1.9 1.9 1.9 1.9
 Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
 Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
 Cermet Medium Na Steel Fine Vipande Vipande vizuri	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
 R-P Cermet Fine Steel Vipande Vipande vizuri	TNMG160402L-P ZN90 TNMG160404L-P ZN90 TNMG160402R-P ZN90 TNMG160404R-P ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6
 R-S Cermet Fine Steel Vipande Vipande vizuri	TNMG160402L-S ZN90 TNMG160404L-S ZN90 TNMG160402R-S ZN90 TNMG160404R-S ZN90	0.2 0.4 0.2 0.4	3.6 3.6 3.6 3.6

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
	VBMT110302 CBN1	0.2	6.9
	VBMT110304 CBN1	0.4	6.9
	VBMT160402 CBN1	0.2	6.9
	VBMT160404 CBN1	0.4	6.9
	VBMT160408 CBN1	0.8	6.9
	VCGT110302 CBN1	0.2	6.9
	VCGT110304 CBN1	0.4	6.9
	VCGT110308 CBN1	0.8	6.9
	VCGT160402 CBN1	0.2	6.9
	VCGT160404 CBN1	0.4	6.9
	VCGT160408 CBN1	0.8	6.9
	VCGT160412 CBN1	1.2	6.9
	VBGT110301 PCD1	0.1	6.9
	VBGT110302 PCD1	0.2	6.9
	VBGT110304 PCD1	0.4	6.9
	VBGT110308 PCD1	0.8	6.9
	VBGT160402 PCD1	0.2	6.9
	VBGT160404 PCD1	0.4	6.9
	VBGT160408 PCD1	0.8	6.9
	VCGT110301 PCD1	0.1	6.9
	VCGT110302 PCD1	0.2	6.9
	VCGT110304 PCD1	0.4	6.9
	VCGT110308 PCD1	0.8	6.9
	VCGT160401 PCD1	0.1	6.9
	VCGT160402 PCD1	0.2	6.9
	VCGT160404 PCD1	0.4	6.9
	VCGT160408 PCD1	0.8	6.9
	VCGT160412 PCD1	1.2	6.9
	VBGT110302-AL ZK01	0.2	1.1
	VBGT110304-AL ZK01	0.4	1.1
	VBGT160402-AL ZK01	0.2	2.0
	VBGT160404-AL ZK01	0.4	2.0
	VBGT160408-AL ZK01	0.8	2.0
	VCGT110302-AL ZK01	0.2	1.1
	VCGT110304-AL ZK01	0.4	1.1
	VCGT160402-AL ZK01	0.2	2.0
	VCGT160404-AL ZK01	0.4	2.0
	VCGT160408-AL ZK01	0.8	2.0
	VBMT160404-MV ZM30	0.4	3.7
	VBMT160408-MV ZM30	0.8	3.7
	VBMT110304-HQ ZN60	0.4	2.7
	VBMT160404-HQ ZN60	0.4	3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90	0.2	4.7
	VBGT110304L ZN90	0.4	4.7
	VBGT110302R-Y ZN90	0.2	4.7
	VBGT110304R-Y ZN90	0.4	4.7








Picha za Bidhaa	Ufafanuzi	R	USD
	VNMG160404 CBN1 VNMG160408 CBN1	0.4 0.8	6.9 6.9
	VNMG160402 PCD1 VNMG160404 PCD1 VNMG160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	VNMG160404-TM ZC25 VNMG160408-TM ZC25	0.4 0.8	2.7 2.7
	VNMG160404-TM ZC35 VNMG160408-TM ZC35	0.4 0.8	2.7 2.7
	VNMG160404-AL ZK01 VNMG160408-AL ZK01	0.4 0.8	2.3 2.3
	VNMG160404 ZM30 VNMG160408 ZM30	0.4 0.8	2.7 2.7
	VNMG160404-HS ZM30 VNMG160408-HS ZM30	0.4 0.8	2.7 2.7
	VNMG160404-MT ZN60 VNMG160408-MT ZN60	0.4 0.8	2.3 2.3


Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	R	USD
	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6



Picha za Bidhaa	Ufafanuzi	R	USD
	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3





Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	TPI	USD
ZP10 General Machining 	16ER 050ISO ZP10	0.50	2.0
	16ER 075ISO ZP10	0.75	2.0
	16ER 100ISO ZP10	1.00	2.0
	16ER 125ISO ZP10	1.25	2.0
	16ER 150ISO ZP10	1.50	2.0
	16ER 175ISO ZP10	1.75	2.0
	16ER 200ISO ZP10	2.00	2.0
	16ER 250ISO ZP10	2.50	2.0
	16ER 300ISO ZP10	3.00	2.0
	16ER 350ISO ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350ISO ZP10	3.50	5.1
	22ER 400ISO ZP10	4.00	5.1
	22ER 500ISO ZP10	5.00	5.1
	22ER 600ISO ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
PCD1 Copper Na Aluminium Kumaliza Machining 	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
B-SEL SER 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150ISO ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150ISO ZP10	1.5	2.0
	11IR 200ISO ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050ISO ZP10	0.50	2.0
	16IR 075ISO ZP10	0.75	2.0
	16IR 100ISO ZP10	1.00	2.0
	16IR 125ISO ZP10	1.25	2.0
PCD1 Copper Na Aluminium Kumaliza Machining 	16IR 150ISO ZP10	1.50	2.0
	16IR 175ISO ZP10	1.75	2.0
	16IR 200ISO ZP10	2.00	2.0
	16IR 250ISO ZP10	2.50	2.0
	16IR 300ISO ZP10	3.00	2.0
	16IR 350ISO ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
Holi ya Ndani Usindikaji wa Thread 	22IR 350ISO ZP10	3.50	5.1
	22IR 400ISO ZP10	4.00	5.1
	22IR 500ISO ZP10	5.00	5.1
	22IR 600ISO ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
Hole ya Ndani Usindikaji wa Thread 	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
TKFT.. TTP.. 	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
TTP.. 	TTPR12	—	9.3
	TTPR16	—	11.7


Picha za Bidhaa	Ufafanuzi	TPI	USD
	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
ZP10 General Machining 	16ER 11W ZP10	1Inch11Tooth	2.0
	16ER 14W ZP10	1Inch14Tooth	2.0
	16ER 19W ZP10	1Inch19Tooth	2.0
	16ER 24W ZP10	1Inch24Tooth	2.0
	16ER 8W ZP10	1Inch8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
PCD1 Copper Na Aluminium Kumaliza Machining 	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1Inch19Tooth	2.0
	16IR 11W ZP10	1Inch11Tooth	2.0
	16IR 12W ZC01	1Inch12Tooth	2.0
	16IR 14W ZP10	1Inch14Tooth	2.0
	16IR 19W ZP10	1Inch19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
55° Inch nje Usindikaji wa Thread 	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
ZP10 General Machining 	16ER 12UN ZP10	1Inch12Tooth	2.0
	16ER 14UN ZP10	1Inch14Tooth	2.0
	16ER 16UN ZP10	1Inch16Tooth	2.0
	16ER 18UN ZP10	1Inch18Tooth	2.0
	16ER 20UN ZP10	1Inch20Tooth	2.0
	16IR 12UN ZP10	1Inch12Tooth	2.0
	16IR 14UN ZP10	1Inch14Tooth	2.0
	16IR 16UN ZP10	1Inch16Tooth	2.0
	16IR 18UN ZP10	1Inch18Tooth	2.0
	16IR 20UN ZP10	1Inch20Tooth	2.0
	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16ER 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 19BSPT ZP10	1Inch19Tooth	2.0
	16ER 28BSPT ZP10	1Inch28Tooth	2.0
BSPT Tube ya Uingereza Standard Taper Futa Usindikaji Nje wa Thread 	16IR 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0
BSPT Uingereza Standard Taper Tube Thread Ndani Hole Usindikaji wa Thread 	16ER 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16ER 14NPT ZP10	1Inch14Tooth	2.0
	16ER 18NPT ZP10	1Inch18Tooth	2.0
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0


Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	Width	USD
	T16E100 ZP15 T16E150 ZP15 T16E160 ZP15 T16E200 ZP15 T16E250 ZP15 T16E300 ZP15	1.0 1.5 1.6 2.0 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0
	SER1616H16 SER2020K16 SER2525M16	— — —	7.1 7.1 9.3
	T11N100 ZP15 T11N150 ZP15 T11N200 ZP15 T16N100 ZP15 T16N150 ZP15 T16N160 ZP15 T16N180 ZP15 T16N200 ZP15 T16N230 ZP15 T16N250 ZP15 T16N300 ZP15	1.0 1.5 2.0 1.0 1.5 1.6 1.8 2.0 2.3 2.5 3.0	3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0
	SNR0010K11 SNR0012M11 SNR0013N16 SNR0014N16 SNR0016Q16 SNR0020R16 SNR0025S16	— — — — — — —	5.1 5.4 6.1 6.7 6.7 7.1 11.7
	CTP10FR ZP15 CTP15FR ZP15 CTP20FR ZP15 CTPA10FR ZP15 CTPA15FR ZP15 CTPA20FR ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	CTP10FRN ZP15 CTP15FRN ZP15 CTP20FRN ZP15 CTPA10FRN ZP15 CTPA15FRN ZP15 CTPA20FRN ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	CTPSL10 CTPSL12 CTPASL10 CTPASL12 CTPASL16	— — — — —	10.7 11.9 10.7 11.9 14.3
	CTPR08 CTPR10 CTPR12 CTPR16 CTPR20 CTPAR10 CTPAR12 CTPAR16 CTPAR20 CTPAR25	— — — — — — — — — —	11.9 9.4 9.4 9.4 10.7 9.4 9.4 9.4 10.7 14.3
	TTB6001 ZP15	—	5.9
	TBPR10 TBPR12 TBPAP10 TBPAP12 TBPAP16	— — — — —	9.4 9.4 9.4 9.4 9.4

Picha za Bidhaa	Ufafanuzi	Width	USD
	TKF12R100-S ZP15 TKF12R150-S ZP15 TKF12R200-S ZP15 TKF16R100-S ZP15 TKF16R150-S ZP15 TKF16R200-S ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	TKF12R100-S16R ZP15 TKF12R150-S16R ZP15 TKF12R200-S16R ZP15 TKF16R100-S16R ZP15 TKF16R150-S16R ZP15 TKF16R200-S16R ZP15	1.0 1.5 2.0 1.0 1.5 2.0	5.9 5.9 5.9 6.6 6.6 6.6
	TKFB6001 ZP15	—	5.9
	KTKFSL1010JX12 KTKFSL1212JX12 KTKFSL1212JX16	— — —	11.9 11.9 11.9
	KTKFR0810JX12 KTKFR1010JX12 KTKFR1212JX12 KTKFR1616JX12 KTKFR1010JX16 KTKFR1212JX16 KTKFR1616K16 KTKFR2020JX16	— — — — — — — —	11.9 9.4 9.4 9.4 9.4 9.4 9.4 10.7
	FVC1604R150 ZP15 FVC1604R200 ZP15 FV1604R300 ZP15	1.5 2.0 3.0	4.3 4.3 4.3
	SVQCR2020K16-NJ	—	11.9
	VC1604R250 ZP15 VC1604R300 ZP15	2.5 3.0	4.3 4.3
	SGIVFR16Q16 SGIVFR20Q16 SGIVFR25R16	— — —	14.3 14.3 16.7

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

MaiFix® Chombo cha Kugeuza Kijijini cha Grooving Nje

External Cylindrical Kutafuta Kitabu cha Kugeuza

Picha za Bidhaa	Ufafanuzi	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Ugawaji wa upangaji wa hesabu 0.3-3.2mm
Kuweka kukata kina 0.8-4 mm
Vifaa vya jumla vinaweza
punguzwa

Picha za Bidhaa	Ufafanuzi	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6

Ugawaji wa upangaji wa hesabu 0.3-3.2mm
Kuweka kukata kina 0.8-4 mm
Vifaa vya jumla vinaweza
punguzwa

	KTGFR1010H16	—	6.9
	KTGFR1212H16	—	6.9
	KTGFR1616H16	—	6.9
	KTGFR2020K16	—	6.9
	KTGFR2525M16	—	9.0

KTGFR..

	KTGFL1010H16	—	6.9
	KTGFL1212H16	—	6.9
	KTGFL1616H16	—	6.9
	KTGFL2020K16	—	6.9
	KTGFL2525M16	—	9.0

KTGFL..

	KTGFR1010H16F	—	6.7
	KTGFR1212H16F	—	6.7
	KTGFR1616H16F	—	6.7
	KTGFR2020K16F	—	6.7

	KTGFL1010H16F	—	6.7
	KTGFL1212H16F	—	6.7
	KTGFL1616H16F	—	6.7
	KTGFL2020K16F	—	6.7

	KTGFSL1010H16	—	6.9
	KTGFSL1212H16	—	6.9
	KTGFSL1616H16	—	6.9
	KTGFSL2020K16	—	6.9
	KTGFSL2525M16	—	9.3

KTGFSL..

	KTGFSR1010H16	—	6.9
	KTGFSR1212H16	—	6.9
	KTGFSR1616H16	—	6.9
	KTGFSR2020K16	—	6.9
	KTGFSR2525M16	—	9.3

KTGFSR..

	S16N-KTGFL16	—	9.3
	S20Q-KTGFL16	—	11.0
	S25R-KTGFL16	—	13.1

S..-KTGFL..

	S16N-KTGFR16	—	9.3
	S20Q-KTGFR16	—	11.0
	S25R-KTGFR16	—	13.1




S..-KTGFR..





Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Ugawaji wa upangaji wa hesabu 1.0-4.8mm Kuweka kukata kina 2.0-5.0 mm Vifaa vya jumla vinaweza punguzwa			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	- - -	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	- -	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	- - -	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	- -	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Ugawaji wa upangaji wa hesabu 1.0-4.8mm Kuweka kukata kina 2.0-5.0 mm Vifaa vya jumla vinaweza punguzwa			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	- - -	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	- -	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	- - -	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	- -	10.7 14.3

Picha za Bidhaa	Ufafanuzi	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	- - -	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	- - - -	11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	- - -	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	- -	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	- - -	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	- - -	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	- - -	9.0 11.0 13.1

Bei ya juu haifai mizigo, kodi na ada.


Bei ya Ushuru wa Dola za Ndani nchini China.





Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn





















<http://www.mzg.tw>

MaiFix® Chombo cha Kugeuza / Kupunguza-Kata

Grooving/Cut-Off Turning Tool

Picha za Bidhaa	Ufafanuzi	Width	USD
 Piga chuma na ngumu Vifaa vya Kumaliza Machining	MGMN150 CBN1	1.5	6.9
	MGMN200 CBN1	2.0	6.9
	MGMN250 CBN1	2.5	6.9
	MGMN300 CBN1	3.0	6.9
	MGMN400 CBN1	4.0	6.9
	MGMN500 CBN1	5.0	6.9
 Copper Na Aluminium Kumaliza Machining	MGMN150 PCD1	1.5	6.9
	MGMN200 PCD1	2.0	6.9
	MGMN250 PCD1	2.5	6.9
	MGMN300 PCD1	3.0	6.9
	MGMN400 PCD1	4.0	6.9
	MGMN500 PCD1	5.0	6.9
 Matayarishaji ya Kuondoa / Kata-Kata	MGGN300 ZP15	3.0	1.6
	MGGN400 ZP15	4.0	1.7
 8° Taper Usindikaji wa Kata-Off	MGGN200-Q ZP15	2.0	1.7
	MGGN300-Q ZP15	3.0	1.7
 Copper or Aluminium Matayarishaji ya Kuondoa / Kata-Kata	MGGN200 ZK01	2.0	1.7
	MGGN300 ZK01	3.0	1.9
	MGGN400 ZK01	4.0	2.3
	MGGN500 ZK01	5.0	2.7
 Matayarishaji ya Kuondoa / Kata-Kata	MGGN150 ZP30	1.5	1.7
	MGGN200 ZP30	2.0	1.7
	MGGN250 ZP30	2.5	1.7
	MGGN300 ZP30	3.0	1.7
	MGGN400 ZP30	4.0	2.0
	MGGN500 ZP30	5.0	2.7
 8° Taper Usindikaji wa Kata-Off	MGGN150R-8 ZP30	1.5	1.7
	MGGN200R-8 ZP30	2.0	1.7
	MGGN250R-8 ZP30	2.5	1.9
	MGGN300R-8 ZP30	3.0	2.0
	MGGN400R-8 ZP30	4.0	2.4
	MGGN500R-8 ZP30	5.0	3.1
 8° Taper Usindikaji wa Kata-Off	MGGN150L-8 ZP30	1.5	1.7
	MGGN200L-8 ZP30	2.0	1.7
	MGGN250L-8 ZP30	2.5	1.9
	MGGN300L-8 ZP30	3.0	2.0
	MGGN400L-8 ZP30	4.0	2.4
	MGGN500L-8 ZP30	5.0	3.1
 Copper or Aluminium Matayarishaji ya Kuondoa / Kata-Kata	MGMN150-G ZK01	1.5	1.7
	MGMN200-G ZK01	2.0	1.7
	MGMN200-M ZK01	2.0	1.7
	MGMN300-M ZK01	3.0	1.7
	MGMN400-M ZK01	4.0	2.0
	MGMN500-M ZK01	5.0	2.7
 Cermet Medium na Fine Sehemu za Steel Kuwa na Nzuri Kukamilisha	MGMN200-G ZN60	2.0	1.4
	MGMN300-M ZN60	3.0	1.7
	MGMN400-M ZN60	4.0	2.0
	MGMN500-M ZN60	5.0	2.7
	MGMN200-T ZP30	2.0	1.6
	MGMN300-T ZP30	3.0	1.6
 Stainless Steel Matayarishaji ya Kuondoa / Kata-Kata	MGMN400-T ZP30	4.0	2.0
	MGMN300-H ZP30	3.0	1.6
 Steel Grooving /Usindikaji wa Kata-Off	MGMN200-G ZP20	2.0	1.6
	MGMN250-G ZP20	2.5	1.6
	MGMN250-M ZP20	2.5	1.6
	MGMN300-M ZP20	3.0	1.6
	MGMN400-M ZP20	4.0	2.0
	MGMN500-M ZP20	5.0	2.7
 Hard chuma Grooving /Usindikaji wa Kata-Off	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
 Hard chuma Grooving /Usindikaji wa Kata-Off	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
 Hard chuma Grooving /Usindikaji wa Kata-Off	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7
	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6

Picha za Bidhaa	Ufafanuzi	Width	USD
 -G -M Kumaliza katika Grooving Ufafanuzi wa Vipande vya Steel	MRMN200-G ZP30	R1.0	1.6
	MRMN200-M ZP30	R1.0	1.6
 Piga chuma na ngumu Vifaa vya Kumaliza Machining	MRMN300-M ZP30	R1.5	1.6
	MRMN400-M ZP30	R2.0	2.0
 Kichwa cha Grooving / Cut-Off	MRMN400 CBN1	R2.0	6.9
	MRMN500 CBN1	R2.0	6.9
 Kichwa cha Grooving / Cut-Off	MGEHR1010-1.5	1.5	9.0
	MGEHR1010-2	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR1212-1.5	1.5	9.0
	MGEHR1212-2	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR1212-3	3.0	9.0
	MGEHR1616-1.5	1.5	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR1616-2	2.0	6.7
	MGEHR1616-2.5	2.5	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR1616-3	3.0	6.7
	MGEHR1616-4	4.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR2020-1.5	1.5	6.7
	MGEHR2020-2	2.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR2020-2.5	2.5	6.7
	MGEHR2020-3	3.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR2020-4	4.0	6.7
	MGEHR2020-5	5.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHR2020-6	6.0	8.3
	MGEHR2525-1.5	1.5	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR2525-2	2.0	9.0
	MGEHR2525-2.5	2.5	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR2525-3	3.0	9.0
	MGEHR2525-4	4.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR2525-5	5.0	9.0
	MGEHR2525-6	6.0	10.7
 Kichwa cha Grooving / Cut-Off	MGEHR3232-2	2.0	16.4
	MGEHR3232-3	3.0	16.4
 Kichwa cha Grooving / Cut-Off	MGEHR3232-4	4.0	16.4
	MGEHR3232-5	5.0	16.4
 Kichwa cha Grooving / Cut-Off	MGEHR3232-6	6.0	17.9
	MGEHR3232-7	7.0	17.9
 Kichwa cha Grooving / Cut-Off	MGEHR1010-1.5T12	1.5	10.7
	MGEHR1010-2T12	2.0	10.7
 Kichwa cha Grooving / Cut-Off	MGEHR1212-1.5T12	1.5	9.6
	MGEHR1212-2T12	2.0	9.6
 Kichwa cha Grooving / Cut-Off	MGEHR1616-1.5T13	1.5	9.0
	MGEHR1616-2T16	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR1616-2.5T18	2.5	9.0
	MGEHR1616-3T12	3.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR1616-3T20	3.0	9.0
	MGEHR1616-4T20	4.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHR2020-1.5T13	1.5	9.6
	MGEHR2020-2T16	2.0	9.6
 Kichwa cha Grooving / Cut-Off	MGEHR2020-3T20	3.0	9.6
	MGEHR2020-4T20	4.0	9.6
 Kichwa cha Grooving / Cut-Off	MGEHR2525-3T20	3.0	11.0
	MGEHR2525-4T20	4.0	11.0
 Kichwa cha Grooving / Cut-Off	MGEHL1010-1.5	1.5	9.0
	MGEHL1010-2	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHL1212-1.5	1.5	9.0
	MGEHL1212-2	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHL1616-1.5	1.5	6.7
	MGEHL1616-2	2.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHL1616-2.5	2.5	6.7
	MGEHL1616-3	3.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHL1616-4	4.0	6.7
	MGEHL2020-1.5	1.5	6.7
 Kichwa cha Grooving / Cut-Off	MGEHL2020-2	2.0	6.7
	MGEHL2020-2.5	2.5	6.7
 Kichwa cha Grooving / Cut-Off	MGEHL2020-3	3.0	6.7
	MGEHL2020-4	4.0	6.7
 Kichwa cha Grooving / Cut-Off	MGEHL2020-5	5.0	6.7
	MGEHL2525-2	2.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHL2525-2.5	2.5	9.0
	MGEHL2525-3	3.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHL2525-4	4.0	9.0
	MGEHL2525-5	5.0	9.0
 Kichwa cha Grooving / Cut-Off	MGEHL2525-6	6.0	10.7
	MGEHL3232-3	3.0	16.4
 Kichwa cha Grooving / Cut-Off	MGEHL3232-4	4.0	16.4
	MGEHL3232-5	5.0	16.4
 Kichwa cha Grooving / Cut-Off	MGEHL3232-6	6.0	17.9
	MGEHL3232-7	7.0	17.9

Picha za Bidhaa	Ufafanuzi	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
Mashinging ya Circular Kuongezeka kwa uso wa mwisho			
Spring Steel			
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
Mashinging ya Circular Kuongezeka kwa uso wa mwisho			
Spring Steel			
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
Mashinging ya Circular Kuongezeka kwa uso wa mwisho			
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
Cylindrical Grooving			
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0
Cylindrical Grooving			


Picha za Bidhaa	Ufafanuzi	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
Mashinging ya Hole Grooving ya Ndani			
Spring Steel			
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
Mashinging ya Hole Grooving ya Ndani			
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1
Mashinging ya Hole Grooving ya Ndani			






Bei ya juu haifai mizigo, kodi na ada.





Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Size	USD
	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
S Weka Chombo cha Kugeuza Cylindrical		21.9
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
M Weka Chombo cha Kugeuza Cylindrical		
	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
W Weka Chombo cha Kugeuza Cylindrical		
	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
D Weka Chombo cha Kugeuza Cylindrical		
	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
S Weka Chombo cha Lale cha Ndani		
	S07	5.4
	S08	5.4
	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
	S25	9.7
Spring Steel		
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
High Speed Steel		
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
Carbide iliyoimarishwa		
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1
S..M.. Weka Chombo cha Lale cha Ndani		

Picha za Bidhaa	Size	USD
	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
ZQ.. Weka Kutafuta Chombo cha Kugeuza		
	SPB226	11.9
	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
SPB.. Weka Kutafuta Chombo cha Kugeuza		
	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
SLTBN.. Weka Kutafuta Chombo cha Kugeuza		
	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
	3232	16.4
MGEHR/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
	2525	11.0
MGMN.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	8.6
	2020	8.6
	2525	11.0
Spring Steel		
	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
	20	15.4
MGEVR/L.. Weka Chombo cha Kugeuza Grooving		
	1616H	9.6
	2020K	10.7
CGWSR/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	10.3
	2020	10.3
	2525	11.9
GY2M.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
GYHR/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
KGMR/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
	3232	20.0
TTER/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	16	14.3
	20	16.7
	25	19.0
TTIR/L.. Type Inner Hole Kutafuta Kitabu cha Kugeuza		






Picha za Bidhaa	Size	USD
	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
KTGFR/L.. Weka Chombo cha Kugeuza Grooving		
	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
KTGFR/L.. Weka Chombo cha Kugeuza Grooving		
	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
Spring Steel		
	1616	6.7
	2020	6.7
	2525	8.9
KTGFSR/L.. Weka Chombo cha Kugeuza Grooving		
	1616	9.0
	2020	9.0
	2525	11.9
GBA.. Weka Chombo cha Kugeuza Grooving		
	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
SGBSR/L.. Weka Chombo cha Kugeuza Grooving		
	1616	11.9
	2020	14.3
	2525	17.9
CGBR/L.. Weka Chombo cha Kugeuza Grooving		
	1616	11.9
	2020	14.3
	2525	17.9
CGBSR/L.. Weka Chombo cha Kugeuza Grooving		
	1616H	9.3
	2020K	11.0
	2525M	12.6
	3232P	20.0
QE..R/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	15.3
	2020	16.9
	2525	20.4
DGTR/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	28.6
	2020	28.6
	2525	32.4
DGN.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	35.7
	2020	38.1
	2525	42.9
FGHH..R/L.. Weka Kata /Kutafuta Kitabu cha Kugeuza		
	1616	23.9
	2020	21.9
	2525	23.9
MGHH.. Weka Kata /Kutafuta Kitabu cha Kugeuza		

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
	MD1103 MD1504 MD1506	0.4 1.0 1.1
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
	MT1603 MT1604 MT2204	0.3 1.1 1.1
	MV1603	0.6
	MW0603 MW0804	0.4 0.6
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.3 0.7
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1


Picha za Bidhaa	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
	WT16 WW08	0.4 0.4
	WC0525E WC0625E	0.4 0.4
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
	DL525 DL625	0.7 0.7
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>


Picha za Bidhaa	Ufafanuzi	R	USD
	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
	APKT1604-AL ZK01	0.2	1.9
	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Kuzuia Aina ya Jina Aina ya Mguu wa Mguu wa Kulia wa Kulia
Locking Tooth Type Right-Angle End Milling Cutter



Ufafanuzi D x T x M	Bei USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9

BAP Steel Right-Angle
Mwisho Kata Milling
BAP Steel Right-Angle
End Milling Cutter



Ufafanuzi D x d x T	Bei USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

AL-BAP Alumiini ya kulia ya kushoto ya mviringo wa kulia
AL-BAP Aluminum Right-Angle End Milling Cutter



Ufafanuzi D x d x T	Bei USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Kipazaji cha Kusafisha Mkuta wa Mshauri wa Kulia
Discarded Right-Angle End Milling Cutter Toolholder



Ufafanuzi d x D x L	Bei USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Kamba-Mboga ya Kusafisha Mipira ya Nose Machine-Clamped Round Nose Milling Cutter

MaiFix®


Picha za Bidhaa	Ufafanuzi	R	Bei
	RDMW1204MOT-PM ZP30	R6	1.7
Usindikaji katika Nyenzo Zote	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Kumaliza ya Kati Copper and Aluminum			
	RPMW1003MO ZN60	R5	1.6
Cermet Medium Na Steel Fine Vipande Vipande vizuri	RPMW1003 ZN60 Non Chamfering	R5	1.3
	RPMT1204MO ZN60	R6	1.9
	RPMT08T2-JS ZP25	R4	1.1
Usindikaji katika Nyenzo Zote	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
Usindikaji wa Nguvu Mkubwa kwa HRC 62°			
	RPMT1204MO ZP30	R6	1.7
Usindikaji katika Nyenzo Zote			
	RPMT1204MO ZP60	R6	1.7
Usindikaji katika Nyenzo Zote			
	RPMT1204-XM ZP25	R6	1.3
Usindikaji katika Nyenzo Zote			
	RPMW1003MO ZM90	R5	1.7
Usindikaji wa Nguvu Mkubwa kwa HRC 62°			
	RPMW1003MO ZP20	R5	1.3
Usindikaji katika Nyenzo Zote			
	RPMW1003MO ZP30	R5	1.3
Usindikaji katika Nyenzo Zote			
	RPMW1003MO ZP60	R5	1.3
Usindikaji katika Nyenzo Zote			
	RPMW1003-XM ZP25	R5	1.3
Usindikaji katika Nyenzo Zote			

Kuzuia Aina ya Jino Aina ya Mzunguko wa Mzunguko wa Mzunguko Mwisho
Locking Tooth Type Round Nose End Milling Cutter



Ufafanuzi D x T x M	Bei USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M12	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

Kutafuta Milling ya Nyekundu ya Mipuko ya EMR
EMR Steel Round Nose End Milling Cutter



Ufafanuzi D x d x T	Bei USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Ufafanuzi Are RP.. Inserts,
RC.. / RD.. Ingiza na kushughulikia, tafadhali ulizilize!

The Above Ufafanuzi Are RP.. Inserts,
RC.. / RD.. Inserts and handle, please inquire!

Ilipotezwa Kipaji cha Msaidizi wa Mipaka ya Mzunguko wa Mzunguko
Discarded Round Nose End Milling Cutter Toolholder



















Ufafanuzi D x D x L x T	Bei USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Product Pictures	Ufafanuzi	USD	Product Pictures	Ufafanuzi	USD	Product Pictures	Ufafanuzi	USD	Product Pictures	Ufafanuzi	USD
	Kumalizika kwa Iron Cast na vifaa vikali SEHT1204AFFN CBN1	7.1		P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12.5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7.4 8.3 8.3 9.9 11.9 20.3 31.1 40.3		LNMU0303ZER-MJ			800-08A	
	Kumaliza Copper and Aluminum SEHT1204AFFN PCD1	7.1		Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17.1 17.1 20.4 23.9 32.4 51.4		PNMU0905GNEN-MJ			800-08T308M-C-G	
	Kumaliza ya Kati Copper and Aluminum SEHT1204AFFN ZK01	1.7		Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17.1 18.6 23.9 32.4 41.0		PNMU0905XNER-GM			800-08T308M-I-G	
	Usindikaji Mbaywa wa Vifaa vya jumla SECA1204AFTN ZP30	3.1		Kuzuia Aina ya Jino Aina ya Spherical Mwisho Kata Milling Locking Tooth Type Spherical End Milling Cutter			SNMU130508EN-GM			800-09T308H-P-G	
	Kumaliza Kumaliza Machining ya Material General SEHT1204AFSN ZM90	3.1		Msaizi wa Milling Spherical End Milling Discarded Spherical End Milling Toolholder			WNMU080608EN-SM			R390-11T308-PM	
	Kumaliza Kumaliza Machining ya Material General SEKT1204AFTN ZM90	3.1		Ufafanuzi D x M	Bei USD		3PKT100408R-M 3PKT150508R-M 3PKT190608R-M			SCMT09T308-MM	
KM Steel 45° Uchimbaji wa uso wa kukata KM Steel 45° Face Milling Cutter				T2139M-5R-M5 T2139M-6R-M6 T2139M-8R-M8 T2139M-10R-M10 T2139M-12.5R-M12 T2139M-15R-M16	31.0 31.0 33.3 35.7 38.1 40.4		XJMG1204			S-R215.44-15T364M	
				Ufafanuzi d x D x L x T	Bei USD		HNGX0906-FF			DGN3102C	
				T2139 C10-4R-100-1T T2139 C12-4R-130-1T T2139 C16-4R-150-1T T2139 C10-5R-120-1T T2139 C12-5R-150-1T T2139 C16-5R-150-1T T2139 C12-6R-130-1T T2139 C12-6R-150-1T T2139 C16-6R-150-1T T2139 C16-6R-200-1T T2139 C16-8R-150-1T T2139 C16-8R-200-1T T2139 C20-8R-200-1T T2139 C25-8R-250-1T T2139 C20-10R-150-1T T2139 C20-10R-200-1T T2139 C25-10R-250-1T T2139 C32-10R-300-1T T2139 C25-12.5R-150-1T T2139 C25-12.5R-200-1T T2139 C25-12.5R-250-1T T2139 C25-12.5R-300-1T T2139 C32-12.5R-300-1T T2139 C32-15R-150-1T T2139 C32-15R-200-1T T2139 C32-15R-250-1T T2139 C32-15R-300-1T T2139 C32-16R-150-1T T2139 C32-16R-200-1T T2139 C32-16R-250-1T T2139 C32-16R-300-1T T2139 C32-16R-350-1T	8.9 8.9 10.7 8.9 8.9 10.7 8.9 8.9 10.7 12.6 10.0 11.9 16.7 19.7 13.9 16.0 19.7 22.1 16.7 19.6 22.1 25.0 27.9 18.3 21.0 23.9 26.7 30.4 18.3 21.0 23.9 26.7 30.4		AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507	
				ABPF C16-8R-150 ABPF C16-8R-200 ABPF C20-10R-150 ABPF C20-10R-200 ABPF C25-12.5R-150 ABPF C25-12.5R-200 ABPF C32-15R-150 ABPF C32-15R-200 ABPF C32-15R-250 ABPF C32-15R-300 Insert: BNM BNML C12-6R-130-1T BNML C12-6R-150-1T BNML C16-8R-150-1T BNML C16-8R-200-1T BNML C20-10R-150-1T BNML C20-10R-200-1T BNML C25-10R-250-1T BNML C25-12.5R-150-1T BNML C25-12.5R-200-1T BNML C25-12.5R-250-1T BNML C25-12.5R-300-1T	23.9 29.7 31.7 37.6 39.7 49.6 55.4 45.7 51.7 59.6 79.3 11.9 11.9 15.0 17.9 23.9 29.7 25.0 29.7 29.7 33.3		BLMP0603R-M			GRIP3003Y GRIP4004Y	
				AL-KM12-50-22-4T AL-KM12-63-22-4T AL-KM12-80-27-5T AL-KM12-100-32-5T AL-KM12-125-40-6T AL-KM12-160-40-6T AL-KM12-200-40-8T AL-KM12-250-40-10T AL-KM12 300-60-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		BLMP0904R-ML			LNKX1206-Y LNKT1507	
				AL-KM12-63-22-4T AL-KM12-80-22-5T AL-KM12-100-22-5T AL-KM12-125-27-6T AL-KM12-160-27-6T AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		BLMP1205R-M			WXC080612T	
				AL-KM12-80-22-5T AL-KM12-100-22-5T AL-KM12-125-27-6T AL-KM12-160-27-6T AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		BLMP1306R-M			SP1RH5-LT-L	
				AL-KM12-100-22-5T AL-KM12-125-27-6T AL-KM12-160-27-6T AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		TNGX2207PNTN			SP1RH5-LT-D	
				AL-KM12-125-27-6T AL-KM12-160-27-6T AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		ZNHU080-08			APMT1003-NN	
				AL-KM12-160-27-6T AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		SNMX1205XTN			SEKN1203AFTN-NN	
				AL-KM12-200-27-8T AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		SOMT050204-DP SOMT060204-DP SOMT070306-DP SOMT08T306-DP SOMT09T308-DP SOMT11T308-DP			SEKR1203AFTN-NN	
				AL-KM12-250-32-10T AL-KM12 300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		AXMT123508PEERG			APKT150412-PM	
				AL-KM12-300-32-12T AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		RPHX1204M6EN-M31			SPMT120408-PM	
				AL-KM12-50-25.4-4T AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		XNEX080608-MD15			ONHU060408-PM ONHU08T508-PM	
				AL-KM12-63-25.4-4T AL-KM12-80-25.4-5T AL-KM12-100-31.75-5T	11.9 15.3 25.4 35.7 51.0 61.1 136.0 204.0 255.0 13.6 16.9 28.9 39.0		XOMX180608TR-M14			KNX-Q7-3.5	

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.


Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Ingiza Aina ya Haraka ya Aina Insert Type Quick Drill

MaiFix®

Kuzaia Aina ya Jino Aina ya Mguu wa Mguu wa Kulia wa Kulia
Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Ufafanuzi DxTxM	Bei USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Kuzaia Aina ya Jino Aina ya Spherical Mwisho Kata Milling
Locking Tooth Type Spherical End Milling Cutter



Ufafanuzi DxRxM	Bei USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Kuzaia Aina ya Jino Aina ya Mguu wa Mguu wa Kulia wa Kulia
Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Ufafanuzi DxTxM	Bei USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Tungsten chuma anti-vibration chombo fimbo
Tungsten steel anti-vibration tool rod



Ufafanuzi d x D x L x M	Bei USD
MFL08-08-100-M4	59.6
MFL10-10-100-M5	59.6
MFL10-10-150-M5	83.3
MFL12-12-100-M6	75.0
MFL12-12-150-M6	102.4
MFL12-12-200-M6	135.7
MFL15-15-150-M8	131.0
MFL15-15-200-M8	178.6
MFL16-16-100-M8	114.3
MFL16-16-150-M8	131.0
MFL16-16-200-M8	178.6
MFL16-16-250-M8	226.1

Kuzaia Aina ya Jino Aina ya Mguu wa Mguu wa Kulia wa Kulia
Locking Tooth Type Right-Angle Mwisho Kata Milling



Insert: AXMT0602..

Ufafanuzi DxTxM	Bei USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Mwisho Kata Milling

Kuzaia Aina ya Jino Aina ya Mwisho wa Kukata Mda



Ufafanuzi DxTxM	Bei USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

* Funga aina ya meno ya aina ya maandishi Ufafanuzi umekamilika.
Tafadhali waulize kwa Ufafanuzi haujaorodheshwa.

* Lock teeth type tool stock Specification are complete.
Please inquire for Ufafanuzi not listed.

Picha za Bidhaa	Ufafanuzi	R	USD
	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

WC Insert Type Drill Haraka

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Insert Type Drill Haraka

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Plus WDXT.../GPMT... Aina ya Bidhaa ya haraka ya Drill Bidhaa, Karibu Kuuliza!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Picha za Bidhaa	Ufafanuzi	NO.	Rangi D	Bei
Mpingilio wa Mbili Cutting mbaya ya boring Indexable Two-Edge Rough Boring Cutter	RBH19C	LBK1	19-25	28.6
	RBH25C	LBK2	25-33	28.6
	RBH32C	LBK3	32-42	31.0
	RBH40C	LBK4	40-55	40.4
	RBH52C	LBK5	52-70	61.9
	RBH68C	LBK6	68-92	83.3
	RBH90C	LBK6	90-122	102.4
	RBH120C	LBK6	120-164	119.0
	RBH160C	BST	160-204	135.7
	RBH200C	BST	200-310	273.9
Insert:CCMT..	RBH300C	BST	300-410	544.0
	RBH400C	BST	400-510	583.3
	RBH500C	BST	500-610	681.0

Nzuri-Tunable inayofaa Cutter Sahihi Boring Indexable Fine-Tunable Sahihi Boring Cutter	CBH20	LBK1	20-26	135.7
	CBH25	LBK2	25-33	154.7
	CBH32	LBK3	32-42	163.1
	CBH40	LBK4	40-55	181.0
	CBH52	LBK5	52-75	204.7
	CBH68	LBK6	68-102	238.1
	CBH100	LBK6	100-152	273.9
	CBH150	LBK6	150-202	323.9
	CBH200	BST	200-310	714.3
	CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm	CBH400	BST	400-510	919.0
	CBH500	BST	500-610	1023.9
	EWN20	CK1	20-36	123.9
	EWN25	CK2	25-47	131.0
	EWN32	CK3	32-60	142.9
	EWN41	CK4	41-74	163.1
	EWN53	CK5	53-95	178.6
	EWN68	CK6	68-150	197.6
	EWN100	CK6	100-203	214.3

NBH2084 Chombo cha Boring
(Kupiga marufuku:8-280mm)

NBH2084 Boring Tool
(Boring range: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Ufafanuzi	Rangi D	Bei
Chombo cha Tool Boring		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Weka Chombo cha Boring

NBH2084 Boring head	8-280	138.1
R8-NBH2084-8P	8-280	233.3
NT30-NBH2084-8P	8-280	233.3
NT40-NBH2084-8P	8-280	233.3
NT50-NBH2084-8P	8-280	309.6
BT40-NBH2084-8P	8-280	233.3
BT50-NBH2084-8P	8-280	273.9
SK40-NBH2084-8P	8-280	278.6
SK50-NBH2084-8P	8-280	309.6

NBJ16 Tool Boring
(Kupiga marufuku:8-50mm)

NBJ16 Boring Tool
(Boring range: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Ufafanuzi	Rangi D	Bei
Chombo cha Tool Boring		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Weka Chombo cha Boring

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

Boring Bora-Tuning Boring
Cutter (Usahihi-Tuning usahihi 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Ufafanuzi	Rangi D	Bei
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Weka Chombo cha Boring

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT30-HBOR50 (06-90) -14P	6-90	1190.4
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) ToolHolder	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
SK30-HBOR50 (06-90) -14P	6-90	1273.9
SK40-HBOR50 (06-90) -14P	6-90	1273.9
SK50-HBOR50 (06-90) ToolHolder	6-90	904.7
SK50-HBOR50 (06-90) -14P	6-90	1273.9
HSK63A-HBOR50 (6-90) -14P	6-90	1309.6

HBOR63 Weka Chombo cha Boring

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories

BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP110150 (TP..11..L)	110-150	47.6

Chombo cha Boring Chombo

Tool Boring Clamp



Insert:TP..

BE Tool Chombo

BE Boring Tool



EC Conversion Sleeve

EC Conversion Sleeve



Tungsten Steel
Bar Boring

Tungsten Steel
Boring Bar



Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

BSA Cutting mbaya ya boring

BSA Rough Boring Cutter

Ufafanuzi	Bei
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Cutting mbaya ya boring

BSA Rough Boring Cutter

Ufafanuzi	Bei
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Cutting mbaya ya boring

BSB Rough Boring Cutter

Ufafanuzi	Bei
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Cutting mbaya ya boring

BSB-LBK Rough Boring Cutter

Ufafanuzi	Bei
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Cutting mbaya ya boring Holder

Rough Boring Cutter Holder

Ufafanuzi	Bei
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Ufafanuzi	Bei
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Ufafanuzi	Bei
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Ufafanuzi	Bei
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Ufafanuzi	Bei
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Ufafanuzi	Bei
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

BST / NBH Msaidizi

BST / NBH Toolholder

Ufafanuzi	Bei
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

Rangi ya Ufanuzi wa LBK

Ufafanuzi	Bei
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

Ufafanuzi	Bei
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Conversion Sleeve

Ufafanuzi	Bei
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

Ufafanuzi	Bei
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Ufafanuzi	Bei
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Ufafanuzi	Bei
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Ufafanuzi	Bei
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder


Ufafanuzi	Bei
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Ufafanuzi	Bei
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Ufafanuzi	Bei
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7

ER Collet Toolholder

ER Collet Toolholder



Ufafanuzi NO. xColletxA/MxL	Bei USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Ufafanuzi NO. xColletxA/MxL	Bei USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

Msaaidizi wa Ugani wa Collet ER

ER Collet Extension Toolholder



Ufafanuzi DxColletxA/MxL	Bei USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

Mganda wa Ugani wa ER

ER Extension Collet



Ufafanuzi Collet	Sahihi 0.01mm	Sahihi 0.008mm	Sahihi 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / karanga

ER Wrench / Nuts



Ufafanuzi Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

Mchapishaji wa Vifaa vya Uchimbaji wa FMB Inch

FMB Inch Face Milling Tool Holder



Ufafanuzi NO. xdxL	Bei USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

Kiambatisho cha Filling Metric Face FMB

FMB Metric Face Milling Tool Holder

Ufafanuzi NO. xdxL	Bei USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4
R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Msaada wa zana ya CNC CNC Tool Holder

MaiFix®

Kiwango cha juu cha GSK Na
Mpagilio wa Juu wa Usahihi
GSK High Speed And
High Sahihi Toolholder



Ufafanuzi NO. xColletxL	Bei USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

MTA / B Morse Taper Toolholder
MTA/B Morse Taper Toolholder



Ufafanuzi NO. xMT...xL	Bei USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Nguvu ya Nguvu ya Msaidizi

C Powerful Collet Toolholder



Ufafanuzi NO. xColletxL	Bei USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9

Chombo cha Shank
Chuck ya kujitegemea ya kuchimba Chuck


Tool Shank Of
Self-Tightening
Drill Chuck



Ufafanuzi NO. xColletxL	Bei USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Chuck ya kujitegemea ya kuchimba Chuck1	1319.7
Chuck ya kujitegemea ya kuchimba Chuck1	1623.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

Msaidizi wa Ganda la Rudi la Kidole la SDC

SDC Back-Pull Collet Toolholder



Ufafanuzi NO. xColletxL	Bei USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Msaidizi wa Kinga ya Utoaji Tappu

Torsional Tapping Protection Toolholder



Ufafanuzi NO. xColletxL	Bei USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Chombo cha Milling Side Side Holder ya Saw Blade
Side Milling Tool Holder of Saw Blade



Ufafanuzi NO. xColletxL	Bei USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4

Chombo cha Machine Chombo cha Mshindani Rod
Machine Tool Spindle Test Rod



Ufafanuzi NO. xL	Bei USD
BT30	92.9
BT40	92.9
BT50	131.0

SLN Side Type zisizohamishika Toolholder

SLN Side Fixed Type Toolholder



Ufafanuzi NO. xdxL	Bei USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Chombo cha CNC cha Msaizi wa Msaizi wa Kinga

CNC Tool Holder Puller Bolt


45°/60°/90°



BT DIN69872 ISO JIS MAZAK

Chombo cha CNC cha Msaizi wa Kifaa

CNC Tool Holder Lockset




Chombo cha CNC cha Msaizi wa Kifaa

CNC Tool Holder Lockset



Chombo cha CNC cha Msaizi wa Kifaa

CNC Tool Holder Lockset



Ufafanuzi	Bei USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° Kupitia Hole	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° Kupitia Hole	3.6
BT50-60°	3.6
BT50-60° Kupitia Hole	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

Ufafanuzi	Bei USD
NBT30	14.3

Ufafanuzi	Bei USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

Ufafanuzi	Bei USD
BT30	17.9
BT40	19.0
BT50	38.1

Setup ya Z-Axe

Z-Axis Setter



Picha ya Picha

Piga

CNC Edge Finder

CNC Edge Finder



Kawaida

Antimagnetic

Ceramic

Picha ya Picha

Chombo cha Machine Spindle Cleaning Rod

Machine Tool Spindle Cleaning Rod



Ufafanuzi	Bei USD
Picha ya Picha Z-axis Setter	61.9
Piga Z-axis Setter	66.7

Ufafanuzi	Bei USD
Kawaida type	2.4
Antimagnetic type	3.6
Sumaku ya keramik type	10.7
Picha ya Picha type	13.3

Ufafanuzi NO.	Bei USD
BT30	3.9
BT40	3.9
BT50	5.4

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Vifaa vya Lathe Chuck Lathe Chuck Accessories

MaiFix®

Ufafanuzi	1 JAWS	Bei	2 JAWS	Bei	3 JAWS	Bei	4 JAWS	Bei
Chuck Hydraulic Chuck	4 inch		SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch		SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch		SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch		SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch		SBL-210	697.6	SB-210	697.6	SBS-210	800.0
Hollow Hydraulic Chuck	12 inch		SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch		SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Aperture Kubwa Chuck Hydraulic Chuck	6 inch		2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
	8 inch		2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
Large Aperture Hollow Hydraulic Chuck	10 inch		2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Muda mrefu Chuck Hydraulic Chuck	6 inch				3JDB-206	988.1		
	8 inch				3JDB-208	1121.4		
Long Stroke Hollow Hydraulic Chuck	10 inch				3JDB-210	1258.3		
Hollow Half-Kupitia Chuck ya nyumatiki	5 inch		SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch		SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch		SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
Hollow Half-Through Pneumatic Chuck	10 inch		SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Chuck Hydraulic Mango	4 inch		JNL-04	428.6	JN-04	401.1		
	5 inch		JNL-05	452.4	JN-05	409.6		
	6 inch		JNL-06	500.0	JN-06	459.6		
	8 inch		JNL-08	547.6	JN-08	511.9		
Solid Hydraulic Chuck	10 inch		JNL-10	714.3	JN-10	666.7		
	12 inch		JNL-12	1119.0	JN-12	1088.1		
	15 inch		JNL-15		JN-15	2309.6		
Muda mrefu Chuck Hydraulic Mango	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3	
	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9	
	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7	
Long Stroke Solid Hydraulic Chuck	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0	
Muda mrefu Chuck Hydraulic Chuck	6 inch				JLS-206	892.9		
	8 inch				JLS-208	940.4		
Long Stroke Hollow Hydraulic Chuck	10 inch				JLS-210	1038.1		

Chuck T Block

Chuck T Block



Vipimo	Bei USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Bamba la Chuck Jaw Fixing

Chuck Jaw Fixing Plate



Vipimo	Bei USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Silinda ya Rotary imara

Solid Hydraulic Rotary Cylinder



Vipimo	Bei USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Siri ya Hydraulic Rotary Silinda

Hollow Hydraulic Rotary Cylinder



Vipimo	Bei USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Chuck Kuunganisha Disc

Chuck Connecting Disc



Vipimo	Bei USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Taya Ngumu Kwa Chuck Hydraulic

Hard Jaw For Hydraulic Chucks



Vipimo	Bei USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Mchanga wa Mchanga Mwevu Kwa Chuck Hydraulic

Fan Soft Jaw For Hydraulic Chucks




Vipimo	Bei USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

Ufafanuzi	1 JAWS	Bei	2 JAWS	Bei	3 JAWS	Bei	4 JAWS	Bei
Fidia Chuck Hydraulic Mango	6 inch	3GB-06	720.3					
	8 inch	3GB-08	839.3					
VertiCal Chuck Hydraulic Chuck	5 inch		JYL-05	738.1	JY-05	714.3	JYS-05	833.3
	6 inch		JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch		JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch		JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Half-Kupitia Chuck ya nyumatiki	5 inch		SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
	6 inch		SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch		SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
Hollow Half-Through Vertical Chuck ya nyumatiki	10 inch		SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Taya Iliyotosha Kwa Chuck Hydraulic

Soft Jaw For Hydraulic Chucks



5 Mchanga wa Mchanga wa Chini Kwa Chuck Hydraulic 6 Mchanga wa Mchanga wa Chini Kwa Chuck Hydraulic 8 Mchanga wa Mchanga wa Chini Kwa Chuck Hydraulic 10 Mchanga wa Mchanga wa Chini Kwa Chuck Hydraulic 12 Mchanga wa Mchanga wa Chini Kwa Chuck Hydraulic

5 Inch Soft Jaw For Hydraulic Chucks 6 Inch Soft Jaw For Hydraulic Chucks 8 Inch Soft Jaw For Hydraulic Chucks 10 Inch Soft Jaw For Hydraulic Chucks 12 Inch Soft Jaw For Hydraulic Chucks

Vipimo	H	Bei USD	Vipimo	H	Bei USD	Vipimo	H	Bei USD	Vipimo	H	Bei USD	Vipimo	H	Bei USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

Tanga ya Soft Standard Kwa Chuck Hydraulic

Standard Soft Jaw For Hydraulic Chucks

Vipimo	a°	H	Bei USD
4 inch		23	10.3
5 inch		30	10.3
6 inch	60°	36	11.9
8 inch	90°	38	13.9
10 inch	120°	42	16.1
12 inch		50	27.4
15 inch		62	67.9

Bei ya juu haifai mizigo, kodi na ada.

Bei ya Ushuru wa Dola za Ndani nchini China.

Ikiwa Una Maswali Yoyote, Tafadhali Barua pepe: eva@mzgtool.cn

<http://www.mzg.tw>

Machine Tools Price




E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Kutafuta, Wasiliana nasi

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn