


Pris Offer Peiriant

Machine Tools Price

E-mail: eva@mzgtool.cn



Sganio, Cysylltwch â Ni

Scanning, Contact Us

P01. Torrwr Melino Carbide
Carbide Milling Cutter



P02. Torrwr Carbide wedi'i Sementio
Cemented Carbide Cutter



P03. Tap sgrïw allwthio
Extrusion Screw Tap



P04. Tap Apex
Apex Tap



P05. Tap rhychog troellog
Spiral Grooved Tap



P06. Die Tap / Circular Die
Hand Tap/Circular Die



P07. CCMT.. CNMG..



P08. DCMT.. DNMG..



P09. SCMT.. SNMG..



P10. TPGT.. TNMG..



P11. VBMT.. VNMG..



P12. WNMG.. WNMG..



P13. Offeryn Troi Edau
Thread Turning Tool



P14. Rhannu / Symud / Troi Cefn Rhannau Bach
Cut-Off/Grooving/Back Turning Of Small Parts



P15. Offeryn Troi Cwrw Silindrog Allanol
External Croesfan silindrog Turning Tool



P16. Offeryn Troi Silindrog / Grown Mewnol Mewnol
External Cylindrical/Inner Hole Offeryn Troi Crog3



P17. Offeryn Troi / Torri Oddi ar
Grooving/Cut-Off Turning Tool



P18. Offeryn Troi Wyneb Diwedd / Rhwbio Twll Mewnol
End Face/Inner Hole Offeryn Troi Crog



P19. Offeryn Troi CNC
CNC Turning Tool



P20. Rhannau Offer Troi CNC
CNC Turning Tool Parts



P21. Torrwr Melin Ddeheuol BAP
Torrwr Melin Ddeheuol BAP




P22. Torrwr Melino Melin Rownd wedi'i Glampio â Pheiriant
Machine-Clamped Round Nose Milling Cutter



P23. KM12.. SEHT.. T2139.. P3200..



P24. Cloi Cutter Math Tooth
Locking Tooth Type Cutter



P25. Offeryn Tyllu
Boring Tool



P26. Deiliad Offeryn Tyllu
Boring Tool Holder



P27. ER.. FMA/B..



P28. GSK.. ADS.. APU..



P29. Ategolion Deiliad Offerynnau CNC
CNC Tool Holder Accessories



P30. Affeithwyr Chuck Lathe
Lathe Chuck Accessories




Ffurfweddiad Offeryn Prosesu Troi, Melino, Threadio a Thyllu Proffesiynol Proffesiynol.

Professional Turning, Milling, Threading and Boring Hole Processing Tool Configuration.

MaiFix®

MZG®

MOSASK®



Gall y darn L1 o dorrrwr melino a gwanolot galedwch fod yn wahanol.

The L1 Length Of Milling Cutter With Different Hardness. May Be Different.

Right-Angle Milling Cutter D1xL1xDxL	Ball End Milling Cutter RxDxL
--	-------------------------------------

		Gall Côtiau Duon gael eu Torri Dur Islaw 45HRC Black Coatings Can Cut Steel Below 45 HRC			Gall Haenau Copr gael eu Torri Dur Islaw 55HRC Copper Coatings Can Cut Steel Below 55 HRC			Gall Toriadau Nano Du gael eu Torri Dur Islaw 58HRC Nano Black Coatings Can Cut Steel Below 58 HRC			Gall Haenau Copr Nano gael eu Torri Dur Islaw 60HRC Nano Copper Coatings Can Cut Steel Below 60 HRC			Gall Haenau Nano Blue Torri Dur Islaw 65HRC Nano Blue Coatings Can Cut Steel Below 65 HRC		
1. 0x3xD4x50	R0. 5x2xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
1. 5x4xD4x50	R0. 75x3xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
2. 0x6xD4x50	R1. 0x4xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
2. 5x8xD4x50	R1. 25x5xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 0x8xD3x50	R1. 5x6xD3x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 0x12xD3x75	R1. 5x6xD3x75	3.1	3.9		4.4	5.1		7.1						7.7	7.7	
3. 0x15xD3x100	R1. 5x6xD3x100	3.6	4.4		5.0	5.6		8.7						8.7	8.7	
3. 0x8xD4x50	R1. 5x6xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
3. 5x10xD4x50	R1. 75x7xD4x50	2.0	2.6		2.7	3.1		4.6			5.1		5.1	5.7	5.7	
4. 0x10xD4x50	R2. 0x8xD4x50	1.7	2.6	3.4	2.7	3.1	4.9	4.4	4.6	6.0	6	6.7	5.1	5.7	5.7	7.6
4. 0x20xD4x75	R2. 0x8xD4x75	2.9	3.6	5.0	4.4	5.1	6.1		7.1	7.9			6.6	8.1	8.7	8.7
4. 0x25xD4x100	R2. 0x8xD4x100	3.3	4.1	6.4	5.0	5.4	7.7		7.6	9.0			7.8	9.1	9.7	10.0
5. 0x13xD5x50	R2. 5x10xD5x50	3.7	4.7	6.9	4.7	5.6	7.7		8.1	9.3			9.5	11.6	10.7	12.3
5. 0x13xD5x75	R2. 5x10xD5x75	5.3	6.1	7.7	7.4	8.1	9.1		11.3	13.5				13.0	13.0	14.7
5. 0x13xD5x100	R2. 5x10xD5x100	6.6	7.6	11.0	8.9	9.6	11.1		13.0	15.7				15.3	15.3	17.1
5. 0x13xD6x50	R2. 5x10xD6x50	3.7	4.3	6.4	4.7	5.7	8.4		8.1	9.3			9.5	11.6	10.7	12.3
6. 0x15xD6x50	R3. 0x12xD6x50	3.1	4.3	6.4	4.7	5.7	8.4	7.4	8.1	9.3	9.4	10.5	9.5	11.6	10.7	12.3
6. 0x20xD6x75	R3. 0x12xD6x75	4.9	5.6	7.1	7.4	8.1	10.0		11.1	12.4			11.4	13.6	13.0	14.7
6. 0x30xD6x100	R3. 0x12xD6x100	6.0	7.0	10.3	8.9	9.6	11.4		13.6	15.0			13.4	16.3	15.3	17.3
6. 0x30xD6x150	R3. 0x12xD6x150	12.3	14.3	18.7	18.7	19.9	23.4		27.6				26.5	26.6	26.3	29.7
8. 0x20xD8x60	R4. 0x16xD8x60	5.9	7.6	10.4	8.4	10.0	13.3	13	13.9	15.2	15.3	16.5	15.3	18.4	17.6	20.3
8. 0x25xD8x75	R4. 0x16xD8x75	8.1	9.4	11.6	11.0	12.4	15.3		17.6	19.3			17.7	21.1	20.0	22.6
8. 0x35xD8x100	R4. 0x16xD8x100	9.6	11.1	14.0	14.0	15.4	19.6		21.4	23.8			22.1	26.6	25.0	28.7
8. 0x40xD8x150	R4. 0x16xD8x150	19.0	22.1	29.0	25.9	27.3	32.3		35.4				37.1	41.0	41.0	45.0
10x25xD10x75	R5. 0x20xD10x75	9.6	12.7	16.6	15.1	16.6	21.6	21.4	23.3	25.7	24.3	26.2	24.7	30.3	27.7	32.0
10x40xD10x100	R5. 0x20xD10x100	14.6	16.9	21.0	20.3	21.3	29.1		30.3	33.1	32.5	34.8	31.3	37.4	31.7	37.3
10x45xD10x150	R5. 0x20xD10x150	28.1	32.9	41.7	39.4	41.7	48.3		56.1				54.4	54.4	54.7	63.0
12x30xD12x75	R6. 0x24xD12x75	14.9	17.4	22.0	21.1	23.3	28.7	28.3	33.1	36.4	32.9	35.5	32.6	39.4	37.0	42.0
12x45xD12x100	R6. 0x24xD12x100	19.4	22.6	28.1	27.7	28.7	37.0		40.4	44.5	48.6	52.4	43.5	47.3	47.0	53.0
12x50xD12x150	R6. 0x24xD12x150	34.3	40.0	50.7	49.3	52.1	60.3		72.9				70.7	77.6	77.6	85.6
14x35xD14x80	R7. 0x28xD14x80	25.6	29.7		32.3	34.1		49.3	52.9		54.3	58	54.4		61.0	70.6
14x40xD14x100	R7. 0x28xD14x100	27.1	31.7		34.6	38.0			95.4				91.2		100.6	
14x60xD14x150	R7. 0x28xD14x150	49.6	57.9		64.6	68.3							91.1		100.6	
16x40xD16x100	R8. 0x32xD16x100	35.7	38.9		51.0	53.0		63.6	74.0		73		72.8		78.7	91.3
16x65xD16x150	R8. 0x32xD16x150	63.3	73.9		86.0	91.0			129.0				116.3		127.6	143.0
18x40xD18x100	R9. 0x36xD18x100	43.3	50.4		59.1	65.1			89.7		82.3	87.9	88.4		96.7	111.3
18x65xD18x150	R9. 0x36xD18x150	74.9	86.7		101.3	101.3			148.1				153.1			
20x40xD20x100	R10x40xD20x100	52.7	57.6		73.1	75.9		95.3	106.7		93.5	102.9	105.5		115.7	133.7
20x65xD20x150	R10x40xD20x150	86.3	100.7		126.1	126.1			168.3				180.3		196.3	220.0

Torrwr Melino Fflat Diwedd Safonol Di-Safonol 55°

55° Decimal Point Non-Standard Flat-End Milling Cutter



55° Torrwr Melin Diweddau Pêl Degol Pwynt Degol nad y'n Safonol


55° Decimal Point Non-Standard Ball End Milling Cutter



Torrwr Melin Flat Gwddf Hir Diamedr Bach

Can Cut Steel Islaw 60HRC

Small Diameter Long Neck Flat-End Milling Cutter
Can Cut Steel Below 60 HRC



D1	L1	AL	Haenau
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	3.9	4.6
1.5	6/8/10/12/15/20	3.9	4.6
2.0	8/10/12/15/20	3.9	4.6
2.5	10/12/15/20	3.9	4.6

Torrwr Melin-Diamedr Micro-Diamedr Yn Gall Torri

Dur Islaw 60HRC

Micro-Diameter Ball-End Milling Cutter Can Cut
Steel Below 60 HRC




Manyleb D1xD.L	AL	Haenau
0. 3xD4x50	4.6	5.3
0. 4xD4x50	4.6	5.3
0. 5xD4x50	4.6	5.3
0. 6xD6x50	4.6	5.3
0. 7xD6x50	4.6	5.3
0. 8xD8x50	4.6	5.3
0. 9xD8x50	4.6	5.3
Manyleb R.DxL	AL	Haenau
R0. 15xD4x50	5.3	5.4
R0. 2xD4x50	5.3	5.4
R0. 25xD4x50	5.3	5.4
R0. 3xD6x50	5.3	5.4
R0. 35xD6x50	5.3	5.4
R0. 4xD8x50	5.3	5.4
R0. 45xD8x50	5.3	5.4

Torrwr Melin Melin-Diamedr Bychan Diamedr Bach

Can Cut Steel Islaw 60HRC

Small Diameter Long Neck Ball-End Milling Cutter
Can Cut Steel Below 60 HRC



D1	L1	AL	Haenau
0.3	2/3/4	4.6	5.3
0.4	2/3/4/5/6	4.6	5.3
0.5	2/3/4/6/8	4.6	5.3
0.6	2/3/4/6/8	4.6	5.3
0.7	3/4/6/8/10	4.6	5.3
0.8	3/4/6/8/10	4.6	5.3
0.9	3/4/6/8/10	4.6	5.3
1.0	6/8/10/12/15/20	4.6	5.3
1.5	6/8/10/12/15/20	4.6	5.3
2.0	8/10/12/15/20	4.6	5.3
2.5	10/12/15/20	4.6	5.3

Torrwr Melin Ymyliad Ffos End End Gwddf Gwddf Hir

Small Diameter Long Neck Round Nose Flat End Milling Cutter




D1xR	L1	Haenau
D1R0. 1	4/6/8/10	10.3
D1R0. 2	4/6/8/10	10.3
D1. 5R0. 1	6/8/10/12	10.3
D1. 5R0. 2	6/8/10/12	10.3
D2R0. 1	8/10/12/16	10.3
D2R0. 2	8/10/12/16	10.3
D3R0. 2	12/16/20	19.3
D3R0. 5	12/16/20	19.3
D3R0. 5	26/30	24.6
D4R0. 2	16/20	19.3
D4R0. 5	16/20	19.3
D4R0. 5	26/30	24.6

Torri Acrylig / Alwminiwm Melin Edge Unigol Single-Edge Acrylic / Aluminium Milling Cutter



Mesuriadau D1xL1xDxL	General	Caboli	AL -Caboli
D2x6xD3. 175x50	2.0		
D2x8xD3. 175x50	2.0		
D2x10xD3. 175x50	2.0		
D2x12xD3. 175x50	2.0		
D2x22xD3. 175x50	2.0		
D2. 5x8xD3. 175x50	2.0		
D2. 5x15xD3. 175x50	2.0		
D2. 5x22xD3. 175x50	2.0		
D3. 175x12xD3. 175x50	2.0	4.0	4.3
D3. 175x15xD3. 175x50	2.0	4.0	4.3
D3. 175x17xD3. 175x50	2.0	4.0	4.3
D3. 175x22xD3. 175x50	3.1	4.3	4.7
D3. 175x25xD3. 175x50	3.4	4.3	4.7
D3. 175x28xD3. 175x50	3.9	5.7	6.1
D3. 175x32xD3. 175x50	4.0	6.4	6.9
D3. 175x42xD3. 175x60	7.9	9.3	9.7
D3. 175x52xD3. 175x70	10.3	12.1	12.6
D4x12xD4x50	4.7	5.4	6.1
D4x15xD4x50	4.7	5.4	6.1
D4x17xD4x50	4.7	5.4	6.1
D4x22xD4x50	4.7	5.4	6.1
D4x25xD4x50	5.3	5.7	6.4
D4x28xD4x50	6.0	7.1	7.9
D4x32xD4x50	6.4	8.6	9.3
D4x42xD4x60	10.3	12.1	12.9
D4x52xD4x70	13.3	17.1	17.9
D6x12xD6x50	9.3	10.0	11.4
D6x15xD6x50	9.3	10.0	11.4
D6x17xD6x50	9.3	10.0	11.4
D6x22xD6x50	9.3	10.0	11.4
D6x25xD6x50	9.3	10.0	11.4
D6x28xD6x50	11.1	12.1	13.6
D6x32xD6x50	11.1	12.9	14.3
D6x42xD6x60	15.7	17.7	19.3
D6x52xD6x70	20.3	22.3	25.7
D6x62xD6x80	25.0	32.1	33.6
D6x72xD6x90	31.4	39.3	40.7
D8x20xD8x50	19.7	33.3	42.6
D8x32xD8x50	19.7	33.3	42.6
D10x20xD10x50	35.3	35.7	49.3
D10x32xD10x50	35.3	35.7	49.3
D12x20xD12x50	46.9	50.0	53.6
D12x32xD12x50	46.9	50.0	53.6

Adweithydd Dur Tungsten wedi'i droi'n troellod Driliau Dur Tungsten
Can Cut Steel Islaw 55HRC
Spiral-Edged Dur Tungsten Reamer
Can Cut Steel Below 55 HRC



Mesuriadau D1xL1xDxLxT	Pris USD
D3x50xD3x100Lx4T	7.6
D4x50xD4x100Lx4T	8.1
D5x50xD5x100Lx6T	11.1
D6x50xD6x100Lx6T	13.3
D8x50xD8x100Lx6T	21.1
D10x50xD10x100Lx6T	30.7
D12x50xD12x100Lx6T	40.7

Adweithydd Dur tungsten wedi'i olygu'n syth
Can Cut Steel Islaw 55HRC

Straight-Edged Tungsten Steel Reamer
Can Cut Steel Below 55 HRC



Mesuriadau D1xL1xDxLxT	Pris USD
D3x50xD3x100Lx4T	6.0
D4x50xD4x100Lx4T	6.4
D5x50xD5x100Lx6T	8.9
D6x50xD6x100Lx6T	9.6
D8x50xD8x100Lx6T	14.6
D10x50xD10x100Lx6T	22.1
D12x50xD12x100Lx6T	30.0

Torrwr Melino Taper 3 Edged Ar gyfer Twngsten Gall dur dorri dur islaw 55 HRC

3-Edged Taper Milling Cutter For Tungsten
Gall dur dorri dur islaw 55 HRC




Mesuriadau D1xα°xL1xD2xDxLx3F	Pris USD
D1x0. 5°x4LxD1. 07xD4x50Lx3F	6.9
D1x1°x4LxD1. 14xD4x50Lx3F	6.9
D1x1. 5°x4LxD1. 21xD4x50Lx3F	6.9
D1x2°x4LxD1. 28xD4x50Lx3F	6.9
D1x3°x4LxD1. 42xD4x50Lx3F	6.9
D1x5°x4LxD1. 7xD4x50Lx3F	6.9
D1. 5x0. 5°x5LxD1. 59xD4x50Lx3F	6.9
D1. 5x1°x5LxD1. 67xD4x50Lx3F	6.9
D1. 5x1. 5°x5LxD1. 76xD4x50Lx3F	6.9
D1. 5x2°x5LxD1. 85xD4x50Lx3F	6.9
D1. 5x3°x5LxD1. 02xD4x50Lx3F	6.9
D1. 5x5°x5LxD1. 37xD4x50Lx3F	6.9
D2x0. 5°x6LxD2. 1xD4x50Lx3F	6.9
D2x1°x6LxD2. 21xD4x50Lx3F	6.9
D2x1. 5°x6LxD2. 31xD4x50Lx3F	6.9
D2x2°x6LxD2. 41xD4x50Lx3F	6.9
D2x3°x6LxD2. 62xD4x50Lx3F	6.9
D2x5°x6LxD3. 05xD4x50Lx3F	6.9
D3x0. 5°x10LxD3. 17xD4x50Lx3F	6.9
D3x1°x10LxD3. 35xD4x50Lx3F	6.9
D3x1. 5°x10LxD3. 52xD4x50Lx3F	6.9
D3x2°x10LxD3. 69xD4x50Lx3F	6.9
D3x3°x9. 5LxD4x50Lx3F	6.9
D3x5°x10LxD4. 75xD6x50Lx3F	11.9
D3x10°x10LxD6. 53xD8x60Lx3F	18.1
D3x15°x13. 06LxD10x10x75Lx3F	29.0

Torrwr Melino R R Durgsten
Can Cut Steel Islaw 55HRC
Dur Tungsten Inner R Milling Cutter
Can Cut Steel Below 55 HRC



Mesuriadau D1RxDxL	Pris USD
D4R0. 5xD4x50	6.7
D4R0. 75xD4x50	6.7
D4R1. 0xD4x50	6.7
D6R1. 0xD6x50	11.9
D6R1. 5xD6x50	11.9
D6R2. 0xD6x50	20.0
D8R2. 0xD8x50	20.0
D8R2. 5xD8x50	20.0
D8R3. 0xD8x50	29.1
D10R4. 0xD10x60	40.1
D12R5. 0xD12x60	

Dur Tungsten Dovetail Groove Milling
Cutter Can Cut Steel Islaw 60 HRC
Dur Tungsten Dovetail Groove Milling
Cutter Can Cut Steel Below 60 HRC



Mesuriadau D1xα°xL1xD2xDxL	Pris USD
D4x90°x1. 5x6xD4x50	6.4
D6x90°x2. 5x8xD6x50	10.4
D8x90°x3x6xD8x50	16.9
D10x90°x4x10xD10x60	24.6
D12x90°x5x12xD12x60	31.9

Torrwr Melino Arbennig ar gyfer Twngsten
Frâm Of Cone Gwrthdori Dur
Can Cut Steel Islaw 55HRC


Special Milling Cutter for Tungsten
Steel Inverted Cone Die Frame
Can Cut Steel Below 55 HRC



Mesuriadau D1xL1xDxL	Pris USD
D4x15xD4x50	4.0
D6x30xD6x100	11.1
D8x30xD8x60	12.1
D10x30xD10x75	20.4
D10x45xD10x100	26.1
D12x35xD12x75	27.1
D12x50xD12x100	34.7
D16x50xD16x100	57.9

Pwynt Sefydlog Twngsten Pen Dwbl
Sefydlog Deuol Pwynt Sefydlog Ac
Chamfer yn gallu torri dur islaw 58HRC


Double Head Dur Tungsten Fixed-point
Drill Dual Use Of Fixed Point And
Chamfer Can Cut Steel Below 58 HRC



Mesuriadau DxL	AL	Haenau
D3x100L-DB	7.4	8.1
D4x100L-DB	7.4	8.1
D5x100L-DB	14.3	15.0
D6x100L-DB	14.3	15.0

Melin T-Groove Twngsten Steel Cutter Can Cut Steel Islaw 55HRC

Dur Tungsten T-Groove Side Milling
Cutter Can Cut Steel Below 55 HRC



Mesuriadau D1RxDxL	Pris USD
D4x0. 5HxD1. 5xD6x50	6.4
D4x1HxD1. 5xD6x50	6.4
D4x2HxD1. 5xD6x50	6.4
D4x3HxD1. 5xD6x50	6.4
D6x0. 5HxD2. 5xD8x50	10.4
D6x1HxD2. 5xD8x50	10.4
D6x2HxD2. 5xD8x50	10.4
D6x3HxD2. 5xD8x50	10.4
D8x0. 5HxD3. 5xD8x60	16.9
D8x1HxD3. 5xD8x60	16.9
D8x2HxD3. 5xD8x60	16.9
D8x3HxD3. 5xD8x60	16.9
D10x0. 5HxD4xD10x75	24.6
D10x1HxD4xD10x75	24.6
D10x1. 5HxD4xD10x75	24.6
D10x2HxD4xD10x75	24.6
D10x3HxD4xD10x75	24.6
D12x0. 5HxD5xD12x75	31.9
D12x1HxD5xD12x75	31.9
D12x1. 5HxD5xD12x75	31.9
D12x2HxD5xD12x75	31.9
D12x3HxD5xD12x75	31.9

Grooves Dur Tungsten
Chamfer Cutter Can Cut Steel
Islaw 58HRC (60°/90°/120°)


Dur Tungsten Straight Groove
Chamfer Cutter Can Cut Steel
Below 58 HRC (60°/90°/120°)



Mesuriadau DxL	AL	Haenau
D1x4x50L	4.6	5.0
D2x4x50L	4.6	5.0
D3x50L	4.6	5.0
D4x50L	4.6	5.0
D5x50L	8.6	9.3
D6x50L	8.6	9.3
D8x60L	13.6	14.3
D10x75L	20.0	21.1
D12x75L	26.9	27.9

Drws Pwynt Twngsten Dur Penodol Deuol
Defnyddio Pwynt Sefydlog A Chamfer yn Torri
Dur Islaw 58HRC

Dur Tungsten Fixed-point Drill Dual
Use Of Fixed Point And Chamfer Can Cut
Steel Below 58 HRC



Cotio (Melyn / Du / Copr)

Mesuriadau DxL	AL	Haenau
D1x4x50L	3.3	3.9
D1. 5x4x50L	3.3	3.9
D2x4x50L	3.3	3.9
D3x4x50L	3.3	3.9
D3x100L	6.1	6.9
D4x50L	3.3	3.9
D4x100L	6.1	6.9
D5x50L	6.0	6.4
D5x100L	12.1	12.9
D6x50L	6.0	6.4
D6x100L	12.1	12.9
D8x60L	11.1	12.1
D8x100L	19.0	20.0
D10x75L	18.9	19.3
D10x100L	27.1	28.3
D12x75L	25.4	27.1
D12x100L	37.9	38.9
D14x100L	51.4	52.6
D16x100L	64.0	65.7
D20x100L	94.6	96.9

Tap sgrw allwthio

Extrusion Screw Tap



Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Siâp	Gwyn	Tin
M0. 5x0. 125	RH2	B	11.0	11.9
M0. 6x0. 15	RH2	B	9.3	10.0
M0. 7x0. 175	RH3	B	9.3	10.0
M0. 8x0. 2	RH4	B	6.7	7.4
M0. 9x0. 25	RH4	B	6.7	7.4
M1. 0x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 1x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 2x0. 25	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 2	RH4	P	7.1	7.9
M1. 4x0. 3	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 4x0. 3-80L			9.7	10.4
M1. 5x0. 3	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 2	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M1. 6x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 6x0. 35-80L			9.7	10.4
M1. 7x0. 2	RH4	B	7.1	7.9
M1. 7x0. 35	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
M1. 8x0. 2	RH4	B	7.1	7.9
M1. 8x0. 35	RH4	P	5.7	6.7
	RH4	B	5.7	6.7
M2. 0x0. 25	RH4	P	7.1	7.9
	RH4	B	7.1	7.9
M2. 0x0. 4	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 0x0. 4-80L			8.9	9.7
M2. 0x0. 4-100L			9.7	10.4
M2. 0x0. 4L Gwrthdroi Dannedd	RH6	B	7.1	7.9
M2. 2x0. 45	RH4	P	5.3	6.0
	RH4	B	5.3	6.0
M2. 3x0. 4	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
M2. 3x0. 4L Gwrthdroi Dannedd	RH6	B	7.1	7.9
M2. 5x0. 25	RH6	B	7.1	7.9
M2. 5x0. 35	RH4	P	4.7	5.4
M2. 5x0. 45	RH4	P	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
M2. 5x0. 45-80L			8.9	9.7
M2. 5x0. 45-100L			9.7	10.4
M2. 5x0. 45L Gwrthdroi Dannedd	RH6	B	7.1	7.9
M2. 6x0. 45	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
M2. 6x0. 45-100L			9.7	10.4

Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Siâp	Gwyn	Tin
M3. 0x0. 35	RH6	B	7.1	7.9
M3. 0x0. 5	RH4	P	4.7	5.4
	RH4	B	4.7	5.4
	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M3. 0x0. 5-80L			8.9	
M3. 0x0. 5-100L			9.7	10.4
M3. 0x0. 5-150L			17.6	18.3
M3. 0x0. 5L Gwrthdroi Dannedd	RH6	B	6.7	7.4
M3. 5x0. 6-100L			9.7	10.4
M3. 5x0. 6L Gwrthdroi Dannedd	RH6	B	6.7	7.4
M4. 0x0. 35	RH6	B	7.1	7.9
M4. 0x0. 5	RH6	B	7.1	7.9
M4. 0x0. 7	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	P	4.7	5.4
	RH7	B	4.7	5.4
	RH8	P	4.7	5.4
	RH8	B	4.7	5.4
	RH9	B	4.7	5.4
M4. 0x0. 7-80L			8.9	9.7
M4. 0x0. 7-100L			9.7	10.4
M4. 0x0. 7-150L			17.6	18.3
M4. 0x0. 7L Gwrthdroi Dannedd	RH6	B	6.7	7.4
M4. 5x0. 5	RH7	B	7.4	8.3
M4. 5x0. 75	RH7	B	5.7	6.9
M5. 0x0. 35	RH6	B	7.4	8.3
M5. 0x0. 5	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M5. 0x0. 8-80L			9.3	10.3
M5. 0x0. 8-100L			10.0	11.0
M5. 0x0. 8-150L			18.3	19.3
M5. 0x0. 8L Gwrthdroi Dannedd	RH6	B	7.1	8.1
M6. 0x0. 5	RH7	B	7.4	8.3
M6. 0x0. 75	RH7	B	7.4	8.3
M6. 0x1. 0	RH6	P	5.3	6.1
	RH6	B	5.3	6.1
	RH7	P	5.3	6.1
	RH7	B	5.3	6.1
	RH8	B	5.3	6.1
M6. 0x1. 0-80L			9.3	10.3
M6. 0x1. 0-100L			10.0	11.0
M6. 0x1. 0-150L			18.3	19.3
M6. 0x1. 0L Gwrthdroi Dannedd	RH6	B	7.1	8.1
M7. 0x0. 5	RH7	B	9.3	10.4
M7. 0x0. 75	RH7	B	9.3	10.4
M7. 0x1. 0	RH7	B	9.3	10.4
M8. 0x0. 5	RH7	B	9.3	10.4
M8. 0x0. 75	RH7	B	9.3	10.4
M8. 0x1. 0	RH7	B	9.3	10.4
M8. 0x1. 25	RH7	B	9.3	10.4
	RH9	B	9.3	10.4
M8. 0x1. 25-100L			13.1	14.6
M8. 0x1. 25-150L			18.9	20.3
M8. 0x1. 25L Gwrthdroi Dannedd	RH7	B	11.0	12.4
M9. 0x0. 5	RH7	B	10.4	12.1
M9. 0x0. 75	RH7	B	10.4	12.1
M9. 0x1. 0	RH7	B	10.4	12.1
M9. 0x1. 25	RH7	B	10.4	12.1
M10x0. 5	RH7	B	10.4	12.1
M10x0. 75	RH7	B	10.4	12.1
M10x1. 0	RH7	B	10.4	12.1
M10x1. 25	RH7	B	10.4	12.1
M10x1. 5	RH7	B	10.4	12.1
	RH9	B	10.4	12.1
M10x1. 5-100L			15.3	16.7
M10x1. 5-150L			20.3	21.7
M10x1. 5L Gwrthdroi Dannedd	RH7	B	12.6	14.0
M11x1. 0	RH7	B	11.9	13.9
M12x0. 5	RH7	B	11.9	13.9
M12x0. 75	RH7	B	11.9	13.9
M12x1. 0	RH7	B	11.9	13.9
M12x1. 25	RH7	B	11.9	13.9
M12x1. 5	RH7	B	11.9	13.9
M12x1. 75	RH7	B	11.9	13.9
	RH8	B	11.9	13.9
M12x1. 75-100L			19.7	21.7
M12x1. 75-150L			22.9	25.0
M12x1. 75L Gwrthdroi Dannedd	RH7	B	14.0	16.1

Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Siâp	Gwyn	Tin
M14x1. 0	RH8	B	26.1	28.9
M14x1. 25	RH8	B	26.1	28.9
M14x1. 5	RH8	B	26.1	28.9
M14x2. 0	RH8	B	26.1	28.9
M16x1. 0	RH8	B	34.0	37.1
M16x1. 25	RH8	B	34.0	37.1
M16x1. 5	RH8	B	34.0	37.1
M16x2. 0	RH8	B	34.0	37.1
UNF0-80	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
UNC1-64	RH4	B	5.7	6.1
UNF1-72	RH4	B	7.4	7.9
UNC2-56	RH4	P	5.7	6.1
	RH4	B	5.7	6.1
	RH5	P	5.7	6.1
	RH5	B	5.7	6.1
UNC2-56-100L			10.0	10.7
UNF2-64	RH5	B	6.7	7.9
UNC3-48	RH5	B	5.7	6.1
UNF3-56	RH5	B	7.4	7.9
UNC4-40	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC4-40-100L			10.0	10.7
UNF4-48	RH5	P	7.4	7.9
	RH5	B	7.4	7.9
UNC5-40	RH5	P	5.3	6.0
	RH5	B	5.3	6.0
UNC5-40-100L			10.0	10.7
UNF5-44	RH6	B	7.4	7.9
UNC6-32	RH5	P	4.7	5.4
	RH5	B	4.7	5.4
	RH6	P	4.7	5.4
	RH6	B	4.7	5.4
	RH7	B	4.7	5.4
UNC6-32-100L			10.0	10.7
UNF6-40	RH6	P	6.7	7.4
	RH6	B	6.7	7.4
UNC8-32	RH6	P	5.0	5.7
	RH6	B	5.0	5.7
	RH7	P	5.0	5.7
	RH7	B	5.0	5.7
UNC8-32-100L			10.0	10.7
UNF8-36	RH7	B	7.4	8.1
UNS8-40	RH6	B	7.4	8.1
UNC10-24	RH6	P	5.3	6.0
	RH7	B	5.3	6.0
UNC10-24-100L			10.0	11.0
UNC10-24L Gwrthdroi Dannedd	RH7	B	7.1	8.1
UNF10-32	RH7	P	6.7	7.4
	RH7	B	6.7	7.4
UNF10-32-100L			10.0	11.0
UNF10-32L Gwrthdroi Dannedd	RH7	B	7.1	8.1
UNF12-24	RH7	B	5.4	6.7
UNF12-28	RH7	B	6.7	7.6
UNS12-32	RH7	B	6.7	7.6
UNC1/4-20	RH7	P	5.4	6.7
	RH7	B	5.4	6.7
UNC1/4-20-100L			10.0	11.0
UNC1/4-20L Gwrthdroi Dannedd	RH7	B	7.1	8.1
UNF1/4-28	RH7	P	6.7	7.6
	RH7	B	6.7	7.6
UNF1/4-28L Gwrthdroi Dannedd	RH7	B	7.1	8.1
UNEF1/4-32	RH7	B	6.7	7.6
UNS1/4-36	RH7	B	6.7	7.6
UNC5/16-18	RH7	B	9.3	10.4
UNC5/16-18L Gwrthdroi Dannedd	RH7	B	11.1	12.6
UNC5/16-18-100L			13.6	15.0
UNF5/16-24	RH7	B	10.0	11.1
UNC3/8-16	RH7	B	11.0	13.1
UNC3/8-16-100L			15.3	16.7
UNC3/8-16L Gwrthdroi Dannedd	RH7	B	13.1	14.7
UNC3/8-24	RH7	B	11.9	13.9
UNC7/16-14	RH7	B	14.6	16.4
UNF7/16-20	RH7	B	15.7	17.9
UNC1/2-12	RH7	B	17.1	19.7
UNF1/2-20	RH7	B	17.1	19.7
W1/8-40	RH6	P	5.3	6.0
	RH6	B	5.3	6.0
W5/32-32	RH7	B	5.3	6.0
W3/16-24	RH7	B	5.3	6.0
W1/4-20	RH7	B	5.4	6.7
W5/16-18	RH7	B	9.3	10.4
W3/8-16	RH7	B	11.9	13.9
W7/16-14	RH7	B	14.6	16.4
W1/2-12	RH7	B	17.1	19.7

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Tap Apex Apex Tap



Gwyn



Tin

Thread x Cae x Hyd (/ Gwrthdrol Dannedd)	Precision	Siâp	Gwyn	Tin
M1. 0x0. 25	P1		5. 3	6. 0
M1. 0x0. 25 Carbide	P2			27. 6
M1. 2x0. 25	P1		5. 3	6. 0
M1. 2x0. 25 Carbide	P2			25. 0
M1. 4x0. 2	P1		6. 7	7. 4
M1. 4x0. 3	P1		5. 3	6. 0
	P2		5. 3	6. 0
M1. 4x0. 3-80L			9. 3	
M1. 4x0. 3 Carbide	P2			22. 4
M1. 5x0. 3	P2		5. 7	6. 7
M1. 6x0. 2	P2		6. 7	7. 4
M1. 6x0. 35	P2		5. 3	6. 0
M1. 6x0. 35-80L			9. 3	
M1. 6x0. 35 Carbide	P2		0. 0	21. 0
M1. 7x0. 35	P2		5. 3	6. 0
M1. 7x0. 35 Carbide	P2			21. 0
M1. 8x0. 2	P2		6. 7	7. 4
M1. 8x0. 35	P2		5. 7	6. 7
M2. 0x0. 25	P2		6. 7	7. 4
M2. 0x0. 4	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 0x0. 4-80L			8. 3	
M2. 0x0. 4-100L			9. 3	
M2. 0x0. 4 Carbide	P3			19. 7
M2. 2x0. 25	P2		6. 7	7. 4
M2. 2x0. 45	P2		4. 7	5. 4
M2. 3x0. 4	P2		4. 7	5. 4
M2. 5x0. 35	P2		6. 7	7. 4
M2. 5x0. 45	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
M2. 5x0. 45-80L			8. 3	
M2. 5x0. 45-100L			9. 3	
M2. 5x0. 45 Carbide	P3			19. 7
M2. 6x0. 35	P2		6. 7	7. 4
M2. 6x0. 45	P2		4. 7	5. 4
M2. 6x0. 45-100L			9. 3	
M3. 0x0. 35	P2		4. 7	5. 4
M3. 0x0. 5	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M3. 0x0. 5-80L			8. 3	
M3. 0x0. 5-100L			9. 3	
M3. 0x0. 5-150L			17. 1	
M3. 0x0. 5 Carbide	P3			19. 7
M3. 5x0. 6-100L			9. 3	
M4. 0x0. 35	P2		6. 7	7. 4
M4. 0x0. 5	P2		4. 7	5. 4
M4. 0x0. 7	P2		4. 0	4. 7
	P3		4. 0	4. 7
	P4		4. 0	4. 7
	+0. 1		4. 7	5. 4
M4. 0x0. 7-80L			8. 3	
M4. 0x0. 7-100L			9. 3	
M4. 0x0. 7-150L			17. 1	
M4. 0x0. 7 Carbide	P3			19. 7
M5. 0x0. 5	P2		4. 7	5. 7
M5. 0x0. 8	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M5. 0x0. 8-80L			8. 6	
M5. 0x0. 8-100L			9. 6	
M5. 0x0. 8-150L			17. 9	
M5. 0x0. 8 Carbide	P3			21. 0
M6. 0x0. 5	P2		4. 7	5. 7
M6. 0x0. 75	P2		4. 7	5. 7
M6. 0x1. 0	P2		4. 0	5. 0
	P3		4. 0	5. 0
	P4		4. 0	5. 0
	+0. 1		4. 7	5. 7
M6. 0x1. 0-80L			8. 6	
M6. 0x1. 0-100L			9. 6	
M6. 0x1. 0-150L			17. 9	
M6. 0x1. 0 Carbide	P3			22. 4

Thread x Cae x Hyd (/ Gwrthdrol Dannedd)	Precision	Siâp	Gwyn	Tin
M7. 0x0. 5	P2		6. 7	7. 9
M7. 0x0. 75	P2		6. 7	7. 9
M7. 0x1. 0	P2		6. 0	7. 4
M8. 0x0. 5	P2		6. 7	7. 9
M8. 0x0. 75	P3		6. 7	7. 9
M8. 0x1. 0	P3		6. 7	7. 9
M8. 0x1. 25	P3		6. 0	7. 4
	P4		6. 0	7. 4
M8. 0x1. 25-100L			12. 6	
M8. 0x1. 25-150L			18. 3	
M8. 0x1. 25 Carbide	P4			43. 3
M9. 0x0. 5	P2		8. 3	10
M9. 0x0. 75	P3		8. 3	10
M9. 0x1. 0	P3		8. 3	10
M9. 0x1. 25	P3		7. 9	9. 6
M10x0. 5	P2		8. 3	10
M10x0. 75	P3		8. 3	10
M10x1. 0	P3		8. 3	10
M10x1. 25	P3		8. 3	10
M10x1. 5	P3		7. 9	9. 6
	P4		7. 9	9. 6
M10x1. 5-100L			14. 6	
M10x1. 5-150L			19. 7	
M10x1. 5 Carbide	P4			51. 1
M11x1. 0	P3		10. 4	12. 6
M12x0. 5	P2		11. 0	13. 1
M12x0. 75	P3		11. 0	13. 1
M12x1. 0	P4		11. 0	13. 1
M12x1. 25	P4		11. 0	13. 1
M12x1. 5	P3		11. 0	13. 1
M12x1. 75	P4		10. 4	12. 6
M12x1. 75-100L			18. 9	
M12x1. 75-150L			22. 4	
M12x1. 75 Carbide	P4			62. 9
M14x1. 0	P3		17. 1	19. 7
M14x1. 25	P3		17. 1	19. 7
M14x1. 5	P3		17. 1	19. 7
M14x2. 0	P2		15. 7	18. 3
M16x1. 0	P3		19. 7	22. 4
M16x1. 25	P3		19. 7	22. 4
M16x1. 5	P3		19. 7	22. 4
M16x2. 0	P4		18. 3	21
UNF0-80	P1		5. 3	6
UNC1-64	P1		5. 3	6
UNF1-72	P1		6. 7	7. 4
UNC2-56	P2		5. 3	6
	P4		5. 3	6
UNC2-56-100L			9. 6	
UNF2-64	P2		6. 7	7. 4
UNC3-48	P2		5. 3	6
UNF3-56	P2		6. 7	7. 4
UNC4-40	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC4-40-100L			9. 6	
UNF4-48	P2		6. 7	7. 4
UNC5-40	P2		4. 7	5. 4
UNC5-40-100L			9. 6	
UNC6-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC6-32-100L			9. 6	
UNF6-40	P2		6. 7	7. 4
UNC8-32	P2		4. 7	5. 4
	P3		4. 7	5. 4
	P4		4. 7	5. 4
UNC8-32-100L			9. 6	
UNF8-36	P2		6. 7	7. 4
UNC10-24	P2		4. 7	5. 7
UNC10-24-100L			9. 6	
UNF10-32	P2		4. 7	5. 7
UNF10-32-100L			9. 6	
UNC12-24	P2		4. 7	5. 7
UNF12-28	P2		6. 7	7. 6
UNC1/4-20	P2		4. 7	5. 7
	P3		4. 7	5. 7
	P4		4. 7	5. 7
UNC1/4-20-100L			9. 6	
UNC1/4-28	P2		6. 7	7. 6
UNS1/4-32	P2		6. 7	7. 6
UNEF1/4-36	P2		6. 7	7. 6
UNC5/16-18	P3		6. 0	7. 4
UNC5/16-18-100L			13. 1	
UNF5/16-24	P2		7. 4	8. 6
UNC3/8-16	P3		7. 9	9. 6
UNC3/8-16-100L			14. 7	
UNF3/8-24	P2		9. 3	10. 7
UNC7/16-14	P3		11. 9	13. 9
UNF7/16-20	P3		12. 6	14. 7

Thread x Cae x Hyd (/ Gwrthdrol Dannedd)	Precision	Siâp	Gwyn	Tin
UNC1/2-12	P3		13. 1	15. 3
UNF1/2-20	P3		14. 6	16. 4
W1/8-40	P1		4. 7	5. 4
W5/32-32	P2		4. 7	5. 4
W3/16-24	P2		4. 7	5. 4
W7/32-24	P2		4. 7	5. 7
W1/4-20	P2		4. 7	5. 7
W5/16-18	P2		6. 0	7. 4
W3/8-16	P2		7. 9	9. 6
W7/16-14	P3		11. 9	13. 9
W1/2-12	P2		13. 1	15. 3
PS1/8-28 Carbide	P4			56. 4
PS1/4-19 Carbide	P4			91. 7
PT1/8-28 Carbide	P4			62. 9
PT1/4-19 Carbide	P4			95. 7
NPS1/8-27 Carbide	P4			56. 4
NPS1/4-18 Carbide	P4			91. 7
NPT1/8-27 Carbide	P4			62. 9
NPT1/4-18 Carbide	P4			95. 7

Gwyn




Thread x Cae x Hyd (/Gwrthdroi Dannedd)	Precision	Gwyn	T in
M4. 0x0. 7	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 4 4. 7 4. 7 4. 7
M4. 0x0. 7–100L		9. 3	
M4. 0x0. 7–150L		17. 1	
M4. 0x0. 7–AL	P2	4	4
M4. 0x0. 7–HT Gwain	1B	4. 7	6. 1
M4. 0x0. 7L Gwrthdroi Dannedd	P2	4. 7	5. 7
M5. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 4 5. 4
M5. 0x0. 5L Gwrthdroi Dannedd	P2	5. 7	6. 9
M5. 0x0. 8	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 4. 4 4. 7 4. 7
M5. 0x0. 8–100L		9. 6	
M5. 0x0. 8–150L		17. 9	
M5. 0x0. 8–AL	P2	4	4
M5. 0x0. 8–HT Gwain	1B	4. 7	6. 1
M5. 0x0. 8L Gwrthdroi Dannedd	P2	4. 7	5. 7
M6. 0x0. 5	P2 P3 P4	4. 7 4. 7 4. 7	5. 4 5. 7 5. 7
M6. 0x0. 5L Gwrthdroi Dannedd	P2	5. 7	6. 9
M6. 0x0. 75	P2 P3 P4	4. 7 4. 7 4. 7	5. 7 5. 7 5. 7
M6. 0x0. 75L Gwrthdroi Dannedd	P2	5. 7	6. 9
M6. 0x1. 0	+0. 1 P2 P3 P4	4. 7 4 4 4	5. 7 5 5 5
M6. 0x1. 0–100L		9. 6	
M6. 0x1. 0–150L		17. 9	
M6. 0x1. 0–AL	P2	4	4
M6. 0x1. 0–HT Gwain	1B	4. 7	6. 1
M6. 0x1. 0L Gwrthdroi Dannedd	P2	4. 7	5. 7
M7. 0x0. 5	P2 P2 P4	6. 7 6. 7 6. 7	7. 9 7. 9 7. 9
M7. 0x0. 75L Gwrthdroi Dannedd	P2	7. 9	9. 3
M7. 0x1. 0	P2 P4	6 6	7. 4 7. 4
M7. 0x1. 0L Gwrthdroi Dannedd	P2	7. 4	8. 6
M8. 0x0. 5	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x0. 75L Gwrthdroi Dannedd	P2	7. 9	9. 3
M8. 0x1. 0	P2 P4	6. 7 6. 7	7. 9 7. 9
M8. 0x1. 0L Gwrthdroi Dannedd	P2	7. 9	9. 3
M8. 0x1. 25	+0. 1 P2 P3 P4	6. 7 6 6 6	7. 9 7. 4 7. 4 7. 4
M8. 0x1. 25–100L		12. 6	
M8. 0x1. 25–150L		18. 3	
M8. 0x1. 25–AL	P2		6
M8. 0x1. 25–HT Gwain	1B	7. 4	7. 9
M8. 0x1. 25L Gwrthdroi Dannedd	P2	7. 4	8. 6
M9. 0x0. 5	P2	7. 9	9. 6
M9. 0x0. 75	P2	7. 9	9. 6
M9. 0x1. 0	P2	7. 9	9. 6
M9. 0x1. 0L Gwrthdroi Dannedd	P2	10	11. 4
M9. 0x1. 25	P2	7. 9	9. 6
M10x0. 5	P2	8. 3	10
M10x0. 75	P2 P4	8. 3 8. 3	10 10
M10x0. 75L Gwrthdroi Dannedd	P2	10	11. 4
M10x1. 0	P2 P4	8. 3 8. 3	10 10
M10x1. 0L Gwrthdroi Dannedd	P2	10	11. 4
M10x1. 25	P2 P4	8. 3 8. 3	10 10
M10x1. 25L Gwrthdroi Dannedd	P2	10	11. 4
M10x1. 5	+0. 1 P2 P3 P4	8. 3 7. 9 7. 9 7. 9	10 9. 6 9. 6 9. 6
M10x1. 5–100L		14. 6	
M10x1. 5–150L		19. 7	
M10x1. 5–AL	P2		7. 9
M10x1. 5–HT Gwain	1B	9. 3	10
M10x1. 5L Gwrthdroi Dannedd	P2	9. 6	11
M11x0. 5	P2	11	13. 1
M11x0. 75	P2	11	13. 1
M11x1. 0	P2	11	13. 1
M11x1. 5	P2	10. 4	12

Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Gwyn	Tin
UNF1/4-28	P2	6.7	7.6
	P4	6.7	7.6
UNF1/4-28-HT	1B		7.4
UNF1/4-28L	P2	7.4	8.3
UNF1/4-32	P2	6.7	7.6
UNF1/4-36	P2	6.7	7.6
UNC5/16-18	P2	6.0	7.4
	P3	6.0	7.4
	P4	6.0	7.4
UNC5/16-18-100L		13.1	
UNC5/16-18-AL	P2	6.7	
UNC5/16-18-HT	1B	7.9	8.3
UNC5/16-18L	P2	7.4	8.6
UNF5/16-24	P2	7.4	8.6
	P4	7.4	8.6
UNF5/16-24-HT	1B		10.0
UNF5/16-24L	P2	9.3	10.4
UNC3/8-16	P2	7.9	9.6
	P3	7.9	9.6
	P4	7.9	9.6
UNC3/8-16-100L		14.7	
UNC3/8-16-AL	P2	8.3	
UNC3/8-16-HT	1B	9.6	10.4
UNC3/8-16L	P2	9.6	11.0
UNF3/8-24	P2	9.3	10.7
	P4	9.3	10.7
UNF3/8-24-HT	1B		12.1
UNF3/8-24L	P2	11.0	12.6
UNF3/8-32	P2	9.3	10.7
UNF7/16-14	P2	11.9	13.9
UNF7/16-20	P2	12.6	14.7
UNC1/2-12	P2	13.1	15.3
UNF1/2-20	P2	14.6	16.4
W1/8-40	P1	4.7	5.4
W5/32-32	P2	4.7	5.4
W3/16-24	P2	4.7	5.4
W7/32-24	P2	4.7	5.7
W1/4-20	P2	4.7	5.7
W5/16-18	P2	6.0	7.4
W3/8-16	P2	7.9	9.6
W7/16-14	P2	11.9	13.9
W1/2-12	P2	13.1	15.3
PS1/8-28	Safon Brydeinig		7.9
PS1/4-14	Safon Americanaidd		22.4
PS1/4-18	Safon Americanaidd		7.9
PS1/4-19	Safon Brydeinig		9.3
PS3/8-18	Safon Americanaidd		13.1
PS3/8-19	Safon Brydeinig		14.6
PS1/2-14	Safon Americanaidd		17.1
PS1/2-14	Safon Brydeinig		19.7
PS3/4-14	Safon Brydeinig		25.0
PS1-11	Safon Brydeinig		41.9
PS1-11. 1-2	American Standard		41.9
PT1/16-28	Safon Brydeinig		7.9
PT1/8-28	Safon Brydeinig		7.9
PT1/4-19	Safon Brydeinig		10.4
PT3/8-19	Safon Brydeinig		15.7
PT1/2-14	Safon Brydeinig		19.7
PT3/4-14	Safon Brydeinig		27.6
PT1-11	Safon Brydeinig		46.0
NPT1/8-27	Safon Americanaidd		7.9
NPT1/4-18	Safon Americanaidd		10.4
NPT3/8-18	Safon Americanaidd		15.7
NPT1/2-14	Safon Americanaidd		19.7
NPT1/4-14	Safon Americanaidd		27.6
NPT1-11. 1-2	American Standard		46.0

Die Tap / Circular Die Hand Tap/Circular Die

MaiFix®

HT Straight Wire Tap HT Straight Wire Tap



Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Gwyn
M1. 0x0. 25	P1	4. 3
M1. 2x0. 25	P1	4. 3
M1. 6x0. 35	P1	4. 3
M1. 7x0. 35	P1	4. 3
M1. 8x0. 35	P1	4. 3
M2. 0x0. 25	P1	4. 7
M2. 0x0. 4	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 2x0. 25	P1	4. 7
M2. 2x0. 45	P2	4. 0
M2. 3x0. 25	P1	4. 7
M2. 3x0. 4	P2	4. 0
M2. 5x0. 35	P1	4. 7
M2. 5x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M2. 6x0. 35	P2	4. 7
M2. 6x0. 45	P2	4. 0
	P3	4. 0
	P4	4. 0
M3. 0x0. 35	P2	4. 7
M3. 0x0. 5	P2	3. 3
	P3	3. 3
	P4	3. 3
M3. 5x0. 35	P2	4. 7
M3. 5x0. 6	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 35	P2	4. 7
M4. 0x0. 5	P2	4. 7
M4. 0x0. 7	P2	3. 3
	P3	3. 3
	P4	3. 3
M4. 0x0. 75	P2	4. 7
M4. 5x0. 5	P2	4. 7
M4. 5x0. 75	P2	3. 6
M5. 0x0. 35	P2	4. 7
M5. 0x0. 5	P2	4. 7
M5. 0x0. 8	P2	3. 6
	P3	3. 6
	P4	3. 6
M6. 0x0. 35	P2	5. 3
M6. 0x0. 5	P2	4. 7
M6. 0x0. 75	P2	4. 7
M6. 0x1. 0	P2	3. 6
	P3	3. 6
	P4	3. 6
M7. 0x0. 5	P2	6. 1
M7. 0x0. 75	P2	6. 1
M7. 0x1. 0	P2	5. 3
M8. 0x0. 35	P2	7. 4
M8. 0x0. 5	P2	6. 1
M8. 0x0. 75	P2	6. 1
M8. 0x1. 0	P2	6. 1
M8. 0x1. 25	P2	5. 3
	P3	5. 3
M9. 0x0. 5	P3	8. 1
M9. 0x0. 75	P3	8. 1
M9. 0x1. 0	P3	8. 1
M9. 0x1. 25	P3	6. 9
M10x0. 5	P3	8. 1
M10x0. 75	P3	8. 1
M10x1. 0	P3	8. 1
M10x1. 25	P3	8. 1
M10x1. 5	P3	6. 9
	P4	6. 9
M11x0. 5	P3	10. 4
M11x0. 75	P3	10. 4
M11x1. 0	P3	10. 4
M11x1. 5	P3	9. 3
M12x0. 5	P3	10. 4
M12x0. 75	P3	10. 4
M12x1. 0	P3	10. 4
M12x1. 25	P3	10. 4
M12x1. 5	P3	10. 4
M12x1. 75	P3	9. 3
	P4	9. 3
M14x2. 0	P3	10. 4
M16x2. 0	P3	13. 1

Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	Precision	Gwyn
UNF0-80	P1	4. 3
UNC1-64	P1	4. 3
UNF1-72	P1	5. 0
UNC2-56	P1	4. 3
UNF2-64	P1	5. 0
UNC3-48	P1	4. 3
UNF3-56	P1	5. 0
UNC4-40	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF4-48	P2	4. 0
UNC5-40	P2	4. 0
UNF5-44	P2	4. 7
UNC6-32	P2	4. 0
	P3	4. 0
UNF6-40	P2	4. 7
UNC8-32	P2	4. 0
	P3	4. 0
	P2	4. 7
UNF8-36	P2	4. 0
UNC10-24	P2	4. 0
UNF10-32	P2	4. 7
UNC12-24	P2	4. 0
UNF12-28	P2	4. 7
UNC1/4-20	P2	4. 0
UNF1/4-28	P2	4. 7
UNF1/4-32	P2	4. 7
UNC5/16-18	P3	5. 3
UNF5/16-24	P3	6. 1
UNEF5/16-32	P3	6. 7
UNC3/8-16	P3	6. 9
UNF3/8-24	P3	8. 1
UNEF3/8-32	P3	8. 1
UNC7/16-14	P3	9. 3
UNF7/16-20	P3	10. 4
UNC1/2-13	P3	9. 3
UNF1/2-20	P3	10. 4
Tube Tapping		
PS1/16-28 Safon Brydeinig		6. 7
PS1/8-27 Safon Americanaidd		6. 7
PS1/8-28 Safon Brydeinig		6. 7
PS1/4-14 Safon Americanaidd		22. 4
PS1/4-18 Safon Americanaidd		7. 9
PS1/4-19 Safon Brydeinig		7. 9
PS3/8-18 Safon Americanaidd		13. 1
PS3/8-19 Safon Brydeinig		13. 1
PS1/2-14 Safon Americanaidd		17. 1
PS1/2-14 Safon Brydeinig		17. 1
PS3/4-14 Safon Brydeinig		22. 4
PS1-11 Safon Brydeinig		38. 1
PS1-11. 1-2 American Standard		38. 1
PT1/16-28 Safon Brydeinig		6. 7
PT1/8-28 Safon Brydeinig		6. 7
PT1/4-19 Safon Brydeinig		8. 6
PT3/8-19 Safon Brydeinig		14. 6
PT1/2-14 Safon Brydeinig		18. 3
PT3/4-14 Safon Brydeinig		25. 0
PT1-11 Safon Brydeinig		41. 9
NPT1/8-27 Safon Americanaidd		6. 7
NPT1/4-18 Safon Americanaidd		8. 6
NPT3/8-18 Safon Americanaidd		14. 6
NPT1/2-14 Safon Americanaidd		18. 3
NPT1/4-14 Safon Americanaidd		25. 0
NPT1-11. 1-2 American Standard		41. 9

AR-D Cylchlythyr Addasadwy Die AR-D Adjustable Circular Die








Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	External Diameter	Gwyn
M1. 0x0. 25	20	33. 1
M1. 2x0. 25	20	13. 1
M1. 4x0. 3	20	13. 1
M1. 5x0. 3	20	13. 1
M1. 6x0. 35	20	13. 1
M1. 7x0. 35	20	13. 1
M1. 8x0. 35	20	13. 1
M2. 0x0. 25	20	11. 9
M2. 0x0. 4	20	10. 4
M2. 0x0. 4L Gwrthdroi Dannedd	20	11. 9
M2. 2x0. 25	20	11. 9
M2. 2x0. 45	20	10. 4
M2. 3x0. 4	20	10. 4
M2. 5x0. 35	20	11. 9
M2. 5x0. 45	20	10. 4
M2. 5x0. 45L Gwrthdroi Dannedd	20	11. 9
M2. 6x0. 35	20	11. 9
M2. 6x0. 45	20	10. 4
M3. 0x0. 35	20	11. 9
M3. 0x0. 5	20	10. 4
M3. 0x0. 5L Gwrthdroi Dannedd	20	11. 9
M4. 0x0. 35	20	11. 9
M4. 0x0. 5	20	11. 9
M4. 0x0. 7	20	10. 4
M4. 0x0. 7L Gwrthdroi Dannedd	20	11. 9
M4. 5x0. 5	20	11. 9
M4. 5x0. 75	20	10. 4
M5. 0x0. 35	20	11. 9
M5. 0x0. 5	20	11. 9
M5. 0x0. 8	20	10. 4
M5. 0x0. 8L Gwrthdroi Dannedd	20	11. 9
M6. 0x0. 5	20	11. 9
M6. 0x0. 75	20	11. 9
M6. 0x1. 0	20	10. 4
M6. 0x1. 0L Gwrthdroi Dannedd	20	11. 9
M7. 0x0. 5	25	13. 1
M7. 0x0. 75	25	13. 1
M7. 0x1. 0	25	11. 9
M8. 0x0. 5	25	13. 1
M8. 0x0. 75	25	13. 1
M8. 0x1. 0	25	13. 1
M8. 0x1. 25	25	11. 9
M8. 0x1. 25L Gwrthdroi Dannedd	25	13. 1
M9. 0x0. 5	25	13. 1
M9. 0x0. 75	25	13. 1
M9. 0x1. 0	25	13. 1
M9. 0x1. 25	25	11. 9
M10x0. 5	25	13. 1
M10x0. 75	25	13. 1
M10x1. 0	25	13. 1
M10x1. 25	25	13. 1
M10x1. 5	25	11. 9
M10x1. 5L Gwrthdroi Dannedd	25	13. 1
M11x1. 0	25	11. 9
M12x0. 5	25	13. 1
M12x0. 75	25	13. 1
M12x1. 0	25	13. 1
M12x1. 25	25	13. 1
M12x1. 5	25	13. 1
M12x1. 75	25	11. 9
M12x1. 75L Gwrthdroi Dannedd	25	13. 1
M14x1. 0	38	25. 0
M14x1. 25	38	25. 0
M14x1. 5	38	25. 0
M14x2. 0	38	23. 6
M16x1. 0	38	25. 0
M16x1. 25	38	25. 0
M16x1. 5	38	25. 0
M16x2. 0	38	23. 6

Thread x Cae x Hyd (/ Gwrthdroi Dannedd)	External Diameter	Gwyn
UNF0-80	20	11. 9
UNC1-64	20	10. 4
UNF1-72	20	11. 9
UNC2-56	20	10. 4
UNC3-48	20	10. 4
UNF3-56	20	11. 9
UNC4-40	20	10. 4
UNF4-48	20	11. 9
UNC5-40	20	10. 4
UNC6-32	20	10. 4
UNF6-40	20	11. 9
UNC8-32	20	10. 4
UNF8-36	20	11. 9
UNC10-24	20	10. 4
UNF10-32	20	11. 9
UNC12-24	20	10. 4
UNF12-28	20	11. 9
UNC1/4-20	20	10. 4
UNF1/4-28	20	11. 9
UNF1/4-32	20	11. 9
UNEF1/4-36	20	11. 9
UNC5/16-18	25	11. 9
UNF5/16-24	25	13. 1
UNC3/8-16	25	11. 9
UNF3/8-24	25	13. 1
UNC7/16-14	25	11. 9
UNF7/16-20	25	13. 1
UNC1/2-12	25	11. 9
UNF1/2-20	25	13. 1
W1/8-40	20	10. 4
W5/32-32	20	10. 4
W3/16-24	20	10. 4
W1/4-20	20	10. 4
W5/16-18	25	11. 9
W3/8-16	25	11. 9
W7/16-14	25	11. 9
W1/2-12	25	11. 9






Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.
Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	R	USD
	CCGT060202 CBN1 CCGT060204 CBN1 CCGT060208 CBN1 CCGT09T302 CBN1 CCGT09T304 CBN1 CCGT09T308 CBN1 CCGT120402 CBN1 CCGT120404 CBN1 CCGT120408 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Castio haearn A chaledu Peiriannau Gorffen Deunyddiau			
	CCGT060202 PCD1 CCGT060204 PCD1 CCGT09T302 PCD1 CCGT09T304 PCD1 CCGT09T308 PCD1 CCGT120402 PCD1 CCGT120404 PCD1 CCGT120408 PCD1	0.2 0.4 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copr Ac Alwminiwm Peiriannau Gorffen			
	CCGT060202-AL ZK01 CCGT060204-AL ZK01 CCGT060208-AL ZK01 CCGT09T302-AL ZK01 CCGT09T304-AL ZK01 CCGT09T308-AL ZK01 CCGT120402-AL ZK01 CCGT120404-AL ZK01 CCGT120408-AL ZK01	0.2 0.4 0.8 0.2 0.4 0.8 0.2 0.4 0.8	1.1 1.1 1.1 1.4 1.4 1.4 2.3 2.3 2.3
Canolig Copr Ac Alwminiwm Peiriannau Gorffen			
	CCMT060204 ZM30 CCMT060208 ZM30 CCMT09T304 ZM30 CCMT09T308 ZM30 CCMT120404 ZM30 CCMT120408 ZM30	0.4 0.8 0.4 0.8 0.4 0.8	1.6 1.6 1.7 1.7 2.4 2.4
Prosesu Dur Di-staen			
	CCMT060204-FG ZN60 CCMT09T304-FG ZN60 CCMT09T308-FG ZN60	0.4 0.4 0.8	1.7 1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	CCMT060202-HQ ZN60 CCMT060204-HQ ZN60 CCMT09T302-HQ ZN60 CCMT09T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	CCMT060204-MT ZN60 CCMT09T304-MT ZN60 CCMT09T308-MT ZN60	0.4 0.8 0.8	1.7 1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	CCGT060202EL-U ZN90 CCGT060204EL-U ZN90 CCGT09T302EL-U ZN90 CCGT09T304EL-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Rhannau wedi gorffen da			
	CCGT060202ER-U ZN90 CCGT060204ER-U ZN90 CCGT09T302ER-U ZN90 CCGT09T304ER-U ZN90	0.2 0.4 0.2 0.4	4.0 4.0 4.0 4.0
Cermet Fine Steel Rhannau wedi gorffen da			

Lluniau Cynnyrch	Manyleb	R	USD
	CNMG120402 CBN1 CNMG120404 CBN1 CNMG120408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Castio haearn A chaledu Peiriannau Gorffen Deunyddiau			
	CNMG120402 PCD1 CNMG120404 PCD1 CNMG120408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copr Ac Alwminiwm Peiriannau Gorffen			
	CNMG120404-TM ZC25 CNMG120408-TM ZC25 CNMG120412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
Peiriannu dur canolig o ddur			
	CNMG120408R-X ZC25 CNMG120408L-X ZC25	0.8 0.8	2.6 2.6
R-X L-X Prosesu Garw Dur			
	CNMG120404-TM ZC35 CNMG120408-TM ZC35	0.4 0.8	2.6 2.6
Gorffenniad Canolig Peiriannu Dur Caled			
	CNMG120404-HA ZK01 CNMG120408-HA ZK01	0.4 0.8	2.0 2.0
Canolig Copr Ac Alwminiwm Peiriannau Gorffen			
	CNMA120404 ZK50 CNMA120408 ZK50	0.4 0.8	2.6 2.6
Peiriannu Bras Haearn Canolig			
	CNMG120404 ZK50 CNMG120408 ZK50	0.4 0.8	2.6 2.6
Peiriannu Gorffen Canolig Haearn Brwr			
	CNMG120408-HS ZM30	0.8	2.6
Prosesu Dur Di-staen			
	CNMG120404-MA ZM30 CNMG120408-MA ZM30	0.4 0.8	2.6 2.6
Prosesu Dur Di-staen			
	CNMG120404-MS ZM30 CNMG120408-MS ZM30	0.4 0.8	2.6 2.6
Prosesu Dur Di-staen			
	CNMG120404-HQ ZN60 CNMG120408-HQ ZN60	0.4 0.8	2.3 2.3
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	CNMG120404-TS ZN60 CNMG120408-TS ZN60	0.4 0.8	2.3 2.3
Cermet Canol A Dur Gain Rhannau wedi gorffen da			

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.
Pris Trafodion Doler USD Domestig Yn Tsieina.




Lluniau Cynnyrch	Manyleb	R	USD
	DCGT070202 CBN1 DCGT070204 CBN1 DCGT070208 CBN1 DCGT11T301 CBN1 DCGT11T302 CBN1 DCGT11T304 CBN1 DCGT11T308 CBN1 DCGW11T308 CBN1	0.2 0.4 0.8 0.1 0.2 0.4 0.8 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Castio haearn A chaledu Peiriannau Gorffen Deunyddiau			
	DCGT070201 PCD1 DCGT070202 PCD1 DCGT070204 PCD1 DCGT070208 PCD1 DCGT11T301 PCD1 DCGT11T302 PCD1 DCGT11T304 PCD1 DCGT11T308 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
Copr Ac Alwminiwm Peiriannau Gorffen			
	DCGT070202-AL ZK01 DCGT070204-AL ZK01 DCGT11T302-AL ZK01 DCGT11T304-AL ZK01 DCGT11T308-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.6 1.6 1.6
Canolig copr ac alwminiwm Peiriannau Gorffen			
	DCMT070204-MV ZM30 DCMT11T304-MV ZM30	0.4 0.4	1.6 1.7
Prosesu dur di-staen			
	DCMT11T304 ZM30 DCMT11T308 ZM30	0.4 0.8	1.7 1.7
Prosesu dur di-staen			
	DCMT070204-FG ZN60 DCMT11T302-FA ZN60 DCMT11T304-FG ZN60	0.4 0.2 0.4	1.7 1.9 1.9
Cermet canol a dur gain Rhannau wedi gorffen da			
	DCMT070202-HQ ZN60 DCMT070204-HQ ZN60 DCMT11T302-HQ ZN60 DCMT11T304-HQ ZN60	0.2 0.4 0.2 0.4	1.7 1.7 1.9 1.9
Cermet canol a dur gain Rhannau wedi gorffen da			
	DCGT11T302FL-U ZN90 DCGT11T304FL-U ZN90	0.2 0.4	4.0 4.0
Cermet fine steel Rhannau wedi gorffen da			
	DCGT11T302FR-U ZN90 DCGT11T304FR-U ZN90	0.2 0.4	4.0 4.0
Cermet fine steel Rhannau wedi gorffen da			








Lluniau Cynnyrch	Manyleb	R	USD
	DNMA150404 CBN1 DNMA150408 CBN1	0.4 0.8	6.9 6.9
Castio haearn A chaledu Peiriannau Gorffen Deunyddiau			
	DNMA150404 PCD1 DNMA150408 PCD1	0.4 0.8	6.9 6.9
Copr ac alwminiwm Peiriannau Gorffen			
	DNMG150404-HA ZK01 DNMG150408-HA ZK01 DNMG150604-HA ZK01 DNMG150608-HA ZK01	0.4 0.8 0.4 0.8	4.3 4.3 4.9 4.9
Canolig copr ac alwminiwm Peiriannau Gorffen			
	DNMG110404-FG ZN60	0.4	2.6
Cermet canol a dur gain Rhannau wedi gorffen da			
	DNMG150404-HQ ZN60 DNMG150408-HQ ZN60	0.4 0.8	2.6 2.6
Cermet canol a dur gain Rhannau wedi gorffen da			
	DNMG150404L-VF ZN60	0.4	2.6
Cermet medium and rough steel Rhannau wedi gorffen da			
	DNMG150404R-VF ZN60	0.4	2.6
Cermet medium and rough steel Rhannau wedi gorffen da			

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>



Lluniau Cynnyrch	Manyleb	R	USD
	SNMG120404 CBN1 SNMG120408 CBN1	0.4 0.8	6.9 6.9
	SNMG120404 PCD1 SNMG120408 PCD1	0.4 0.8	6.9 6.9
	SNMG120408L-S ZC25	0.8	2.6
	SNMG120408L-S ZC35	0.8	2.6
	SNMG120408R-S ZC25	0.8	2.6
	SNMG120408R-S ZC35	0.8	2.6
	SNMG120408-TM ZC25	0.8	2.6
	SNMG120404-HA ZK01 SNMG120408-HA ZK01	0.4 0.8	2.0 2.0
	SNMG120408-MA ZM30	0.8	2.6
	SNMG120404-MS ZM30	0.4	2.6
	SNMG120404-HQ ZN60 SNMG120404-HQ ZN60	0.4 0.8	2.3 2.3
	SCMT09T304-MT ZN60	0.4	1.9
	SCGT09T304-AL ZK01 SCGT09T308-AL ZK01 SCGT120404-AL ZK01 SCGT120408-AL ZK01	0.4 0.8 0.4 0.8	1.4 1.4 1.9 1.9



Lluniau Cynnyrch	Manyleb	R	USD
	TBGT060102 CBN1 TCGT110302 CBN1 TCGT16T302 CBN1 TCGT16T304 CBN1 TCGT16T308 CBN1 TPGT080202 CBN1 TPGT080204 CBN1 TPGT090202 CBN1 TPGT090204 CBN1 TPGT110202 CBN1 TPGT110204 CBN1 TPGT110302 CBN1 TPGT110304 CBN1 TPGT110308 CBN1	0.2 0.2 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	TBGT060102 PCD1 TCGT110202 PCD1 TCGT110204 PCD1 TCGT110304 PCD1 TCGT16T302 PCD1 TCGT16T304 PCD1 TCGT16T308 PCD1 TPGT080202 PCD1 TPGT080204 PCD1 TPGT090202 PCD1 TPGT090204 PCD1 TPGT110204 PCD1 TPGT110302 PCD1 TPGT110304 PCD1	0.2 0.2 0.4 0.4 0.2 0.4 0.8 0.2 0.4 0.2 0.4 0.4 0.2 0.4	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	TBGT060102L ZN90 TBGT060104L ZN90 TCGT110202L ZN90 TCGT110204L ZN90 TPGH080202L ZN90 TPGH080204L ZN90 TPGH090202L ZN90 TPGH090204L ZN90 TPGH110302L ZN90 TPGH110304L ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
	TBGT060102L-W ZN90 TBGT060104L-W ZN90 TPGT080202L-W ZN90 TPGT080204L-W ZN90 TPGT090202L-W ZN90 TPGT090204L-W ZN90 TPGT110302L-W ZN90 TPGT110304L-W ZN90	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4	3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4
	TCMT090202-HQ ZN60 TCMT090204-HQ ZN60 TCMT110202-HQ ZN60 TCMT110204-HQ ZN60 TCMT110208-HQ ZN60 TCMT16T304-HQ ZN60	0.2 0.4 0.2 0.4 0.8 0.4	1.7 1.7 1.7 1.7 1.7 2.4
	TPMT110304-HQ ZN60 TPMT110308-HQ ZN60	0.4 0.8	1.7 1.7
	TCGT090202-AL ZK01 TCGT090204-AL ZK01 TCGT110202-AL ZK01 TCGT110204-AL ZK01 TCGT110302-AL ZK01 TCGT110304-AL ZK01 TCGT16T302-AL ZK01 TCGT16T304-AL ZK01 TCGT16T308-AL ZK01	0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.8	1.4 1.4 1.4 1.4 1.6 1.6 1.7 1.7 1.7
	TCMT110204 ZM30 TCMT110208 ZM30 TCMT16T304 ZM30 TCMT16T308 ZM30	0.4 0.8 0.4 0.8	1.6 1.6 2.3 2.3

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.
Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>



Lluniau Cynnyrch	Manyleb	R	USD
	TNMA160402 CBN1 TNMA160404 CBN1 TNMA160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
Castio haearn A Chaledu Peiriannau Gorffen Deunyddiau			
	TNMA160402 PCD1 TNMA160404 PCD1 TNMA160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
Copr Ac Alwminiwm Peiriannau Gorffen			
	TNMG160404-CQ ZC25 TNMG160408-CQ ZC25	0.4 0.8	2.3 2.3
CQ HQ Peiriannu dur canolig o ddu	TNMG160404-HQ ZC25 TNMG160408-HQ ZC25	0.4 0.8	2.3 2.3
	TNMG160404L-S ZC25 TNMG160408L-S ZC25	0.4 0.8	2.3 2.3
R-S L-S Prosesu Garw Dur	TNMG160404R-S ZC25 TNMG160408R-S ZC25	0.4 0.8	2.3 2.3
	TNMG160404L-S ZC35 TNMG160408L-S ZC35	0.4 0.8	2.3 2.3
R-S L-S Prosesu Garw o Ddur Caled	TNMG160404R-S ZC35 TNMG160408R-S ZC35	0.4 0.8	2.3 2.3
	TNMG160404-TM ZC25 TNMG160408-TM ZC25 TNMG160412-TM ZC25	0.4 0.8 1.2	2.3 2.3 2.3
Peiriannu dur canolig o ddu			
	TNMG160404-TM ZC35 TNMG160408-TM ZC35	0.4 0.8	2.3 2.3
Gorffeniad Canolig Peiriannu Dur Caled			
	TNMG160402-HA ZK01 TNMG160404-HA ZK01 TNMG160408-HA ZK01	0.2 0.4 0.8	1.9 1.9 1.9
Canolig Copr Ac Alwminiwm Peiriannau Gorffen			
	TNMA160404 ZK50 TNMA160408 ZK50	0.4 0.8	2.3 2.3
TNMA TNMG Medium Rough Gorffeniad Canolig Peiriannu Cast Iron	TNMG160404 ZK50 TNMG160408 ZK50	0.4 0.8	2.3 2.3
	TNMG160404-HA ZM30 TNMG160408-HA ZM30	0.4 0.8	2.3 2.3
HA MA Prosesu Dur Di-staen	TNMG160404-MA ZM30 TNMG160408-MA ZM30	0.4 0.8	2.3 2.3
	TNMG160404-MQ ZM30 TNMG160408-MQ ZM30	0.4 0.8	2.3 2.3
Prosesu Dur Di-staen			
	TNMG160404-MS ZM30 TNMG160408-MS ZM30	0.4 0.8	2.3 2.3
Prosesu Dur Di-staen			


Lluniau Cynnyrch	Manyleb	R	USD
	TNMG160404L-C ZN60 TNMG160408L-C ZN60	0.4 0.8	1.9 1.9
R-C L-C Cermet Canol A Dur Gain Rhannau wedi gorffen da	TNMG160404R-C ZN60 TNMG160408R-C ZN60	0.4 0.8	1.9 1.9
	TNMG160404L-S ZN60 TNMG160408L-S ZN60	0.4 0.8	1.9 1.9
R-S L-S Cermet Canol A Dur Gain Rhannau wedi gorffen da	TNMG160404R-S ZN60 TNMG160408R-S ZN60	0.4 0.8	1.9 1.9
	TNMG160404L-VF ZN60 TNMG160408L-VF ZN60	0.4 0.8	1.9 1.9
R-VF L-VF Cermet Canol A Dur Gain Rhannau wedi gorffen da	TNMG160404R-VF ZN60 TNMG160408R-VF ZN60	0.4 0.8	1.9 1.9
	TNMG160404L-FS ZN60 TNMG160408L-FS ZN60	0.4 0.8	1.9 1.9
R-FS L-FS Cermet Canol A Dur Gain Rhannau wedi gorffen da	TNMG160404R-FS ZN60 TNMG160408R-FS ZN60	0.4 0.8	1.9 1.9
	TNMG160404-HQ ZN60 TNMG160408-HQ ZN60	0.4 0.8	1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	TNMG160404-MT ZN60 TNMG160408-MT ZN60	0.4 0.8	1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	TNMG160404-TS ZN60 TNMG160408-TS ZN60	0.4 0.8	1.9 1.9
Cermet Canol A Dur Gain Rhannau wedi gorffen da			
	TNGG160402L-P ZN90 TNGG160404L-P ZN90	0.2 0.4	3.6 3.6
R-P L-P Cermet Fine Steel Rhannau wedi gorffen da	TNGG160402R-P ZN90 TNGG160404R-P ZN90	0.2 0.4	3.6 3.6
	TNGG160402L-S ZN90 TNGG160404L-S ZN90	0.2 0.4	3.6 3.6
R-S L-S Cermet Fine Steel Rhannau wedi gorffen da	TNGG160402R-S ZN90 TNGG160404R-S ZN90	0.2 0.4	3.6 3.6

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.







Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>



Lluniau Cynnyrch	Manyleb	R	USD
	VBMT110302 CBN1 VBMT110304 CBN1 VBMT160402 CBN1 VBMT160404 CBN1 VBMT160408 CBN1	0.2 0.4 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9
	VC GT110302 CBN1 VC GT110304 CBN1 VC GT110308 CBN1 VC GT160402 CBN1 VC GT160404 CBN1 VC GT160408 CBN1 VC GT160412 CBN1	0.2 0.4 0.8 0.2 0.4 0.8 1.2	6.9 6.9 6.9 6.9 6.9 6.9 6.9
	VBGT110301 PCD1 VBGT110302 PCD1 VBGT110304 PCD1 VBGT110308 PCD1 VBGT160402 PCD1 VBGT160404 PCD1 VBGT160408 PCD1	0.1 0.2 0.4 0.8 0.2 0.4 0.8	6.9 6.9 6.9 6.9 6.9 6.9 6.9
	VC GT110301 PCD1 VC GT110302 PCD1 VC GT110304 PCD1 VC GT110308 PCD1 VC GT160401 PCD1 VC GT160402 PCD1 VC GT160404 PCD1 VC GT160408 PCD1 VC GT160412 PCD1	0.1 0.2 0.4 0.8 0.1 0.2 0.4 0.8 1.2	6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6.9
	VBGT110302-AL ZK01 VBGT110304-AL ZK01 VBGT160402-AL ZK01 VBGT160404-AL ZK01 VBGT160408-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.1 1.1 2.0 2.0 2.0
	VC GT110302-AL ZK01 VC GT110304-AL ZK01 VC GT160402-AL ZK01 VC GT160404-AL ZK01 VC GT160408-AL ZK01	0.2 0.4 0.2 0.4 0.8	1.1 1.1 2.0 2.0 2.0
	VBMT160404-MV ZM30 VBMT160408-MV ZM30	0.4 0.8	3.7 3.7
	VBMT110304-HQ ZN60 VBMT160404-HQ ZN60	0.4 0.4	2.7 3.4
	VBMT160404-MT ZN60	0.4	3.6
	VBGT110302L ZN90 VBGT110304L ZN90	0.2 0.4	4.7 4.7
	VBGT110302R-Y ZN90 VBGT110304R-Y ZN90	0.2 0.4	4.7 4.7

Lluniau Cynnyrch	Manyleb	R	USD
	VNMG160404 CBN1 VNMG160408 CBN1	0.4 0.8	6.9 6.9
	VNMG160402 PCD1 VNMG160404 PCD1 VNMG160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
	VNMG160404-TM ZC25 VNMG160408-TM ZC25	0.4 0.8	2.7 2.7
	VNMG160404-TM ZC35 VNMG160408-TM ZC35	0.4 0.8	2.7 2.7
	VNMG160404-AL ZK01 VNMG160408-AL ZK01	0.4 0.8	2.3 2.3
	VNMG160404 ZM30 VNMG160408 ZM30	0.4 0.8	2.7 2.7
	VNMG160404-HS ZM30 VNMG160408-HS ZM30	0.4 0.8	2.7 2.7
	VNMG160404-MT ZN60 VNMG160408-MT ZN60	0.4 0.8	2.3 2.3

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.
Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	R	USD
 Castio haearn A chaledu Peiriannau Gorffen Deunyddiau	WNMG080404 CBN1 WNMG080408 CBN1 WNMG080412 CBN1	0.4 0.8 1.2	6.9 6.9 6.9
 Copr Ac Alwminiwm Peiriannau Gorffen	WNMA080402 PCD1 WNMA080404 PCD1 WNMA080408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Peiriannu dur canolig o ddur	WNMG080404-CQ ZC25 WNMG080408-CQ ZC25 WNMG080412-CQ ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Peiriannu dur canolig o ddur	WNMG080404-HQ ZC25 WNMG080408-HQ ZC25	0.4 0.8	2.6 2.6
 R-S L-S Prosesu Garw Dur	WNMG080404L-S ZC25 WNMG080408L-S ZC25 WNMG080404R-S ZC25 WNMG080408R-S ZC25	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 R-S L-S Prosesu Garw o Ddur Caled	WNMG080404L-S ZC35 WNMG080408L-S ZC35 WNMG080404R-S ZC35 WNMG080408R-S ZC35	0.4 0.8 0.4 0.8	2.6 2.6 2.6 2.6
 TM ZC25 TM ZC35 Peiriannu dur canolig o ddur	WNMG080404-TM ZC25 WNMG080408-TM ZC25 WNMG080412-TM ZC25	0.4 0.8 1.2	2.6 2.6 2.6
 Peiriannu dur canolig o ddur	WNMG080408-CM ZC25 WNMG080412-CM ZC25	0.8 1.2	2.6 2.6
 Canolig copr ac alwminiwm Peiriannau Gorffen	WNMG080402-HA ZK01 WNMG080404-HA ZK01 WNMG080408-HA ZK01	0.2 0.4 0.8	2.3 2.3 2.3
 Prosesu dur di-staen	WNMG080404-HA ZM30 WNMG080408-HA ZM30	0.4 0.8	2.6 2.6
 Peiriannu bras haearn canolig	WNMA080404 ZK50 WNMA080408 ZK50	0.4 0.8	2.6 2.6
 Peiriannu gorffen canolig haearn bwrw	WNMG080404 ZK50 WNMG080408 ZK50	0.4 0.8	2.6 2.6




Lluniau Cynnyrch	Manyleb	R	USD
 Prosesu dur di-staen	WNMG080404-MA ZM30 WNMG080408-MA ZM30	0.4 0.8	2.6 2.6
 Prosesu dur di-staen	WNMG080404-MQ ZM30 WNMG080408-MQ ZM30	0.4 0.8	2.6 2.6
 Prosesu dur di-staen	WNMG080404-MS ZM30 WNMG080408-MS ZM30	0.4 0.8	2.6 2.6
 Cermet canolig A dur gain Rhannau wedi gorffen da	WNMG080404-HS ZN60 WNMG080408-HS ZN60	0.4 0.8	2.3 2.3
 Cermet canolig A dur gain Rhannau wedi gorffen da	WNMG080404-HQ ZN60 WNMG080408-HQ ZN60	0.4 0.8	2.3 2.3
 R-S L-S Cermet Medium And Rough Steel Rhannau wedi gorffen da	WNMG080404L-X ZN60 WNMG080408L-X ZN60 WNMG080404R-X ZN60 WNMG080408R-X ZN60	0.4 0.8 0.4 0.8	2.3 2.3 2.3 2.3
 Cermet canolig A dur gain Rhannau wedi gorffen da	WNMG080404-MT ZN60 WNMG080408-MT ZN60	0.4 0.8	2.3 2.3
 Cermet canolig A dur gain Rhannau wedi gorffen da	WNMG080404-TS ZN60 WNMG080408-TS ZN60	0.4 0.8	2.3 2.3






Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	TPI	USD
ZP10 General Machining 	16ER 050IS0 ZP10	0.50	2.0
	16ER 075IS0 ZP10	0.75	2.0
	16ER 100IS0 ZP10	1.00	2.0
	16ER 125IS0 ZP10	1.25	2.0
	16ER 150IS0 ZP10	1.50	2.0
	16ER 175IS0 ZP10	1.75	2.0
	16ER 200IS0 ZP10	2.00	2.0
	16ER 250IS0 ZP10	2.50	2.0
	16ER 300IS0 ZP10	3.00	2.0
	16ER 350IS0 ZP10	3.50	2.0
	16ER A60 ZP10	0.5-1.5	2.0
	16ER AG60 PCD1	0.5-3.0	6.9
	16ER AG60 ZP10	0.5-3.0	2.0
	16ER G60 ZP10	1.5-3.0	2.0
	22ER 350IS0 ZP10	3.50	5.1
PCD1 Copr Ac Alwminiwm Peiriannau Gorffenn 	22ER 400IS0 ZP10	4.00	5.1
	22ER 500IS0 ZP10	5.00	5.1
	22ER 600IS0 ZP10	6.00	5.1
	22ER N60 ZP10	3.5-5.0	5.1
	60° Metrig Allanol Prosesu Edau		
	SER1616H16	—	7.1
	SER2020K16	—	7.1
	SER2525M16	—	9.3
	SER2020K22	—	9.6
	SER2525M22	—	13.1
	SER3232P22	—	20.3
	B-SEL1212H16	—	9.6
	B-SEL1616H16	—	9.6
	B-SEL2020K16	—	9.6
	B-SEL2525M16	—	13.1
	Prosesu Edau Allanol		
ZP10 General Machining 	06IR A60 ZP10	0.5-1.25	4.7
	08IR 150IS0 ZP10	1.50	4.1
	08IR A60 ZP10	0.5-1.5	4.1
	11IR 150IS0 ZP10	1.5	2.0
	11IR 200IS0 ZP10	2.0	2.0
	11IR A60 ZP10	0.5-1.5	2.0
	16IR 050IS0 ZP10	0.50	2.0
	16IR 075IS0 ZP10	0.75	2.0
	16IR 100IS0 ZP10	1.00	2.0
	16IR 125IS0 ZP10	1.25	2.0
	16IR 150IS0 ZP10	1.50	2.0
	16IR 175IS0 ZP10	1.75	2.0
	16IR 200IS0 ZP10	2.00	2.0
	16IR 250IS0 ZP10	2.50	2.0
	16IR 300IS0 ZP10	3.00	2.0
PCD1 Copr Ac Alwminiwm Peiriannau Gorffenn 	16IR 350IS0 ZP10	3.50	2.0
	16IR A60 ZP10	0.5-1.5	2.0
	16IR AG60 PCD1	0.5-3.0	6.9
	16IR AG60 ZP10	0.5-3.0	2.0
	16IR G60 ZP10	1.5-3.0	2.0
	22IR 350IS0 ZP10	3.50	5.1
	22IR 400IS0 ZP10	4.00	5.1
	22IR 500IS0 ZP10	5.00	5.1
	22IR 600IS0 ZP10	6.00	5.1
	22IR N60 ZP10	3.5-5.0	5.1
	Twll Mewnol Metrig Prosesu Edau		
	SNR0005K06-A12	—	7.1
	SNR0007J08	—	5.1
	SNR0008K08	—	5.1
	SNR0010K11	—	5.1
	SNR0012M11	—	5.4
	SNR0013N16	—	6.1
	SNR0014N16	—	6.7
	SNR0016Q16	—	6.7
	SNR0020R16	—	7.1
	SNR0025S16	—	11.7
	SNR0032T16	—	20.3
	SNR0020R22	—	10.7
	SNR0025S22	—	14.3
	SNR0032T22	—	22.9
	Twll Mewnol Prosesu Edau		
TKFT.. TTP.. 	TKFT6001 ZP15	0.5-3.0	5.9
	TTP6001 ZP15	0.5-3.0	5.9
	Prosesu 60 Metrig Rhannau Thread Bach		
	TTP..		
	TTPR12	—	9.3
	TTPR16	—	11.7


Lluniau Cynnyrch	Manyleb	TPI	USD
	16ER 2TR ZP10	2.0	2.0
	16ER 3TR ZP10	3.0	2.0
	30° Trywyddau Trapesoid ar gyfer DIN103 Trosglwyddo Prosesu Edau Allanol		
	16IR 2TR ZP10	2.0	2.0
	16IR 3TR ZP10	3.0	2.0
	30° Trywyddau Trapesoid ar gyfer DIN103 Trosglwyddo Prosesu Edau Hole Mewnol		
ZP10 General Machining 	16ER 11W ZP10	1Inch11Tooth	2.0
	16ER 14W ZP10	1Inch14Tooth	2.0
	16ER 19W ZP10	1Inch19Tooth	2.0
	16ER 24W ZP10	1Inch24Tooth	2.0
	16ER 8W ZP10	1Inch8Tooth	2.0
	16ER A55 ZP10	0.5-1.5	2.0
	16ER AG55 PCD1	0.5-3.0	6.9
	16ER AG55 ZP10	0.5-3.0	2.0
	16ER G55 ZP10	1.5-3.0	2.0
	22ER N55 ZP10	3.5-5.0	5.1
	55° Modfedd Allanol Prosesu Edau		
ZP10 General Machining 	06IR A55 ZP10	0.5-1.25	4.7
	08IR A55 ZP10	0.5-1.5	4.1
	11IR 19W ZP10	1Inch19Tooth	2.0
	16IR 11W ZP10	1Inch11Tooth	2.0
	16IR 12W ZC01	1Inch12Tooth	2.0
	16IR 14W ZP10	1Inch14Tooth	2.0
	16IR 19W ZP10	1Inch19Tooth	2.0
	16IR A55 ZP10	0.5-1.5	2.0
	16IR AG55 PCD1	0.5-3.0	6.9
	16IR AG55 ZP10	0.5-3.0	2.0
	16IR G55 ZP10	1.5-3.0	2.0
	22IR N55 ZP10	3.5-5.0	5.1
	55° Y Twll Mewnol Mewnol Prosesu Edau		
	16ER 12UN ZP10	1Inch12Tooth	2.0
	16ER 14UN ZP10	1Inch14Tooth	2.0
	16ER 16UN ZP10	1Inch16Tooth	2.0
	16ER 18UN ZP10	1Inch18Tooth	2.0
	16ER 20UN ZP10	1Inch20Tooth	2.0
	60° Allanol Americanaidd Prosesu Edau		
	16IR 12UN ZP10	1Inch12Tooth	2.0
	16IR 14UN ZP10	1Inch14Tooth	2.0
	16IR 16UN ZP10	1Inch16Tooth	2.0
	16IR 18UN ZP10	1Inch18Tooth	2.0
	16IR 20UN ZP10	1Inch20Tooth	2.0
	Twll Mewnol 60° Americanaidd Prosesu Edau		
	16ER 11BSPT ZP10	1Inch11Tooth	2.0
	16ER 14BSPT ZP10	1Inch14Tooth	2.0
	16ER 19BSPT ZP10	1Inch19Tooth	2.0
	16ER 28BSPT ZP10	1Inch28Tooth	2.0
	Tiwb Taper Safon Brydeinig BSPT Prosesu Edau Thread Allanol		
	16IR 11BSPT ZP10	1Inch11Tooth	2.0
	16IR 14BSPT ZP10	1Inch14Tooth	2.0
	Taper Safon Brydeinig BSPT Tiwb Thread Mewnol Prosesu Edau Twll		
	16ER 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16ER 14NPT ZP10	1Inch14Tooth	2.0
	16ER 18NPT ZP10	1Inch18Tooth	2.0
	Thread Pipe CNPT Prosesu Edau Allanol		
	16IR 11.5NPT ZP10	1Inch11.5Tooth	2.0
	16IR 14NPT ZP10	1Inch14Tooth	2.0
	Twll Mewnol Pibell Pibell CNPT Prosesu Edau		



Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	Width	USD
	T16E100 ZP15	1.0	3.0
	T16E150 ZP15	1.5	3.0
	T16E160 ZP15	1.6	3.0
	T16E200 ZP15	2.0	3.0
	T16E250 ZP15	2.5	3.0
	T16E300 ZP15	3.0	3.0
Lled y slot rhestr 0.5-3 mm a dyfnder 1-2.2 mm Gellir torri deunydd cyffredinol dros dro			
	SER1616H16	-	7.1
	SER2020K16	-	7.1
	SER2525M16	-	9.3
	T11N100 ZP15	1.0	3.0
	T11N150 ZP15	1.5	3.0
	T11N200 ZP15	2.0	3.0
	T16N100 ZP15	1.0	3.0
	T16N150 ZP15	1.5	3.0
	T16N160 ZP15	1.6	3.0
	T16N180 ZP15	1.8	3.0
	T16N200 ZP15	2.0	3.0
	T16N230 ZP15	2.3	3.0
	T16N250 ZP15	2.5	3.0
Lled y slot rhestr 0.5-3 mm a dyfnder 1-2.2 mm Gellir torri deunydd cyffredinol dros dro			
	SNR0010K11	-	5.1
	SNR0012M11	-	5.4
	SNR0013N16	-	6.1
	SNR0014N16	-	6.7
	SNR0016Q16	-	6.7
	SNR0020R16	-	7.1
	CTP10FR ZP15	1.0	5.9
	CTP15FR ZP15	1.5	5.9
	CTP20FR ZP15	2.0	5.9
	CTPA10FR ZP15	1.0	6.6
	CTPA15FR ZP15	1.5	6.6
	CTPA20FR ZP15	2.0	6.6
	CTP10FRN ZP15	1.0	5.9
	CTP15FRN ZP15	1.5	5.9
	CTP20FRN ZP15	2.0	5.9
	CTPA10FRN ZP15	1.0	6.6
	CTPA15FRN ZP15	1.5	6.6
	CTPA20FRN ZP15	2.0	6.6
	CTPSL10	-	10.7
	CTPSL12	-	11.9
	CTPASL10	-	10.7
	CTPASL12	-	11.9
	CTPR08	-	11.9
	CTPR10	-	9.4
	CTPR12	-	9.4
	CTPR16	-	9.4
	CTPR20	-	10.7
	CTPAR10	-	9.4
	CTPAR12	-	9.4
	CTPAR16	-	9.4
	CTPAR20	-	10.7
	CTPAR25	-	14.3
	TTB6001 ZP15	-	5.9
	TBPR10	-	9.4
	TBPR12	-	9.4
	TBPAR10	-	9.4
	TBPAR12	-	9.4
	TBPAR16	-	9.4

Lluniau Cynnyrch	Manyleb	Width	USD
	TKF12R100-S ZP15	1.0	5.9
	TKF12R150-S ZP15	1.5	5.9
	TKF12R200-S ZP15	2.0	5.9
	TKF16R100-S ZP15	1.0	6.6
	TKF16R150-S ZP15	1.5	6.6
	TKF16R200-S ZP15	2.0	6.6
Rhannu Rhannau Bach /Prosesu Torri Ymaith			
	TKF12R100-S16R ZP15	1.0	5.9
	TKF12R150-S16R ZP15	1.5	5.9
	TKF12R200-S16R ZP15	2.0	5.9
	TKF16R100-S16R ZP15	1.0	6.6
	TKF16R150-S16R ZP15	1.5	6.6
	TKF16R200-S16R ZP15	2.0	6.6
Prosesu Torri Rhannau Bach			
	TKFB6001 ZP15	-	5.9
	Troi Rhannau Bach yn Ôl		
	KTKFSL1010JX12	-	11.9
	KTKFSL1212JX12	-	11.9
	KTKFSL1212JX16	-	11.9
	KTKFSL..		
	KTKFR0810JX12	-	11.9
	KTKFR1010JX12	-	9.4
	KTKFR1212JX12	-	9.4
	KTKFR1616JX12	-	9.4
	KTKFR1010JX16	-	9.4
	KTKFR1212JX16	-	9.4
	KTKFR1616K16	-	9.4
	KTKFR2020JX16	-	10.7
	KTKFR..		
	FVC1604R150 ZP15	1.5	4.3
	FVC1604R200 ZP15	2.0	4.3
	FV1604R300 ZP15	3.0	4.3
	Peiriannu Groesi Wyneb		
	SVQCR2020K16-NJ	-	11.9
	SVQCR..		
	VC1604R250 ZP15	2.5	4.3
	VC1604R300 ZP15	3.0	4.3
	SGIVFR16Q16	-	14.3
	SGIVFR20Q16	-	14.3
	SGIVFR25R16	-	16.7
	SGIVFR..		

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.


Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	Width	USD
	TGF32R050 ZP15	0.5	2.6
	TGF32R080 ZP15	0.8	2.6
	TGF32R100 ZP15	1.0	2.6
	TGF32R110 ZP15	1.1	2.6
	TGF32R120 ZP15	1.2	2.6
	TGF32R125 ZP15	1.25	2.6
	TGF32R130 ZP15	1.3	2.6
	TGF32R140 ZP15	1.4	2.6
	TGF32R150 ZP15	1.5	2.6
	TGF32R160 ZP15	1.6	2.6
	TGF32R170 ZP15	1.7	2.6
	TGF32R180 ZP15	1.8	2.6
	TGF32R190 ZP15	1.9	2.6
	TGF32R200 ZP15	2.0	2.6
	TGF32R210 ZP15	2.1	2.6
	TGF32R220 ZP15	2.2	2.6
	TGF32R230 ZP15	2.3	2.6
	TGF32R250 ZP15	2.5	2.6
	TGF32R260 ZP15	2.6	2.6
	TGF32R270 ZP15	2.7	2.6
	TGF32R280 ZP15	2.8	2.6
	TGF32R290 ZP15	2.9	2.6
	TGF32R300 ZP15	3.0	2.6

Lluniau Cynnyrch	Manyleb	Width	USD
	TGF32L050 ZP15	0.5	2.6
	TGF32L080 ZP15	0.8	2.6
	TGF32L100 ZP15	1.0	2.6
	TGF32L110 ZP15	1.1	2.6
	TGF32L120 ZP15	1.2	2.6
	TGF32L125 ZP15	1.25	2.6
	TGF32L130 ZP15	1.3	2.6
	TGF32L140 ZP15	1.4	2.6
	TGF32L150 ZP15	1.5	2.6
	TGF32L160 ZP15	1.6	2.6
	TGF32L170 ZP15	1.7	2.6
	TGF32L180 ZP15	1.8	2.6
	TGF32L190 ZP15	1.9	2.6
	TGF32L200 ZP15	2.0	2.6
	TGF32L210 ZP15	2.1	2.6
	TGF32L220 ZP15	2.2	2.6
	TGF32L230 ZP15	2.3	2.6
	TGF32L250 ZP15	2.5	2.6
	TGF32L260 ZP15	2.6	2.6
	TGF32L270 ZP15	2.7	2.6
	TGF32L280 ZP15	2.8	2.6
	TGF32L290 ZP15	2.9	2.6
	TGF32L300 ZP15	3.0	2.6


	KTGFR1010H16 KTGFR1212H16 KTGFR1616H16 KTGFR2020K16 KTGFR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFR..			

	KTGFL1010H16 KTGFL1212H16 KTGFL1616H16 KTGFL2020K16 KTGFL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.0
KTGFL..			

	KTGFR1010H16F KTGFR1212H16F KTGFR1616H16F KTGFR2020K16F	— — — —	6.7 6.7 6.7 6.7
---	--	------------------	--------------------------

	KTGFL1010H16F KTGFL1212H16F KTGFL1616H16F KTGFL2020K16F	— — — —	6.7 6.7 6.7 6.7
--	--	------------------	--------------------------

	KTGFSL1010H16 KTGFSL1212H16 KTGFSL1616H16 KTGFSL2020K16 KTGFSL2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSL..			

	KTGFSR1010H16 KTGFSR1212H16 KTGFSR1616H16 KTGFSR2020K16 KTGFSR2525M16	— — — — —	6.9 6.9 6.9 6.9 9.3
KTGFSR..			

	S16N-KTGFL16 S20Q-KTGFL16 S25R-KTGFL16	— — —	9.3 11.0 13.1
S..-KTGFL..			




	S16N-KTGFR16 S20Q-KTGFR16 S25R-KTGFR16	— — —	9.3 11.0 13.1
S..-KTGFR..			




Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	Width	USD
	GBA43R250 ZP15 GBA43R300 ZP15 GBA43R350 ZP15 GBA43R400 ZP15 GBA43R450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Lled y slot rhestr 1.0-4.8mm Dyfnder torri detholus 2.0-5.0 mm Gall deunydd cyffredinol fod cael eu torri dros dro			
CGBR.. 	CGBR1616H43 CGBR2020K43 CGBR2525M43	— — —	9.3 13.1 16.4
CGBSL.. 	CGBSL2020K43 CGBSL2525M43	— —	12.4 19.0
SGBR.. 	SGBR1616H43 SGBR2020K43 SGBR2525M43	— — —	6.7 6.7 9.0
SGBSL.. 	SGBSL2020K43 SGBSL2525M43	— —	10.7 14.3
	GBA43L250 ZP15 GBA43L300 ZP15 GBA43L350 ZP15 GBA43L400 ZP15 GBA43L450 ZP15	2.5 3.0 3.5 4.0 4.5	6.1 6.1 6.1 6.1 6.1
Lled y slot rhestr 1.0-4.8mm Dyfnder torri detholus 2.0-5.0 mm Gall deunydd cyffredinol fod cael eu torri dros dro			
CGBL.. 	CGBL1616H43 CGBL2020K43 CGBL2525M43	— — —	9.3 13.1 16.4
CGBSR.. 	CGBSR2020K43 CGBSR2525M43	— —	12.4 19.0
SGBL.. 	SGBL1616H43 SGBL2020K43 SGBL2525M43	— — —	6.7 6.7 9.0
SGBSR.. 	SGBSR2020K43 SGBSR2525M43	— —	10.7 14.3




Lluniau Cynnyrch	Manyleb	Width	USD
	GER100-A ZP15 GER150-A ZP15	1.0 1.5	4.7 4.7
	SIGER0606A-EH SIGER0808A-EH Spring Steel SIGER0808A-EHT	— — —	19.0 11.9 11.9
	GER100-B ZP15 GER150-B ZP15 GER200-B ZP15 GER250-B ZP15 GER300-B ZP15	1.0 1.5 2.0 2.5 3.0	4.7 4.7 4.7 4.7 4.7
	SIGER1010B-EH SIGER1210B-EH Spring Steel SIGER1010B-EHT SIGER1210B-EHT	— — — — —	11.9 11.9 11.9 11.9 11.9
	GER100-C ZP15 GER150-C ZP15 GER200-C ZP15 GER250-C ZP15 GER300-C ZP15 GER350-C ZP15	1.0 1.5 2.0 2.5 3.0 3.5	4.7 4.7 4.7 4.7 4.7 4.7
	SIGER1412C-EH SIGER1616C-EH Spring Steel SIGER1412C-EH	— — —	11.9 13.3 11.9
	GER100-D ZP15 GER150-D ZP15 GER200-D ZP15 GER250-D ZP15 GER300-D ZP15 GER400-D ZP15	1.0 1.5 2.0 2.5 3.0 4.0	5.1 5.1 5.1 5.1 5.1 5.1
	SIGER2020D-EH SIGER2525D-EH	— —	14.3 16.7
	7GR100 ZP15 7GR150 ZP15 7GR200 ZP15	1.0 1.5 2.0	2.6 2.6 2.6
	SNGR08J07 SNGR10K07 Spring Steel SNGR10K07	— — —	8.6 8.6 9.6
	8GR200 ZP15 8GR300 ZP15	2.0 3.0	2.9 2.9
	SNGR10K08 SNGR12M08 Spring Steel SNGR10K08	— — —	8.6 9.0 11.9
	9GR100 ZP15 9GR200 ZP15 9GR250 ZP15 9GR300 ZP15	1.0 2.0 2.5 3.0	3.0 3.0 3.0 3.0
	SNGR12M09 SNGR16Q09 SNGR20R09	— — —	9.0 11.0 13.1



Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn





<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	Width	USD
 Castio haearn A chaledu Peiriannau Gorffen Deunyddiau	MGMN150 CBN1	1.5	6.9
	MGMN200 CBN1	2.0	6.9
	MGMN250 CBN1	2.5	6.9
	MGMN300 CBN1	3.0	6.9
	MGMN400 CBN1	4.0	6.9
 Copr Ac Alwminiwm Peiriannau Gorffen	MGMN150 PCD1	1.5	6.9
	MGMN200 PCD1	2.0	6.9
	MGMN250 PCD1	2.5	6.9
	MGMN300 PCD1	3.0	6.9
	MGMN400 PCD1	4.0	6.9
 Prosesu grisiau / torri i fwrdd	MGGN300 ZP15	3.0	1.6
	MGGN400 ZP15	4.0	1.7
 8° Taper Prosesu Torri Ymaith	MGGN200-Q ZP15	2.0	1.7
	MGGN300-Q ZP15	3.0	1.7
 Copper or Aluminium Prosesu grisiau / torri i fwrdd	MGGN200 ZK01	2.0	1.7
	MGGN300 ZK01	3.0	1.9
	MGGN400 ZK01	4.0	2.3
 Prosesu grisiau / torri i fwrdd	MGGN150 ZP30	1.5	1.7
	MGGN200 ZP30	2.0	1.7
	MGGN250 ZP30	2.5	1.7
	MGGN300 ZP30	3.0	1.7
	MGGN400 ZP30	4.0	2.0
	MGGN500 ZP30	5.0	2.7
 8° Taper Prosesu Torri Ymaith	MGGN150R-8 ZP30	1.5	1.7
	MGGN200R-8 ZP30	2.0	1.7
	MGGN250R-8 ZP30	2.5	1.9
	MGGN300R-8 ZP30	3.0	2.0
	MGGN400R-8 ZP30	4.0	2.4
	MGGN500R-8 ZP30	5.0	3.1
 8° Taper Prosesu Torri Ymaith	MGGN150L-8 ZP30	1.5	1.7
	MGGN200L-8 ZP30	2.0	1.7
	MGGN250L-8 ZP30	2.5	1.9
	MGGN300L-8 ZP30	3.0	2.0
	MGGN400L-8 ZP30	4.0	2.4
 -G -M Copper or Aluminium Prosesu grisiau / torri i fwrdd	MGMN150-G ZK01	1.5	1.7
	MGMN200-G ZK01	2.0	1.7
	MGMN200-M ZK01	2.0	1.7
	MGMN300-M ZK01	3.0	1.7
	MGMN400-M ZK01	4.0	2.0
 Cermet Canolig a Gain Mae Gorffeniad Da ar y Rhannau Dur	MGMN200-G ZN60	2.0	1.4
	MGMN300-M ZN60	3.0	1.7
	MGMN400-M ZN60	4.0	2.0
	MGMN500-M ZN60	5.0	2.7
 -H -T Dur Di-staen Prosesu grisiau / torri i fwrdd	MGMN200-T ZP30	2.0	1.6
	MGMN300-T ZP30	3.0	1.6
	MGMN400-T ZP30	4.0	2.0
 -G -M Grove Steel / Prosesu Torri Ymaith	MGMN300-H ZP30	3.0	1.6
	MGMN200-G ZP20	2.0	1.6
	MGMN250-G ZP20	2.5	1.6
	MGMN250-M ZP20	2.5	1.6
	MGMN300-M ZP20	3.0	1.6
	MGMN400-M ZP20	4.0	2.0
 -G -M Grove dur caled / Prosesu Torri Ymaith	MGMN150-G ZP30	1.5	1.6
	MGMN200-M ZP30	2.0	1.6
	MGMN200-G ZP30	2.0	1.6
	MGMN250-M ZP30	2.5	1.6
	MGMN250-G ZP30	2.5	1.6
	MGMN300-M ZP30	3.0	1.6
	MGMN400-M ZP30	4.0	2.0
	MGMN500-M ZP30	5.0	2.7

Lluniau Cynnyrch	Manyleb	Width	USD
 -G -M Gorffen yn Grooving Profilio Rhannau Dur	MRMN200-G ZP30	R1.0	1.6
	MRMN200-M ZP30	R1.0	1.6
 Castio haearn A chaledu Peiriannau Gorffen Deunyddiau	MRMN300-M ZP30	R1.5	1.6
	MRMN400-M ZP30	R2.0	2.0
 MRMN400 CBN1		R2.0	6.9
 MGEHR1010-1.5 MGEHR1010-2 MGEHR1212-1.5 MGEHR1212-2 MGEHR1212-3 MGEHR1616-1.5 MGEHR1616-2 MGEHR1616-2.5 MGEHR1616-3 MGEHR1616-4 MGEHR2020-1.5 MGEHR2020-2 MGEHR2020-2.5 MGEHR2020-3 MGEHR2020-4 MGEHR2020-5 MGEHR2020-6 MGEHR2525-1.5 MGEHR2525-2 MGEHR2525-2.5 MGEHR2525-3 MGEHR2525-4 MGEHR2525-5 MGEHR2525-6 MGEHR3232-2 MGEHR3232-3 MGEHR3232-4 MGEHR3232-5 MGEHR3232-6		1.5 2.0 1.5 2.0 3.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 1.5 2.0 2.5 3.0 4.0 5.0 6.0 2.0 3.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 8.3 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 16.4 17.9
 Groesyd silindraidd / toriad			
 Spring Steel			
 Groesyd silindraidd / toriad			
 Groesyd silindraidd / toriad			
 MGEHL1010-1.5 MGEHL1010-2 MGEHL1212-1.5 MGEHL1212-2 MGEHL1616-1.5 MGEHL1616-2 MGEHL1616-2.5 MGEHL1616-3 MGEHL1616-4 MGEHL2020-1.5 MGEHL2020-2 MGEHL2020-2.5 MGEHL2020-3 MGEHL2020-4 MGEHL2020-5 MGEHL2525-2 MGEHL2525-2.5 MGEHL2525-3 MGEHL2525-4 MGEHL2525-5 MGEHL2525-6 MGEHL3232-3 MGEHL3232-4 MGEHL3232-5 MGEHL3232-6		1.5 2.0 1.5 2.0 1.5 2.0 2.5 3.0 4.0 1.5 2.0 2.5 3.0 4.0 5.0 2.0 2.5 3.0 4.0 5.0 6.0 3.0 4.0 5.0 4.0 5.0 6.0	9.0 9.0 9.0 9.0 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 9.0 9.0 9.0 9.0 9.0 10.7 16.4 16.4 16.4 16.4 17.9

Offeryn Troi Wyneb Diwedd / Rhwbio Twll Mewnol **MaiFix®**

End Face/Cychod Twll Mewnol Turning Tool

Lluniau Cynnyrch	Manyleb	Width	USD
	MGHH320R-35/48	3.0	19.0
	MGHH320R-48/66	3.0	19.0
	MGHH320R-64/100	3.0	19.0
	MGHH320R-98/160	3.0	19.0
	MGHH320R-160/400	3.0	19.0
	MGHH325R-35/48	3.0	28.6
	MGHH325R-48/60	3.0	28.6
	MGHH325R-60/75	3.0	28.6
	MGHH325R-64/100	3.0	28.6
	MGHH325R-100/140	3.0	28.6
	MGHH325R-160/400	3.0	28.6
	MGHH325R-200/800	3.0	28.6
	MGHH420R-48/60	4.0	19.0
	MGHH420R-60/75	4.0	19.0
	MGHH420R-64/100	4.0	19.0
	MGHH420R-98/160	4.0	19.0
	MGHH420R-160/400	4.0	19.0
	MGHH425R-48/66	4.0	28.6
	MGHH425R-64/100	4.0	28.6
	MGHH425R-100/140	4.0	28.6
	MGHH425R-160/400	4.0	28.6
	MGHH425R-200/800	4.0	28.6
Spring Steel			
	MGHH320R13-30/50	3.0	21.9
	MGHH320R15-50/80	3.0	21.9
	MGHH320R17-80/160	3.0	21.9
	MGHH320R18-160/400	3.0	21.9
	MGHH325R18-160/400	3.0	23.9
	MGHH420R15-30/50	4.0	21.9
	MGHH420R18-50/80	4.0	21.9
	MGHH420R20-80/160	4.0	21.9
	MGHH425R15-30/50	4.0	23.9
	MGHH425R18-50/80	4.0	23.9
	MGHH425R20-80/160	4.0	23.9
	MGHH425R20-160-400	4.0	23.9
Spring Steel			
	MFH216R08-20/140	2.0	16.7
	MFH320R10-25/140	3.0	21.4
	MFH325R10-25/140	3.0	24.6
	MFH420R12-25/140	4.0	21.4
	MFH425R08-25/140	4.0	24.6
	MFH425R10-25/140	4.0	24.6
Spring Steel			
	MGEVR1616-2	2.0	8.6
	MGEVR1616-2.5	2.5	8.6
	MGEVR1616-3	3.0	8.6
	MGEVR1616-4	4.0	8.6
	MGEVR2020-2	2.0	8.6
	MGEVR2020-2.5	2.5	8.6
	MGEVR2020-3	3.0	8.6
	MGEVR2020-4	4.0	8.6
	MGEVR2525-3	3.0	11.0
Croesfan silindrog			
	MGEVL1616-2	2.0	8.6
	MGEVL1616-2.5	2.5	8.6
	MGEVL1616-3	3.0	8.6
	MGEVL1616-4	4.0	8.6
	MGEVL2020-2	2.0	8.6
	MGEVL2020-2.5	2.5	8.6
	MGEVL2020-3	3.0	8.6
	MGEVL2020-4	4.0	8.6
	MGEVL2525-3	3.0	11.0
Croesfan silindrog			


Lluniau Cynnyrch	Manyleb	Width	USD
	MGIVR2016-1.5	1.5	9.3
	MGIVR2016-2	2.0	9.3
	MGIVR2016-2.5	2.5	9.3
	MGIVR2016-3	3.0	9.3
	MGIVR2520-1.5	1.5	11.0
	MGIVR2520-2	2.0	11.0
	MGIVR2520-2.5	2.5	11.0
	MGIVR2520-3	3.0	11.0
	MGIVR2520-4	4.0	11.0
	MGIVR3125-1.5	1.5	13.1
	MGIVR2925-2	2.0	13.1
	MGIVR3125-3	3.0	13.1
	MGIVR3125-4	4.0	13.1
	MGIVR3125-5	5.0	13.1
	MGIVR3732-3	3.0	26.1
	MGIVR3732-4	4.0	26.1
	MGIVR3732-5	5.0	26.1
	MGIVR3732-6	6.0	26.1
Spring Steel			
	MGIVR2520-3T8	3.0	15.4
	MGIVR2520-4T8	4.0	15.4
Spring Steel			
	MGIVL2016-1.5	1.5	9.3
	MGIVL2016-2	2.0	9.3
	MGIVL2016-2.5	2.5	9.3
	MGIVL2016-3	3.0	9.3
	MGIVL2316-3	3.0	9.3
	MGIVL2520-1.5	1.5	11.0
	MGIVL2520-2	2.0	11.0
	MGIVL2520-2.5	2.5	11.0
	MGIVL2520-3	3.0	11.0
	MGIVL2520-4	4.0	11.0
	MGIVL2925-2	2.0	13.1
	MGIVL3125-3	3.0	13.1
	MGIVL3125-4	4.0	13.1
	MGIVL3125-5	5.0	13.1
	MGIVL3732-3	3.0	26.1
	MGIVL3732-4	4.0	26.1
	MGIVL3732-5	5.0	26.1



Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.





Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn


<http://www.mzg.tw>

Lluniau Cynnyrch	Size	USD
 S Offeryn Troi Math Silindraidd	1010E	5.4
	1212F	5.3
	1616H	5.4
	2020K	6.0
	2525M	8.3
	3232P	14.7
	4040R	21.9
 M Offeryn Troi Math Silindraidd	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	14.7
	4040R	29.0
 W Offeryn Troi Math Silindraidd	1616H	6.7
	2020K	6.7
	2525M	8.6
	3232P	16.4
	4040R	32.4
 D Offeryn Troi Math Silindraidd	1616H	9.3
	2020K	9.3
	2525M	11.0
	3232P	14.6
	4040R	36.0
 S Teipwch yr Offeryn Deill Tll Mewnol	S06K	5.4
	S07K	4.6
	S08K	4.6
	S10K	4.6
	S12M	5.0
	S14N	5.4
	S16Q	5.7
	S18Q	6.4
	S20R	6.4
	S25S	9.7
	S32T	14.6
	S40U	25.4
	S07	5.4
	S08	5.4
 H Teipwch yr Offeryn Deill Tll Mewnol	S10	5.4
	S12	6.9
	S16	8.6
	S20	9.7
	S06	14.6
	S07	14.6
	S08	14.6
	S10	16.4
	S12	18.1
	S14	20.0
 C Teipwch yr Offeryn Deill Tll Mewnol	S16	21.7
	S18	34.6
	S20	43.6
	S25	65.0
	C04G	19.0
	C05G	19.0
	C06J	19.0
	C07K	19.0
	C08K	22.6
	C10K	26.1
 S.M.. Teipwch yr Offeryn Deill Tll Mewnol	C12M	33.3
	C14N	52.4
	C16Q	69.0
	C18Q	81.0
	C20R	95.3
	C25S	204.7
	C32T	452.4
	S16Q	8.3
	S20R	8.6
	S25S	11.0
	S32T	16.4
	S40T/U	28.9
	S50V	72.1

Lluniau Cynnyrch	Size	USD
 ZQ.. Teipwch Offer Troi Ymadael	1616H	6.4
	2020K	6.4
	2525M	8.9
	3232P	16.4
	SPB226	11.9
 SPB.. Teipwch Offer Troi Ymadael	SPB326	11.9
	SPB426	11.9
	SPB232	14.3
	SPB332	14.3
	SPB432	14.3
 SLTBN.. Teipwch Offer Troi Ymadael	1616	22.6
	2020	22.6
	2525	22.6
	3232	29.7
	MGEHR/L.. Teipwch y toriad /Offeryn Troi Crog	
 MGMN.. Teipwch Offer Troi Ymadael	1010	7.1
	1212	7.1
	1616	6.4
	2020	6.4
	2525	8.9
 MGEHR/L.. Teipwch y toriad /Offeryn Troi Crog	3232	16.4
	1010	9.6
	1212	9.6
	1616	8.9
	2020	9.6
 MGMN.. Teipwch Offer Troi Ymadael	2525	11.0
	1616	8.6
	2020	8.6
	2525	11.0
	MGEVR/L.. Teipwch Offer Troi Groesi	
 MGMN.. Teipwch Offer Troi Ymadael	16	9.3
	20	11.0
	25	13.1
	32	25.7
	40	54.3
 CGWSR/L.. Teipwch y toriad /Offeryn Troi Crog	20	15.4
	1616H	9.6
	2020K	10.7
	1616	10.3
	2020	10.3
 GY2M.. Teipwch Offer Troi Ymadael	2525	11.9
	1616	10.3
	2020	10.3
	2525	11.9
	GYHR/L.. Teipwch y toriad /Offeryn Troi Crog	
 KGMR/L.. Teipwch y toriad /Offeryn Troi Crog	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
	2525	12.9
 GMN.. Teipwch Offer Troi Ymadael	3232	20.0
	1010	10.3
	1212	10.3
	1616	9.3
	2020	11.0
 TDC.. Teipwch Offer Troi Ymadael	2525	12.9
	3232	20.0
	1010	10.3
	1212	10.3
	1616	9.3
 TTR/L.. Type Inner Hole Offeryn Troi Crog	2020	11.0
	2525	12.9
	3232	20.0
	16	14.3
	20	16.7
 TDC.. Teipwch Offer Troi Ymadael	25	19.0

Lluniau Cynnyrch	Size	USD
 KTGFR/L.. Teipwch Offer Troi Groesi	1010	6.7
	1212	6.7
	1616	6.7
	2020	6.7
	2525	9.0
 KTGFR/L.. Teipwch Offer Troi Groesi	1010	11.9
	1212	11.9
	1616	11.9
	2020	13.1
	2525	15.4
 TGF.. Teipwch Offer Troi Groesi	1010	7.1
	1212	7.1
	1616	7.1
	2020	7.1
	2525	9.3
 KTGFSR/L.. Teipwch Offer Troi Groesi	1616	6.7
	2020	6.7
	2525	8.9
	1616	9.0
	2020	9.0
 GBA.. Teipwch Offer Troi Groesi	2525	11.9
	1616	9.0
	2020	9.0
	2525	11.9
	SGBSR/L.. Teipwch Offer Troi Groesi	
 GBA.. Teipwch Offer Troi Groesi	1616	9.3
	2020	13.1
	2525	16.4
	3232	21.9
	CGBR/L.. Teipwch Offer Troi Groesi	
 GBA.. Teipwch Offer Troi Groesi	1616	11.9
	2020	14.3
	2525	17.9
	1616H	9.3
	2020K	11.0
 QE..R/L.. Teipwch y toriad /Offeryn Troi Crog	2525M	12.6
	3232P	20.0
	1616	15.3
	2020	16.9
	2525	20.4
 DGTR/L.. Teipwch y toriad /Offeryn Troi Crog	1616	28.6
	2020	28.6
	2525	32.4
	1616	23.9
	2020	21.9
 FGHH..R/L.. Teipwch Offer Troi Groesi	2525	23.9
	1616	35.7
	2020	38.1
	2525	42.9
	MGHH.. Teipwch Offer Troi Groesi	
 FMN.. Teipwch Offer Troi Groesi	1616	23.9
	2020	21.9
	2525	23.9
	1616	23.9
	2020	21.9
 MGHH.. Teipwch Offer Troi Groesi	2525	23.9
	1616	23.9
	2020	21.9
	2525	23.9
	Spring Steel	

Lluniau Cynnyrch	Size	USD
	MC0903 MC1204 MC1604 MC1904	0.4 0.6 1.1 1.6
C-Math Shim		
	MD1103 MD1504 MD1506	0.4 1.0 1.1
D-Math Shim		
	MS0903 MS1204 MS1504 MS1904	0.6 0.6 1.1 1.6
S-Math Shim		
	MT1603 MT1604 MT2204	0.3 1.1 1.1
T-Math Shim		
	MV1603	0.6
V-Math Shim		
	MW0603 MW0804	0.4 0.6
W-Math Shim		
	STM16R STM16L STM22R STM22L	0.3 0.3 1.0 1.0
STM-Math Shim		
	CTM510 CTM513 CTM613 CTM617 CTM619 CTM515-T CTM618-W CTM0822 CTM0822 CTM1022 CTM1022	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.7 0.3 0.3 0.7
Sgriw Pin Canolfan		
	M2. 0X5 M2. 2X5 M2. 5X5 M2. 5X6 M2. 5X8 M3. 0X8 M3. 5X10 M3. 5X12 M4. 0X8 M4. 0X10 M4. 5X12 M5. 0X10 M5. 0X12	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Sgriw Offeryn Blodau Blodau		


Lluniau Cynnyrch	Size	USD
	HL1810 HL1814 HL1917 HL2114 HL2217 HL2217 HL2414	0.4 0.4 0.4 0.4 0.4 1.0 0.4
M-Math Clamp		
	ML520 ML620 ML625 ML630 ML830	0.3 0.3 0.3 0.3 0.8
M-Sgriw Math Clamp		
	WT16 WW08	0.4 0.4
W-Math Clamp		
	WC0525E WC0625E	0.4 0.4
W-Sgriw Math Clamp		
	DC12 DD15 DT16 DV16 DW08	1.0 1.0 1.0 1.0 1.0
D-Math Clamp		
	DL525 DL625	0.7 0.7
D-Sgriw Math Clamp		
	DDC12 DDD15 DDT16 DDV16 DDW08	0.5 0.5 0.5 0.5 0.5
D-Math Shim Screw		
	L1.5 L2.0 L2.5 L3.0 L4.0 L5.0	0.2 0.2 0.2 0.2 0.2 0.3
L-Teipiwch Hexagon Spanner		
	TL1.5 TL2.0 TL2.5 TL3.0 TL4.0 TL5.0	1.0 1.0 1.0 1.0 1.0 1.0
T-Teipiwch Hexagon Spanner		
	T6 T7 T8 T10 T15 T20	0.2 0.2 0.2 0.2 0.2 0.2
Ffos Plum â Siâp Baner		
	T6 T7 T8 T10 T15 T20	0.8 0.8 0.8 0.8 0.8 0.8
Ffos Plum â Siâp Baner		
	TT6 TT7 TT8 TT10 TT15 TT20	1.0 1.0 1.0 1.0 1.0 1.0
Wrench Plum T-Type		

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	R	USD
 Gorffeniad Deunyddiau Haearn Bwrw a Chaledi	APKT113502 CBN1 APKT113504 CBN1 APKT113508 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Gorffeniad Deunyddiau Haearn Bwrw a Chaledi	APKT160402 CBN1 APKT160404 CBN1 APKT160408 CBN1	0.2 0.4 0.8	6.9 6.9 6.9
 Gorffeniad Copper and Aluminum	APKT113502 PCD1 APKT113504 PCD1 APKT113508 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Gorffeniad Copper and Aluminum	APKT160402 PCD1 APKT160404 PCD1 APKT160408 PCD1	0.2 0.4 0.8	6.9 6.9 6.9
 Gorffeniad Canolig o Copper and Aluminum	APKT1135PDER-AL ZK01 APKT1604PDER-G2 ZK01	0.8 0.8	1.4 1.9
 Gorffeniad Copper and Aluminum	APKT1604-AL ZK01	0.2	1.9
 Cermet Canolig A Dur Gain Rhannau wedi gorffennu da	APMT1135-TG ZN60 APMT1604-TG ZN60	0.8 0.8	1.4 1.9
 Peiriannu Gorffeniad Canolig	APMT1135PDER-M2 ZP25 APMT1604PDER-M2 ZP25	0.8 0.8	1.1 1.9
 Peiriannu Garw Canolig	APMT1135PDER-H2 ZP25 APMT1604PDER-H2 ZP25	0.8 0.8	1.1 1.9
 Prosesu mewn Deunydd Cyffredinol	APMT1135PDER-XM ZP25 APMT1604PDER-XM ZP25	0.8 0.8	1.1 1.9
 Prosesu Caledwch Uchel i HRC 62°	APMT1135PDER ZM90 APMT1604PDER ZM90	0.8 0.8	2.0 2.7
 Prosesu mewn Deunydd Cyffredinol	APMT1135PDER ZP20 APMT1604PDER ZP20	0.8 0.8	1.6 2.3
 Prosesu mewn Deunydd Cyffredinol	APMT1135PDER ZP30 APMT1604PDER ZP30	0.8 0.8	1.6 2.3
 Prosesu mewn Deunydd Cyffredinol	APMT1135PDER ZP60 APMT1604PDER ZP60	0.8 0.8	1.4 1.7

Torri torrwr melino diwedd y math o ddannedd dan glo
Locking Tooth Type Right-Angle End Milling Cutter



Manyleb D x T x M	Pris USD
BAP3-11-1T-M5	23.9
BAP3-13-1T-M6	23.9
BAP3-15-2T-M8	23.9
BAP3-16-2T-M8	28.6
BAP3-17-2T-M8	28.6
BAP3-20-2T-M10	31.0
BAP3-21-2T-M10	31.0
BAP3-25-3T-M12	33.3
BAP3-25-4T-M12	35.7
BAP3-26-2T-M12	33.3
BAP3-26-3T-M12	33.3
BAP3-26-4T-M12	35.7
BAP4-25-2T-M12	33.3
BAP4-26-2T-M12	33.3
BAP4-30-2T-M16	38.1
BAP4-30-3T-M16	40.4
BAP4-32-2T-M16	38.1
BAP4-32-3T-M16	40.4
BAP4-35-3T-M16	42.9



Manyleb D x d x T	Pris USD
BAP300R 40-22-4T	11.9
BAP300R 50-22-4T	15.3
BAP300R 63-22-6T	20.4
BAP400R 40-22-3T	10.3
BAP400R 50-22-4T	10.3
BAP400R 63-22-4T	11.9
BAP400R 80-27-6T	20.4
BAP400R 100-32-6T	32.4
BAP400R 125-40-7T	51.0
BAP400R 160-40-8T	61.1
BAP400R 200-40-10T	119.0
BAP400R 250-40-12T	187.1
BAP400R 300-60-14T	238.1
BAP400R 50-25.4-4T	11.9
BAP400R 63-25.4-4T	15.3
BAP400R 80-25.4-6T	23.9
BAP400R 100-31.75-6T	35.7

Torrwr Melino Melinau Alwminiwm Al-BAP AL-BAP
AL-BAP Aluminum Right-Angle End Milling Cutter



Manyleb D x d x T	Pris USD
AL-BAP400R 50-22-4T	16.9
AL-BAP400R 63-22-4T	22.1
AL-BAP400R 80-22-6T	30.7
AL-BAP400R 100-22-6T	54.6
AL-BAP400R 125-27-7T	85.0
AL-BAP400R 160-27-8T	95.3
AL-BAP400R 200-27-10T	204.0
AL-BAP400R 250-32-12T	272.1
AL-BAP400R 300-32-14T	340.3

Deiliad Torrwr Melinau Diwedd y Bwlch i'r Beddill Wedi'i Waredu
Discarded Right-Angle End Milling Cutter Toolholder



Manyleb d x D x L	Pris USD
BAP300R C10-10-120-1T	3.3
BAP300R C10-11-120-1T	3.3
BAP300R C12-12-130-1T	3.3
BAP300R C12-13-130-1T	3.3
BAP300R C14-14-130-2T	4.6
BAP300R C14-14-150-2T	4.6
BAP300R C15-15-150-2T	4.6
BAP300R C15-15-200-2T	5.4
BAP300R C15-16-150-2T	4.6
BAP300R C15-16-200-2T	5.4
BAP300R C15.6-16-150-2T	4.6
BAP300R C15.6-16-200-2T	5.4
BAP300R C16-16-120-2T	4.6
BAP300R C16-16-150-2T	4.6
BAP300R C16-16-200-2T	5.4
BAP300R C16-16-250-2T	9.6
BAP300R C16-17-120-2T	4.6
BAP300R C16-17-150-2T	4.6
BAP300R C16-17-200-2T	5.4
BAP300R C16-17-250-2T	9.6
BAP300R C16-18-150-2T	5.4
BAP300R C16-18-200-2T	6.1
BAP300R C19-20-150-2T	5.4
BAP300R C19-20-200-2T	6.1
BAP300R C20-20-120-2T	5.4
BAP300R C20-20-150-2T	5.4
BAP300R C20-20-200-2T	6.1
BAP300R C20-20-250-2T	9.6
BAP300R C20-21-120-2T	5.4
BAP300R C20-21-150-2T	5.4
BAP300R C20-21-200-2T	6.1
BAP300R C20-21-250-2T	9.6
BAP300R C24-25-150-3T	10.3
BAP300R C24-25-200-3T	11.9
BAP300R C24-25-250-3T	14.3
BAP300R C24-25-300-3T	20.4
BAP300R C25-25-150-3T	10.3
BAP300R C25-25-200-3T	11.9
BAP300R C25-25-250-3T	14.3
BAP300R C25-25-300-3T	20.4
BAP300R C25-25-150-2T	7.4
BAP300R C25-25-200-2T	8.9
BAP300R C25-25-250-2T	11.9
BAP300R C25-25-300-2T	19.0
BAP400R C24-25-150-2T	7.9
BAP400R C24-25-200-2T	9.6
BAP400R C24-25-250-2T	11.9
BAP400R C24-25-300-2T	19.0
BAP400R C25-25-150-2T	7.9
BAP400R C25-25-200-2T	9.6
BAP400R C25-25-250-2T	11.9
BAP400R C25-25-300-2T	19.0
BAP400R C25-26-150-2T	7.9
BAP400R C25-26-200-2T	9.6
BAP400R C25-26-250-2T	11.9
BAP400R C25-26-300-2T	19.0
BAP400R C25-30-150-2T	10.3
BAP400R C25-30-200-2T	11.9
BAP400R C25-30-250-2T	16.9
BAP400R C25-30-300-2T	20.4
BAP400R C32-32-150-3T	13.6
BAP400R C32-32-200-3T	15.3
BAP400R C32-32-250-3T	18.9
BAP400R C32-32-300-3T	23.9
BAP400R C32-32-350-3T	27.1
BAP400R C32-32-400-3T	35.7
BAP400R C32-35-150-3T	13.6
BAP400R C32-35-200-3T	15.3
BAP400R C32-35-250-3T	19.7
BAP400R C32-35-300-3T	23.9
BAP400R C32-35-350-3T	27.1
BAP400R C32-35-400-3T	35.7
BAP400R C32-40-150-3T	15.3
BAP400R C32-40-200-3T	17.6
BAP400R C32-40-250-3T	22.1
BAP400R C32-40-300-3T	25.4
BAP400R C32-40-350-3T	30.7
BAP400R C32-40-400-3T	39.0
BAP400R C32-50-150-4T	22.1
BAP400R C32-50-200-4T	27.1

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.


Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Torrwr Melino Melin Rownd wedi'i Glampio â Pheiriant Machine-Clamped Round Nose Milling Cutter

MaiFix®

Lluniau Cynnyrch	Manyleb	R	Pris
	RDMW1204MOT-PM ZP30	R6	1.7
Prosesu mewn Deunydd Cyffredinol	RDMW1605MOT-PM ZP30	R8	2.4
	RPGT1003-AL ZK01	R5	1.9
Gortfeniad Canolig o Copper and Aluminium			
	RPMW1003MO ZN60	R5	1.6
Cermet Canol A Dur Gain Rhannau wedi gortfeniadau	RPMW1003 ZN60 Non Chamfering	R5	1.3
	RPMT1204MO ZN60	R6	1.9
	RPMT08T2-JS ZP25	R4	1.1
Prosesu mewn Deunydd Cyffredinol	RPMT10T3-JS ZP25	R5	1.4
	RPMT1204MO ZM90	R6	2.0
Prosesu Caledwch Uchel i HRC 62 °			
	RPMT1204MO ZP30	R6	1.7
Prosesu mewn Deunydd Cyffredinol			
	RPMT1204MO ZP60	R6	1.7
Prosesu mewn Deunydd Cyffredinol			
	RPMT1204-XM ZP25	R6	1.3
Prosesu mewn Deunydd Cyffredinol			
	RPMW1003MO ZM90	R5	1.7
Prosesu Caledwch Uchel i HRC 62 °			
	RPMW1003MO ZP20	R5	1.3
Prosesu mewn Deunydd Cyffredinol			
	RPMW1003MO ZP30	R5	1.3
Prosesu mewn Deunydd Cyffredinol			
	RPMW1003MO ZP60	R5	1.3
Prosesu mewn Deunydd Cyffredinol			
	RPMW1003-XM ZP25	R5	1.3
Prosesu mewn Deunydd Cyffredinol			

Torri torrwr melino mannu cylch trwyn o fath math cloi
Locking Tooth Type Round Nose End Milling Cutter




Defnyddiwr Torrwr Melino Diwedd Rownd wedi'i Waredu
Discarded Round Nose End Milling Cutter Toolholder



Manyleb D x T x M	Pris USD
EMRR4-16-2T-M8	28.6
EMRR4-17-2T-M8	28.6
EMRR4-20-2T-M10	31.0
EMRR4-21-2T-M10	31.0
EMRR4-25-2T-M12	33.3
EMRR4-26-2T-M12	33.3
EMRR4-25-3T-M12	35.7
EMRR4-26-3T-M12	35.7
EMRR5-20-2T-M10	31.0
EMRR5-21-2T-M10	31.0
EMRR5-25-2T-M12	33.3
EMRR5-26-2T-M12	33.3
EMRR5-30-2T-M16	38.1
EMRR5-32-2T-M16	38.1
EMRR5-30-3T-M12	40.4
EMRR5-32-3T-M12	40.4
EMRR5-35-3T-M16	42.9
EMRR6-25-2T-M12	33.3
EMRR6-26-2T-M12	33.3
EMRR6-30-2T-M16	38.1
EMRR6-32-2T-M16	38.1
EMRR6-35-3T-M16	42.9

Cutter Melino Melin Ddur EMR Steel Rownd
EMR Steel Round Nose End Milling Cutter



Manyleb D x d x T	Pris USD
EMR 5R50-22-4T	10.3
EMR 5R63-22-4T	11.9
EMR 5R80-27-6T	20.4
EMR 5R100-32-6T	32.4
EMR 5R125-40-7T	51.0
EMR 5R160-40-8T	61.1
EMR 5R50-25.4-4T	11.9
EMR 5R63-25.4-4T	15.3
EMR 5R80-25.4-6T	23.9
EMR 5R100-31.75-6T	35.7
EMRW 6R50-22-4T	10.3
EMRW 6R63-22-4T	11.9
EMRW 6R80-27-6T	20.4
EMRW 6R100-32-6T	32.4
EMRW 6R125-40-7T	51.0
EMRW 6R160-40-8T	61.1
EMR 6R200-40-10T	119.0
EMR 6R250-40-12T	187.1
EMR 6R300-60-14T	238.1
EMRW 6R50-25.4-4T	11.9
EMRW 6R63-25.4-4T	15.3
EMRW 6R80-25.4-6T	23.9
EMRW 6R100-31.75-6T	35.7

The Above Manyleb Are RP.. Inserts,
RC.. / RD.. Mewn nosod a thrin, holwch!


The Above Manyleb Are RP.. Inserts,
RC.. / RD.. Inserts and handle, please inquire!

Manyleb D x D x L x T	Pris USD
EMR C10-4R10-120-1T	3.3
EMR C12-4R12-130-1T	3.3
EMR C12-4R13-130-1T	3.3
EMR C16-4R16-150-2T	5.0
EMR C16-4R16-200-2T	6.1
EMR C16-4R17-150-2T	5.0
EMR C16-4R17-200-2T	6.1
EMR C19-4R20-150-2T	6.1
EMR C19-4R20-200-2T	6.9
EMR C20-4R20-150-2T	6.1
EMR C20-4R20-200-2T	6.9
EMR C20-4R20-250-2T	11.9
EMR C20-4R21-150-2T	6.1
EMR C20-4R21-200-2T	6.9
EMR C19-5R20-150-2T	6.1
EMR C19-5R20-200-2T	7.4
EMR C20-5R20-150-2T	6.1
EMR C20-5R20-200-2T	7.4
EMR C20-5R21-150-2T	6.1
EMR C20-5R21-200-2T	7.4
EMR C20-5R21-250-2T	11.9
EMR C20-5R25-150-2T	7.9
EMR C20-5R25-200-2T	9.6
EMR C20-5R25-250-2T	11.9
EMR C20-5R30-110-2T	7.9
EMR C24-5R25-150-2T	7.9
EMR C24-5R25-200-2T	9.6
EMR C24-5R25-250-2T	13.6
EMR C24-5R25-300-2T	19.0
EMR C25-5R25-150-2T	7.9
EMR C25-5R25-200-2T	9.6
EMR C25-5R25-250-2T	13.6
EMR C25-5R25-300-2T	19.0
EMR C25-5R26-150-2T	7.9
EMR C25-5R26-200-2T	9.6
EMR C25-5R26-250-2T	13.6
EMR C25-5R26-300-2T	19.0
EMR C25-5R30-150-2T	10.3
EMR C25-5R30-200-2T	11.9
EMR C25-5R30-250-2T	13.6
EMR C25-5R30-300-2T	19.0
EMR C32-5R35-150-3T	13.6
EMR C32-5R35-200-3T	15.3
EMR C32-5R35-250-3T	18.9
EMR C32-5R35-300-3T	23.9
EMR C32-5R35-350-3T	28.9
EMR C32-5R35-400-3T	39.0
EMR C32-5R40-150-3T	15.3
EMR C32-5R40-200-3T	18.9
EMR C32-5R40-250-3T	20.4
EMR C32-5R40-300-3T	23.9
EMR C32-5R40-350-3T	30.7
EMR C32-5R40-400-3T	39.0
EMR C32-5R50-150-4T	23.9
EMR C32-5R50-200-4T	27.1
EMRW C25-5R25-150-2T	7.9
EMRW C25-5R25-200-2T	9.6
EMRW C25-5R25-250-2T	15.3
EMRW C25-5R30-150-2T	10.3
EMRW C25-5R30-200-2T	11.9
EMRW C25-5R30-250-2T	16.9
EMRW C32-5R35-150-3T	13.6
EMRW C32-5R35-200-3T	15.3
EMRW C32-5R35-250-3T	18.9
EMRW C32-5R35-300-3T	27.1
EMRW C25-6R32-150-2T	10.3
EMRW C25-6R32-200-2T	11.9
EMRW C25-6R32-250-2T	16.9
EMRW C25-6R32-300-2T	20.4
EMRW C32-6R32-150-2T	13.6
EMRW C32-6R32-200-2T	15.3
EMRW C32-6R32-250-2T	18.9
EMRW C32-6R32-300-2T	23.9
EMRW C32-6R32-350-2T	27.1
EMRW C32-6R32-400-2T	30.7
EMRW C32-6R35-150-2T	15.3
EMRW C32-6R35-200-2T	16.9
EMRW C32-6R35-250-2T	20.4
EMRW C32-6R35-300-2T	27.1
EMRW C32-6R32-350-2T	28.9
EMRW C32-6R32-400-2T	32.4
EMRW C32-6R40-150-3T	16.9
EMRW C32-6R40-200-3T	19.7
EMRW C32-6R40-250-3T	22.1
EMRW C32-6R40-300-3T	27.1
EMRW C32-6R40-350-3T	30.7
EMRW C32-6R40-400-3T	39.0
EMRW C32-6R50-150-4T	23.9
EMRW C32-6R50-200-4T	27.1


Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Product Pictures	Manyleb	USD
	Gorffeniad Haearn Bwrw a Deunyddiau Caled SEHT1204AFFN CBN1	7. 1
	Gorffeniad Copper and Aluminum SEHT1204AFFN PCD1	7. 1
	Gorffeniad Canolig o Copper and Aluminum SEHT1204AFFN ZK01	1. 7
	Prosesu Garw Deunydd Cyffredinol SECA1204AFTN ZP30	3. 1
	Peiriannu Gorffeniad Canblig Deunydd Cyffredinol SEHT1204AFSN ZM90	3. 1
	Peiriannu Gorffeniad Canblig Deunydd Cyffredinol SEKT1204AFTN ZM90	3. 1

KM Steel 45° Cutter Melino Wyneb
KM Steel 45° Face Milling Cutter




Manyleb D x d x T	Pris USD
KM12-50-22-4T	11. 9
KM12-63-22-4T	15. 3
KM12-80-27-5T	25. 4
KM12-100-32-5T	35. 7
KM12-125-40-6T	51. 0
KM12-160-40-6T	61. 1
KM12-200-40-8T	136. 0
KM12-250-40-10T	204. 0
KM12 300-60-12T	255. 0
KM12-50-25. 4-4T	13. 6
KM12-63-25. 4-4T	16. 9
KM12-80-25. 4-5T	28. 9
KM12-100-31. 75-5T	39. 0

KM Aluminum 45° Face Milling Cutter
KM Aluminum 45° Face Milling Cutter



Manyleb D x d x T	Pris USD
AL-KM12-50-22-4T	16. 9
AL-KM12-63-22-4T	22. 1
AL-KM12-80-22-5T	30. 7
AL-KM12-100-22-5T	54. 6
AL-KM12-125-27-6T	85. 0
AL-KM12-160-27-6T	95. 3
AL-KM12-200-27-8T	204. 0
AL-KM12-250-32-10T	272. 1
AL-KM12 300-32-12T	340. 3
AL-KM12-50-25. 4-4T	19. 0
AL-KM12-63-25. 4-4T	23. 1
AL-KM12-80-25. 4-5T	32. 4
AL-KM12-100-31. 75-5T	54. 6

Product Pictures	Manyleb	USD
	P3200-R4 ZP10 P3200-R5 ZP10 P3200-R6 ZP10 P3200-R8 ZP10 P3200-R10 ZP10 P3200-R12. 5 ZP10 P3200-R15 ZP10 P3200-R16 ZP10	7. 4 8. 3 8. 3 9. 9 11. 9 20. 3 31. 1 40. 3
	Cutting Below HRC55 ZPFG100 ZM55 ZPFG120 ZM55 ZPFG160 ZM55 ZPFG200 ZM55 ZPFG250 ZM55 ZPFG300 ZM55	17. 1 17. 1 20. 4 23. 9 32. 4 51. 4
	Cutting Below HRC55 BNM120 ZM55 BNM160 ZM55 BNM200 ZM55 BNM250 ZM55 BNM300 ZM55	17. 1 18. 6 23. 9 32. 4 41. 0

Torri Torrwr Melino Diwedd Sfferig Math o Ddannedd
Locking Tooth Type Spherical End Milling Cutter



Manyleb D x M	Pris USD
T2139M-5R-M5	31. 0
T2139M-6R-M6	31. 0
T2139M-8R-M8	33. 3
T2139M-10R-M10	35. 7
T2139M-12. 5R-M12	38. 1
T2139M-15R-M16	40. 4







Deilydd Offer Melino Spherical End wedi'i Waredu
Discarded Spherical End Milling Toolholder



Manyleb d x D x L x T	Pris USD
T2139 C10-4R-100-1T	8. 9
T2139 C12-4R-130-1T	8. 9
T2139 C16-4R-150-1T	10. 7
T2139 C10-5R-120-1T	8. 9
T2139 C12-5R-150-1T	8. 9
T2139 C16-5R-150-1T	10. 7
T2139 C12-6R-130-1T	8. 9
T2139 C12-6R-150-1T	8. 9
T2139 C16-6R-150-1T	10. 7
T2139 C16-6R-200-1T	12. 6
T2139 C16-8R-150-1T	10. 0
T2139 C16-8R-200-1T	11. 9
T2139 C20-8R-200-1T	16. 7
T2139 C25-8R-250-1T	19. 7
T2139 C20-10R-150-1T	13. 9
T2139 C20-10R-200-1T	16. 0
T2139 C25-10R-250-1T	19. 7
T2139 C32-10R-300-1T	22. 1
T2139 C25-12. 5R-150-1T	16. 7
T2139 C25-12. 5R-200-1T	19. 6
T2139 C25-12. 5R-250-1T	22. 1
T2139 C25-12. 5R-300-1T	25. 0
T2139 C32-12. 5R-300-1T	27. 9
T2139 C32-15R-150-1T	18. 3
T2139 C32-15R-200-1T	21. 0
T2139 C32-15R-250-1T	23. 9
T2139 C32-15R-300-1T	26. 7
T2139 C32-15R-350-1T	30. 4
T2139 C32-16R-150-1T	18. 3
T2139 C32-16R-200-1T	21. 0
T2139 C32-16R-250-1T	23. 9
T2139 C32-16R-300-1T	26. 7
T2139 C32-16R-350-1T	30. 4

Manyleb	Pris USD
Insert: ZPFG ABPF C16-8R-150	23. 9
ABPF C16-8R-200	29. 7
ABPF C20-10R-150	31. 7
ABPF C20-10R-200	37. 6
ABPF C25-12. 5R-150	39. 7
ABPF C25-12. 5R-200	49. 6
ABPF C25-12. 5R-250	55. 4
ABPF C32-15R-150	45. 7
ABPF C32-15R-200	51. 7
ABPF C32-15R-250	59. 6
ABPF C32-15R-300	79. 3

Manyleb	Pris USD
Insert: BNM BNML C12-6R-130-1T	11. 9
BNML C12-6R-150-1T	11. 9
BNML C16-8R-150-1T	15. 0
BNML C16-8R-200-1T	17. 9
BNML C20-10R-150-1T	21. 0
BNML C20-10R-200-1T	23. 9
BNML C25-10R-250-1T	29. 7
BNML C25-12. 5R-150-1T	25. 0
BNML C25-12. 5R-200-1T	29. 7
BNML C25-12. 5R-250-1T	33. 3

Product Pictures	Manyleb	USD	Product Pictures	Manyleb	USD
	LNMU0303ZER-MJ			800-08A	
	PNMU0905GNEN-MJ			800-08T308M-C-G	
	PNMU0905XNER-GM			800-08T308M-I-G	
	SNMU130508EN-GM			800-09T308H-P-G	
	WNMU080608EN-SM			R390-11T308-PM	
	3PKT100408R-M 3PKT150508R-M 3PKT190608R-M			SCMT09T308-MM	
	XJMG1204			S-R215. 44-15T364M	
	HNGX0906-FF			DGN3102C	
	WNMX060312ZNN-MM WNMX09T316ZNN-MM			GRIP3003Y GRIP4004Y	
	6NGU060408R-M 6NGU090508R-M			LNKX1506-G	
	CNHX100508T CNHX131108T			WXCU080612T	
	AXMT060208R-EM			LNKX1005-Y LNKX1206-Y LNKT1507	
	BLMP0603R-M			S229. 0300. 32	
	BLMP0904R-ML			SOEX090408-13	
	BLMP1205R-M			HNPJ130720ANSN-HD	
	BLMP1306R-M			SP1RH5-LT-L	
	TNGX2207PNTN			SP1RH5-LT-D	
	ZNHU080-08			APMT1003-NN	
	SNMX1205XTN			SEKN1203AFTN-NN	
	SOMT050204-DP SOMT060204-DP SOMT070306-DP SOMT08T306-DP SOMT09T308-DP SOMT11T308-DP			SEKR1203AFTN-NN	
	AXMT123508PEERG			TPUN160308-NN	
	RPHX1204M6EN-M31			APKT150412-PM	
	XNEX080608-MD15			SPMT120408-PM	
	XOMX180608TR-M14			ONHU060408-PM ONHU08T508-PM	
				KNX-Q7-3. 5	

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tseina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn


<http://www.mzg.tw>

Mewnysod Math o Dril Cyflym

Insert Type Quick Drill

MaiFix®

Torri torrwr melino diwedd y math o ddannedd dan glo
Locking Tooth Type Right-Angle End Milling Cutter



Insert: R390-11T3..

Manyleb DxTxM	Pris USD
R39011-16-2T-M8	28.6
R39011-17-2T-M8	28.6
R39011-20-2T-M10	31.0
R39011-21-2T-M10	31.0
R39011-25-2T-M12	33.3
R39011-26-2T-M12	33.3
R39011-30-2T-M16	35.7
R39011-32-2T-M16	35.7
R39011-33-2T-M16	35.7
R39011-35-2T-M16	42.9

Torri Torrwr Melino Diwedd Sfferig Math o Ddannedd
Locking Tooth Type Spherical End Milling Cutter



Manyleb DxRxM	Pris USD
BNM-10-R5-M5	35.7
BNM-12-R6-M6	35.7
BNM-16-R8-M8	38.1
BNM-20-R10-M10	38.1
BNM-25-R12.5-M12	40.4

Torri torrwr melino diwedd y math o ddannedd dan glo
Locking Tooth Type Right-Angle End Milling Cutter



Insert: JDMT0702..

Manyleb DxTxM	Pris USD
JDMT07-11-2T-M5	35.7
JDMT07-12-2T-M5	35.7
JDMT07-12-2T-M6	35.7
JDMT07-13-2T-M6	35.7
JDMT07-14-2T-M6	35.7
JDMT07-16-3T-M8	42.9
JDMT07-17-3T-M8	42.9

Torri torrwr melino diwedd y math o ddannedd dan glo
Locking Tooth Type Right-Angle Torrwr Melino Diwedd



Insert: AXMT0602..

Manyleb DxTxM	Pris USD
AXMT06-11-2T-M5	35.7
AXMT06-12-2T-M5	35.7
AXMT06-12-2T-M6	35.7
AXMT06-13-2T-M6	35.7
AXMT06-16-3T-M8	42.9
AXMT06-17-3T-M8	42.9

Locking Tooth Type Fast Torrwr Melino Diwedd

Torri torrwr melino melin gyflym math cloi dannedd



Manyleb DxTxM	Pris USD
AJX06-16-2T-M8	31.0
AJX06-17-2T-M8	31.0
AJX08-20-2T-M10	33.3
AJX08-21-2T-M10	33.3
AJX09-25-2T-M12	35.7
AJX09-26-2T-M12	35.7
AJX09-28-2T-M12	35.7
AJX12-30-2T-M16	40.4
AJX12-32-2T-M16	40.4
AJX12-35-2T-M16	47.6

Gwialen offer gwrth-ddirgryniad dur twngsten
Tungsten steel anti-vibration tool rod



Manyleb d x D x L x M	Pris USD
MFL08-08-100-M4	59.6
MFL10-10-100-M5	59.6
MFL10-10-150-M5	83.3
MFL12-12-100-M6	75.0
MFL12-12-150-M6	102.4
MFL12-12-200-M6	135.7
MFL15-15-150-M8	131.0
MFL15-15-200-M8	178.6
MFL16-16-100-M8	114.3
MFL16-16-150-M8	131.0
MFL16-16-200-M8	178.6
MFL16-16-250-M8	226.1

Manyleb d x D x L x M	Pris USD
MFL19-19-150-M10	204.7
MFL19-19-200-M10	273.9
MFL19-19-250-M10	326.1
MFL20-20-100-M10	154.7
MFL20-20-150-M10	204.7
MFL20-20-200-M10	273.9
MFL20-20-250-M10	326.1
MFL20-20-300-M10	373.9

Manyleb d x D x L x M	Pris USD
MFL24-24-150-M12	273.9
MFL24-24-200-M12	376.1
MFL24-24-250-M12	450.0
MFL24-24-300-M12	535.7
MFL25-25-150-M12	273.9
MFL25-25-200-M12	376.1
MFL25-25-250-M12	450.0
MFL25-25-300-M12	535.7
MFL25-25-350-M12	750.0

Manyleb d x D x L x M	Pris USD
MFL32-32-200-M16	614.3
MFL32-32-250-M16	750.0
MFL32-32-300-M16	916.7
MFL32-32-350-M16	1159.6
MFL32-32-400-M16	1428.6

* Mae stoc offer teclyn cloi'r dannedd wedi'i gwblhau.
Holwch am y Fanyleb heb ei rhestru.

* Lock teeth type tool stock Specification are complete.
Please inquire for Manyleb not listed.

Lluniau Cynnyrch	Manyleb	R	USD
 Prosesu Drilio Deunydd Cyffredinol	WCMX030208 ZP25	0.8	1.4
	WCMX040208 ZP25	0.8	1.4
	WCMX050308 ZP25	0.8	1.7
	WCMX06T308 ZP25	0.8	1.9
	WCMX080412 ZP25	1.2	2.6
 Prosesu Drilio Deunyddiau Caledwch Uchel	WCMX030208 ZP30	0.8	2.3
	WCMX040208 ZP30	0.8	2.3
	WCMX050308 ZP30	0.8	2.4
	WCMX06T308 ZP30	0.8	2.6
	WCMX080412 ZP30	1.2	3.7
 Prosesu Drilio Deunydd Cyffredinol	SPMG050204 ZP25	0.4	1.4
	SPMG060204 ZP25	0.4	1.4
	SPMG07T308 ZP25	0.8	1.7
	SPMG090408 ZP25	0.8	1.9
	SPMG110408 ZP25	0.8	2.3
 Prosesu Drilio Deunyddiau Caledwch Uchel	SPMG050204 ZP30	0.4	2.7
	SPMG060204 ZP30	0.4	2.9
	SPMG07T308 ZP30	0.8	2.9
	SPMG090408 ZP30	0.8	3.3
	SPMG110408 ZP30	0.8	3.6
	SPMG140408 ZP30	0.8	5.4

WC Mewnysod Math Dril Cyflym

WC Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
8	12	XCMT040104	61.7	91.4	-	-
10	12	XCMT050204	57.1	85.0	-	-
12	16	XCMT060204	47.1	65.3	-	-
14-14.5	20	WCMX030208	25.3	32.9	37.6	67.1
15-20	25	WCMX030208	25.3	32.9	37.6	67.1
20.5-24.5	25	WCMX040208	35.3	42.6	50.3	72.9
25	32	WCMX050308	35.3	42.6	50.3	72.9
25.5-30	32	WCMX050308	42.6	45.3	52.9	80.0
30.5-31	32	WCMX050308	57.6	59.6	72.9	100.4
31.5-40	32	WCMX06T308	57.6	59.6	72.9	100.4
41	32	WCMX06T308	69.0	76.7	96.0	125.7
42	40	WCMX06T308	69.0	76.7	96.0	125.7
43-45	40	WCMX080412	69.0	76.7	96.0	125.7
46-50	40	WCMX080412	75.4	93.3	102.9	137.1
51-55	40	WCMX080412	85.0	109.7	130.3	148.6
56-57	40	WCMX080412	89.0	112.4	171.4	165.7
58-59	40	WCMX06T308	89.0	112.4	171.4	165.7
60-63	40	WCMX06T308	93.3	123.3	197.9	201.1
64-65	40	WCMX06T308	100.3	137.1	224.0	231.0
66-68	40	WCMX06T308	101.7	151.0	228.6	240.0
69-70	40	WCMX06T308	102.9	160.0	240.0	262.9

SP Mewnysodwch Dril Cyflym Math

SP Insert Type Quick Drill



D	d		L=2XD	L=3XD	L=4XD	L=5XD
13-14.5	20	SPMG050204	30.4	35.7	44.7	78.6
15	25	SPMG050204	30.4	35.7	44.7	78.6
15.5-20	25	SPMG060204	30.4	35.7	44.7	78.6
20.5-21.5	25	SPMG060204	41.9	47.6	60.7	83.3
22-24.5	25	SPMG07T308	41.9	47.6	60.7	83.3
25-27.5	32	SPMG07T308	50.3	54.7	65.4	91.4
28-30	32	SPMG090408	50.3	54.7	65.4	91.4
30.5-33.5	32	SPMG090408	66.9	72.9	88.1	108.6
34-40	32	SPMG110408	66.9	72.9	88.1	108.6
41	32	SPMG110408	79.0	88.1	105.4	137.1
42-45	40	SPMG140512	79.0	88.1	105.4	137.1
46-50	40	SPMG140512	88.1	98.9	125.7	148.6
51-55	40	SPMG07T308	94.3	111.0	144.0	171.4
56	40	SPMG07T308	98.9	123.9	208.1	228.6
57-59	40	SPMG090408	98.9	123.9	208.1	228.6
60-63	40	SPMG090408	103.3	136.9	250.0	271.4
64-66	40	SPMG090408	111.0	161.9	280.0	300.0
67-68	40	SPMG110408	111.0	161.9	280.0	300.0
69-70	40	SPMG110408	114.6	173.9	290.0	328.6

Plus WDXT.../GPMT... Math Stoc Nwyddau Dril Cyflym, Croeso I Holl!

Plus WDXT.../GPMT... Type Stock Quick Drill Commodity, Welcome To Inquire!

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Lluniau Cynnyrch	Manyleb	NO.	Ystod D	Pris
Mynegai Dau-Ymyl Torrrw Tyllu Garw Indexable Two-Edge Rough Boring Cutter  Insert:CCMT..	RBH19C	LBK1	19–25	28.6
	RBH25C	LBK2	25–33	28.6
	RBH32C	LBK3	32–42	31.0
	RBH40C	LBK4	40–55	40.4
	RBH52C	LBK5	52–70	61.9
	RBH68C	LBK6	68–92	83.3
	RBH90C	LBK6	90–122	102.4
	RBH120C	LBK6	120–164	119.0
	RBH160C	BST	160–204	135.7
	RBH200C	BST	200–310	273.9
RBH300C	BST	300–410	544.0	
RBH400C	BST	400–510	583.3	
RBH500C	BST	500–610	681.0	

	Mireiniadwy Mesuradwy Torri Precision Boring	CBH20	LBK1	20-26	135.7
		CBH25	LBK2	25-33	154.7
		CBH32	LBK3	32-42	163.1
		CBH40	LBK4	40-55	181.0
		CBH52	LBK5	52-75	204.7
		CBH68	LBK6	68-102	238.1
		CBH100	LBK6	100-152	273.9
		CBH150	LBK6	150-202	323.9
		CBH200	BST	200-310	714.3
		CBH300	BST	300-410	821.4
Fine-Tuning Accuracy 0.01mm		CBH400	BST	400-510	919.0
		CBH500	BST	500-610	1023.9
		EWN20	CK1	20-36	123.9
		EWN25	CK2	25-47	131.0
		EWN32	CK3	32-60	142.9
		EWN41	CK4	41-74	163.1
		EWN53	CK5	53-95	178.6
		EWN68	CK6	68-150	197.6
		EWN100	CK6	100-203	214.3

	Clamp Offeryn Tyllu	EWN1-1		20-25	13.1
		CBH1-2		25-31	13.1
		CBH1-3		30-36	13.1
		CBH2-1		25-33	13.1
		CBH2-2		32-40	13.1
		CBH2-3		39-47	13.1
		CBH3-1		32-42	13.1
		CBH3-2		41-51	13.1
		CBH3-3		50-60	13.1
		CBH4-1		41-54	13.1
		CBH4-2		50-63	13.1
		CBH4-3		61-74	13.1
		CBH5-1		53-70	13.1
		CBH5-2		65-82	13.1
		CBH5-3		78-95	13.1
		CBH6-1		68-100	13.1
				100-153	13.1
		CBH6-2		94-126	13.1
				126-179	13.1
		CBH6-3		118-150	13.1
Insert:TP..				150-203	13.1

	BE Offeryn Tyllu	BE09A	M5	16.7	
		BE10. 5A	M5	16.7	
		BE12A	M6	16.7	
		BE14A	M6	16.7	
		BE16A	M6	16.7	
		BE18A	M10	16.7	
		BE20A	M10	16.7	
		BE22A	M10	16.7	
		BE24A	M10	16.7	
		BE26A	M10	16.7	
BE Boring Tool		BE28A	M10	16.7	
		BE30A	M10	16.7	
		BE32A	M10	19.0	
		BE34A	M10	19.0	
		BE36A	M10	23.9	
		BE38A	M10	23.9	
		BE40A	M10	23.9	

	Llewys Trosi EC	EC1608	-	14.3	
		EC1610	-	14.3	
		EC1612	-	14.3	
		EC1614	-	14.3	

	Dur Twngsten Bar Boring	ST08-W5-100L	M5	59.6	
		ST10-W6-110L	M6	69.0	
		ST12-W6-120L	M6	88.1	
		ST12-W6-150L	M6	107.1	
		ST14-W6-160L	M6	119.0	
		ST16-W10-160L	M10	135.7	
Tungsten Steel Boring Bar		ST16-W10-180L	M10	150.0	

NBH2084 Offeryn Tyllu (Ystod ddiflas:8-280mm)

NBH2084 Boring Tool
(Boring range: 8-280mm)
Fine-Tuning Accuracy 0.01mm

Manyleb	Ystod D	Pris
Deiliad Offeryn Tyllu		
SBJ2008-32	8-11	8.6
SBJ2010-40	10-13	8.6
SBJ2012-53	12-17	8.6
SBJ2016-68	16-21	8.6
SBJ2016-102	16-21	20.4
SBJ2020-83	20-130	8.6
SBJ2020-125	20-130	20.4
SBJ2020-150	20-130	23.9
SBJ2020-200	20-130	28.6
SBJ2025-96	25-135	8.6
SBJ2025-144	25-135	20.4
SBJ2025-150	25-135	23.9
SBJ2025-200	25-135	28.6
SBJ2030-115	30-140	8.6
SBJ2030-173	30-140	23.9
SBJ2030-200	30-140	28.6
SBJ2020-L	120-280	8.6
SBJ2020-150L	120-400	23.9

Gosodwch Offeryn Tyllu

NBH2084 Boring head	8-280	138.1
R8-NBH2084-8P	8-280	233.3
NT30-NBH2084-8P	8-280	233.3
NT40-NBH2084-8P	8-280	233.3
NT50-NBH2084-8P	8-280	309.6
BT40-NBH2084-8P	8-280	233.3
BT50-NBH2084-8P	8-280	273.9
SK40-NBH2084-8P	8-280	278.6
SK50-NBH2084-8P	8-280	309.6

DSJ16 Offeryn Tyllu (Ystod ddiflas:8-50mm)

NBJ16 Boring Tool
(Ystod ddiflas: 8-50mm)
Fine-Tuning Accuracy 0.01mm

Manyleb	Ystod D	Pris
Deiliad Offeryn Tyllu		
SBJ1606-24	6-9	8.6
SBJ1608-32	8-11	8.6
SBJ1610-40	10-13	8.6
SBJ1612-53	12-15	8.6
SBJ1614-60	14-17	8.6
SBJ1616-68	16-21	8.6
SBJ1620-83	20-26	8.6
SBJ1620-150L	20-26	23.9
SBJ1620-200L	20-26	28.6
SBJ1625-90	25-31	8.6
SBJ1625-150L	25-31	23.9
SBJ1625-200L	25-31	28.6
SBJ1630-90	30-36	8.6
SBJ1630-150L	30-36	23.9
SBJ1630-200L	30-36	28.6
SBJ1635-90	35-41	8.6
SBJ1635-150L	35-41	23.9
SBJ1635-200L	35-41	28.6
SBJ1640-90	40-46	8.6
SBJ1640-150L	40-46	23.9
SBJ1640-200L	40-46	28.6
SBJ1645-90	45-51	8.6
SBJ1645-150L	45-51	23.9
SBJ1645-200L	45-51	28.6

Gosodwch Offeryn Tyllu

NBJ16 Boring head	8-50	138.1
NT40-SBJ16-55-12P	8-50	233.3
NT50-SBJ16-65-12P	8-50	233.3
BT30-SBJ16-55-12P	8-50	233.3
BT40-SBJ16-55-12P	8-50	309.6
BT50-SBJ16-65-12P	8-50	233.3
SK30-SBJ16-60-12P	8-50	273.9
SK40-SBJ16-60-12P	8-50	278.6
SK50-SBJ16-65-12P	8-50	309.6

Tyllu Tiwnio Gain HBOR Torri (Cywirdeb Tiwnio Cain 0.002mm)

HBOR Fine-Tuning Boring
Cutter (Fine-Tuning
Accuracy 0.002mm)

Manyleb	Ystod D	Pris
HBOR25 Boring Cutter		
HBOR25M (29-38) Boring head	29-38	666.7
HBOR25M (29-38) Back Boring	29-38	666.7
BT30-HBOR25P ToolHolder		857.1
BT40-HBOR25P ToolHolder		857.1
SK30-HBOR25P ToolHolder		857.1
SK40-HBOR25P ToolHolder		857.1
HSK63A-HBOR25P ToolHolder		976.1
CA0602-09T Carbide Boring	2-3.2	59.6
CA0603-16T Carbide Boring	3-4.2	59.6
CA0604-22T Carbide Boring	4-5.2	59.6
CA0605-27T Carbide Boring	5-6.2	59.6
CA0606-32T Carbide Boring	6-7.2	59.6
CB06050-21 (CC03)	5-6	123.9
CB06055-26 (CC03)	5.5-6.5	123.9
CB06060-26 (CC03)	6-7	123.9
CB06065-31 (CC03)	6.5-7.5	123.9
CB06070-31 (CC04)	7-8	123.9

HBOR32 Boring Cutter

HBOR32M (36-52) Boring head	36-52	800
HBOR32M (36-52) Back Boring	36-52	800

HBOR40 Boring Cutter

HBOR40M (44-68) Boring head	44-68	833.3
HBOR40M (44-68) Back Boring	44-68	833.3

HBOR50 Gosodwch Offeryn Tyllu

HBOR50BM (57-90) Boring head	57-90	742.9
HBOR50BM (57-90) Back Boring	57-90	742.9
BT30-HBOR50 (06-90) ToolHolder	6-90	857.1
BT40-HBOR50 (06-90) ToolHolder	6-90	857.1
BT50-HBOR50 (06-90) ToolHolder	6-90	1190.4
BT50-HBOR50 (06-90) -14P	6-90	857.1
BT50-HBOR50 (06-90) -14P	6-90	1190.4
BT50-HBOR50 (06-90) -14P	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	904.7
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	1273.9
BT50-HBOR50 (06-90) -14P	6-90	1309.6

HBOR63 Gosodwch Offeryn Tyllu

HBOR63BM (70-110) Boring head	70-110	804.7
HBOR63BM (110-150) Boring head	110-150	804.7
HBOR63BM (70-110) Back Boring	70-110	804.7
HBOR63BM (110-150) Back Boring	110-150	804.7
NT40-HBOR63 ToolHolder	6-150	1071.4
NT40-HBOR63 (6-150) -15P	6-150	1381
NT50-HBOR63 ToolHolder	6-150	1119
NT50-HBOR63 (6-150) -15P	6-150	1428.6
BT40-HBOR63 ToolHolder	6-150	1071.4
BT40-HBOR63 (6-150) 15P	6-150	1381
BT50-HBOR63 ToolHolder	6-150	1119
BT50-HBOR63 (6-150) 15P	6-150	1428.6
SK40-HBOR63 (6-150) 15P	6-150	1381
SK50-HBOR63 (6-150) 15P	6-150	1428.6
HSK63A-HBOR63 (6-150) 15P	6-150	1452.4

Boring Accessories

BR1606-21 (WBGT0601..L)	6-9	23.9
BR1608-28 (TBGT0601..L)	8-11	23.9
BR1610-35 (TBGT0601..L)	10-13	23.9
BR1612-42 (TP..09..L)	12-15	23.9
BR1614-50 (TP..09..L)	14-17	23.9
BR1616-60 (TP..09..L)	16-20	23.9
BR1620-65 (TP..11..L)	20-24	23.9
BR1624-68 (TP..11..L)	24-28	23.9
BM5		35.7
SRTP2938 (TP..09..L)	28-38	35.7
SRTP3652 (TP..09..L)	36-52	35.7
SRTP4468 (TP..09..L)	44-68	41.7
BM8		9.6
SRTP70110 (TP..11..L)	70-110	47.6
SRTP110150 (TP..11..L)	110-150	47.6

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

BSA Torrwr Tyllu Garw

BSA Rough
Boring Cutter

Manyleb	Pris
BT40-BSA25-120	47.6
BT40-BSA30-150	47.6
BT40-BSA38-165	50.0
BT40-BSA42-165	50.0
BT40-BSA50-165	53.6
BT40-BSA62-180	63.1
BT40-BSA72-180	71.4
BT40-BSA90-180	89.3
BT50-BSA25-135	81.0
BT50-BSA30-165	81.0
BT50-BSA38-180	83.3
BT50-BSA42-210	83.3
BT50-BSA50-180	86.9
BT50-BSA50-240	92.9
BT50-BSA62-195	95.3
BT50-BSA62-270	107.1
BT50-BSA72-195	95.3
BT50-BSA72-285	131.0
BT50-BSA90-210	164.3
BT50-BSA90-300	208.3
BT50-BSA105-195	297.6
BT50-BSA105-285	381.0

BSA Torrwr Tyllu Garw

BSA Rough
Boring Cutter

Manyleb	Pris
BSA30-42-LBK2	27.4
BSA38-52-LBK3	28.6
BSA50-65-LBK4	33.3
BSA62-90-LBK5	41.7
BSA72-110-LBK6	51.1

BSB Torrwr Tyllu Garw

BSB Rough
Boring Cutter

Manyleb	Pris
BT40-BSB25-120	47.6
BT40-BSB38-150	47.6
BT40-BSB50-165	53.6
BT40-BSB62-180	62.6
BT40-BSB72-165	71.4
BT40-BSB90-180	89.3
BT50-BSB25-135	80.4
BT50-BSB38-180	81.9
BT50-BSB50-180	86.4
BT50-BSB50-240	92.4
BT50-BSB62-195	95.3
BT50-BSB62-270	107.1
BT50-BSB72-195	104.3
BT50-BSB72-285	140.0
BT50-BSB90-210	163.9
BT50-BSB90-300	208.3
BT50-BSB105-195	297.9
BT50-BSB105-285	383.1

BSB-LBK Torrwr Tyllu Garw

BSB-LBK Rough
Boring Cutter

Manyleb	Pris
BSB25-52-LBK2	27.4
BSB38-70-LBK3	28.6
BSB50-90-LBK4	32.9
BSB62-90-LBK5	41.7
BSB72-135-LBK6	59.6

Torrwr Tyllu Garw Holder

Rough Boring Cutter Holder

Manyleb	Pris
TBS910-36-L	TP09 11.9
TBS910-45-L	TP09 11.9
TBS913-48-L	TP11 11.9
TBS913-65-L	TP11 11.9
TBS916-60-L	TP11 11.9
TBS916-80-L	TP11 11.9
TBS919-70-L	TC16 19.0
TBS919-90-L	TC16 19.0
TBS919-85-L	TC16 19.0
TBS919-105-L	TC16 23.9
TBS925-100-L	TC16 31.0
TBS925-135-L	TC16 38.1

Manyleb	Pris
TBS910-36-R	TP09 11.9
TBS910-45-R	TP09 11.9
TBS913-48-R	TP11 11.9
TBS913-65-R	TP11 11.9
TBS916-60-R	TP11 11.9
TBS916-80-R	TP11 11.9
TBS919-70-R	TC16 19.0
TBS919-90-R	TC16 19.0
TBS919-85-R	TC16 19.0
TBS919-105-R	TC16 23.9
TBS925-100-R	TC16 31.0
TBS925-135-R	TC16 38.1

Manyleb	Pris
CBS908-23-L	CC06 11.9
CBS908-30-L	CC06 11.9
CBS910-36-L	CC06 11.9
CBS910-45-L	CC06 11.9
CBS913-48-L	CC09 11.9
CBS913-65-L	CC09 11.9
CBS916-60-L	CC09 11.9
CBS916-80-L	CC09 11.9
CBS919-70-L	CC12 19.0
CBS919-90-L	CC12 19.0
CBS919-85-L	CC12 19.0
CBS919-105-L	CC12 23.9
CBS925-100-L	CC12 31.0
CBS925-135-L	CC12 38.1

Manyleb	Pris
CBS908-23-R	CC06 11.9
CBS908-30-R	CC06 11.9
CBS910-36-R	CC06 11.9
CBS910-45-R	CC06 11.9
CBS913-48-R	CC09 11.9
CBS913-65-R	CC09 11.9
CBS916-60-R	CC09 11.9
CBS916-80-R	CC09 11.9
CBS919-70-R	CC12 19.0
CBS919-90-R	CC12 19.0
CBS919-85-R	CC12 19.0
CBS919-105-R	CC12 23.9
CBS925-100-R	CC12 31.0
CBS925-135-R	CC12 38.1

Manyleb	Pris
TBS410-45	TP09 11.9
TBS410-50	TP09 11.9
TBS413-60	TP11 11.9
TBS416-75	TP11 11.9
TBS419-90	TC16 19.0
TBS419-115	TC16 19.0
TBS425-130	TC16 38.1

Manyleb	Pris
CBS408-30	CC06 11.9
CBS408-35	CC06 11.9
CBS410-45	CC06 11.9
CBS410-50	CC06 11.9
CBS413-60	CC09 11.9
CBS416-75	CC09 11.9
CBS419-115	CC12 19.0
CBS425-130	CC12 38.1

Deilliad Offer BST / NBH

BST / NBH
Toolholder

Manyleb	Pris
BT30-NBH2084	35.7
BT40-NBH2084	28.6
BT50-NBH2084	59.6
NT30-NBH2084	35.7
NT40-NBH2084	35.7
NT50-NBH2084	71.4
SK40-NBH2084	35.7
SK50-NBH2084	71.4
BBT40-NBH2084	154.7
BBT50-NBH2084	214.3
CAT40-NBH2084	46.4
CAT50-NBH2084	92.9
HSK63A-NBH2084	154.7
HSK100A-NBH2084	214.3
ISO40-NBH2084	46.4
ISO50-NBH2084	92.9
C20-NBH2084	61.9
MT3-NBH2084	42.9
MT4-NBH2084	42.9
MT5-NBH2084	52.4
MT6-NBH2084	66.7
MTB3-NBH2084	42.9
MTB4-NBH2084	42.9
MTB5-NBH2084	52.4
MTB6-NBH2084	66.7
RB-NBH2084	35.7
BT40-NBH2084-100L	59.6
BT40-NBH2084-150L	90.4
BT40-NBH2084-200L	119.0
BT50-NBH2084-100L	71.4
BT50-NBH2084-150L	90.4
BT50-NBH2084-200L	119.0
BT50-NBH2084-250L	148.9
BT40-BST-70	66.7
BT40-BST-100	66.7
BT40-BST-150	77.4
BT40-BST-200	85.7
BT50-BST-100	66.7
BT50-BST-150	77.4
BT50-BST-200	83.3
BT50-BST-250	107.1
BT50-BST-300	119.0
BT50-BST-350	134.6
BT50-BST-400	148.9
BT50-BST-450	195.3
BT50-BST-500	238.1
SK40-BST-100	92.9
SK40-BST-150	123.9
SK50-BST-100	92.9
SK50-BST-150	123.9
SK50-BST-200	154.7
SK50-BST-250	185.7

Red Estyniad LBK

LBK Extension Rod

Manyleb	Pris
LBK1-1-30	11.9
LBK2-2-30	11.9
LBK3-3-30	14.3
LBK4-4-45	14.3
LBK4-4-60	16.7
LBK5-5-60	19.0
LBK5-5-90	21.4
LBK6-6-60	21.4
LBK6-6-100	21.4
LBK6-6-120	29.7

Llewys trosi LBK

LBK Conversion Sleeve

Manyleb	Pris
LBK2-1-36	31.0
LBK3-1-41	31.0
LBK3-2-37	31.0
LBK4-1-58	35.7
LBK4-2-50	35.7
LBK4-3-50	35.7
LBK5-1-60	40.4
LBK5-2-54	40.4
LBK5-2-74	40.4
LBK5-3-47	40.4
LBK5-3-72	40.4
LBK5-4-42	40.4
LBK5-4-67	40.4
LBK6-1-70	46.4
LBK6-2-63	46.4
LBK6-2-93	56.0
LBK6-3-56	46.4
LBK6-3-96	56.0
LBK6-4-51	46.4
LBK6-4-101	56.0
LBK6-5-41	46.4
LBK6-5-91	56.0

LBK Toolholder

LBK Toolholder

Manyleb	Pris
BT30-LBK1-55	21.0
BT30-LBK1-70	21.0
BT30-LBK2-80	21.0
BT30-LBK3-80	21.0
BT30-LBK4-70	21.0
BT30-LBK5-70	21.0
BT30-LBK6-60	21.0

Manyleb	Pris
BT40-LBK1-75	21.0
BT40-LBK1-105	21.0
BT40-LBK1-130	28.3
BT40-LBK1-165	35.7
BT40-LBK1-195	59.6
BT40-LBK2-85	21.0
BT40-LBK2-115	21.0
BT40-LBK2-130	28.3
BT40-LBK2-165	35.7
BT40-LBK2-200	59.6
BT40-LBK3-95	21.0
BT40-LBK3-125	28.3
BT40-LBK3-165	35.7
BT40-LBK3-210	59.6
BT40-LBK4-85	21.0
BT40-LBK4-115	21.0
BT40-LBK4-130	28.3
BT40-LBK4-150	28.3
BT40-LBK4-175	35.7
BT40-LBK4-220	59.6
BT40-LBK5-75	21.0
BT40-LBK5-125	28.3
BT40-LBK5-175	35.7
BT40-LBK5-235	59.6
BT40-LBK6-65	21.0
BT40-LBK6-115	21.0
BT40-LBK6-150	28.3
BT40-LBK6-165	35.7
BT40-LBK6-240	59.6

Manyleb	Pris
BT50-LBK1-115	53.6
BT50-LBK1-145	59.6
BT50-LBK1-200	80.4
BT50-LBK2-110	53.6
BT50-LBK2-140	59.6
BT50-LBK2-175	65.4
BT50-LBK2-235	108.3
BT50-LBK3-125	53.6
BT50-LBK3-140	59.6
BT50-LBK3-155	59.6
BT50-LBK3-185	65.4
BT50-LBK3-215	75.0
BT50-LBK3-255	91.7
BT50-LBK3-290	108.3
BT50-LBK3-300	108.3
BT50-LBK3-350	148.9
BT50-LBK4-115	53.6
BT50-LBK4-145	59.6
BT50-LBK4-160	65.4
BT50-LBK4-205	75.0
BT50-LBK4-255	91.7
BT50-LBK4-305	108.3
BT50-LBK4-350	148.9
BT50-LBK5-105	53.6
BT50-LBK5-180	65.4
BT50-LBK5-240	75.0
BT50-LBK5-300	108.3
BT50-LBK5-350	148.9
BT50-LBK6-95	53.6
BT50-LBK6-155	65.4
BT50-LBK6-170	65.4
BT50-LBK6-230	75.0
BT50-LBK6-290	108.3
BT50-LBK6-350	148.9

Manyleb	Pris
HSK63A-LBK1-105	148.9
HSK63A-LBK2-115	148.9
HSK63A-LBK3-125	148.9
HSK63A-LBK4-115	148.9
HSK63A-LBK5-125	148.9
HSK63A-LBK6-115	148.9

CK Toolholder

CK Toolholder

Manyleb	Pris
BT30-CK1-55	35.7
BT30-CK1-70	35.7
BT30-CK2-80	35.7
BT30-CK3-80	35.7
BT30-CK4-70	35.7
BT30-CK5-70	35.7
BT30-CK6-60	35.7

Manyleb	Pris
BT40-CK1-75	35.7
BT40-CK1-105	35.7
BT40-CK1-130	44.7
BT40-CK2-75	35.7
BT40-CK2-115	35.7
BT40-CK2-130	44.7
BT40-CK3-80	35.7
BT40-CK3-100	35.7
BT40-CK3-135	44.7
BT40-CK3-155	44.7
BT40-CK4-75	35.7
BT40-CK4-100	35.7
BT40-CK4-150	44.7
BT40-CK4-170	53.6
BT40-CK5-60	35.7
BT40-CK5-100	35.7
BT40-CK5-150	44.7
BT40-CK6-65	35.7
BT40-CK6-100	35.7
BT40-CK6-150	44.7

Manyleb	Pris
BT50-CK1-115	75.0
BT50-CK1-145	82.1
BT50-CK1-200	95.3
BT50-CK2-105	75.0
BT50-CK2-135	82.1
BT50-CK2-165	78.6
BT50-CK2-235	95.3
BT50-CK3-110	75.0
BT50-CK3-140	82.1
BT50-CK3-175	78.6
BT50-CK3-290	140.7
BT50-CK3-300	140.7
BT50-CK3-350	189.3
BT50-CK4-100	75.0
BT50-CK4-160	78.6
BT50-CK4-205	101.0
BT50-CK4-270	140.7
BT50-CK4-300	140.7
BT50-CK4-350	189.3
BT50-CK5-90	75.0
BT50-CK5-165	78.6
BT50-CK5-210	101.0
BT50-CK5-270	140.7
BT50-CK5-300	140.7
BT50-CK5-350	189.3
BT50-CK6-95	75.0
BT50-CK6-155	78.6
BT50-CK6-215	101.0
BT50-CK6-250	140.7
BT50-CK6-300	140.7
BT50-CK6-350	189.3

Red Estyniad CK


CK Extension Rod



Manyleb	Pris
CK1-1-30	29.7
CK2-2-30	29.7
CK3-3-30	29.7
CK4-4-45	35.7
CK4-4-60	35.7
CK5-5-60	38.9
CK5-5-90	44.7
CK6-6-60	38.9
CK6-6-100	44.7
CK6-6-120	59.6

ER Collet Toolholder

ER Collet Toolholder



Manyleb NO. xColletxA/MxL	Pris USD
BT30-ER11-70	16.0
BT30-ER11-100	16.0
BT30-ER16-70	18.6
BT30-ER16-100	18.6
BT30-ER16-150	19.7
BT30-ER20-70	18.6
BT30-ER20-100	18.6
BT30-ER20-150	19.7
BT30-ER25-70	18.6
BT30-ER25-100	18.6
BT30-ER25-150	19.7
BT30-ER32-70	18.6
BT30-ER32-100	18.6
BT30-ER32-150	19.7
BT30-ER40-80	17.1
BT30-ER40-100	17.1

BT40-ER11-70	21.1
BT40-ER11-100	21.1
BT40-ER16-70	21.1
BT40-ER16-100	21.1
BT40-ER16-150	22.4
BT40-ER16-200	37.1
BT40-ER20-70	21.1
BT40-ER20-100	21.1
BT40-ER20-150	22.4
BT40-ER20-200	37.1
BT40-ER25-70	21.1
BT40-ER25-100	21.1
BT40-ER25-150	22.4
BT40-ER25-200	37.1
BT40-ER32-70	21.1
BT40-ER32-100	21.1
BT40-ER32-150	22.4
BT40-ER32-200	37.1
BT40-ER32-250	50.3
BT40-ER32-300	74.0
BT40-ER40-80	19.7
BT40-ER40-100	19.7
BT40-ER40-150	23.9
BT40-ER40-200	39.7

BT50-ER16-100	39.7
BT50-ER16-150	50.3
BT50-ER16-200	63.6
BT50-ER20-100	39.7
BT50-ER20-150	50.3
BT50-ER20-200	61.0
BT50-ER20-250	81.9
BT50-ER20-300	100.4
BT50-ER25-70	39.7
BT50-ER25-100	39.7
BT50-ER25-150	50.3
BT50-ER25-200	61.0
BT50-ER25-250	84.7
BT50-ER25-300	100.4
BT50-ER32-70	39.7
BT50-ER32-100	39.7
BT50-ER32-150	50.3
BT50-ER32-200	61.0
BT50-ER32-250	81.9
BT50-ER32-300	97.9
BT50-ER32-350	126.9
BT50-ER32-400	158.9
BT50-ER40-100	42.4
BT50-ER40-150	52.9
BT50-ER40-200	63.6
BT50-ER40-250	87.4
BT50-ER40-300	105.7
BT50-ER40-350	129.6
BT50-ER40-400	158.9
BT50-ER50-100	74.0
BT50-ER50-150	81.9
BT50-ER50-200	92.6
BT50-ER50-250	121.7
BT50-ER50-300	158.9

Manyleb NO. xColletxA/MxL	Pris USD
R8-ER25	17.1
R8-ER32	17.1
R8-ER40	19.7
MTB3-ER20	16.0
MTB3-ER25	16.0
MTB3-ER32	17.1
MTB4-ER25	17.1
MTB4-ER32	18.6
MTB4-ER40	22.4
MTB5-ER40	26.4
NT30-ER25	17.1
NT30-ER32	17.1
NT30-ER40	19.7
NT40-ER25	17.1
NT40-ER32	17.1
NT40-ER40	19.7
ISO20-ER16-35MS	40.4
ISO25-ER20-35MS	40.4
ISO30-ER32-42	27.4
ISO30-ER32-60	27.4
HSK32E-ER16-050MS	82.1
HSK32E-ER20-050MS	82.1
HSK32E-ER20-060MS	82.1
HSK32E-ER25-060MS	82.1
BT30-GER16-70	21.4
BT30-GER16-100	21.4
BT30-GER20-70	21.4
BT30-GER20-100	21.4
BT30-GER25-70	21.4
BT30-GER25-100	21.4
BT40-GER16-70	21.4
BT40-GER16-100	21.4
BT40-GER20-70	23.9
BT40-GER20-100	23.9
BT40-GER25-70	23.9
BT40-GER25-100	23.9
BT40-GER32-70	23.9
BT40-GER32-100	23.9

Deiliad Offeryn Estyniad Collet ER

ER Collet Extension Toolholder



Manyleb DxColetxA/MxL	Pris USD
C10-ER8-100	9.3
C10-ER8-150	10.4
C12-ER8-100	9.3
C12-ER8-150	10.4
C12-ER11-100	6.7
C12-ER11-150	6.7
C16-ER11-100	6.7
C16-ER11-150	6.7
C16-ER16-100	6.7
C16-ER16-150	6.7
C16-ER16-200	11.9
C16-ER16-250	16.0
C16-ER20-100	6.7
C16-ER20-150	6.7
C16-ER20-200	11.9
C20-ER20-100	6.7
C20-ER20-150	6.7
C20-ER20-200	11.9
C20-ER20-250	16.0
C20-ER16-100	6.7
C20-ER16-150	6.7
C20-ER16-200	11.9
C20-ER16-250	16.0
C20-ER11-100	9.3
C20-ER11-150	9.3
C20-ER25-100	10.4
C20-ER25-150	10.4
C25-ER16-100	6.7
C25-ER16-150	6.7
C25-ER16-200	11.9
C25-ER16-250	17.1
C25-ER20-100	6.7
C25-ER20-150	6.7
C25-ER20-200	11.9
C25-ER25-100	10.4
C25-ER25-150	11.9
C25-ER25-200	17.1
C25-ER25-250	19.7
C25-ER32-100	14.6
C25-ER32-150	17.1
C32-ER32-100	14.6
C32-ER32-150	17.1
C32-ER32-200	18.6
C32-ER32-250	22.4
C40-ER40-100	19.7
C40-ER32-100	17.1
C32-ER40-100	18.6

Collet Estyniad ER

ER Extension Collet



Manyleb Collet	Precision 0.01mm	Precision 0.008mm	Precision 0.005mm
ER8	3.1	-	-
ER11	1.7	2.2	5.3
ER16	1.7	2.2	5.3
ER20	1.7	2.2	5.3
ER25	1.9	2.2	5.3
ER32	2.6	2.8	6.7
ER40	4.0	-	6.7
ER50	11.9	-	-

ER Wrench / Cnau

ER Wrench / Nuts



Manyleb Collet	Wrench	Nut
ER8A/M	2.6	4.0
ER11A/M	1.4	1.7
ER16A/M	1.7	1.7
ER20A/M	1.7	1.7
ER25UM	2.6	2.6
ER32UM	3.1	3.1
ER40UM	4.0	4.0
ER50UM	-	15.3

Deiliad Offeryn Melino Wyneb FMB

FMB Inch Face Milling Tool Holder



Manyleb NO. xdxL	Pris USD
R8-FMA25. 4	17.1
R8-FMA31. 75	17.1
C20-FMB25. 4	17.1
NT50-FMA31. 75-75	43.6
NT50-FMA38. 1-75	43.6
NT50-FMA47. 625-75	92.6
NT50-FMA50. 8-75	55.4
BT40-FMA25. 4-60	17.1
BT40-FMA25. 4-100	19.7
BT40-FMA31. 75-60	18.6
BT40-FMA31. 75-100	19.7
BT40-FMA38. 1-60	19.7
BT40-FMA38. 1-100	21.1
BT50-FMA25. 4-60	42.4
BT50-FMA25. 4-100	42.4
BT50-FMA25. 4-150	52.9
BT50-FMA25. 4-200	63.6
BT50-FMA25. 4-250	84.7
BT50-FMA25. 4-300	111.1
BT50-FMA31. 75-60	43.6
BT50-FMA31. 75-100	43.6
BT50-FMA31. 75-150	56.9
BT50-FMA31. 75-200	67.4
BT50-FMA31. 75-250	87.4
BT50-FMA31. 75-300	119.0
BT50-FMA38. 1-60	42.4
BT50-FMA38. 1-100	45.0
BT50-FMA38. 1-150	59.6
BT50-FMA47. 625-75	84.7
BT50-FMA47. 625-150	145.4
BT50-FMA47. 625-200	198.3
BT50-FMA50. 8-75	55.4
BT50-FMA50. 8-100	68.9
BT50-FMA50. 8-150	79.3

Deiliad Offeryn Melino Wyneb FMB

FMB Metric Face Milling Tool Holder

Manyleb NO. xdxL	Pris USD
BT30-FMB22-45	14.6
BT30-FMB22-60	14.6
BT30-FMB22-100	18.6
BT30-FMB27-45	14.6
BT30-FMB27-60	14.6
BT30-FMB27-100	18.6
BT30-FMB32-45	16.0
BT30-FMB32-60	16.0
BT40-FMB22-45	17.1
BT40-FMB22-60	17.1
BT40-FMB22-100	18.6
BT40-FMB22-150	22.4
BT40-FMB22-200	37.1
BT40-FMB22-250	47.6
BT40-FMB22-300	61.0
BT40-FMB22-350	74.0
BT40-FMB27-45	17.1
BT40-FMB27-60	17.1
BT40-FMB27-100	18.6
BT40-FMB27-150	23.9
BT40-FMB32-60	17.1
BT40-FMB32-100	17.1
BT40-FMB32-150	23.9
BT40-FMB40-60	19.7
BT40-FMB40-100	21.1
BT40-FMB40-150	26.4
BT50-FMB22-60	39.7
BT50-FMB22-100	39.7
BT50-FMB22-150	50.3
BT50-FMB22-200	61.0
BT50-FMB22-250	81.9
BT50-FMB22-300	100.4
BT50-FMB22-350	119.0
BT50-FMB22-400	132.4
BT50-FMB22-450	153.3
BT50-FMB22-500	185.3
BT50-FMB22-550	211.7
BT50-FMB22-600	238.1
BT50-FMB27-60	39.7
BT50-FMB27-100	39.7
BT50-FMB27-150	52.9
BT50-FMB27-200	63.6
BT50-FMB27-250	84.7
BT50-FMB27-300	103.1
BT50-FMB27-350	119.0
BT50-FMB27-400	145.4
BT50-FMB32-60	42.4
BT50-FMB32-100	45.0
BT50-FMB32-150	56.9
BT50-FMB32-200	67.4
BT50-FMB32-250	87.4
BT50-FMB32-300	119.0
BT50-FMB40-60	42.4
BT50-FMB40-100	45.0
BT50-FMB40-150	58.1
BT50-FMB40-200	68.9
BT50-FMB40-250	90.0
BT50-FMB40-300	119.0
BT50-FMB60-75	84.7
BT50-FMB60-150	145.4

R8-FMB22	16.0
R8-FMB27	16.0
R8-FMB32	17.1
R8-FMB40	19.7
C20-FMB22	16.0
C20-FMB27	16.0
C20-FMB32	17.1
C25-FMB22	17.1
C25-FMB27	17.1
C25-FMB32	17.1
C32-FMB22	18.6
C32-FMB27	18.6
C32-FMB32	18.6
MT3-FMB22	17.1
MT3-FMB27	17.1
MT3-FMB32	17.1
MT4-FMB22	19.7
MT4-FMB27	19.7
MT4-FMB32	19.7
NT30-FMB22	18.6
NT30-FMB27	18.6
NT30-FMB32	18.6
NT40-FMB22	18.6
NT40-FMB27	18.6
NT40-FMB32	18.6
NT40-FMB40	21.1
NT50-FMB22	42.4
NT50-FMB27	42.4
NT50-FMB32	42.4
NT50-FMB40-75	43.6
NT50-FMB32-150	52.9
NT50-FMB32-200	63.6
NT50-FMB60-75	92.6

CNC Tool Holder CNC Tool Holder

MaiFix®

GSK Cyflymder Uchel A
Defnyddiwr Precision Uchel
GSK High Speed And
High Precision Toolholder



Manyleb NO. xColletxL	Pris USD
BT30-GSK10-60	20.3
BT30-GSK10-90	20.3
BT30-GSK16-60	20.3
BT30-GSK16-90	20.3
BT40-GSK10-60	23.9
BT40-GSK10-100	23.9
BT40-GSK16-60	23.9
BT40-GSK16-100	23.9
Collet SK10	7.1
Collet SK16	9.0
Bearing Spanner	15.4

Deiliad Offer MTA / B Morse
MTA/B Morse Taper Toolholder



Manyleb NO. xMT...xL	Pris USD
BT30-MTA2-75	16.0
BT30-MTA3-75	16.0
BT30-MTA4-75	16.0
BT40-MTA1-120	26.4
BT40-MTA1-45	18.6
BT40-MTA2-120	25.3
BT40-MTA2-60	16.0
BT40-MTA3-135	25.3
BT40-MTA3-75	16.0
BT40-MTA4-165	31.7
BT40-MTA4-90	17.1
BT50-MTA1-120	55.4
BT50-MTA1-45	43.6
BT50-MTA2-135	52.9
BT50-MTA2-60	39.7
BT50-MTA3-150	52.9
BT50-MTA3-75	39.7
BT50-MTA4-180	66.1
BT50-MTA4-90	39.7
BT50-MTA5-105	43.6
BT50-MTA5-210	90.0
NT40-MTA2	18.6
NT40-MTA3	18.6
NT40-MTA4	18.6
NT50-MTA1-45	43.6
NT50-MTA2-60	42.4
NT50-MTA3-75	42.4
NT50-MTA4-90	42.4
NT50-MTA5-105	43.6
BT40-MTB1-120	26.4
BT40-MTB1-45	18.6
BT40-MTB2-120	25.3
BT40-MTB2-60	16.0
BT40-MTB3-135	25.3
BT40-MTB3-75	16.0
BT40-MTB4-165	31.7
BT40-MTB4-90	17.1
BT50-MTB1-120	55.4
BT50-MTB1-45	43.6
BT50-MTB2-135	52.9
BT50-MTB2-60	39.7
BT50-MTB3-150	52.9
BT50-MTB3-75	39.7
BT50-MTB4-180	66.1
BT50-MTB4-90	39.7
BT50-MTB5-105	43.6
BT50-MTB5-210	90.0
NT40-MTB2	18.6
NT40-MTB3	18.6
NT40-MTB4	18.6
NT50-MTB1-45	43.6
NT50-MTB2-60	42.4
NT50-MTB3-75	42.4
NT50-MTB4-90	42.4
NT50-MTB5-105	43.6

C Defnyddiwr Collet Pwerus
C Powerful Collet Toolholder



Manyleb NO. xColletxL	Pris USD
R8-C32	63.6
NT30-C25	63.6
NT30-C32	63.6
NT40-C25	63.6
NT40-C32-105	61.0
MT4-C32	74.0
MT5-C32	100.4
MT6-C32	145.4
MT6-C42	180.0
NT50-C32-105	92.6
NT50-C42-115	119.0
BT30-C20-80	61.0
BT30-C25-80	61.0
BT30-C32-105	61.0
BT40-C20-90	61.0
BT40-C25-90	61.0
BT40-C32-105	55.4
BT40-C42-100	105.7
BT50-C20-105	92.6
BT50-C25-105	92.6
BT50-C32-105	92.6
BT50-C32-135	105.7
BT50-C32-165	119.0
BT50-C32-200	145.4
BT50-C32-250	171.9
BT50-C32-300	224.7
BT50-C42-115	119.0
BT50-C42-135	132.4
BT50-C42-165	145.4
BT50-C42-200	171.9
BT50-C42-250	211.7
BT50-C42-300	259.3
SK50-C32-110	171.9
JT50-C32-110	171.9
Collet C20	3.6
Collet C25	3.6
Collet C32	3.6
Collet C42	7.6
Wrench C20/25/32/42	3.9


Tool Shank Of
Chuck Drill Hunan-Tynhau



Manyleb NO. xColletxL	Pris USD
APU13 Drill Chuck	23.9
APU16 Drill Chuck	26.4
BT30-APU08-80	37.1
BT30-APU13-100	37.1
BT30-APU16-100	39.7
BT40-APU08-100	37.1
BT40-APU13-100	37.1
BT40-APU16-120	39.7
BT50-APU13-110	58.1
BT50-APU13-180	79.3
BT50-APU16-130	62.1
BT50-APU16-180	84.7
NT30-APU13-100	39.7
NT40-APU13-100	39.7
NT30-APU16-120	42.4
NT40-APU16-120	42.4
Chuck Drill Hunan-Tynhau1-13	19.7
Chuck Drill Hunan-Tynhau1-16	23.9
C20-APU13	31.7
C20-APU16	34.3
C32-APU13	35.7
R8-APU13	31.7
R8-APU16	34.3
MT3-APU13	30.4
MT4-APU13	30.4
MT3-APU16	33.1
MT4-APU16	33.1
APU Wrench (08/13/16)	1.9

Deiliad Offeryn Collet Back-Pull SDC

SDC Back-Pull Collet Toolholder



Manyleb NO. xColletxL	Pris USD
BT30-SDC6-90	59.6
BT30-SDC8-90	59.6
BT30-SDC10-90	59.6
BT30-SDC12-90	59.6
BT40-SDC6-90	63.6
BT40-SDC8-90	63.6
BT40-SDC10-90	63.6
BT40-SDC12-90	63.6
BT40-SDC6-120	79.3
BT40-SDC8-120	79.3
BT40-SDC10-120	79.3
BT40-SDC12-120	79.3
COLLET	
Collet SDC06	11.9
Collet SDC08	11.9
Collet SDC10	13.1
Collet SDC12	13.1

Deiliad Offer Diogelu'r Tapio ar y Blaen
Torsional Tapping Protection Toolholder



Manyleb NO. xColletxL	Pris USD
BT50-J4112	119.0
BT50-J4124	132.4
BT40-J4112	79.3
BT40-J4124	92.6
MT3-J4112	74.0
MT4-J4112	79.3
MT5-J4124	100.4
Tap Collets	
GT312 China Standard	16.0
GT312 Japanese Standard	18.6
GT24 China Standard	19.7
GT24 Japanese Standard	22.4

Deiliad Offeryn Melin Och'r Brawd Saw Blade
Side Milling Tool Holder of Saw Blade



Manyleb NO. xColletxL	Pris USD
BT40-SCA22-90	65.4
BT40-SCA25.4-90	65.4
BT40-SCA25.4-120	83.3
BT40-SCA27-90	65.4
BT40-SCA32-90	65.4


Gwialen Peiriant Prawf Peiriant Gwerthdyd
Machine Tool Spindle Test Rod



Manyleb NO. xL	Pris USD
BT30	92.9
BT40	92.9
BT50	131.0

Deiliad Offer Math Math Sefydlog SLN

SLN Side Fixed Type Toolholder



Manyleb NO. xdxL	Pris USD
BT30-SLN12	16.0
BT30-SLN16	16.0
BT30-SLN20	16.0
BT30-SLN25	16.0
BT30-SLN32	16.0
BT40-SLN06-75	21.1
BT40-SLN08-75	21.1
BT40-SLN10-75	21.1
BT40-SLN12-75	17.1
BT40-SLN16-75	17.1
BT40-SLN20-75	17.1
BT40-SLN20-150	25.3
BT40-SLN25-100	17.1
BT40-SLN25-150	25.3
BT40-SLN32-100	17.1
BT40-SLN32-150	25.3
BT40-SLN40-100	19.7
BT50-SLN06-105	46.1
BT50-SLN08-105	46.1
BT50-SLN10-105	46.1
BT50-SLN12-105	39.7
BT50-SLN16-105	39.7
BT50-SLN20-105	39.7
BT50-SLN25-105	39.7
BT50-SLN32-105	39.7
BT50-SLN40-105	42.4
BT50-SLN40-150	52.9
BT50-SLN40-200	63.6
BT50-SLN40-250	92.6
BT50-SLN40-300	105.7
BT50-SLN50.8-120	55.4
C10-SLN4-100	22.4
C10-SLN4-150	22.4
C10-SLN6-100	22.4
C10-SLN6-150	22.4
C12-SLN4-100	22.4
C12-SLN4-150	22.4
C12-SLN6-100	22.4
C12-SLN6-150	22.4
C12-SLN8-100	22.4
C12-SLN8-150	22.4
C16-SLN10-100	22.4
C16-SLN10-150	22.4
C16-SLN6-100	22.4
C16-SLN6-150	22.4
C16-SLN8-100	22.4
C16-SLN8-150	22.4
C20-SLN10-100	25.3
C20-SLN10-150	25.3
C20-SLN6-100	25.3
C20-SLN6-150	25.3
C20-SLN8-100	25.3
C20-SLN8-150	25.3
NT40-SLN12	19.7
NT40-SLN16	19.7
NT40-SLN25	19.7
NT40-SLN32	19.7
NT50-SLN12	42.4
NT50-SLN16	42.4
NT50-SLN20	42.4
NT50-SLN25	42.4
NT50-SLN32	42.4
NT50-SLN40-105	43.6
NT50-SLN42-105	47.6
NT50-SLN50.8-120	55.4
ISO20-11.3-Probe	40.4
ISO25-11.3-Probe	40.4
ISO25-20-Probe	40.4
HSK32E-11.3-Probe	82.1

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn

<http://www.mzg.tw>

Bolt Puller Deiliad Offeryn Bolt

CNC Tool Holder Puller Bolt

45°/60°/90°



Manyleb	Pris USD
BT30-45°	1.4
BT30-60°	1.4
BT30-90°	1.9
BT40-45°	1.4
BT40-45° Trwy Hole	1.9
BT40-60°	1.9
BT40-90°	1.9
BT50-45°	3.1
BT50-45° Trwy Hole	3.6
BT50-60°	3.6
BT50-60° Trwy Hole	3.9
BT50-90°	3.6
DIN69872-30	3.6
DIN69872-40	3.6
DIN69872-50	6.0
ISO7388-30	4.6
ISO7388-40	4.6
ISO7388-50	6.0
JIS6339-30	3.6
JIS6339-40	3.6
JIS6339-50	6.0
MAZAK-BT40	3.6
MAZAK-BT50	6.0

Lockset Deiliad Offeryn CNC

CNC Tool Holder Lockset



Manyleb	Pris USD
NBT30	14.3

Lockset Deiliad Offeryn CNC


CNC Tool Holder Lockset



Manyleb	Pris USD
ISO20	59.6
ISO25	59.6
HSK25	59.6
HSK32	59.6
HSK40	71.4
HSK50	71.4
HSK63	83.3
HSK100	119.0

Lockset Deiliad Offeryn CNC

CNC Tool Holder Lockset



Manyleb	Pris USD
BT30	17.9
BT40	19.0
BT50	38.1

Setiwr E-Echel

Z-Axis Setter



Manyleb	Pris USD
Ffotodrydanol	61.9
Deialu	66.7

Manyleb	Pris USD
Ffotodrydanol Z-axis Setter	61.9
Deialu Z-axis Setter	66.7

Darganfyddwr Edge CNC

CNC Edge Finder



Manyleb	Pris USD
Cyffredin	2.4
Antimagnetig	3.6
Ceramic	10.7
Ffotodrydanol	13.3

Manyleb	Pris USD
Cyffredin type	2.4
Antimagnetig type	3.6
Magnet ceramig type	10.7
Ffotodrydanol type	13.3

Rod Machine Peiriant Glanhau Gwerthyd

Machine Tool Spindle Cleaning Rod



Manyleb NO.	Pris USD
BT30	3.9
BT40	3.9
BT50	5.4

Manyleb NO.	Pris USD
BT30	3.9
BT40	3.9
BT50	5.4

Affeithwyr Chuck Lathe Lathe Chuck Accessories

MaiFix®

Manyleb	1 JAWS	Pris	2 JAWS	Pris	3 JAWS	Pris	4 JAWS	Pris
Chuck Hydrolig Hollow	4 inch		SBL-204	435.3	SB-204	435.3	SBS-204	-
	5 inch		SBL-205	435.3	SB-205	435.3	SBS-205	482.9
	6 inch		SBL-206	492.9	SB-206	492.9	SBS-206	561.9
	8 inch		SBL-208	544.0	SB-208	544.0	SBS-208	629.7
	10 inch		SBL-210	697.6	SB-210	697.6	SBS-210	800.0
Hollow Hydraulic Chuck	12 inch		SBL-212	1190.4	SB-212	1190.4	SBS-212	1326.1
	15 inch		SBL-215	2642.9	SB-215	2642.9	SBS-215	3000.0
Agorfa fawr Chuck Hydrolig Hollow	6 inch		2DTK-206	647.6	3DTK-206	647.6	4DTK-206	714.3
Large Aperture	8 inch		2DTK-208	782.1	3DTK-208	782.1	4DTK-208	869.0
Hollow Hydraulic Chuck	10 inch		2DTK-210	935.7	3DTK-210	935.7	4DTK-210	1038.1
Strôc Hir Chuck Hydrolig Hollow	6 inch				3JDB-206	988.1		
Long Stroke	8 inch				3JDB-208	1121.4		
Hollow Hydraulic Chuck	10 inch				3JDB-210	1258.3		
Hollow Hanner Tro Niwmatig Chuck	5 inch		SBL-205KQ	595.3	SB-205KQ	547.6	SBS-205KQ	666.7
	6 inch		SBL-206KQ	631.0	SB-206KQ	611.9	SBS-206KQ	714.3
	8 inch		SBL-208KQ	714.3	SB-208KQ	681.0	SBS-208KQ	788.1
Hollow Half-Through Pneumatic Chuck	10 inch		SBL-210KQ	785.7	SB-210KQ	750.0	SBS-210KQ	908.6
Chuck Hydrolig Solet	4 inch		JNL-04	428.6	JN-04	401.1		
Solid Hydraulic Chuck	5 inch		JNL-05	452.4	JN-05	409.6		
	6 inch		JNL-06	500.0	JN-06	459.6		
	8 inch		JNL-08	547.6	JN-08	511.9		
	10 inch		JNL-10	714.3	JN-10	666.7		
	12 inch		JNL-12	1119.0	JN-12	1088.1		
	15 inch		JNL-15		JN-15	2309.6		
Strôc Hir Chuck Hydrolig Solet	5 inch	1L-05	547.6	2L-05	511.9	3L-05	595.3	
Long Stroke	6 inch	1L-06	595.3	2L-06	544.0	3L-06	642.9	
Solid Hydraulic Chuck	8 inch	1L-08	619.0	2L-08	542.9	3L-08	666.7	
	10 inch	1L-10	833.3	2L-10	750.0	3L-10	881.0	
Strôc Hir Chuck Hydrolig Hollow	6 inch				JLS-206	892.9		
Long Stroke	8 inch				JLS-208	940.4		
Hollow Hydraulic Chuck	10 inch				JLS-210	1038.1		

Bloc Chuck

Chuck T Block



Mesuriadau	Pris USD
5 inch	10.7
6 inch	11.9
8 inch	15.4
10 inch	19.0
12 inch	22.1

Plât Gosod Chuw Jack


Chuck Jaw Fixing Plate



Mesuriadau	Pris USD
5 inch	61.9
6 inch	73.9
8 inch	107.1
10 inch	115.4

Silindr Rotari Hydrolig Solet

Solid Hydraulic Rotary Cylinder



Mesuriadau	Pris USD
5 inch(0815)	109.6
6 inch(1020)	131.0
8/10inch(1225)	150.0
12 inch(1530)	197.6

Silindr Rotari Hydrolig Hollow

Hollow Hydraulic Rotary Cylinder



Mesuriadau	Pris USD
4 inch(428)	261.9
5 inch(1036)	273.9
6 inch(1246)	306.0
8 inch(1552)	357.1
10 inch(1875)	647.6
12 inch(2091)	1309.6

Disg Cysylltu Chuck

Chuck Connecting Disc



Mesuriadau	Pris USD
4 inch	35.7
5 inch	21.4
6 inch	21.4
8 inch	35.7
10 inch	47.6
12 inch	71.4

Jaw cawed Ar gyfer Chucks Hydrolig

Hard Jaw For Hydraulic Chucks



Mesuriadau	Pris USD
5 inch	102.4
6 inch	119.0
8 inch	131.0
10 inch	163.1
12 inch	204.7
15 inch	369.0

Cawl Meddal Meddal Ar gyfer Chucks Hydrolig

Fan Soft Jaw For Hydraulic Chucks




Mesuriadau	Pris USD
5 inch	
6 inch	
8 inch	
10 inch	
12 inch	
15 inch	

Manyleb	1 JAWS	Pris	2 JAWS	Pris	3 JAWS	Pris	4 JAWS	Pris
Jawdal Chuck Hydrolig Solet	6 inch	3GB-06	720.3					
Compensation Solid Hydraulic Chuck	8 inch	3GB-08	839.3					
VertiCal Chuck Hydrolig Hollow	5 inch		JYL-05	738.1	JY-05	714.3	JYS-05	833.3
Vertical Hollow Hydraulic Chuck	6 inch		JYL-06	785.7	JY-06	761.9	JYS-06	904.7
	8 inch		JYL-08	928.6	JY-08	904.7	JYS-08	976.1
	10 inch		JYL-10	1023.9	JY-10	988.1	JYS-10	1107.1
Hollow Hanner Tro Chuck Niwmatig Fertigol	5 inch		SBL-205KQL	714.3	SB-205KQL	690.4	SBS-205KQL	785.7
Hollow Half-Through Vertical Niwmatig Chuck	6 inch		SBL-206KQL	773.9	SB-206KQL	750.0	SBS-206KQL	857.1
	8 inch		SBL-208KQL	904.7	SB-208KQL	881.0	SBS-208KQL	952.4
	10 inch		SBL-210KQL	976.1	SB-210KQL	952.4	SBS-210KQL	1071.4

Jaw meddal Ar gyfer Chucks Hydrolig

Soft Jaw For Hydraulic Chucks



a°=120°			a°=120°			a°=120°			a°=120°			a°=120°		
5 Inch Swts Meddal Ar gyfer Chucks Hydrolig	6 Inch Swts Meddal Ar gyfer Chucks Hydrolig	8 Inch Swts Meddal Ar gyfer Chucks Hydrolig	10 Inch Swts Meddal Ar gyfer Chucks Hydrolig	12 Inch Swts Meddal Ar gyfer Chucks Hydrolig		5 Inch Soft Jaw For Hydraulic Chucks	6 Inch Soft Jaw For Hydraulic Chucks	8 Inch Soft Jaw For Hydraulic Chucks	10 Inch Soft Jaw For Hydraulic Chucks	12 Inch Soft Jaw For Hydraulic Chucks				

Mesuriadau	H	Pris USD	Mesuriadau	H	Pris USD	Mesuriadau	H	Pris USD	Mesuriadau	H	Pris USD	Mesuriadau	H	Pris USD
5H40	40	13.6	6H50	50	17.1	8H40	40	20.4	10H50	50	23.9	12H60	60	34.6
5H50	50	17.1	6H60	60	20.4	8H50	50	20.4	10H60	60	27.4	12H70	70	40.4
5H60	60	20.4	6H70	70	23.9	8H60	60	23.9	10H70	70	31.0	12H80	80	47.6
5H70	70	23.9	6H80	80	28.9	8H70	70	27.4	10H80	80	34.6	12H90	90	59.6
5H80	80	39.3	6H90	90	32.4	8H80	80	31.0	10H90	90	41.7	12H100	100	73.9
5H90	90	45.3	6H100	100	37.6	8H90	90	35.7	10H100	100	50.0	12H120	120	80.0
5H100	100	51.1	6H120	120	51.1	8H100	100	42.9	10H110	110	54.7	12H150	150	94.0
			6H130	130	56.0	8H120	120	51.1	10H120	120	59.6			
			6H150	150	61.9	8H130	130	54.7	10H130	130	68.1			
						8H140	140	65.4	10H150	150	80.0			
						8H150	150	69.0	10H170	170	102.4			
						8H200	200	135.7	10H180	180	109.6			
									10H200	200	146.4			

15 Inch Swts Meddal Ar gyfer Chucks Hydrolig

15 Inch Soft Jaw For Hydraulic Chucks

Mesuriadau	H	Pris USD
15H100	100	154.7
15H120	120	170.3
15H150	150	257.1

Uchod Pris Ac eithrio Cludo Nwyddau, Treth A Ffi.

Pris Trafodion Doler USD Domestig Yn Tsieina.

Os oes gennych unrhyw gwestiynau, anfonwch e-bost at: eva@mzgtool.cn <http://www.mzg.tw>

Machine Tools Price



E-mail: eva@mzgtool.cn



WeChat



Twitter



LinkedIn



Facebook



Sganio, Cysylltwch â Ni

Dongguan Ming Ze Hardware Machinery Co., Ltd.

Operation Center: No.42-1, # Article, Changrong International Machinery Hardnery Hardware Plaza, No.56, Wusha Zhen'anzhong Road, Changan town, Dongguan city, Guangdong Province, China

TEL: +86-013929492387

([Wechat/Facebook/Twitter/Whatsapp/Linkedin](#))

FAX: +86-769-85359513

Website: <http://www.mzg.tw>

E-mail: eva@mzgtool.cn